



Electroacoustics — Octave-band and fractional-octave-band filters

Part 3: Periodic tests

STANDARDS
Australia



Currently in preview, click buy full version

AS IEC 61260.3:2019

This Australian Standard® was prepared by EV-010, Acoustics Community Noise. It was approved on behalf of the Council of Standards Australia on 27 February 2019.

This Standard was published on 2 May 2019.

The following are represented on Committee EV-010:

- Association of Australasian Acoustical Consultants
- Australian Acoustical Society
- Austroads
- Bureau of Steel Manufacturers of Australia
- Department of Defence (Australian Government)
- Engineers Australia
- Master Builders Australia
- University of Sydney

This Standard was issued in draft form for comment as DR AS IEC 61260.3:2018.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76072 431 3



Electroacoustics — Octave-band and fractional-octave-band filters

Part 3: Periodic tests

Originated in Australia as AS Z41—1969.
Originated in New Zealand as NZS 1499:1965.
AS Z41—1969 and NZS 1499:1965 jointly revised, amalgamated and redesignated as NZS 4476:1997.
Revised and redesignated as AS IEC 61260.3:2019.

COPYRIGHT

© IEC 2019 — All rights reserved
© Standards Australia Limited 2019

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee EV-010, Acoustics Community Noise, to supersede AS/NZS 4476:1997, *Acoustics—Octave-band and fractional-octave-band filters*.

The objective of this Standard is to describe procedures for periodic testing of octave-band and fractional-octave-band filters that were designed to conform to the class 1 or class 2 specifications given in AS IEC 61260.1:2019. The aim of this standard is to ensure that periodic testing is performed in a consistent manner by all laboratories.

This Standard is identical with, and has been reproduced from, IEC 61260-3:2016, *Electroacoustics — Octave-band and fractional-octave-band filters — Part 3: Periodic tests*.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this part of 61260” should read “this Australian Standard”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The term “informative” is used in Standards to define the application of the annexes to which it applies. An “informative” annex is only for information and guidance.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	7
4 Submission for testing	7
5 Conformance.....	7
6 Preliminary inspection.....	7
7 Power supply.....	8
8 Environmental conditions	8
9 Mandatory facilities and general requirements.....	8
9.1 General.....	8
9.2 Test instruments	10
10 Test of relative attenuation at midband frequency or effective bandwidth deviation.....	10
10.1 General.....	10
10.2 Tests of relative attenuation at midband frequency	10
10.3 Test of effective bandwidth deviation	10
11 Linear operating range, measurement range, level range control and overload indicator	11
12 Test of lower limit of linear operating range	12
13 Measurement of relative attenuation.....	12
14 Documentation	13
Annex A (informative) Uncertainty related to test by sinusoidal sweeps	16
A.1 General.....	16
A.2 Digitally generated signal	16
A.3 Test signal from a signal generator.....	17
A.4 Comparing measurements.....	18
Annex B (informative) Test of effective bandwidth deviation with the use of an exponential sweep – Example	19
B.1 General.....	19
B.2 Example.....	19
Annex C (informative) Normalized frequencies for test of one-third-octave-band filters	21
C.1 General.....	21
C.2 Example calculation	21
Bibliography	23
Table 1 – Frequency parameter R and acceptance limits on relative attenuation for fractional-octave-band filters	13
Table C.1 – Normalized test frequencies and acceptance limits on relative attenuation for one-third-octave-band filters	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROACOUSTICS – OCTAVE-BAND AND FRACTIONAL-OCTAVE-BAND FILTERS –

Part 3: Periodic tests

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, issue IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61260-3 has been prepared by IEC technical committee 29: Electroacoustics.

This third edition of IEC 61260-3 (together with IEC 61260-1:2014 and IEC 61260-2:2016), cancels and replaces the first edition of IEC 61260 published in 1995 and its Amendment 1 published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 61260.

- a) The single document in the first edition of IEC 61260:1995 is now separated into three parts of IEC 61260 covering: specifications, pattern evaluation tests and periodic tests;
- b) IEC 61260:1995 specified three performance categories: class 0, 1 and 2 while the IEC 61260 series specifies requirements for class 1 and 2;
- c) In IEC 61260:1995, the design goals for the specification can be based on base-2 or base-10 design. In the IEC 61260 series only base-10 is specified;

- d) The reference environmental conditions have been changed from 20 °C/65 % RH to 23 °C/50 % RH;
- e) IEC 61260:1995 specified tolerance limits without considering the uncertainty of measurement for verification of the specifications while the IEC 61260 series specifies acceptance limits for the observed values and maximum-permitted uncertainty of measurements for laboratories testing conformance to specifications in the standard.

The text of this standard is based on the following documents:

CDV	Report on voting
29/846/CDV	29/882A/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts of the IEC 61260 series, published under the general title *Electroacoustics – Octave-band and fractional-octave-band filters* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

IEC 61260:1995 and IEC 61260:1995/AMD 1:2001 are now separated into the following three parts of IEC 61260 series:

- Part 1: Specifications
- Part 2: Pattern evaluation tests
- Part 3: Periodic tests

For assessments of conformance to performance specifications, IEC 61260-1 uses different criteria than were used for the IEC 61260:1995 edition.

IEC 61260:1995 did not provide any requirements or recommendations to account for the uncertainty of measurement in assessments of conformance to specifications. This absence of requirements or recommendations to account for uncertainty of measurement created ambiguity in determinations of conformance to specifications for situations where a measured deviation from a design goal was close to the limit of the allowed deviation. If conformance was determined based on whether a measured deviation did or did not exceed the limits, the end-user of the octave-band and fractional-octave-band filters incurred the risk that the true deviation from a design goal exceeded the limits.

To remove this ambiguity, IEC Technical Committee 29, at its meeting in 1996, adopted a policy to account for measurement uncertainty in assessments of conformance in International Standards that it prepares.

This edition of IEC 61260-3 uses an amended criterion for assessing conformance to a specification. Conformance is demonstrated when (a) measured deviations from design goals do not exceed the applicable *acceptance limits* and (b) the uncertainty of measurement does not exceed the corresponding maximum-permitted uncertainty. Acceptance limits are analogous to the tolerance limits allowances for design and manufacturing implied in the IEC 61260:1995.

Actual and maximum-permitted uncertainties of measurement are determined for a coverage probability of 95 %. Unless more specific information is available, the evaluation of the contribution of a specific filter or filter set to a total measurement uncertainty can be based on the acceptance limits and maximum-permitted uncertainties specified in this standard.

ELECTROACOUSTICS – OCTAVE-BAND AND FRACTIONAL-OCTAVE-BAND FILTERS –

Part 3: Periodic tests

1 Scope

1.1 This part of IEC 61260 describes procedures for periodic testing of octave-band and fractional-octave-band filters that were designed to conform to the class 1 or class 2 specifications given in IEC 61260-1:2014. The aim of this standard is to ensure that periodic testing is performed in a consistent manner by all laboratories.

1.2 The purpose of periodic testing is to assure the user that the performance of an octave-band and fractional-octave-band filter conforms to the applicable specifications of IEC 61260-1 for a limited set of key tests and for the environmental conditions under which the tests were performed.

1.3 The extent of the tests in this standard is deliberately restricted to the minimum considered necessary for periodic tests.

1.4 Periodic tests described in this standard apply to filters for which the manufacturer claims conformance to the specifications in IEC 61260-1:2014. Periodic tests in this standard apply to filters for which the model has been, or has not been, pattern approved by an independent testing organization responsible for pattern approvals in accordance with the test procedures of IEC 61260-2.

1.5 Because of the limited extent of the periodic tests, if evidence of pattern approval is not publicly available, no general conclusion about conformance to the specifications of IEC 61260-1 can be made, even if the results of the periodic tests conform to all applicable requirements of this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61260-1:2014, *Electroacoustics – Octave-band and fractional-octave-band filters – Part 1: Specifications*

IEC 61260-2:2016, *Electroacoustics – Octave-band and fractional-octave-band filters – Part 2: Filter evaluation tests*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

ISO/IEC Guide 98-3, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC Guide 98-4, *Uncertainty of measurement – Part 4: Role of measurement uncertainty in conformity assessment*