

Australian Standard[®]

**Adjustable speed electrical power drive
systems**

**Part 5.1: Safety requirements—
Electrical, thermal and energy**

STANDARDS
Australia



This Australian Standard® was prepared by Committee EL-027, Power Electronics. It was approved on behalf of the Council of Standards Australia on 4 February 2013. This Standard was published on 27 February 2013.

The following are represented on Committee EL-027:

- Australian Communications and Media Authority
 - Australian Industry Group
 - Bureau of Steel Manufacturers of Australia
 - Engineers Australia
 - RMIT University
-

This Standard was issued in draft form for comment as Draft IEC 61800.5.1.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**Adjustable speed electrical power drive
systems**

**Part 5.1: Safety requirements—
Electrical, thermal and energy**

First published as AS IEC 61800.5.1—2013.

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 74342 362 2

PREFACE

This Standard was prepared by the Standards Australia Committee EL-027, Power Electronics.

The objective of this Standard is to specify requirements for adjustable speed power drive systems, or their elements, with respect to electrical, thermal and energy safety considerations. Unless specifically stated, the requirements of this Standard apply to all parts of the Power Drive Systems (PDS), including the complete drive module (CDM)/ basic drive module (BDM).

This Standard is identical with, and has been reproduced from IEC 61800-5-1, Ed.2.0 (2000) *Adjustable speed electrical power drive systems—Safety requirements—Electrical, thermal and energy*.

As this Standard is reproduced from an International Standard, the following applies:

- Its number appears on the cover and title page while the International Standard number appears only on the cover.
- In the source text ‘this part of IEC 61800’ should read ‘this part of AS 61800’.
- A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian or Australian/New Zealand Standard</i>	
IEC		AS	
60034 (all parts)	Rotating electrical machines	60034 (all parts)	Rotating electrical machines
60034-1	Part 1: Rating and performance	60034.1	Part 1: Rating and performance
60034-5	Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code)—Classification	60034.5	Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code)—Classification
60068	Environmental testing	60068	Environmental testing
60068-2-6	Part 2-6: Tests—Test Fc: Vibration (sinusoidal)	60068.2.6	Part 2.6: Tests—Test Fc: Vibration (sinusoidal)
60068-2-78	Part 2-78: Tests—Test Cab: Damp heat, steady state	60068.2.78	Part 2.78: Tests—Test Cab: Damp heat, steady state
60204	Safety of machinery—Electrical equipment of machines	60204	Safety of machinery—Electrical equipment of machines
60204-11	Part 11: Requirements for HV equipment for voltages above 1000 V a.c or 1500 V d.c and not exceeding 36 kV	60204.11	Part 11: Requirements for HV equipment for voltages above 1000 V a.c or 1500 V d.c and not exceeding 36 kV (IEC 60204-11, Ed. 1.0 (2000) MOD)
60417	Graphical symbols for use on equipment	60417	Graphical symbols for use on equipment
60695	Fire hazard testing	AS/NZS 60695	Fire hazard testing
60695-2-10	Part 2-10: Glowing/hot-wire based test methods—Glowwire apparatus and common test procedure	60695.2.10	Part 2.10: Glowing/hot-wire based test methods—Glowwire apparatus and common test procedure

IEC		AS/NZS	
60695-2-13	Part 2-13: Glowing/hot-wire based test methods—Glowwire ignitability test method for materials	60695.2.13	Part 2.13: Glowing/hot-wire based test methods—Glowwire ignitability test method for materials
60695-11-10	Part 11-10: Test flames—50 W horizontal and vertical flame test methods	60695.11.10	Part 11.10: Test flames—50 W horizontal and vertical flame test methods
60695-11-20	Part 11-20: Test flames—500 W flame test methods	60695.11.20	Part 11.20: Test flames—500 W flame test methods
		AS	
60947	Low-voltage switchgear and controlgear	60947	Low-voltage switchgear and controlgear
60947-7-1: 2002	Part 7-1: Ancillary equipment—Terminal blocks for copper conductors	60947.7.1: 2004	Part 7.1: Ancillary equipment—Terminal blocks for copper conductors
60947-7-2: 2002	Part 7-2: Ancillary equipment—Protective conductor terminal blocks for copper conductors	60947.7.2: 2002	Part 7.2: Ancillary equipment—Protective conductor terminal blocks for copper conductors
		AS/NZS	
60990:1999	Methods of measurement of touch current and protective conductor current	60990:2002	Methods of measurement of touch current and protective conductor current
		AS	
61800	Adjustable speed electrical power drive systems	61800	Adjustable speed electrical power drive systems
61800-1	Part 1: General requirements—Rating specifications for low voltage adjustable speed d.c. power drive systems	61800.1	Part 1: General requirements—Rating specifications for low voltage adjustable speed d.c. power drive systems
61800-2	Part 2: General requirements—Rating specifications for low voltage adjustable frequency a.c. power drive systems	61800.2	Part 2: General requirements—Rating specifications for low voltage adjustable frequency a.c. power drive systems
61800-4	Part 4: General requirements—Rating specifications for a.c. power drive systems above 1000 V a.c. and not exceeding 35 kV	61800.4	Part 4: General requirements—Rating specifications for a.c. power drive systems above 1000 V a.c. and not exceeding 35 kV
62271	High-voltage switchgear and controlgear	62271	High-voltage switchgear and controlgear
62271-102	Part 102: Alternating current disconnectors and earthing switches	62271.102	Part 102: Alternating current disconnectors and earthing switches

Only international references that have been adopted as Australian or Australian/New Zealand Standards have been listed.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the annex to which they apply. A ‘normative’ annex is an integral part of a Standard, whereas an ‘informative’ annex is only for information and guidance.

CONTENTS

1	Scope	7
2	Normative references	7
3	Terms and definitions	10
4	Protection against electric shock, thermal, and energy hazards	16
4.1	General	16
4.2	Fault conditions	17
4.3	Protection against electric shock	18
4.4	Protection against thermal hazards	51
4.5	Protection against energy hazards	56
4.6	Protection against environmental stresses	57
5	Test requirements	57
5.1	General	57
5.2	Test specifications	60
6	Information and marking requirements	82
6.1	General	82
6.2	Information for selection	85
6.3	Information for installation and commissioning	85
6.4	Information for use	89
6.5	Information for maintenance	91
	Annex A (informative) Examples of protection in case of direct contact	93
	Annex B (informative) Examples of overvoltage category reduction	95
	Annex C (normative) Measurement of clearance and creepage distances	101
	Annex D (informative) Altitude correction for clearances	107
	Annex E (informative) Clearance and creepage distance determination for frequencies greater than 30 kHz	109
	Annex F (informative) Cross-sections of round conductors	112
	Annex G (informative) Guidelines for RCD compatibility	113
	Annex H (informative) Symbols referred to in this part of IEC 61800	116
	Bibliography	117
	Figure 1 – RCD hardware configuration within an <i>installation</i>	16
	Figure 2 – Typical waveform for a.c. <i>working voltage</i>	19
	Figure 3 – Typical waveform for d.c. <i>working voltage</i>	20
	Figure 4 – Typical waveform for pulsating <i>working voltage</i>	20
	Figure 5 – Examples for protection against direct contact	22
	Figure 6 – Example of <i>protective bonding</i>	26
	Figure 7 – Voltage limits under fault conditions	28
	Figure 8 – Voltage test procedures	68
	Figure 9 – Circuit for high-current arcing test	77

Figure 10 – Test fixture for hot-wire ignition test	78
Figure A.1 – Protection by <i>DVC A</i> , with <i>protective separation</i>	93
Figure A.2 – Protection by means of <i>protective impedance</i>	94
Figure A.3 – Protection by using limited voltages	94
Figure B.1 – <i>Basic insulation</i> evaluation for circuits connected directly to the origin of the <i>installation</i> supply mains	95
Figure B.2 – <i>Basic insulation</i> evaluation for circuits connected directly to the supply mains	96
Figure B.3 – <i>Basic insulation</i> evaluation for equipment not permanently connected to the supply mains	96
Figure B.4 – <i>Basic insulation</i> evaluation for circuits connected directly to the origin of the <i>installation</i> supply mains where internal SPDs are used	96
Figure B.5 – <i>Basic insulation</i> evaluation for circuits connected directly to the supply mains where internal SPDs are used	97
Figure B.6 – Example of <i>protective separation</i> evaluation for circuits connected directly to the supply mains where internal SPDs are used	97
Figure B.7 – Example of <i>protective separation</i> evaluation for circuits connected directly to the supply mains where internal SPDs are used	97
Figure B.8 – Example of <i>protective separation</i> evaluation for circuits connected directly to the supply mains where internal SPDs are used	98
Figure B.9 – <i>Basic insulation</i> evaluation for circuits not connected directly to the supply mains	98
Figure B.10 – <i>Basic insulation</i> evaluation for circuits not connected directly to the supply mains	98
Figure B.11 – <i>Functional insulation</i> evaluation within circuits affected by external transients	99
Figure B.12 – <i>Basic insulation</i> evaluation for circuits both connected and not connected directly to the supply mains	99
Figure B.13 – Insulation evaluation for accessible circuit of <i>DVC A</i>	100
Figure G.1 – Flow chart leading to selection of the RCD/RCM type upstream of a <i>PDS</i>	113
Figure G.2 – Fault current waveforms in connections with semiconductor devices	114
Table 1 – Alphabetical list of terms	10
Table 2 – Relevance of requirements to <i>PDS/CDM/BDM</i>	17
Table 3 – Summary of the limits of the <i>decisive voltage classes</i>	18
Table 4 – Protection requirements for considered circuit	19
Table 5 – <i>Protective earthing conductor</i> cross-section	28
Table 6 – Definitions of pollution degrees	31
Table 7 – Insulation voltage for low voltage circuits	33
Table 8 – Insulation voltage for high voltage circuits	33
Table 9 – Clearance distances	37
Table 10 – Creepage distances (mm)	39
Table 11 – Thickness of sheet metal for enclosures: carbon steel or stainless steel	45
Table 12 – Thickness of sheet metal for enclosures: aluminium, copper or brass	46
Table 13 – Wire bending space from terminals to enclosure	49
Table 14 – Generic materials for the direct support of uninsulated <i>live parts</i>	52
Table 15 – Maximum measured temperatures for internal materials and components	54

Table 16 – Maximum measured temperatures for external parts of the <i>CDM</i>	55
Table 17 – Test overview	59
Table 18 – Impulse voltage test	63
Table 19 – Impulse test voltage for <i>low-voltage PDS</i>	64
Table 20 – Impulse test voltage for <i>high-voltage PDS</i>	64
Table 21 – A.C. or d.c. test voltage for circuits connected directly to low voltage mains	65
Table 22 – A.C. or d.c. test voltage for circuits connected directly to high voltage mains	66
Table 23 – A.C. or d.c. test voltage for circuits not connected directly to the mains	67
Table 24 – Partial discharge test	70
Table 25 – Dry heat test (steady state)	80
Table 26 – Damp heat test (steady state)	81
Table 27 – Vibration test	82
Table 28 – Information requirements	84
Table C.1 – Width of grooves by pollution degree	101
Table D.1 – Correction factor for clearances at altitudes between 2 000 m and 20 000 m (see 4.3.6.4.1)	107
Table D.2 – Test voltages for verifying clearances at different altitudes	107
Table E.1 – Minimum values of clearances in air at atmospheric pressure for inhomogeneous field conditions (Table 1 of IEC 60664-1)	110
Table E.2 – Minimum values of creepage distances for different frequency ranges (Table 2 of IEC 60664-1)	111
Table F.1 – Standard cross-sections of round conductors	112
Table H.1 – Symbols used	116

AUSTRALIAN STANDARD

Adjustable speed electrical power drive systems

Part 5.1:

Safety requirements—Electrical, thermal and energy

1 Scope

This part of IEC 61800 specifies requirements for adjustable speed *power drive systems*, or their elements, with respect to electrical, thermal and energy safety considerations. It does not cover the driven equipment except for interface requirements. It applies to adjustable speed electric drive systems which include the power conversion, drive control, and motor or motors. Excluded are traction and electric vehicle drives. It applies to d.c. drive systems connected to line voltages up to 1 kV a.c., 50 Hz or 60 Hz and a.c. drive systems with converter input voltages up to 35 kV, 50 Hz or 60 Hz and output voltages up to 35 kV.

Other parts of IEC 61800 cover rating specifications, EMC, functional safety, etc.

The scope of this part of IEC 61800 does not include devices used as component parts of a *PDS* if they comply with the safety requirements of a relevant product standard for the same environment. For example, motors used in *PDS* shall comply with the relevant parts of IEC 60034.

Unless specifically stated, the requirements of this International Standard apply to all parts of the *PDS*, including the *CDM/BDM* (see Figure 1).

NOTE In some cases, safety requirements of the *PDS* (for example, protection against direct contact) can necessitate the use of special components and/or additional measures.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE This does not mean that compliance is required with all clauses of the referenced documents, but rather that this international standard makes a reference that cannot be understood in the absence of the referenced document.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-5, *Rotating electrical machines – Part 5: Degrees of protection provided by the enclosure design of rotating electrical machines (IP code) - Classification*

IEC 60050-111, *International Electrotechnical Vocabulary (IEV) – Chapter 111: Physics and chemistry*