

Australian Standard™

**Industrial automation systems and
integration—Product data
representation and exchange**

**Part 104: Integrated application
resource: Finite element analysis**

This Australian Standard was prepared by Committee IT-006, Information Technology for Industrial Automation and Integration. It was approved on behalf of the Council of Standards Australia on 5 March 2004 and published on 2 June 2004.

The following are represented on Committee IT-006:

Association of Consulting Engineers Australia
Australian Electrical and Electronic Manufacturers Association
CSIRO Centre for Planning and Design
CSIRO Manufacturing & Infrastructure Technology
Department of Defence (Australia)
Institute of Instrumentation, Control and Automation Australia
Institution of Engineers Australia
Monash University
RMIT University
The University of Melbourne

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.org.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 1501.

This Standard was issued in draft form for comment as DR 04051.

Australian Standard™

**Industrial automation systems and
integration—Product data
representation and exchange**

**Part 104: Integrated application
resource: Finite element analysis**

First published as AS ISO 10303.104—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5868 1

PREFACE

This Standard was prepared by the Standards Australia Committee IT-006, Information Technology for Industrial Automation and Integration.

This Standard is identical with, and has been reproduced from, ISO 10303-104:2000, *Industrial automation systems and integration—Product data representation and exchange—Part 104: Integrated application resource: Finite element analysis*.

The objective of this Standard is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product independent from any particular system.

The terms ‘normative’ and ‘informative’ are used to define the application of the annexes to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian Standard</i>	
ISO/IEC		AS/NZS	
8824-1	Information technology—Abstract Syntax Notation One (ASN.1): Specification of basic notation	8824.1	Information technology—Abstract Syntax Notation One (ASN.1): Specification of basic notation
ISO		AS	
10303	Industrial automation systems and integration—Product data representation and exchange	10303	Industrial automation systems and integration—Product data representation and exchange
10303-1	Part 1: Overview and fundamental principles	10303.1	Part 1: Overview and fundamental principles
10303-11	Part 11: Description methods: The EXPRESS language reference model	10303.11	Part 11: Description methods: The EXPRESS language reference model
10303-41	Part 41: Integrated generic resources: Fundamentals of product description and support	10303.41	Part 41: Integrated generic resources: Fundamentals of product description and support
10303-42	Part 42: Integrated generic resources: Geometric and topological representation	10303.42	Part 42: Integrated generic resources: Geometric and topological representation
10303-43	Part 43: Integrated generic resources: Representation structures	10303.43	Part 43: Integrated generic resources: Representation structures
10303-45	Part 45: Integrated generic resources: Materials	10303.45	Part 45: Integrated generic resources: Materials

CONTENTS

	<i>Page</i>
1 Scope	1
1.1 Analysis type scope	1
1.2 Structural response definition schema scope	1
1.3 Structural response representation schema scope	2
1.4 Finite element analysis control and result schema scope	3
1.5 Scalars, vectors, and tensors schema scope	3
2 Normative references	4
3 Terms, definitions, abbreviations, and symbols	5
3.1 Terms defined in ISO 10303-1	5
3.2 Other terms and definitions	5
3.3 Symbols	7
3.4 Abbreviations	7
4 Structural response definition schema	8
4.1 Introduction	8
4.2 Fundamental concepts and assumptions	8
4.3 Structural response definition schema entity definitions	8
4.3.1 structural_response_property	8
4.3.2 fea_model_definition	10
4.3.3 node_definition	10
4.3.4 element_definition	10
5 Structural response representation schema	12
5.1 Introduction	14
5.2 Fundamental concepts and assumptions	14
5.2.1 Product relationships	14
5.2.2 Finite element analysis model relationships	14
5.2.3 Geometric modeling and analysis space	15
5.2.4 Identification	15
5.2.5 Coordinate systems	15
5.2.6 Element matrix integration	15
5.2.7 Units and measures	15
5.2.8 Interface with the materials schema	15
5.2.9 Finite element analysis model, control, and result relationships	16
5.2.10 Use of element	16
5.3 Structural response representation schema type definitions	16
5.3.1 axi_or_plane	16
5.3.2 coordinate_system_type	17
5.3.3 element_order	19
5.3.4 plane_2d_element_purpose	19
5.3.5 enumerated_plane_2d_element_purpose	19

	<i>Page</i>	
5.3.6	application_defined_element_purpose	20
5.3.7	volume_element_purpose	20
5.3.8	enumerated_volume_element_purpose	21
5.3.9	surface_element_purpose	21
5.3.10	enumerated_surface_element_purpose	21
5.3.11	curve_element_purpose	22
5.3.12	enumerated_curve_element_purpose	22
5.3.13	volume_3d_element_shape	24
5.3.14	element_2d_shape	24
5.3.15	matrix_property_type	25
5.3.16	enumerated_matrix_property_type	25
5.3.17	application_defined_matrix_property_type	25
5.3.18	surface_matrix_property_type	26
5.3.19	enumerated_surface_matrix_property_type	26
5.3.20	curve_matrix_property_type	27
5.3.21	enumerated_curve_matrix_property_type	28
5.3.22	matrix_symmetry	29
5.3.23	degree_of_freedom	30
5.3.24	enumerated_degree_of_freedom	30
5.3.25	application_defined_degree_of_freedom	31
5.3.26	curve_element_freedom	31
5.3.27	enumerated_curve_element_freedom	32
5.3.28	integration_rule	32
5.3.29	shape_function	33
5.3.30	volume_2d_element_representation	33
5.3.31	surface_2d_element_representation	34
5.3.32	curve_2d_element_representation	34
5.3.33	volume_2d_element_descriptor	34
5.3.34	surface_2d_element_descriptor	35
5.3.35	curve_2d_element_descriptor	35
5.3.36	volume_3d_element_coordinate_system	35
5.3.37	volume_2d_element_coordinate_system	36
5.3.38	surface_3d_element_coordinate_system	36
5.3.39	surface_2d_element_coordinate_system	36
5.3.40	curve_3d_element_coordinate_system	37
5.3.41	curve_element_end_coordinate_system	37
5.3.42	directionally_explicit_element_coordinate_system	37
5.3.43	element_aspect	38
5.3.44	element_volume	38
5.3.45	curve_edge	39
5.3.46	node_or_node_group	39
5.3.47	element_or_element_group	39
5.4	Structural response representation schema entity definitions: Finite element analysis model	40
5.4.1	fea_model	40
5.4.2	fea_model_3d	41

	<i>Page</i>	
5.4.3	fea_model_2d	41
5.4.4	structural_response_property_definition_representation	42
5.4.5	fea_representation_item	43
5.5	Structural response representation schema entity definitions: Node and element geometry, geometric coordinate systems, and geometric associativity	44
5.5.1	direction_node	45
5.5.2	fea_axis2_placement_2d	47
5.5.3	fea_axis2_placement_3d	48
5.5.4	node_set	49
5.5.5	analysis_item_within_representation	49
5.5.6	node_geometric_relationship	50
5.5.7	element_geometric_relationship	51
5.6	Structural response representation schema entity definitions: Node representation	52
5.6.1	node_representation	52
5.6.2	node	53
5.6.3	node_with_vector	53
5.6.4	node_with_solution_coordinate_system	54
5.6.5	dummy_node	55
5.6.6	geometric_node	55
5.6.7	substructure_node_relationship	56
5.7	Structural response representation schema entity definitions: Element representations	56
5.7.1	element_representation	61
5.7.2	volume_3d_element_representation	62
5.7.3	axisymmetric_volume_2d_element_representation	64
5.7.4	plane_volume_2d_element_representation	66
5.7.5	surface_3d_element_representation	68
5.7.6	axisymmetric_surface_2d_element_representation	70
5.7.7	plane_surface_2d_element_representation	72
5.7.8	curve_3d_element_representation	75
5.7.9	axisymmetric_curve_2d_element_representation	77
5.7.10	plane_curve_2d_element_representation	79
5.7.11	element_descriptor	80
5.7.12	volume_3d_element_descriptor	81
5.7.13	axisymmetric_volume_2d_element_descriptor	82
5.7.14	plane_volume_2d_element_descriptor	82
5.7.15	volume_3d_element_basis	83
5.7.16	volume_2d_element_basis	84
5.7.17	surface_3d_element_descriptor	84
5.7.18	axisymmetric_surface_2d_element_descriptor	85
5.7.19	plane_surface_2d_element_descriptor	85
5.7.20	surface_3d_element_basis	86
5.7.21	surface_2d_element_basis	87
5.7.22	curve_3d_element_descriptor	87
5.7.23	axisymmetric_curve_2d_element_descriptor	88
5.7.24	plane_curve_2d_element_descriptor	88
5.7.25	curve_3d_element_basis	89

	<i>Page</i>	
5.7.26	curve_2d_element_basis	90
5.7.27	point_element_representation	90
5.7.28	point_element_matrix	91
5.7.29	stationary_mass	92
5.7.30	grounded_spring	93
5.7.31	grounded_damper	93
5.7.32	directionally_explicit_element_representation	94
5.7.33	system_and_freedom	95
5.7.34	directionally_explicit_element_coefficient	96
5.7.35	explicit_element_representation	97
5.7.36	explicit_element_matrix	98
5.7.37	substructure_element_representation	99
5.8	Structural response representation schema definitions: Element topology	99
5.9	Structural response representation schema entity definitions: Element coordinate systems	115
5.9.1	aligned_axis_tolerance	116
5.9.2	arbitrary_volume_3d_element_coordinate_system	117
5.9.3	parametric_volume_3d_element_coordinate_system	117
5.9.4	arbitrary_volume_2d_element_coordinate_system	119
5.9.5	parametric_volume_2d_element_coordinate_system	121
5.9.6	aligned_surface_3d_element_coordinate_system	122
5.9.7	parametric_surface_3d_element_coordinate_system	124
5.9.8	constant_surface_3d_element_coordinate_system	126
5.9.9	aligned_surface_2d_element_coordinate_system	127
5.9.10	parametric_surface_2d_element_coordinate_system	128
5.9.11	aligned_curve_3d_element_coordinate_system	129
5.9.12	parametric_curve_3d_element_coordinate_system	130
5.9.13	parametric_curve_3d_element_coordinate_direction	132
5.9.14	curve_2d_element_coordinate_system	132
5.9.15	directionally_explicit_element_coordinate_system_arbitrary	133
5.9.16	directionally_explicit_element_coordinate_system_aligned	134
5.9.17	euler_angles	134
5.10	Structural response representation schema entity definitions: Element matrix integration	135
5.10.1	Volume 3D Element	139
5.10.2	Volume 2D Element	139
5.10.3	Curve 2D Element	140
5.10.4	Surface 3D or Curve Element	140
5.10.5	Surface 2D Element	141
5.10.6	volume_3d_element_integrated_matrix	142
5.10.7	volume_3d_element_integrated_matrix_with_definition	142
5.10.8	volume_3d_element_field_integration	143
5.10.9	element_integration_algebraic	143
5.10.10	volume_3d_element_field_integration_rule	143
5.10.11	volume_3d_element_field_integration_explicit	144
5.10.12	volume_position_weight	144
5.10.13	volume_2d_element_integrated_matrix	145
5.10.14	volume_2d_element_integrated_matrix_with_definition	145

5.10.15	volume_2d_element_field_integration	146
5.10.16	volume_2d_element_field_integration_rule	146
5.10.17	volume_2d_element_field_integration_explicit	147
5.10.18	surface_3d_element_integrated_matrix	147
5.10.19	surface_3d_element_integrated_matrix_with_definition	148
5.10.20	surface_3d_element_integration	148
5.10.21	surface_3d_element_field_integration	149
5.10.22	surface_section_integration	149
5.10.23	surface_3d_element_field_integration_rule	149
5.10.24	surface_3d_element_field_integration_explicit	150
5.10.25	surface_position_weight	150
5.10.26	surface_section_integration_rule	151
5.10.27	surface_section_integration_explicit	151
5.10.28	surface_section_position_weight	152
5.10.29	surface_2d_element_integrated_matrix	152
5.10.30	surface_2d_element_integrated_matrix_with_definition	153
5.10.31	surface_2d_element_integration	153
5.10.32	surface_2d_element_length_integration	154
5.10.33	surface_2d_element_length_integration_rule	154
5.10.34	surface_2d_element_length_integration_explicit	155
5.10.35	curve_3d_element_integrated_matrix	155
5.10.36	curve_3d_element_integrated_matrix_with_definition	156
5.10.37	curve_3d_element_integration	156
5.10.38	curve_3d_element_length_integration	157
5.10.39	curve_3d_element_length_integration_rule	157
5.10.40	curve_3d_element_length_integration_explicit	158
5.10.41	curve_3d_element_position_weight	158
5.10.42	curve_section_integration_explicit	159
5.10.43	curve_2d_element_integrated_matrix	159
5.10.44	curve_2d_element_integrated_matrix_with_definition	160
5.10.45	curve_2d_element_integration	160
5.11	Structural response representation schema entity definitions: Element locations	161
5.11.1	curve_parametric_point	161
5.11.2	volume_element_location	162
5.11.3	surface_volume_element_location	162
5.11.4	surface_element_location	162
5.11.5	surface_section_element_location	163
5.11.6	surface_section_element_location_absolute	164
5.11.7	surface_section_element_location_dimensionless	164
5.11.8	curve_volume_element_location	165
5.11.9	curve_element_location	165
5.11.10	curve_section_element_location	166
5.12	Structural response representation schema entity definitions: Finite element analysis	
	material properties	166
5.12.1	element_material	168
5.12.2	fea_material_property_geometric_relationship	168

5.12.3	fea_material_property_representation	169
5.12.4	fea_material_property_representation_item	170
5.12.5	fea_linear_elasticity	171
5.12.6	fea_mass_density	172
5.12.7	fea_area_density	173
5.12.8	fea_tangential_coefficient_of_linear_thermal_expansion	173
5.12.9	fea_secant_coefficient_of_linear_thermal_expansion	174
5.12.10	fea_moisture_absorption	175
5.12.11	fea_shell_membrane_stiffness	176
5.12.12	fea_shell_bending_stiffness	177
5.12.13	fea_shell_membrane_bending_coupling_stiffness	178
5.12.14	fea_shell_shear_stiffness	178
5.13	Structural response representation schema entity definitions: Element properties	179
5.13.1	Surface element properties	180
5.13.2	Curve element properties	185
5.13.3	surface_element_property	187
5.13.4	surface_section_field	188
5.13.5	surface_section_field_constant	189
5.13.6	surface_section_field_varying	189
5.13.7	surface_section	190
5.13.8	uniform_surface_section	191
5.13.9	uniform_surface_section_layered	191
5.13.10	fea_surface_section_geometric_relationship	192
5.13.11	curve_3d_element_property	192
5.13.12	curve_element_interval	193
5.13.13	curve_element_interval_constant	194
5.13.14	curve_element_interval_linearly_varying	194
5.13.15	curve_2d_element_property	195
5.13.16	curve_element_section_definition	196
5.13.17	curve_element_section_derived_definitions	196
5.13.18	fea_curve_section_geometric_relationship	198
5.13.19	curve_element_end_offset	199
5.13.20	curve_element_end_release	199
5.13.21	curve_element_end_release_packet	200
5.13.22	axisymmetric_2d_element_property	200
5.13.23	plane_2d_element_property	201
5.13.24	simple_plane_2d_element_property	201
5.14	Structural response representation schema entity definitions: Groups	201
5.14.1	fea_group	201
5.14.2	element_group	202
5.14.3	node_group	203
5.14.4	fea_group_relation	203
5.14.5	volume_3d_element_group	204
5.14.6	volume_2d_element_group	204
5.14.7	surface_3d_element_group	205
5.14.8	surface_2d_element_group	205

	<i>Page</i>
5.14.9	curve_3d_element_group 206
5.14.10	curve_2d_element_group 206
5.15	Structural response representation schema function definitions 207
5.15.1	required_0d_nodes 207
5.15.2	required_1d_nodes 207
5.15.3	required_2d_nodes 208
5.15.4	required_3d_nodes 210
5.15.5	number_of_terms 212
5.15.6	valid_parametric_coordinate 213
5.15.7	build_direction_node 213
5.15.8	consistent_geometric_reference 215
5.15.9	consistent_element_or_group_reference 216
5.15.10	consistent_element_reference 217
6	Finite element analysis control and result schema 220
6.1	Introduction 222
6.2	Fundamental concepts and assumptions 222
6.2.1	Control 222
6.2.2	Control process 222
6.2.3	Result 224
6.2.4	Analysis step 224
6.2.5	State 224
6.2.6	State definition 225
6.2.7	Units and measures 225
6.3	Finite element analysis control and result schema type definitions 225
6.3.1	model_or_control_element 226
6.3.2	cylindrical_harmonic_number 226
6.3.3	volume_3d_face 226
6.3.4	volume_2d_face 227
6.3.5	volume_3d_edge 227
6.3.6	volume_2d_edge 228
6.3.7	surface_3d_face 228
6.3.8	surface_3d_edge 229
6.3.9	surface_2d_face 230
6.3.10	surface_2d_edge 230
6.3.11	field_value 231
6.3.12	unspecified_value 231
6.3.13	measure_or_unspecified_value 232
6.3.14	boundary_variable 232
6.3.15	boundary_aggregated_variable 232
6.3.16	volume_variable 233
6.3.17	volume_aggregated_variable 233
6.3.18	surface_element_variable 233
6.3.19	boundary_edge_variable 234
6.3.20	curve_element_variable 234
6.3.21	curve_scalar_variable 235

	<i>Page</i>	
6.3.22	surface_scalar_variable	236
6.3.23	volume_scalar_variable	236
6.3.24	boundary_curve_scalar_variable	237
6.3.25	boundary_surface_scalar_variable	237
6.3.26	aggregated_scalar_variable	238
6.3.27	volume_angular_variable	238
6.3.28	aggregated_angular_variable	239
6.3.29	application_defined_scalar_variable	239
6.3.30	curve_vector_2d_variable	240
6.3.31	surface_vector_2d_variable	242
6.3.32	application_defined_vector_2d_variable	243
6.3.33	curve_vector_3d_variable	243
6.3.34	surface_vector_3d_variable	243
6.3.35	volume_vector_3d_variable	244
6.3.36	boundary_curve_vector_3d_variable	245
6.3.37	boundary_surface_vector_3d_variable	245
6.3.38	aggregated_vector_3d_variable	246
6.3.39	application_defined_vector_3d_variable	246
6.3.40	surface_tensor2_2d_variable	246
6.3.41	application_defined_tensor2_2d_variable	248
6.3.42	volume_tensor2_3d_variable	249
6.3.43	aggregated_tensor2_3d_variable	250
6.3.44	application_defined_tensor2_3d_variable	250
6.3.45	message_level	251
6.3.46	surface_3d_state_coordinate_system	251
6.3.47	surface_2d_state_coordinate_system	252
6.3.48	curve_3d_state_coordinate_system	252
6.3.49	curve_2d_state_coordinate_system	252
6.3.50	action_type	253
6.3.51	volume_3d_element_output_reference	253
6.3.52	volume_2d_element_output_reference	254
6.3.53	surface_3d_element_output_reference	254
6.3.54	surface_2d_element_output_reference	255
6.3.55	curve_3d_element_output_reference	255
6.3.56	curve_2d_element_output_reference	256
6.3.57	node_output_reference	256
6.4	Finite element analysis control and result entity definitions: Analysis control	257
6.4.1	control	257
6.4.2	analysis_step	258
6.4.3	control_analysis_step	258
6.4.4	symmetry_control	259
6.4.5	no_symmetry_control	259
6.4.6	cylindrical_symmetry_control	260
6.4.7	control_linear_static_analysis_step	260
6.4.8	control_linear_static_analysis_step_with_harmonic	260
6.4.9	control_linear_modes_and_frequencies_analysis_step	261

	<i>Page</i>
6.4.10	constraint_element 262
6.4.11	single_point_constraint_element 262
6.4.12	linear_constraint_equation_element 263
6.4.13	linear_constraint_equation_nodal_term 264
6.4.14	freedom_and_coefficient 265
6.4.15	nodal_dof_reduction 265
6.4.16	point_constraint 266
6.4.17	curve_constraint 267
6.4.18	surface_constraint 267
6.4.19	solid_constraint 268
6.4.20	control_process 269
6.4.21	control_linear_static_load_increment_process 270
6.4.22	control_linear_modes_and_frequencies_process 270
6.4.23	element_sequence 271
6.4.24	node_sequence 272
6.5	Finite element analysis control and result entity definitions: Analysis results 272
6.5.1	result 272
6.5.2	result_analysis_step 273
6.5.3	result_linear_static_analysis_sub_step 274
6.5.4	result_linear_modes_and_frequencies_analysis_sub_step 274
6.5.5	control_result_relationship 275
6.6	Finite element analysis control and result entity definitions: Model state 275
6.6.1	state 276
6.6.2	state_with_harmonic 276
6.6.3	specified_state 277
6.6.4	calculated_state 277
6.6.5	linearly_superimposed_state 277
6.6.6	state_component 278
6.6.7	output_request_state 278
6.6.8	state_relationship 279
6.7	Finite element analysis control and result entity definitions: State definition 280
6.7.1	state_definition 280
6.7.2	field_variable_definition 282
6.7.3	field_variable_element_definition 282
6.7.4	volume_3d_element_field_variable_definition 283
6.7.5	volume_3d_element_location_point_variable_values 284
6.7.6	volume_3d_element_value_and_location 284
6.7.7	volume_3d_whole_element_variable_value 285
6.7.8	volume_3d_element_constant_specified_variable_value 286
6.7.9	volume_3d_element_nodal_specified_variable_values 287
6.7.10	volume_3d_element_boundary_location_point_variable_values 288
6.7.11	volume_3d_element_boundary_whole_face_variable_value 289
6.7.12	volume_3d_element_boundary_constant_specified_variable_value 290
6.7.13	volume_3d_element_boundary_nodal_specified_variable_values 291
6.7.14	volume_3d_element_boundary_edge_location_point_volume_variable_values 292
6.7.15	volume_3d_element_boundary_edge_whole_edge_variable_value 293

6.7.16	volume_3d_element_boundary_edge_constant_specified_volume_variable_value	294
6.7.17	volume_3d_element_boundary_edge_nodal_specified_variable_values	295
6.7.18	volume_2d_element_field_variable_definition	296
6.7.19	volume_2d_element_location_point_variable_values	296
6.7.20	volume_2d_element_value_and_location	297
6.7.21	volume_2d_whole_element_variable_value	298
6.7.22	volume_2d_element_constant_specified_variable_value	299
6.7.23	volume_2d_element_nodal_specified_variable_values	300
6.7.24	volume_2d_element_boundary_location_point_variable_values	301
6.7.25	volume_2d_element_boundary_whole_face_variable_value	302
6.7.26	volume_2d_element_boundary_constant_specified_variable_value	303
6.7.27	volume_2d_element_boundary_nodal_specified_variable_values	304
6.7.28	volume_2d_element_boundary_edge_location_point_volume_variable_values .	305
6.7.29	volume_2d_element_boundary_edge_whole_edge_variable_value	306
6.7.30	volume_2d_element_boundary_edge_constant_specified_volume_variable_value	307
6.7.31	volume_2d_element_boundary_edge_nodal_specified_variable_values	308
6.7.32	surface_3d_element_field_variable_definition	309
6.7.33	surface_3d_element_location_point_volume_variable_values	310
6.7.34	surface_3d_element_value_and_location	310
6.7.35	surface_3d_element_value_and_volume_location	311
6.7.36	surface_3d_element_location_point_variable_values	312
6.7.37	surface_3d_whole_element_variable_value	313
6.7.38	surface_3d_element_constant_specified_variable_value	314
6.7.39	surface_3d_element_constant_specified_volume_variable_value	315
6.7.40	surface_3d_element_nodal_specified_variable_values	316
6.7.41	surface_3d_element_boundary_location_point_surface_variable_values	317
6.7.42	surface_3d_element_boundary_whole_face_variable_value	318
6.7.43	surface_3d_element_boundary_constant_specified_surface_variable_value . . .	319
6.7.44	surface_3d_element_boundary_constant_specified_variable_value	320
6.7.45	surface_3d_element_boundary_nodal_specified_variable_values	321
6.7.46	surface_3d_element_boundary_edge_location_point_surface_variable_values . .	322
6.7.47	surface_3d_element_boundary_edge_location_point_variable_values	323
6.7.48	surface_3d_element_boundary_edge_whole_edge_variable_value	324
6.7.49	surface_3d_element_boundary_edge_constant_specified_surface_variable_value	325
6.7.50	surface_3d_element_boundary_edge_constant_specified_variable_value	326
6.7.51	surface_3d_element_boundary_edge_nodal_specified_variable_values	327
6.7.52	surface_2d_element_field_variable_definition	328
6.7.53	surface_2d_element_location_point_volume_variable_values	329
6.7.54	surface_2d_element_value_and_location	329
6.7.55	surface_2d_element_value_and_volume_location	330
6.7.56	surface_2d_element_location_point_variable_values	331
6.7.57	surface_2d_whole_element_variable_value	332
6.7.58	surface_2d_element_constant_specified_variable_value	333
6.7.59	surface_2d_element_constant_specified_volume_variable_value	334
6.7.60	surface_2d_element_nodal_specified_variable_values	335
6.7.61	surface_2d_element_boundary_location_point_surface_variable_values	336

	<i>Page</i>
6.7.62	surface_2d_element_boundary_whole_face_variable_value 337
6.7.63	surface_2d_element_boundary_constant_specified_surface_variable_value . . . 338
6.7.64	surface_2d_element_boundary_constant_specified_variable_value 339
6.7.65	surface_2d_element_boundary_nodal_specified_variable_values 340
6.7.66	surface_2d_element_boundary_edge_location_point_surface_variable_values . . 341
6.7.67	surface_2d_element_boundary_edge_location_point_variable_values 342
6.7.68	surface_2d_element_boundary_edge_whole_edge_variable_value 343
6.7.69	surface_2d_element_boundary_edge_constant_specified_surface_variable_value 344
6.7.70	surface_2d_element_boundary_edge_constant_specified_variable_value 345
6.7.71	surface_2d_element_boundary_edge_nodal_specified_variable_values 346
6.7.72	curve_3d_element_field_variable_definition 347
6.7.73	curve_3d_element_location_point_volume_variable_values 347
6.7.74	curve_3d_element_value_and_location 348
6.7.75	curve_3d_element_value_and_volume_location 349
6.7.76	curve_3d_element_location_point_variable_values 350
6.7.77	curve_3d_whole_element_variable_value 351
6.7.78	curve_3d_element_constant_specified_variable_value 352
6.7.79	curve_3d_element_constant_specified_volume_variable_value 353
6.7.80	curve_3d_element_nodal_specified_variable_values 354
6.7.81	curve_2d_element_field_variable_definition 354
6.7.82	curve_2d_element_location_point_volume_variable_values 355
6.7.83	curve_2d_element_value_and_location 356
6.7.84	curve_2d_element_value_and_volume_location 356
6.7.85	curve_2d_element_location_point_variable_values 357
6.7.86	curve_2d_whole_element_variable_value 358
6.7.87	curve_2d_element_constant_specified_variable_value 359
6.7.88	curve_2d_element_constant_specified_volume_variable_value 360
6.7.89	field_variable_element_group_value 361
6.7.90	field_variable_whole_model_value 362
6.7.91	field_variable_node_definition 362
6.7.92	volume_3d_node_field_variable_definition 363
6.7.93	volume_2d_node_field_variable_definition 364
6.7.94	surface_3d_node_field_variable_definition 365
6.7.95	surface_3d_node_field_section_variable_values 365
6.7.96	surface_3d_node_field_aggregated_variable_values 366
6.7.97	surface_2d_node_field_variable_definition 367
6.7.98	surface_2d_node_field_section_variable_values 367
6.7.99	surface_2d_node_field_aggregated_variable_values 368
6.7.100	curve_3d_node_field_variable_definition 369
6.7.101	curve_3d_node_field_section_variable_values 369
6.7.102	curve_3d_node_field_aggregated_variable_values 370
6.7.103	curve_2d_node_field_variable_definition 371
6.7.104	curve_2d_node_field_section_variable_values 371
6.7.105	curve_2d_node_field_aggregated_variable_values 372
6.7.106	nodal_freedom_and_value_definition 373
6.7.107	nodal_freedom_values 374

6.7.108	nodal_freedom_action_definition	374
6.7.109	element_nodal_freedom_actions	375
6.7.110	element_nodal_freedom_terms	375
6.7.111	point_freedom_and_value_definition	376
6.7.112	point_freedom_values	377
6.7.113	point_freedom_action_definition	377
6.7.114	curve_freedom_and_value_definition	378
6.7.115	curve_freedom_values	379
6.7.116	curve_freedom_action_definition	379
6.7.117	surface_freedom_and_value_definition	379
6.7.118	surface_freedom_values	380
6.7.119	surface_freedom_action_definition	381
6.7.120	solid_freedom_and_value_definition	381
6.7.121	solid_freedom_values	382
6.7.122	solid_freedom_action_definition	382
6.7.123	freedoms_list	383
6.7.124	linear_constraint_equation_element_value	383
6.7.125	single_point_constraint_element_values	384
6.7.126	analysis_message	384
6.7.127	whole_model_analysis_message	385
6.7.128	whole_model_modes_and_frequencies_analysis_message	385
6.7.129	element_analysis_message	386
6.7.130	node_analysis_message	386
6.7.131	element_group_analysis_message	387
6.7.132	volume_3d_substructure_element_reference	387
6.7.133	volume_2d_substructure_element_reference	388
6.7.134	surface_3d_substructure_element_reference	388
6.7.135	surface_2d_substructure_element_reference	389
6.7.136	curve_3d_substructure_element_reference	389
6.7.137	curve_2d_substructure_element_reference	390
6.7.138	substructure_node_reference	390
6.8	Finite element analysis control and result schema function definitions	391
6.8.1	necessary_value_coordinate_system	391
6.8.2	consistent_set_values	392
6.8.3	consistent_list_values	393
6.8.4	consistent_value	394
6.8.5	variable_value_type	394
6.8.6	appropriate_set_value_existence	396
6.8.7	appropriate_list_value_existence	397
6.8.8	appropriate_value_existence	398
7	FEA scalar vector tensor schema	399
7.1	Introduction	399
7.2	Fundamental concepts and assumptions	399
7.3	FEA scalar vector tensor schema type definitions: The FEA representation of scalars, vectors, and tensors	399

	<i>Page</i>
7.3.1	angular_value 400
7.3.2	scalar 400
7.3.3	tensor1 400
7.3.4	tensor1_2d 401
7.3.5	tensor1_3d 401
7.3.6	symmetric_tensor2_2d 402
7.3.7	anisotropic_symmetric_tensor2_2d 402
7.3.8	symmetric_tensor2_3d 403
7.3.9	isotropic_symmetric_tensor2_3d 403
7.3.10	orthotropic_symmetric_tensor2_3d 404
7.3.11	anisotropic_symmetric_tensor2_3d 404
7.3.12	symmetric_tensor4_2d 405
7.3.13	anisotropic_symmetric_tensor4_2d 405
7.3.14	tensor_type 406
7.4	FEA scalar vector tensor schema type definitions: The FEA representation of a fourth order material response tensor 407
7.4.1	symmetric_tensor4_3d 407
7.4.2	anisotropic_symmetric_tensor4_3d 409
7.4.3	fea_isotropic_symmetric_tensor4_3d 410
7.4.4	fea_iso_orthotropic_symmetric_tensor4_3d 411
7.4.5	fea_transverse_isotropic_symmetric_tensor4_3d 412
7.4.6	fea_column_normalised_orthotropic_symmetric_tensor4_3d 413
7.4.7	fea_column_normalised_monoclinic_symmetric_tensor4_3d 415
7.5	FEA scalar vector tensor schema entity definitions: Tensor representation 418
7.5.1	tensor_representation_item 418
Annex A (normative)	Short names of entities 419
Annex B (normative)	Information object registration 430
B.1	Document identification 430
B.2	Schema identification 430
B.2.1	structural_response_definition_schema identification 430
B.2.2	structural_response_representation_schema identification 430
B.2.3	finite_element_analysis_control_and_result_schema identification 430
B.2.4	fea_scalar_vector_tensor_schema identification 431
Annex C (informative)	Computer-interpretable listings 432
Annex D (informative)	EXPRESS-G diagrams 433
Annex E (informative)	Finite element multi-disciplinary and nonlinear analysis extensions . . 519
Index 522
 Figures	
Figure 1	FEA schema level model in EXPRESS-G 2

	<i>Page</i>
Figure 2	FEA information model high level relationships EXPRESS-G partial model 9
Figure 3	Cartesian coordinate system definition 17
Figure 4	Cylindrical coordinate system definition 17
Figure 5	Spherical coordinate system definition 18
Figure 6	EXPRESS-G partial model illustrating finite element analysis relationships with geometry and representation 46
Figure 7	Element subtyping 58
Figure 8	Volume element properties EXPRESS-G partial model 59
Figure 9	Point, directionally explicit and explicit elements EXPRESS-G partial model 60
Figure 10	Curve 3D or surface 2D elements - linear 101
Figure 11	Curve 3D or surface 2D elements - quadratic 101
Figure 12	Curve 3D or surface 2D elements - cubic 101
Figure 13	Surface 2D elements - faces and edges 102
Figure 14	Surface 3D or volume 2D elements - triangle - linear 102
Figure 15	Surface 3D or volume 2D elements - triangle - quadratic 103
Figure 16	Surface 3D or volume 2D elements - triangle - cubic 103
Figure 17	Surface 3D elements - triangle faces and edges 104
Figure 18	Volume 2D elements - triangle faces and edges 104
Figure 19	Surface 3D or volume 2D elements - quadrilateral - linear 105
Figure 20	Surface 3D or volume 2D elements - quadrilateral - quadratic 105
Figure 21	Surface 3D or volume 2D elements - quadrilateral - cubic 106
Figure 22	Surface 3D elements - quadrilateral faces and edges 106
Figure 23	Volume 2D elements - quadrilateral faces and edges 107
Figure 24	Volume 3D elements - hexahedron - linear 107
Figure 25	Volume 3D elements - hexahedron - quadratic 108
Figure 26	Volume 3D elements - hexahedron - cubic 108
Figure 27	Volume 3D elements - hexahedron faces and edges 109
Figure 28	Volume 3D elements - wedge - linear 110
Figure 29	Volume 3D elements - wedge - quadratic 110
Figure 30	Volume 3D elements - wedge - cubic 111
Figure 31	Volume 3D elements - wedge faces and edges 111
Figure 32	Volume 3D elements - tetrahedron - linear 112
Figure 33	Volume 3D elements - tetrahedron - quadratic 112
Figure 34	Volume 3D elements - tetrahedron - cubic 112
Figure 35	Volume 3D elements - tetrahedron faces 113
Figure 36	Volume 3D elements - pyramid - linear 113
Figure 37	Volume 3D elements - pyramid - quadratic 114
Figure 38	Volume 3D elements - pyramid - cubic 114
Figure 39	Volume 3D elements - pyramid faces and edges 115
Figure 40	Orthogonal volume 3D element coordinate system derivation for axis_1 = 1 and axis_2 = 2 119
Figure 41	Arbitrary volume 2D element coordinate system orientation 120
Figure 42	Parametric volume 2D element coordinate system derivation for axis = 1 121
Figure 43	Aligned surface 3D element coordinate system derivation 123
Figure 44	Parametric surface 3D element coordinate system derivation for axis = 1 125
Figure 45	Aligned surface 2D element coordinate system derivation 128

Figure 46	Parametric surface 2D element coordinate system derivation	129
Figure 47	Aligned curve 3D element coordinate system derivation	130
Figure 48	Parametric curve 3D element coordinate system derivation	131
Figure 49	Curve 2D element coordinate system derivation	133
Figure 50	Volume element integration points	136
Figure 51	Surface element integration points	137
Figure 52	Volume element integration EXPRESS-G partial model	137
Figure 53	Surface and curve element integration EXPRESS-G partial model	138
Figure 54	Relationship between FEA and ISO 10303-45	167
Figure 55	Bending moments	182
Figure 56	Surface element properties EXPRESS-G partial model	184
Figure 57	Curve element end offsets	185
Figure 58	Curve element property coordinate system origin orientation	186
Figure 59	Curve element interval specification conventions	186
Figure 60	Curve element end release and end offset	187
Figure 61	Curve element properties EXPRESS-G partial model	188
Figure 62	Finite element analysis control EXPRESS-G partial model	223
Figure 63	State definition EXPRESS-G partial model	281
Figure D.1	Structural response definition schema EXPRESS-G diagram, 1 of 86.	433
Figure D.2	Structural response representation schema EXPRESS-G diagram, 2 of 86.	434
Figure D.3	Structural response representation schema EXPRESS-G diagram, 3 of 86.	435
Figure D.4	Structural response representation schema EXPRESS-G diagram, 4 of 86.	436
Figure D.5	Structural response representation schema EXPRESS-G diagram, 5 of 86.	437
Figure D.6	Structural response representation schema EXPRESS-G diagram, 6 of 86.	438
Figure D.7	Structural response representation schema EXPRESS-G diagram, 7 of 86.	439
Figure D.8	Structural response representation schema EXPRESS-G diagram, 8 of 86.	440
Figure D.9	Structural response representation schema EXPRESS-G diagram, 9 of 86.	441
Figure D.10	Structural response representation schema EXPRESS-G diagram, 10 of 86.	442
Figure D.11	Structural response representation schema EXPRESS-G diagram, 11 of 86.	443
Figure D.12	Structural response representation schema EXPRESS-G diagram, 12 of 86.	444
Figure D.13	Structural response representation schema EXPRESS-G diagram, 13 of 86.	445
Figure D.14	Structural response representation schema EXPRESS-G diagram, 14 of 86.	446
Figure D.15	Structural response representation schema EXPRESS-G diagram, 15 of 86.	447
Figure D.16	Structural response representation schema EXPRESS-G diagram, 16 of 86.	448
Figure D.17	Structural response representation schema EXPRESS-G diagram, 17 of 86.	449
Figure D.18	Structural response representation schema EXPRESS-G diagram, 18 of 86.	450
Figure D.19	Structural response representation schema EXPRESS-G diagram, 19 of 86.	451
Figure D.20	Structural response representation schema EXPRESS-G diagram, 20 of 86.	452
Figure D.21	Structural response representation schema EXPRESS-G diagram, 21 of 86.	453
Figure D.22	Structural response representation schema EXPRESS-G diagram, 22 of 86.	454
Figure D.23	Structural response representation schema EXPRESS-G diagram, 23 of 86.	455
Figure D.24	Structural response representation schema EXPRESS-G diagram, 24 of 86.	456
Figure D.25	Structural response representation schema EXPRESS-G diagram, 25 of 86.	457
Figure D.26	Finite element analysis control and result schema EXPRESS-G diagram, 26 of 86.	458
Figure D.27	Finite element analysis control and result schema EXPRESS-G diagram, 27 of 86.	459
Figure D.28	Finite element analysis control and result schema EXPRESS-G diagram, 28 of 86.	460

Figure D.75	Structural response representation schema EXPRESS-G diagram, 75 of 86.	507
Figure D.76	Structural response representation schema EXPRESS-G diagram, 76 of 86.	508
Figure D.77	Finite element analysis control and result schema EXPRESS-G diagram, 77 of 86.	509
Figure D.78	Finite element analysis control and result schema EXPRESS-G diagram, 78 of 86.	510
Figure D.79	Finite element analysis control and result schema EXPRESS-G diagram, 79 of 86.	511
Figure D.80	Finite element analysis control and result schema EXPRESS-G diagram, 80 of 86.	512
Figure D.81	Finite element analysis control and result schema EXPRESS-G diagram, 81 of 86.	513
Figure D.82	Finite element analysis control and result schema EXPRESS-G diagram, 82 of 86.	514
Figure D.83	Finite element analysis control and result schema EXPRESS-G diagram, 83 of 86.	515
Figure D.84	Finite element analysis control and result schema EXPRESS-G diagram, 84 of 86.	516
Figure D.85	Scalar vector tensor schema EXPRESS-G diagram, 85 of 86.	517
Figure D.86	Scalar vector tensor schema EXPRESS-G diagram, 86 of 86.	518
Figure E.1	Multi-disciplinary analysis environment	519

Tables

Table 1	Element coordinate system definition symbols	7
Table 2	Element coordinate axis symbols	7
Table A.1	Short names of entities	419

INTRODUCTION

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1. This part of ISO 10303 is a member of the integrated resources series.

This part of ISO 10303 is concerned with information exchange needs of finite element analysis. Many types of analyses can be conducted to ensure the performance and integrity of a product. Different aspects of a product may be idealized and then analyzed as a continuum. Exact mathematical models for any but the simplest continuum shapes are intractable. Therefore analytical methods that represent the continuum as discrete tractable shapes are used. There are many discrete analytical methodologies, some of which are finite element, finite difference, and boundary element. This part of ISO 10303 addresses only finite element analysis.

In performing an analysis with finite element analysis methods the continuum of a product is discretized into a finite element model that consists of a mesh of points (nodes) which are connected with elements. The elements represent finite portions of the product that when connected with shared nodes collectively respond as would the entire product. The elements have associated physical and material properties. There are also coordinate systems, groups, and administrative information associated with the finite element model. Load, constraint, and analysis output control information, along with analysis selection information, are combined with the finite element model to form a complete input to an analysis. Once an analysis is performed, analysis results information may be output at the nodes and at one or more positions within an element. There may be other output information not associated with a position within the finite element model such as total strain energy.

This part of ISO 10303 specifies the resources for the exchange of the information associated with the discretized (finite element) model, and the analysis controls, boundary conditions, and analysis results information that are associated with it. It is expected that the reader of this part of ISO 10303 is familiar with finite element analysis techniques.

AUSTRALIAN STANDARD

Industrial automation systems and integration — Product data representation and exchange — Part 104: Integrated application resource: Finite element analysis

1 Scope

This part of ISO 10303 specifies the resources for finite element analysis input and output information. This includes finite element models, the analysis control information, and the analysis results. The finite element analysis information model is partitioned into four schemas: the **structural_response_definition_schema**, the **structural_response_representation_schema**, the **finite_element_analysis_control_and_result_schema** and the **fea_scalar_vector_tensor_schema**.

NOTE 1 The EXPRESS-G schema level model in Figure 1 shows the relationships of the four schemas and their relationships to other parts of ISO 10303.

NOTE 2 The following rules apply to the entire FEA information model:

- a model shall be combined with a control to produce a complete FEA input;
- a result shall be combined with a model and a control to be valid.

NOTE 3 The FEA information model includes the consideration of a multi-disciplinary analysis environment, which is presented in detail in annex E.

1.1 Analysis type scope

The following types of analyses are within the scope of this part of ISO 10303:

- linear static analysis and linear dynamic modes and frequencies analysis of general 3D stress, plane stress, axisymmetric strain, and simple plane strain, based upon h-version finite element formulation using 2D and 3D continua and embedded elements which include thick shells, thin shells, beams, and bars.

The following types of analyses are outside the scope of this part of ISO 10303:

- linear static analysis of generalized plane strain.

1.2 Structural response definition schema scope

The following are within the scope of the **structural_response_definition_schema** of this part of ISO 10303: