

AS ISO 10533:2021
ISO 10533:1993



STANDARDS
Australia



Earth-moving machinery — Lift-arm support devices

Currently in preview, click buy full version

AS ISO 10533:2021

This Australian Standard® was prepared by ME-063, Earthmoving Equipment. It was approved on behalf of the Council of Standards Australia on 22 March 2021.

This Standard was published on 1 April 2021.

The following are represented on Committee ME-063:

Australian Industry Group
Better Regulation Division — SafeWork NSW
Construction and Mining Equipment Industry Group
Department of Natural Resources, Mines and Energy, Qld
Department of Regional NSW
Engineers Australia
Institute of Instrumentation, Control & Automation Australia
Minerals Council of Australia
Mining Electrical and Mining Mechanical Engineering Society
University of Queensland

This Standard was issued in draft form for comment as DR AS ISO 10533:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 260 5

Earth-moving machinery — Lift-arm support devices

First published as AS ISO 10533:2021.

COPYRIGHT

© ISO 2021 — All rights reserved
© Standards Australia Limited 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee ME-063, Earthmoving Equipment.

The objective of this document is to specify the performance requirements and test method for mechanical lift-arm support devices for loaders, backhoe loaders and skid-steer loaders equipped with a lift-arm, where the lift-arm is required to be held in the elevated position for maintenance, servicing or other non-operational purposes.

This document also specifies installation, instructions, storage and colour requirements for lift-arm support devices.

This document is identical with, and has been reproduced from, ISO 10533:1993, *Earth-moving machinery — Lift-arm support devices*, and its Amendment No.1 (2005), which has been added at the end of the source text.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this International Standard” should read “this document”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adaptations of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	iv
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Performance requirements	1
5 Other requirements	2
5.1 Installation	2
5.2 Installation instructions	2
5.3 Storage	2
5.4 Colour	2
6 Test method	2

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 10533 was prepared by Technical Committee ISO/TC 127, *Earth-moving machinery*, Sub-Committee SC 2, *Safety requirements and human factors*.

Currently in preview, click buy full version.

Australian Standard®

Earth-moving machinery — Lift-arm support devices

1 Scope

This International Standard specifies the performance requirements and test method for mechanical lift-arm support devices for loaders, backhoe loaders and skid-steer loaders equipped with a lift-arm, where the lift-arm is required to be held in the elevated position for maintenance, servicing or other non-operational purposes.

It also specifies installation, instructions, storage and colour requirements for lift-arm support devices.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 6016:1982, *Earth-moving machinery — Methods of measuring the masses of whole machines, their equipment and components.*

ISO 6746-1:1987, *Earth-moving machinery — Definitions of dimensions and symbols — Part 1: Base machine.*

ISO 6746-2:1987, *Earth-moving machinery — Definitions of dimensions and symbols — Part 2: Equipment.*

3 Definitions

For the purposes of this International Standard, the following definitions apply.

3.1

lift-arm

main component or item of equipment of an earth-moving machine to lift, load, transport and lower earth or other materials

3.2

mechanical lift-arm support device(s)

one or more links, frame structures, including attachment points and parts, designed to support the lift-arm

3.3

working circuit pressure

that nominal pressure applied to the specific circuit by the pump(s)

4 Performance requirements

The mechanical lift-arm support device shall be designed to withstand the static load imposed by the lowering force of the working circuit pressure plus 1,5 times the mass of the empty attachments, arms and linkage.

If the lift-arm support device is loaded by lifting action, then it shall also withstand the lifting force.

The lowering or lifting forces, excluding the mass of empty attachments, arms and linkage shall be determined by consulting the manufacturer's maximum recommended specifications measured in accordance with ISO 6016, ISO 6746-1 and ISO 6746-2.