

AS ISO 13766.2:2020
ISO 13766-2:2018



STANDARDS
Australia



Earth-moving and building construction machinery — Electromagnetic compatibility (EMC) of machines with internal electrical power supply

Part 2: Additional EMC requirements for functional safety



currently in review, click buy full version

AS ISO 13766.2:2020

This Australian Standard® was prepared by ME-063, Earthmoving Equipment. It was approved on behalf of the Council of Standards Australia on 28 October 2020.

This Standard was published on 13 November 2020.

The following are represented on Committee ME-063:

Australian Industry Group
Better Regulation Division — SafeWork NSW
Construction and Mining Equipment Industry Group
Department of Natural Resources, Mines and Energy, Qld
Department of Regional NSW
Engineers Australia / Mining Electrical and Mining Mechanical Engineering Society
Institute of Instrumentation, Control & Automation Australia
Minerals Council of Australia
University of Queensland

This Standard was issued in draft form for comment as DR AS ISO 13766.2:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 041 0

Earth-moving and building construction machinery – Electromagnetic compatibility (EMC) of machines with internal electrical power supply

**Part 2: Additional EMC requirements for
functional safety**

First published as AS ISO 13766.2:2020.

COPYRIGHT

© ISO 2020 — All rights reserved
© Standards Australia Limited 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee ME-063, Earthmoving Equipment.

The objective of this document is to provide test methods and acceptance criteria for the evaluation of the electromagnetic compatibility (EMC) of earth-moving machinery, as defined in ISO 6165:2012, and of the following building construction machinery, as classified in ISO/TR 12603:2010:

- (a) Drilling and foundation equipment.
- (b) Equipment used for the preparation, conveyance and compaction of concrete, mortar and processing reinforcement.
- (c) Road construction and maintenance machinery and equipment.

This document deals with EMC requirements related to the functional safety of the machinery, its electrical/electronic subassemblies (ESA) and of separate ESA.

It is relevant only to the safety-related parts of control systems (SRP/CS), as defined in ISO 13849-1:2015, using electrical/electronic components which meet design requirements equal to or greater than safety-related performance level PL b as defined in ISO 13849-1:2015.

It also deals with electrical and electronic components or separate ESA intended to be fitted on machinery under the restriction of PL b. The following electromagnetic disturbance phenomena are evaluated:

- (i) Radiated electromagnetic fields from off-board sources with various field strengths and frequencies.
- (ii) Radiated electromagnetic fields from on-board sources (antenna inside/outside) with various field strengths and frequencies.
- (iii) Electrostatic discharge.
- (iv) Conducted and coupled electrical transients.

This document does not apply to machines that are designed to be supplied by an external mains network or to phenomena caused by military applications.

This document is identical with, and has been reproduced from, ISO 13766-2:2018, *Earth-moving and building construction machinery – Electromagnetic compatibility (EMC) of machines with internal electrical power supply — Part 2: Additional EMC requirements for functional safety*.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendix or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	2
4 General principles	3
5 EMC phenomena	3
5.1 General	3
5.1.1 Performance criteria for complete machines	4
5.1.2 Performance criteria for safety-relevant ESA	4
5.2 Immunity of machinery	4
5.2.1 Immunity of machinery to radiated electromagnetic fields from off-board sources	4
5.2.2 Immunity to radiated electromagnetic fields from on-board sources	5
5.2.3 Immunity to electrical transients on supply and other lines of machinery	5
5.2.4 Immunity of machinery exposed to ESD	5
5.3 Immunity of ESA	5
5.3.1 Immunity of ESA to radiated electromagnetic fields from off-board sources	5
5.3.2 Immunity of ESA to radiated electromagnetic fields by on-board sources	6
5.3.3 Immunity of ESA to electrical transients on lines	6
5.3.4 Immunity of ESA exposed to ESD	6
6 Test report	6
Annex A (informative) Installation and maintenance aspects	7
Bibliography	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 27, *Earth-moving machinery*, Subcommittee SC 2, *Safety, ergonomics and general requirements*.

This first edition of ISO 13766-2:2018, together with ISO 13766-1:2018, cancels and replaces ISO 13766:2006, of which it constitutes a technical revision and contains the following changes:

- the scope has been extended to specify building construction machinery as well as earth-moving machinery;
- the provisions have been brought up to date with technological change;
- normative references have been updated to the latest editions.

A list of all parts in the ISO 13766 series can be found on the ISO website.

Introduction

This document is a type-C standard as stated in ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organisations, market surveillance etc.);

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

With the increasing use of electronic devices in areas where earth-moving and construction machinery operates, there is a need to ensure that the machinery is provided with adequate immunity to electromagnetic disturbances. As more machinery is fitted with electrical and electronic devices, it is also necessary to ensure that the internal electromagnetic interference caused by emissions of subsystems of the machinery itself (machine disturbance) does not exceed the immunity of the respective subsystems.

The electrical and high-frequency disturbances covered by this document refer to electromagnetic effects caused due to technical appliances (man-made effects). These effects generally can be considered as singular ones and additionally are located and restricted to defined narrowly defined areas.

While these effects on machinery cannot be considered as being general, their consequences on machinery still need to be taken into account. They might be generated within a large frequency range with different electrical characteristics or by conduction or radiation, and then imparted to other electrical/electronic devices and systems by conduction or radiation. Narrowband, and sometimes broadband, signals generated by sources of interference inside or outside the machinery can also be coupled in electrical/electronic systems and influence the normal function of electrical/electronic devices.

Electrostatic discharges are relevant to the machinery because control elements can be positioned outside the operator station where potential differences could emerge at contact points. Conducted transients in power supply wiring must be considered because the machinery can contain open systems, in which several devices or components can be combined to complement machine functionality.

This document provides information on the kind and the level of effects as presently known. Indicative test methods and criteria can derive from these values, given that possible test levels acceptable for the machinery and, in the case of testing conducted on a voluntary basis, considering the unique characteristics and operating parameters of the machinery. However, the functions of the machinery

are not evaluated by testing alone. Functional safety with respect to EMC phenomena can also be achieved by organizational measures on the job site where the machinery is located and in use.

Because the machinery has a number of systems that consist of components that can be used on a variety of machine types, the approach of defining electrical/electronic sub-assemblies (ESA) or separate ESAs for these components is applied for the immunity and emissions test methods. This allows these components to be evaluated by the test method in existing laboratory facilities consisting of specially equipped shielded rooms. When electrical/electronic sub-assembly tests are conducted, it is necessary to consider any additional effects imparted by wiring systems used to connect the sub-assemblies into the machinery. The tests can also be conducted on the machinery.

Programmable electronic systems (PES) as defined in ISO 13849-1:2015 and intended for use as a safety-related part of a machine control system (SRP/CS) as defined in ISO 15998:2008 have a specification of intended functionality. If a disturbed function will become dangerous or not, is sometimes unknown to the manufacturer of the PES because it depends on the future application in a safety-related system of the whole machine.

Testing according to this document is required to be performed so that the behaviour of the PES in that safety-related system can be demonstrated.

Australian Standard®

Earth-moving and building construction machinery — Electromagnetic compatibility (EMC) of machines with internal electrical power supply

Part 2: Additional EMC requirements for functional safety

1 Scope

This document provides test methods and acceptance criteria for the evaluation of the electromagnetic compatibility (EMC) of earth-moving machinery, as defined in ISO 6165:2012, and of the following building construction machinery as classified in ISO/TR 12603:2010:

- drilling and foundation equipment;
- equipment used for the preparation, conveyance and compaction of concrete, mortar and processing reinforcement;
- road construction and maintenance machinery and equipment.

It deals with EMC requirements related to the functional safety of the machinery, its electrical/electronic subassemblies (ESA) and of separate ESA.

This document is relevant only to the safety-related parts of control systems (SRP/CS) as defined in ISO 13849-1:2015 using electrical/electronic components which meet design requirements equal to or greater than safety-related performance level PL b as defined in ISO 13849-1:2015. It also deals with electrical and electronic components or separate ESA intended to be fitted on machinery under the restriction of PL b. The following electromagnetic disturbance phenomena are evaluated:

- radiated electromagnetic fields from off-board sources with various field strengths and frequencies;
- radiated electromagnetic fields from on-board sources (antenna inside/outside) with various field strengths and frequencies;
- electrostatic discharge;
- conducted and coupled electrical transients.

The machinery can have DC or AC or a combination of both as the internal electrical power supply system.

This document is not applicable to machines that are designed to be supplied by an external mains network or to phenomena caused by military applications.

NOTE Grid-connected machines are covered by IEC 61000.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6165:2012, *Earth-moving machinery — Basic types — Identification and terms and definitions*

ISO 7637-1:2015, *Road vehicles — Electrical disturbances from conduction and coupling — Part 1: Definitions and general considerations*

ISO 7637-3:2016, *Road vehicles — Electrical disturbances from conduction and coupling — Part 3: Electrical transient transmission by capacitive and inductive coupling via lines other than supply lines*

ISO 10605:2008, *Road vehicles — Test methods for electrical disturbances from electrostatic discharge*