

AS ISO 14397.2:2021
ISO 14397-2:2007



STANDARDS
Australia



Earth-moving machinery — Loaders and backhoe loaders

Part 2: Test method for measuring breakout forces and lift capacity to maximum lift height



currently in preview, click buy full version

AS ISO 14397.2:2021

This Australian Standard® was prepared by ME-063, Earthmoving Equipment. It was approved on behalf of the Council of Standards Australia on 25 March 2021.

This Standard was published on 9 April 2021.

The following are represented on Committee ME-063:

Australian Industry Group
Better Regulation Division — SafeWork NSW
Construction and Mining Equipment Industry Group
Department of Natural Resources, Mines and Energy, Qld
Department of Regional NSW
Engineers Australia
Institute of Instrumentation, Control & Automation Australia
Minerals Council of Australia
Mining Electrical and Mining Mechanical Engineering Society
University of Queensland

This Standard was issued in draft form for comment as DR AS ISO 14397.2:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 275 9

Earth-moving machinery — Loaders and backhoe loaders

Part 2: Test method for measuring breakout forces and lift capacity to maximum lift height

First published as AS ISO 14397.2:2021.

COPYRIGHT

© ISO 2021 — All rights reserved
© Standards Australia Limited 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee ME-063, Earthmoving Equipment.

The objective of this document is to specify a test method for measuring the breakout forces and lift capacity to maximum lift height of wheeled or crawler loaders, or of the loader portion of backhoe loaders, as these machine types are defined in ISO 6165.

This document is identical with, and has been reproduced from, ISO 14397-2:2007, *Earth-moving machinery — Loaders and backhoe loaders — Part 2: Test method for measuring breakout forces and lift capacity to maximum lift height*.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this part of ISO 14397” should read “this document”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoption of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Apparatus	2
5 Test conditions	2
5.1 Test site	2
5.2 Preparation	2
5.2.1 General	2
5.2.2 Specific conditions	2
5.2.3 Bucket	3
5.2.4 Test equipment	3
6 Test method	3
6.1 General	3
6.2 Test procedure	3
6.3 Breakout force	3
6.4 Lift capacity to maximum height, m_{lift}	4
7 Test report	6
7.1 General	6
7.2 Crawler machines	7
7.3 Wheeled machines	7
7.4 Bucket fitted for each test	7
7.5 Results	7

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14397-2 was prepared by Technical Committee ISO/TC 127, *Earth-moving machinery*, Subcommittee SC 1, *Test methods relating to machine performance*.

This second edition cancels and replaces the first edition (ISO 14397-2:2002), which has been technically revised.

ISO 14397 consists of the following parts, under the general title *Earth-moving machinery — Loaders and backhoe loaders*:

- *Part 1: Calculation of rated operating capacity and test method for verifying calculated tipping load*
- *Part 2: Test method for measuring breakout force and lift capacity to maximum lift height*

Australian Standard®

Earth-moving machinery — Loaders and backhoe loaders

Part 2: Test method for measuring breakout forces and lift capacity to maximum lift height

1 Scope

This part of ISO 14397 specifies a test method for measuring the breakout forces and lift capacity to maximum lift height of wheeled or crawler loaders, or of the loader portion of backhoe loaders, as these machine types are defined in ISO 6165.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6016:1998, *Earth-moving machinery — Methods of measuring the masses of whole machines, their equipment and components*

ISO 6165:2006, *Earth-moving machinery — Basic types — Identification and terms and definitions*

ISO 6746-1:2003, *Earth-moving machinery — Definitions of dimensions and codes — Part 1: Base machine*

ISO 7546:1983, *Earth-moving machinery — Loader and front loading excavator buckets — Volumetric ratings*

ISO 9248:1992, *Earth-moving machinery — Units for dimensions, performance and capacities, and their measurement accuracies*

ISO 14397-1, *Earth-moving machinery — Loaders and backhoe loaders — Part 1: Calculation of rated operating capacity and test method for verifying calculated tipping load*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6165, ISO 6746-1 and ISO 14397-1, and the following apply.

3.1

breakout force

maximum sustained upward vertical force, in newtons, generated at a point 100 mm behind the leading edge of the bucket of a loader, or behind the foremost point of the cutting edge for a loader having a bucket with an irregular (pointed, curved, etc.) cutting-edge shape, by a lift or tilt cylinder, with the bottom of the bucket's cutting edge parallel to, and not more than 20 mm above, the ground reference plane (GRP)

Note 1 to entry: Typical test arrangements are shown in [Figures 1](#) and [2](#).

3.2

hydraulic circuit working pressure

pressure applied to the specific hydraulic lifting circuit by the hydraulic pump(s)

3.3

hydraulic circuit holding pressure

maximum static pressure in a specific circuit limited by a relief valve at a flow not exceeding 10 % of the rated circuit flow