



## Geographic information—Services

STANDARDS  
Australia



Currently in preview, click buy full version

AS ISO 19119:2018

This Australian Standard® was prepared by IT-004, Geographical Information/Geomatics. It was approved on behalf of the Council of Standards Australia on 5 June 2018.

This Standard was published on 29 June 2018.

The following are represented on Committee IT-004:

- ANZLIC—the Spatial Information Council
- Australian Antarctic Division, Department of the Environment (Australian Government)
- Australian Hydrographic Office
- Bureau of Meteorology (Australian Government)
- Curtin University of Technology
- Department of Defence (Australian Government)
- Department of Human Services (Australian Government)
- Geoscience Australia
- InterGovernmental Committee on Surveying and Mapping
- Spatial Industries Business Association

This Standard was issued in draft form for comment as DR AS/NZS ISO 19119:2018

#### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

[www.saiglobal.com](http://www.saiglobal.com) (sales and distribution)

ISBN 978 1 76072 102 2



## Geographic information—Services

First published as AS/NZS ISO 19119:2006.  
Revised and redesignated as AS ISO 19119:2018.

### **COPYRIGHT**

© ISO 2018 — All rights reserved  
© Standards Australia Limited 2018

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Published by SAI Global Pty Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001.

## Preface

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee IT-004, Geographical Information/Geomatics, to supersede AS/NZS ISO 19119:2006.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to define requirements for how platform neutral and platform specific specification of services shall be created, in order to allow for one service to be specified independently of one or more underlying distributed computing platforms. This Standard also defines requirements for a further mapping from platform neutral to platform specific service specifications, in order to enable conformant and interoperable service implementations.

This Standard is identical with, and has been reproduced from, ISO 19119:2016, *Geographic information — Services*.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text 'this International Standard' should read 'this Australian Standard'.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms 'normative' and 'informative' are used in Standards to define the application of the appendices or annexes to which they apply. A 'normative' appendix or annex is an integral part of a Standard, whereas an 'informative' appendix or annex is only for information and guidance.

# Contents

Preface .....	ii
Foreword .....	vi
Introduction .....	vii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Conformance .....</b>	<b>1</b>
2.1 Claiming conformance .....	1
2.2 General .....	1
2.3 Enterprise viewpoint .....	1
2.4 Computational viewpoint .....	1
2.5 Information viewpoint .....	2
2.6 Service taxonomies .....	2
2.7 Engineering viewpoint .....	2
2.8 Technology viewpoint .....	2
<b>3 Normative references .....</b>	<b>3</b>
<b>4 Terms and definitions and abbreviations .....</b>	<b>3</b>
4.1 Terms and definitions .....	3
4.2 Abbreviations .....	5
<b>5 Notation .....</b>	<b>7</b>
5.1 General .....	7
5.2 Conformance class .....	7
5.3 Requirements class .....	7
5.4 Rules .....	8
5.5 Identifiers .....	8
5.6 Conceptual schemas .....	8
5.7 Descriptions of concepts .....	8
5.8 Architecture patterns .....	8
<b>6 Overview of geographic services architecture .....</b>	<b>9</b>
6.1 Purpose and justification .....	9
6.2 Relationship to ISO 19101-1 .....	9
6.3 Interoperability reference model based on ISO RM-ODP .....	10
6.4 Service abstraction .....	11
6.5 Interoperability .....	13
6.6 Use of other geographic information standards in service specifications .....	14
<b>7 Enterprise viewpoint: A context for services .....</b>	<b>14</b>
7.1 Enterprise viewpoint .....	14
7.2 Enterprise viewpoint service specifications .....	15
7.3 Examples of relevant standards .....	17
7.4 Example and tools .....	17
<b>8 Computational viewpoint: A basis for service interfaces and chaining .....</b>	<b>17</b>
8.1 Component and service interoperability and the computational viewpoint .....	17
8.2 Services, interfaces and operations .....	18
8.3 Computational viewpoint service specifications .....	19
8.3.1 Requirements class for computational viewpoint service specifications .....	19
8.3.2 Service interfaces with operations .....	19
8.3.3 Service behaviour and constraints .....	21
8.4 Service chaining .....	23
8.4.1 General .....	23
8.4.2 Anatomy of a service chain .....	24
8.4.3 Service chain modelling .....	25
8.4.4 Services organizer folder .....	26
8.4.5 Services to enable service chaining .....	26

8.4.6	Architecture patterns for service chaining.....	28
8.4.7	Variations on chaining patterns.....	33
8.5	Service metadata.....	34
8.6	Simple service architecture.....	34
8.7	Examples of relevant standards.....	35
8.8	Examples and tools: Service modelling with SoaML.....	35
<b>9</b>	<b>Information viewpoint: A basis for semantic interoperability.....</b>	<b>35</b>
9.1	Information model interoperability and the information viewpoint.....	35
9.2	Information viewpoint Service specifications.....	36
<b>10</b>	<b>Service taxonomies.....</b>	<b>39</b>
10.1	Need for multiple service taxonomies.....	39
10.2	Service taxonomies and requirements.....	40
10.3	Architectural reference model.....	40
10.4	Definition of the Architectural reference model.....	40
10.5	Uses of the Architectural reference model.....	41
10.6	Overview of the Architectural reference model.....	41
10.6.1	Services and service interfaces.....	41
10.6.2	Identifying services and service interfaces for geographic information.....	42
10.7	Types of geographic information services.....	42
10.7.1	Requirement for service taxonomy.....	42
10.7.2	Types of information technology services relevant to geographic information.....	42
10.7.3	Extension of service types for geographic information.....	44
10.8	Geographic architecture services taxonomy.....	44
10.8.1	Geographic architecture services taxonomy requirements.....	44
10.8.2	Geographic boundary/human interaction services.....	45
10.8.3	Geographic model/information management services.....	46
10.8.4	Geographic workflow/task management services.....	47
10.8.5	Geographic processing services.....	47
10.8.6	Geographic communication services.....	50
10.8.7	Geographic system management and security services.....	50
10.9	ISO suite of International Standards for geographic architecture services taxonomy.....	51
10.10	Geographic service chaining validity.....	51
10.11	User-perspective Lifecycle Model for Services.....	52
10.12	User-defined service taxonomies.....	53
10.13	Services organizer folder (SOF).....	53
10.13.1	Grouping of services.....	53
10.13.2	Image captionation SOF.....	53
10.13.3	Geographic data fusion SOF.....	54
10.14	Semantic information models.....	55
10.15	Examples of relevant standards.....	56
10.16	Examples and tools.....	57
<b>11</b>	<b>Engineering viewpoint: A basis for distribution and communication patterns.....</b>	<b>57</b>
11.1	Distribution transparencies and the engineering viewpoint.....	57
11.2	Distributing components using a multi-tier architecture model.....	58
11.3	Distribution transparencies.....	61
11.4	Engineering viewpoint Service specifications.....	62
11.5	Multi-style SOA.....	63
11.6	Relevant architectural styles.....	63
11.6.1	Service-oriented architectures.....	63
11.6.2	Representational State Transfer (REST).....	64
11.6.3	Web 2.0.....	65
<b>12</b>	<b>Technology viewpoint: A basis for cross platform interoperability.....</b>	<b>66</b>
12.1	Infrastructure interoperability and the technology viewpoint.....	66
12.2	Need for multiple platform-specific specifications.....	67
12.3	Conformance between platform-neutral and platform-specific service specifications.....	67

12.4	From platform-neutral to platform-specific specifications .....	68
12.5	Technology objects .....	68
12.6	Technology viewpoint service specifications .....	68
12.6.1	Requirements class for technology viewpoint .....	68
12.6.2	Technology mappings .....	69
12.7	Architectural classification according to cloud computing service categories .....	71
<b>Annex A</b>	(normative) <b>Conformance</b> .....	<b>72</b>
<b>Annex B</b>	(informative) <b>Example user scenarios</b> .....	<b>78</b>
<b>Annex C</b>	(informative) <b>Principles for mapping to distributed computing platforms</b> .....	<b>81</b>
<b>Annex D</b>	(informative) <b>Use case-based methodology</b> .....	<b>92</b>
<b>Annex E</b>	(informative) <b>Example — Use case template</b> .....	<b>95</b>
<b>Annex F</b>	(informative) <b>Service modelling – SoaML</b> .....	<b>98</b>
<b>Bibliography</b>	.....	<b>101</b>

Currently in preview, click buy full version.

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 211, *Geographic information/Geomatics*.

This second edition cancels and replaces the first edition (ISO 19119:2005), which has been technically revised. It also incorporates the Amendment ISO 19119:2005/Amd 1:2008.

## Introduction

The widespread application of computers and use of geographic information systems (GIS) have led to the increased analysis of geographic data within multiple disciplines. Based on advances in information technology, society's reliance on such data are growing. Geographic datasets are increasingly being shared, exchanged, and used for purposes other than their producers' intended ones. GIS, remote sensing, automated mapping and facilities management (AM/FM), Spatial Data Infrastructure (SDI), traffic analysis, geopositioning systems, and other technologies for Geographic Information (GI) are entering a period of radical integration.

This International Standard provides a framework for platform neutral and platform specific specification of services that can enable users to access, process and manage geographic data from a variety of sources, potentially for various distributed computing platforms (DCPs).

- “a framework for platform neutral and platform specific specification of services” means that this International Standard provides requirements for how services shall be specified in such a way that one service can be specified independently of one or more underlying distributed computing platforms. The framework provides requirements for a further mapping to specific platforms in order to enable conformant platform specific specifications to ensure conforming and interoperable service implementations.
- “access, process and manage” means that geodata users can query remote databases and control remote processing resources and also take advantage of other distributed computing technologies, such as software delivered to the user's local environment from a remote environment for temporary use;
- “from a variety of sources” means that users will have access to data acquired in a variety of ways and stored in a wide variety of relational and non-relational databases;
- “across a generic computing interface” means that ISO 19119 interfaces provide reliable communication between otherwise disparate software resources that are equipped to use these interfaces;
- “within an open information technology environment” means that this International Standard enables geoprocessing to take place outside of the closed environment of monolithic GIS, remote sensing, and AM/FM systems that control and restrict database, user interface, network and data manipulation functions;
- services shall be categorized according to a service taxonomy based on architectural areas and may also be categorized according to a usage life cycle perspective, as well as according to domain specific and user defined service taxonomies, providing support for publication and discovery of services.

The difference between this version of this International Standard and the previous ISO 19119:2005 version is the following:

This International Standard has defined a set of requirements and related abstract tests for the specification of services according to enterprise, computational, information, engineering and technology viewpoints. This International Standard has defined a set of requirements for categorizing services according to service taxonomies. The service metadata has been moved to ISO 19115-1.

Service policies, service contracts including service level agreements (SLAs) are currently not specified as part of this International Standard, as these are considered most relevant for service deployment and service ownership, which is not currently a focus for this International Standard.

# Australian Standard<sup>®</sup>

## Geographic information—Services

### 1 Scope

This International Standard defines requirements for how platform neutral and platform specific specification of services shall be created, in order to allow for one service to be specified independently of one or more underlying distributed computing platforms.

This International Standard defines requirements for a further mapping from platform neutral to platform specific service specifications, in order to enable conformant and interoperable service implementations.

This International Standard addresses the Meta:Service foundation of the ISO geographic information reference model described in ISO 19101-1:2014, Clause 6 and Clause 8, respectively.

This International Standard defines how geographic services shall be categorised according to a service taxonomy based on architectural areas and allows also for services to be categorised according to a usage life cycle perspective, as well as according to domain specific and user defined service taxonomies, providing support for easier publication and discovery of services.

### 2 Conformance

#### 2.1 Claiming conformance

Any product claiming conformance with the conformance classes in this International Standard shall pass all the associated requirements described in the abstract test suite given in [Annex A](#).

#### 2.2 General

This International Standard defines six conformance classes shown in [Table 1](#) to [Table 6](#), matching the six requirements classes described in [Clause 7](#) to [Clause 12](#). Any service claiming conformance to any requirements class in this International Standard shall pass all of the tests listed in the corresponding conformance class, which are described in detail in the abstract test suites in [Annex A](#). Each test relates to one or more specific requirements, which are explicitly indicated in the description of the test.

#### 2.3 Enterprise viewpoint

The enterprise viewpoint conformance class is shown in [Table 1](#).

**Table 1 — Enterprise viewpoint conformance class**

Conformance class	/conf/enterpriseviewpoint
Requirements	/req/enterpriseviewpoint ( <a href="#">Table 11</a> )
Tests	All tests in <a href="#">A.2</a>

#### 2.4 Computational viewpoint

The computational viewpoint conformance class is shown in [Table 2](#).