



**Geographic information—Place
Identifier (PI) architecture**

Part 2: Place Identifier (PI) linking

STANDARDS
Australia



AS ISO 19155.2:2018

This Australian Standard® was prepared by the Australian members of the Joint Technical Committee IT-004, Geographical Information/Geomatics. It was approved on behalf of the Council of Standards Australia on 5 June 2018.

This Standard was published on 29 June 2018.

The following are represented on Committee IT-004:

- ANZLIC - the Spatial Information Council
- Australian Antarctic Division, Department of the Environment
(Australian Government)
- Australian Hydrographic Office
- Bureau of Meteorology (Australian Government)
- Curtin University of Technology
- Department of Defence (Australian Government)
- Department of Human Services (Australian Government)
- Geoscience Australia
- InterGovernmental Committee on Surveying and Mapping
- Spatial Industries Business Association

This Standard was issued in draft form for comment as DR AS/NZS ISO 19155.2:2018

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.saiglobal.com (sales and distribution)

ISBN 978 1 76072 109 1



Geographic information—Place Identifier (PI) architecture

Part 2: Place Identifier (PI) linking

First published as AS ISO 19155.2:2018.

COPYRIGHT

© Standards Australia Limited 2018

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Published by SAI Global Pty Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia.

Preface

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee IT-004, Geographical Information/Geomatics.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to define the following three mechanisms for linking Place Identifiers (PIs) (see AS/NZS ISO 19155) to features or objects existing in other encodings:

- (a) Id attribute of a GML object (gml:id) as defined in AS/NZS ISO 19136;
- (b) Universally Unique Identifier (UUID) as defined in IETF RFC 4122;
- (c) Uniform Resource Locator (URL) as defined in IETF RFC 1738.

This Standard is identical with, and has been reproduced from, ISO 19155-2:2017, *Geographic information — Place Identifier (PI) architecture — Part 2: Place Identifier (PI) linking*.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Abbreviated terms	2
4.1 Abbreviated terms	2
4.2 UML Notation	2
4.3 Backward compatibility	3
5 Conformance	3
5.1 General	3
5.2 Linking mechanism: gml:id	3
5.3 Linking mechanism: UUID	3
5.4 Linking mechanism: URL	3
6 Place Identifier (PI) concept	4
6.1 General	4
6.2 PI structure	4
7 PI linking	4
7.1 Overview	4
7.2 PI linking directionality	5
7.3 PI linking model	7
8 PI linking mechanisms	7
8.1 Overview	7
8.2 Linking mechanism: gml:id	8
8.2.1 Overview	8
8.2.2 Linking from a PI	8
8.2.3 Linking to a PI	8
8.2.4 Instance examples using gml:id	8
8.3 Linking mechanism: UUID	9
8.4 Linking mechanism: URL	9
Annex A (normative) Abstract test suite	10
Annex B (normative) Encoding using gml:id to link with GML	11
Annex C (normative) Encoding using gml:id to link with GML application schemas	16
Annex D (normative) Encoding using UUID for linking	19
Annex E (normative) Encoding using URL for linking	21
Annex F (informative) Use case examples	22
Annex G (informative) RDF examples of linking PIs	27
Bibliography	34

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

A list of all parts in the ISO 19155 series can be found on the ISO website.

Introduction

The Place Identifier (PI) architecture (ISO 19155) defined the conceptual model of a place and specified normative encodings, for Place Identifiers, not specific to any type of geographic feature. In this document, three mechanisms are presented that define how Place Identifiers can be linked with features or objects in other encodings. Even though the identifiers of those features or objects may not specifically be a place, they may be referred to conceptually as “other identifiers.”

[Figure 1](#) depicts the abstractions of linking mechanisms among feature/object encoding rules.




Figure 1 — Linkages with other encoding rules

The linking mechanisms presented in this document are based on accepted information technology for object identification and reference using gml:id, UUID, or URL. By using these linking mechanisms with the rules defined here, and according to the type of encoding rule being linked to, Place Identifiers can more uniformly be related to features and objects — other identifiers — in other encodings. This extends the functionality of those other identifiers, in different encodings, by linking with Place Identifiers encoded in GML.

Existing PI data can complement a range of other encodings through the use of the linking mechanisms defined in this document.

For example, a group of Place Identifiers representing stores in a shopping mall can be associated with the specific locations inside the shopping mall represented by a GML data set.

Australian Standard[®]

Geographic information—Place Identifier (PI) architecture

Part 2: Place Identifier (PI) linking

1 Scope

This document defines the following three mechanisms for linking Place Identifiers (PIs) (see ISO 19155) to features or objects existing in other encodings:

- Id attribute of a GML object (gml:id) as defined in ISO 19136;
- Universally Unique Identifier (UUID) as defined in IETF RFC 4122;
- Uniform Resource Locator (URL) as defined in IETF RFC 1738.

These PI linking mechanisms are enabled using xlink:href as defined in W3C XML Linking Language (XLink).

While the identifiers of these features or objects can sometimes identify a place within the scope of this document, the identifiers of features or objects existing in other encoding domains are referred to conceptually as other identifiers.

This document further defines that when PIs are encoded as specified in ISO 19155, using the Geography Markup Language (GML) (ISO 19136), they are linked using gml:id to other GML encoded features. The details of encoding GML instances using gml:id are specified in a normative annex.

Additional normative annexes define encodings for linking Place Identifiers to other identifiers using UUID and URL and present examples for their use.

This document is applicable to location-based services, linked open data, robotic assisted services and other application domains that require a relationship between PIs and objects in either the real or virtual world.

This document is not about creating a registry of Place Identifiers linked to specific features or objects, and support of linking mechanisms other than gml:id, UUID, and URL is out of the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19103, *Geographic information — Conceptual schema language*

ISO 19136:2007, *Geographic information — Geography Markup Language*

ISO 19155:2012, *Geographic information — Place Identifier (PI) architecture*

IETF, *Universally Unique Identifier (UUID) URN Namespace*, RFC 4122, July 2005

IETF, *Uniform Resource Locators (URL)*, RFC 1738, December 1994

W3C XML Linking Language (XLink) Version 1.1 — Recommendation, 06 May 2010