

AS ISO 19901.5:2022  
ISO 19901-5:2021



STANDARDS  
Australia



# Petroleum and natural gas industries — Specific requirements for offshore structures

Part 5: Weight management



Currently in review, click buy full version

AS ISO 19901.5:2022

This Australian Standard ® was prepared by ME-092, Materials, equipment, structures and related services for petroleum, petrochemical and natural gas industries. It was approved on behalf of the Council of Standards Australia on 20 April 2022.

This Standard was published on 13 May 2022.

The following are represented on Committee ME-092:

- Australian Industry Group
- Australian Organisation for Quality
- Australian Petroleum Production and Exploration Association
- Australian Pipelines and Gas Association
- Department for Energy and Mining, SA
- Department of Mines, Industry Regulation and Safety WA
- DNV-GL Oil and Gas
- Energy Safe Victoria
- Engineers Australia
- National Energy Resources Australia
- Resources Safety & Health Queensland
- University of Western Australia

This Standard was issued in draft form for comment as DR AS ISO 19901.5:2022

#### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

ISBN 978 1 76113 743 3

# Petroleum and natural gas industries — Specific requirements for offshore structures

## Part 5: Weight management

First published as AS ISO 19901.5:2022.

### **COPYRIGHT**

© ISO 2022 — All rights reserved  
© Standards Australia Limited 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

## Preface

This Standard was prepared by the Standards Australia Committee ME-092, Materials, equipment, structures and related services for petroleum, petrochemical and natural gas industries.

The objective of this document is to specify requirements for managing and controlling the weight and centre of gravity (CoG) of offshore facilities by means of mass management during all lifecycle phases including conceptual design, front end engineering design (FEED), detail engineering, construction and operations. These can be new facilities (greenfield) or modifications to existing facilities (brownfield).

Weight management is necessary throughout operations, decommissioning, and removal to facilitate structural integrity management (SIM). The provisions of this document are applicable to fixed and floating facilities of all types.

Weight management only includes items with static mass.

Snow and ice loads are excluded as they are not considered to be part of the facility. Dynamic loads are addressed in ISO 19904-1, ISO 19901-6 and ISO 19901-7.

This document specifies the following:

- (a) Requirements for managing and controlling weights and CoGs of assemblies and entire facilities.
- (b) Requirements for managing weight and CoG interfaces.
- (c) Standardized terminology for weight and CoG estimating and reporting.
- (d) Requirements for determining not-to-exceed (NTE) weights and budget weights.
- (e) Requirements for weighing and determination of weight and centre of gravity (CoG) of tagged equipment, assemblies, modules, and facilities.

This document can be used as follows:

- (i) As a basis for costing, scheduling or determining suitable construction method(s) or location(s) and installation strategy.
- (ii) As a basis for planning, evaluating and preparing a weight management plan and reporting system.
- (iii) As a contract reference.
- (iv) As a means of refining the structural analysis or model.

This document is identical with, and has been reproduced from, ISO 19901-5:2021, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 5: Weight management*.

As this document has been reproduced from an International document, a full point substitutes for a comma when referring to a decimal marker.

Australian and Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific standards.

The terms “normative” and “informative” are used in Standards to define the application of the provisions or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

# Contents

Preface .....	ii
Foreword .....	vi
Introduction .....	viii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions .....</b>	<b>2</b>
<b>4 Abbreviations .....</b>	<b>6</b>
<b>5 Principles of weight management .....</b>	<b>6</b>
5.1 General .....	6
5.2 Weight management during project lifecycle phases .....	7
5.3 Weight management objectives .....	7
5.3.1 Objectives during conceptual design phase .....	7
5.3.2 Objectives during FEED, detail engineering and construction phases .....	8
5.3.3 Objectives during operations and decommissioning phases .....	8
5.4 Illustration of weight versus time .....	8
5.5 Loading conditions .....	9
5.5.1 General .....	9
5.5.2 Typical loading conditions .....	9
<b>6 Control Weights .....</b>	<b>10</b>
6.1 General .....	10
6.2 Purpose .....	11
6.3 Budget weights and NTE weights .....	11
6.3.1 Budget Weights .....	11
6.3.2 Reserves .....	11
6.3.3 NTE weights .....	12
6.4 Loading conditions and parameters .....	12
6.5 Control weights during operations phase .....	12
<b>7 Weight management during project execution phases .....</b>	<b>12</b>
7.1 Conceptual design .....	12
7.1.1 General .....	12
7.1.2 Predicted weight .....	13
7.1.3 Conceptual design weight .....	13
7.1.4 Upper bound weight constraint .....	13
7.1.5 Weight estimating .....	13
7.1.6 Key documentation .....	14
7.1.7 Estimating principles .....	15
7.1.8 Deliverables .....	17
7.2 FEED .....	18
7.2.1 General .....	18
7.2.2 Weight management plan .....	18
7.2.3 Weight management procedure .....	19
7.2.4 Weight reporting .....	19
7.2.5 Weight checking and verification .....	20
7.3 Detail engineering .....	20
7.3.1 General .....	20
7.3.2 Weight management plan .....	21
7.3.3 Weight management procedure .....	21
7.3.4 Weight reporting .....	21
7.3.5 Weight checking and verification .....	24
7.4 Construction .....	24
7.4.1 General .....	24

7.4.2	Weight database .....	24
7.4.3	Weight reporting .....	24
7.4.4	Weighing of assemblies .....	24
7.5	Installation and HUC .....	25
7.6	Operations .....	25
7.6.1	General .....	25
7.6.2	Weight management procedure .....	25
7.6.3	Weight database .....	26
7.6.4	Legacy weight databases .....	26
7.6.5	Laydown and storage drawings .....	26
7.6.6	Decommissioning .....	26
<b>8</b>	<b>Requirements for suppliers' weight data and weighing of tagged equipment and assembled discipline bulks .....</b>	<b>27</b>
8.1	General .....	27
8.2	Submission of weight data .....	27
8.3	Weighing requirements .....	28
8.3.1	Equipment .....	28
8.3.2	Discipline bulks .....	28
8.4	Weighing procedure .....	28
8.5	Weighing devices .....	29
8.5.1	Type of weighing device .....	29
8.5.2	Calibration of weighing devices .....	29
8.5.3	Maximum relative uncertainty for weighing device .....	29
8.5.4	Capacity of weighing device .....	29
8.5.5	Spare weighing devices and ancillaries .....	29
8.6	Witnessing of weighing .....	30
8.7	Scheduling of weighings .....	30
8.8	Environmental conditions during a weighing .....	30
8.9	Weighing operation .....	30
8.10	Temporary items present during a weighing .....	31
8.11	Permanent items not installed during a weighing .....	31
8.12	Weighing certificate .....	31
<b>9</b>	<b>Requirements for weighing of major assemblies .....</b>	<b>32</b>
9.1	General .....	32
9.2	Weighing procedure .....	32
9.3	Weighing system .....	33
9.3.1	Load cells .....	33
9.3.2	Read-out devices .....	33
9.3.3	Uncertainty of weighing system .....	33
9.3.4	Calibration of load cells .....	34
9.3.5	Capacity of weighing system components .....	34
9.3.6	Spare load cells and ancillaries .....	34
9.3.7	Hydraulic jacking system .....	34
9.3.8	Levelness of the assembly during the weighing .....	34
9.4	Preparations prior to the weighing .....	35
9.4.1	Notification and witnessing of weighings .....	35
9.4.2	Environmental conditions during a weighing .....	35
9.4.3	Weighing prediction report .....	35
9.4.4	Temporary items during the weighing .....	36
9.5	Weighing operation .....	36
9.5.1	Number of results recorded .....	36
9.5.2	Readings of load cells and level criteria .....	36
9.5.3	Consistency of results .....	37
9.5.4	CoG calculations .....	37
9.5.5	Weighing report .....	37
9.5.6	Weighing certificate .....	38
<b>Annex A</b>	<b>(informative) Commentary .....</b>	<b>39</b>

<b>Annex B</b>	(informative) <b>Weighing certificates</b> .....	<b>43</b>
<b>Annex C</b>	(informative) <b>Example control weight summary</b> .....	<b>47</b>
<b>Annex D</b>	(informative) <b>Variable weight</b> .....	<b>48</b>
<b>Annex E</b>	(informative) <b>Example decision-making RAPID matrix</b> .....	<b>52</b>
<b>Annex F</b>	(informative) <b>Weighing result uncertainty</b> .....	<b>54</b>
<b>Annex G</b>	(informative) <b>Weight database structure</b> .....	<b>57</b>
<b>Annex H</b>	(informative) <b>Weight management guidelines for concrete structures</b> .....	<b>60</b>
<b>Annex I</b>	(informative) <b>Coordinate systems</b> .....	<b>61</b>
<b>Annex J</b>	(informative) <b>Weight allowances and reserves</b> .....	<b>63</b>
<b>Annex K</b>	(informative) <b>Weight management competencies</b> .....	<b>65</b>
<b>Bibliography</b> .....		<b>66</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 7, *Offshore structures*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 19901-5:2016), which has been technically revised.

The main changes are as follows:

- part title changed to "Weight Management";
- document restructured and columnization removed;
- weight control classes removed;
- requirements for weight management for all project phases implemented;
- annexes deleted or relocated to body of document:
  - previous Annex A "Weight data sheets – tagged equipment" combined with previous Annex B "Weighing certificates" to create new joined into a new [Annex B](#) "Weighing certificates";
  - previous Annex C "Weight and load budget (WLB) formats and levels" replaced with new [Annex C](#) "Control weights";
  - deleted previous Annex D "Major elements of the weight displacement";
  - information in previous Annex E "Supplier weighing procedure" relocated to [Clause 8](#);
  - deleted previous Annex F "Guidelines for displacement measurement of floating facilities";

- information in previous Annex G “Requirements for weight control during operations” relocated to [Clause 7](#);
  - information in previous Annex H “Requirements for topsides weight estimation — New builds/green field” relocated to [Clause 7](#);
  - information in previous Annex I “Executive summary description” relocated to [Clause 7](#);
  - replaced previous Annex J “Weighing result uncertainty” with [Annex F](#) “Weighing result uncertainty”;
  - previous Annex K “Weight control database structure” replaced with new [Annex G](#) “Weight database structure”.
- Annexes added:
- [Annex A](#) “Commentary”;
  - [Annex D](#) “Variable weight”;
  - [Annex E](#) “Example decision-making RAPID matrix”;
  - [Annex H](#) “Weight of concrete structures”;
  - [Annex I](#) “Coordinate systems”;
  - [Annex J](#) “Weight allowances and reserves”;
  - [Annex K](#) “Weight management competencies”.

A list of all parts in the ISO 19901 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

The International Standards on offshore structures prepared by TC 67/SC 7 (ISO 19900, the ISO 19901 series, ISO 19902, ISO 19903, ISO 19904-1, the ISO 19905 series, and ISO 19906) constitute a common basis covering those aspects that address design requirements and assessments of all offshore facilities used by the petroleum and natural gas industries worldwide. Through their application the intention is to achieve reliability levels appropriate for manned and unmanned offshore facilities, whatever the type of structure and the nature of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept of structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of all offshore structural systems.

The International Standards on offshore structures prepared by TC 67/SC 7 are intended to provide a wide latitude in the choice of structural configurations, materials and techniques without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

# Australian Standard®

## Petroleum and natural gas industries — Specific requirements for offshore structures

### Part 5: Weight management

#### 1 Scope

This document specifies requirements for managing and controlling the weight and centre of gravity (CoG) of offshore facilities by means of mass management during all lifecycle phases including; conceptual design, front end engineering design (FEED), detail engineering, construction and operations. These can be new facilities (greenfield) or modifications to existing facilities (brownfield).

Weight management is necessary throughout operations, decommissioning and removal to facilitate structural integrity management (SIM). The provisions of this document are applicable to fixed and floating facilities of all types.

Weight management only includes items with static mass.

Snow and ice loads are excluded as they are not considered to be part of the facility. Dynamic loads are addressed in ISO 19904-1, ISO 19901-6 and ISO 19901-7.

This document specifies:

- a) requirements for managing and controlling weights and CoGs of assemblies and entire facilities;
- b) requirements for managing weight and CoG interfaces;
- c) standardized terminology for weight and CoG estimating and reporting;
- d) requirements for determining not-to-exceed (NTE) weights and budget weights;
- e) requirements for weighing and determination of weight and centre of gravity (CoG) of tagged equipment, assemblies, modules and facilities;

This document can be used:

- f) as a basis for costing, scheduling or determining suitable construction method(s) or location(s) and installation strategy;
- g) as a basis for planning, evaluating and preparing a weight management plan and reporting system;
- h) as a contract reference;
- i) as a means of refining the structural analysis or model.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*