



Non-destructive testing — Penetrant testing

Part 5: Penetrant testing at temperatures higher than 50 °C



AS ISO 3452.5:2020

This Australian Standard® was prepared by MT-007, Non-Destructive Testing Of Metals And Materials. It was approved on behalf of the Council of Standards Australia on 24 February 2020.

This Standard was published on 6 March 2020.

The following are represented on Committee MT-007:

Australasian Thermographers Association
Australian Institute for Non-Destructive Testing
Australian Nuclear Science & Technology Organisation
Austroads
Engineers Australia
Institute of Electrical Inspectors
National Aerospace Non-Destructive Testing Board of Australia
Weld Australia

This Standard was issued in draft form for comment as DR AS ISO 3452.5:2019.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76072 756 7



Non-destructive testing — Penetrant testing

Part 5: Penetrant testing at temperatures higher than 50 °C

Originally part of AS B260.3A—1968.
Revised and redesignated as AS 2062—1977.
Revised, amalgamated with AS 2565—1982 and redesignated as AS 2062—1997.
Revised and redesignated as AS ISO 3452.5:2020.

COPYRIGHT

© ISO 2020 — All rights reserved
© Standards Australia Limited 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Australian members of Joint Standards Australia/Standards New Zealand Committee MT-007, Non-Destructive Testing of Metals and Materials, to supersede AS 2062—1997, *Non-destructive testing — Penetrant testing of products and components*.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to specify—

- (a) the requirements for non-destructive testing using penetrant, particular to applications at higher temperatures (higher than 50 °C); and
- (b) the method for qualification of suitable testing products.

This Standard applies only to materials qualified for the relevant temperature range used in accordance with the manufacturer's instructions.

This Standard is identical with, and has been reproduced from, ISO 3452-5:2000, *Non-destructive testing — Penetrant testing — Part 5: Penetrant testing at temperatures higher than 50 °C*.

As this document has been reproduced from an International Standard, the following applies:

- (i) In the source text “this part of ISO 3452” should read “this Australian Standard”.
- (ii) A full point substitutes for a comma when referring to a technical marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 High temperature penetrant testing requirements	1
5 Safety precautions	1
6 Personnel qualification	2
7 Classification of testing products	2
8 General characteristics of the products	2
9 Reference blocks	2
10 Equipment	3
11 Viewing conditions	3
12 Test temperature	3
13 Procedure for qualification	3
14 Evaluation of results	4
14.1 General	4
14.2 Reference blocks type 1	4
14.3 Annex A comparator	4
Annex A (informative) Penetrant comparator	5
Bibliography	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3452-5 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 138, *Non-destructive testing*, in collaboration with ISO Technical Committee TC 135, *Non-destructive testing*, Subcommittee SC 2, *Surface methods*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 3452 consists of the following parts, under the general title *Non-destructive testing — Penetrant testing*:

- *Part 1: General principles*
- *Part 2: Testing of penetrant materials*
- *Part 3: Reference test blocks*
- *Part 4: Equipment*
- *Part 5: Penetrant testing at temperatures higher than 50 °C*
- *Part 6: Penetrant testing at temperatures lower than 10 °C*

This corrected version incorporates the following corrections:

- in the Introduction, reference to EN 571-1 has been replaced with reference to ISO 3452-1;
- the normative reference ISO 3452-1 carries a footnote stating its equivalency to EN 571-1;
- the normative reference ISO 3452-2 has been dated;
- the normative reference ISO/TS 18173 has been replaced with references to EN 1330-1 and EN 1330-2;
- in [Clause 13, list item c](#), the requirement relating to qualification time has been changed.

Introduction

Temperatures higher than 50 °C can affect the properties of penetrant test materials. The use of penetrant materials and the testing of penetrant materials within the temperature range 10 °C to 50 °C are the subject of ISO 3452-1 and ISO 3452-2. This part of ISO 3452 addresses materials and their use at higher temperatures.

This part of ISO 3452 introduces the concept of process times being linked to working temperatures and accordingly users are recommended to ensure that testing products are correctly associated with process parameters in written instructions (procedures).

Testing products may be specifically developed and qualified for high temperature use but testing products qualified for use at normal temperatures, in some cases, may also be suitable for higher temperature use.

This part of ISO 3452 was prepared with the assistance of ISPEL (Italy), whose laboratory performed research activity to verify the possibility of using penetrant at temperatures higher than 50 °C, up to 200 °C.

NOTES

Currently in preview, click buy full version

Australian Standard[®]

Non-destructive testing — Penetrant testing

Part 5: Penetrant testing at temperatures higher than 50 °C

1 Scope

This part of ISO 3452 specifies the testing requirements particular to applications at higher temperatures (over 50 °C) and also the method for qualification of suitable testing products. It applies only to materials qualified for the relevant temperature range used in accordance with the manufacturer's instructions.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3059, *Non-destructive testing — Penetrant testing and magnetic particle testing — Viewing conditions*

ISO 3452-1, *Non-destructive testing — Penetrant testing — Part 1: General principles*¹⁾

ISO 3452-2:2006, *Non-destructive testing — Penetrant testing — Part 2: Testing of penetrant materials*

ISO 3452-3, *Non-destructive testing — Penetrant testing — Part 3: Reference test blocks*

ISO 12706, *Non-destructive testing — Terminology — Terms used in penetrant testing*

EN 1330-1, *Non-destructive testing — Terminology — Part 1: List of general terms*

EN 1330-2, *Non-destructive testing — Terminology — Part 2: Terms common to the non-destructive testing methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1330-1, EN 1330-2 and ISO 12706 apply.

4 High temperature penetrant testing requirements

Penetrant materials shall be qualified, type tested for the temperature range within which the test temperature is included.

The general principles as defined in ISO 3452-1 shall apply unless otherwise stated in this part of ISO 3452 or in the manufacturer's instructions.

The manufacturer's instructions shall be followed.

5 Safety precautions

Equipment and testing products shall be handled, stored and used in a safe manner and always in accordance with the manufacturer's instructions.

The viewing conditions required in this part of ISO 3452 are the same as those for the 10 °C up to 50 °C temperature range and the same safety precautions should be observed.

1) ISO 3452-1 is equivalent to EN 571-1.