

AS ISO 3471:2020
ISO 3471:2008



STANDARDS
Australia



Earth-moving machinery — Roll-over protective structures — Laboratory tests and performance requirements



currently in preview, click buy full version

AS ISO 3471:2020

This Australian Standard ® was prepared by ME-063, Earthmoving Equipment. It was approved on behalf of the Council of Standards Australia on 30 October 2020.

This Standard was published on 13 November 2020.

The following are represented on Committee ME-063:

Australian Industry Group
Better Regulation Division — SafeWork NSW
Construction and Mining Equipment Industry Group
Department of Natural Resources, Mines and Energy, Qld
Department of Regional NSW
Engineers Australia/Mining Electrical and Mining Mechanical Engineering Society
Institute of Instrumentation, Control & Automation Australia
Minerals Council of Australia
University of Queensland

This Standard was issued in draft form for comment as DR AS ISO 3471:2020.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

Earth-moving machinery — Roll-over protective structures — Laboratory tests and performance requirements

First published as AS ISO 3471:2020.

COPYRIGHT

© ISO 2020 — All rights reserved
© Standards Australia Limited 2020

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee ME-063, Earthmoving Equipment.

The objective of this document is to specify performance requirements for metallic roll-over protective structures (ROPS) for earth-moving machinery, as well as a consistent and reproducible means of evaluating the compliance with these requirements by laboratory testing using static loading on a representative specimen.

This document is applicable to ROPS intended for the following mobile machines with a seated operator as defined in ISO 6165 and with a mass greater than or equal to 700 kg:

- (a) Dozer.
- (b) Loader.
- (c) Backhoe loader.
- (d) Dumper.
- (e) Pipelayer.
- (f) Tractor section (prime mover) of a combination machine (e.g. tractor scraper, articulated frame dumper).
- (g) Grader.
- (h) Landfill compactor.
- (i) Roller.
- (j) Trencher.

This document is not applicable to training seats or additional seats for operation of an attachment.

This document is identical with, and has been reproduced from, ISO 3471:2008, *Earth-moving machinery — Roll-over protective structures — Laboratory tests and performance requirements*.

As this document has been reproduced from an International Standard, the following applies:

- (a) In the source text “this International Standard” should read “this document”.
- (b) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols	5
5 Test method and test facilities	13
5.1 General requirements	13
5.2 Instrumentation	13
5.3 Test facilities	13
5.4 Representative specimen attachment to bedplate	15
6 Test loading procedure	22
6.1 General requirements	22
6.2 Lateral loading	23
6.3 Vertical loading	24
6.4 Longitudinal loading	25
7 Temperature and material criteria	26
7.1 General ROPS requirements	26
7.2 ROPS structural members	26
7.3 Thin steels	26
7.4 Fasteners	27
8 Acceptance criteria	27
9 Labelling of ROPS	29
9.1 General	29
9.2 Label specifications	29
9.3 Label content	29
10 Reporting results	29
Annex A (normative) ROPS test report	30
Annex B (informative) Design changes, physical testing and alterations	32
Bibliography	33

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3471 was prepared by Technical Committee ISO/TC 127, *Earth-moving machinery*, Subcommittee SC 2, *Safety requirements and human factors*.

This fourth edition cancels and replaces the third edition (ISO 3471:1994), which has been technically revised. It also incorporates the Amendment ISO 3471:1994/Amd 1:1995 and the Technical Corrigendum ISO 3471:1994/Cor 1:2000.

Introduction

A review of the initial work on the criteria for roll-over protective structures (ROPS) indicated that these criteria were based on requirements for machines now identified as mid-range size machines. Since the ROPS criteria were established, both smaller and larger machines have become common within the size range of earth-moving machines.

The criteria are a combination of linear and exponential, with respect to mass. For small machines, the exponential criterion has been changed to a linear function with respect to machine mass. For larger machines, the exponential criterion was excessive at very large machine masses, and thus was changed to become a linear function with respect to machine mass.

The longitudinal force criteria were added as new data became available. Situations could arise where ROPS designs would meet the lateral and vertical loading requirements, but yet be considered as lacking sufficient performance capability in the longitudinal load direction. For this reason, this International Standard incorporates a ROPS longitudinal force criterion. The longitudinal force criterion has been established at 80 % of the lateral force requirement.

The evaluation procedure will not necessarily duplicate structural deformation due to a given actual roll. However, specific requirements are derived from investigations on ROPS that have performed the intended function in a variety of actual roll-overs, as well as analytical considerations based upon the compatibility of ROPS and the machine frame to which it is attached.

NOTES

Currently in preview, click buy full version

Australian Standard®

Earth-moving machinery — Roll-over protective structures — Laboratory tests and performance requirements

1 Scope

This International Standard specifies performance requirements for metallic roll-over protective structures (ROPS) for earth-moving machinery, as well as a consistent and reproducible means of evaluating the compliance with these requirements by laboratory testing using static loading on a representative specimen.

NOTE 1 The structure can also provide FOPS (falling-object protective structure) protection.

This International Standard is applicable to ROPS intended for the following mobile machines with seated operator as defined in ISO 6165 and with a mass greater than or equal to 700 kg:

- dozer;
- loader;
- backhoe loader;
- dumper;
- pipelayer;
- tractor section (prime mover) of a combination machine (e.g. tractor scraper, articulated frame dumper);
- grader;
- landfill compactor;
- roller;
- trencher.

This International Standard is not applicable to training seats or additional seats for operation of an attachment.

NOTE 2 It is expected that reasonable crush protection for a seat-belted operator will be provided under at least the conditions of an initial forward velocity of 0 km/h to 16 km/h on a hard clay surface of 30° maximum slope in the direction of roll, and 360° of roll about the longitudinal axis of the machine without loss of contact with the slope.

NOTE 3 This International Standard can be used to provide guidance to the manufacturers of roll-over protective structures should it be decided to provide such protection for these or other machines for a particular application.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 148-1:2006, *Metallic materials — Charpy pendulum impact test (V-notch) — Part 1: Test method*

ISO 898-1:1999, *Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs*