

Australian Standard[®]

**Information technology—Radio
frequency identification device
conformance test methods**

**Part 4: Test methods for air interface
communications at 2.45 GHz**

STANDARDS
Australia



This Australian Standard® was prepared by Committee IT-034, Automatic Identification and Data Capture Techniques. It was approved on behalf of the Council of Standards Australia on 15 November 2006.

This Standard was published on 27 December 2006.

The following are represented on Committee IT-034:

- Australian Custom Service
 - Australian Data Capture Association
 - Australian Electrical and Electronic Manufacturers Association
 - Australian Retailers Association
 - Australian Veterinary Association
 - Department of Communications, Information Technology and the Arts
 - Department of Defence
 - Department of Primary Industries, Vic
 - RFID Association of Australia
 - The University of Adelaide
 - GS1
-

This Standard was issued in draft form for comment as DR 06528.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through public comment received.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**Information technology—Radio
frequency identification device
conformance test methods**

**Part 4: Test methods for air interface
communications at 2.45 GHz**

First published as AS ISO/IEC 18047.4—2006.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 7937 9

PREFACE

This Standard was prepared by the Standards Australia Committee IT-034, Automatic Identification and Data Capture Techniques.

The objective of this Standard is to provide test methods for determining the conformance of radio frequency identification devices (tags and interrogators) for item management with the specifications given in the corresponding part of ISO/IEC 18000.

This Standard is identical with, and has been reproduced from ISO/IEC TR 18047.4: 2004 *Information technology—Radio frequency identification device conformance test methods—Part 4: Test methods for air interface communications at 2,45 GHz*.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover.
- (b) In the source text ‘this part of ISO/IEC TR 18047’ should read ‘this Australian Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>	<i>Australian Standard</i>
ISO/IEC	AS ISO/IEC
18000 Information technology—Radio frequency identification for item management	18000 Information technology—Radio frequency identification for item management
18000-1 Part 1: Reference architecture and definition of parameters to be standardized	18000.1 Part 1: Reference architecture and definition of parameters to be standardized
18000-4 Part 4: Parameters for air interface communications at 2,45 GHz	18000.4 Part 4: Parameters for air interface communications at 2.45 GHz
19762 Information technology— Automatic identification and data capture (AIDC) techniques—Harmonized vocabulary	19762 Information technology— Automatic identification and data capture (AIDC) techniques— Harmonized vocabulary

CONTENTS

	<i>Page</i>
1	Scope..... 1
2	Normative references 1
3	Terms and definitions..... 2
4	Symbols and abbreviations 2
5	Conformance tests for ISO/IEC 18000-4 — 2,45 GHz 2
5.1	Default items applicable to the test methods 2
5.1.1	Test environment 2
5.1.2	Pre-conditioning..... 2
5.1.3	Default tolerance 2
5.1.4	Total measurement uncertainty..... 2
5.2	Conformance tests for ISO/IEC 18000-4 Mode 2..... 3
5.2.1	Test set-up and measurement equipment for Mode 2 3
5.2.1.1	Test set-up for interrogator testing 3
5.2.1.2	Test set-up for tag testing 4
5.2.1.3	Test equipment 4
5.2.2	Functional test – interrogator 5
5.2.2.1	Modulation 5
5.2.2.2	Operating frequency accuracy..... 6
5.2.3	Functional test – tag 7
5.2.3.1	Modulation 7
5.2.3.2	Coding 10
5.2.3.3	Sub-carrier frequency 10

INTRODUCTION

ISO/IEC 18000-4 defines the air interface for radio frequency identification (RFID) devices operating in the 2,45 GHz Industrial, Scientific, and Medical (ISM) band used in item management applications. The purpose of this part of ISO/IEC TR 18047 is to provide a test method for ISO/IEC 18000-4.

This part of ISO/IEC TR 18047 contains all compliance measurements required to be fulfilled by a product in order to be compliant to 18000-4 Mode 2.

AUSTRALIAN STANDARD

Information technology—Radio frequency identification device conformance test methods**Part 4:****Test methods for air interface communications at 2.45 GHz****1 Scope**

This part of ISO/IEC TR 18047 defines test methods for determining the conformance of radio frequency identification devices (tags and interrogators) for item management with the specifications given in the corresponding part of ISO/IEC 18000, but does not apply to the testing of conformity with regulatory or similar requirements.

The test methods require only that the mandatory functions, and any optional functions which are implemented, be verified. This may, in appropriate circumstances, be supplemented by further, application specific functionality criteria that are not available in the general case.

The interrogator and tag conformance parameters in this part of ISO/IEC TR 18047 are:

- mode-specific conformance parameters including nominal values and tolerances;
- parameters that apply directly affecting system functionality and inter-operability.

The following are not included in this part of ISO/IEC TR 18047:

- parameters that are already included in regulatory test requirements;
- high-level data encoding conformance test parameters (these are specified in ISO/IEC 15962).

Unless otherwise specified, the tests in this part of ISO/IEC TR 18047 apply exclusively to RFID tags and interrogator defined in ISO/IEC 18000-4 Mode 2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 18000-1, *Information technology — Radio frequency identification for item management — Part 1: Reference architecture and definition of parameters to be standardized*

ISO/IEC 18000-4, *Information technology — Radio frequency identification for item management — Part 4: Parameters for air interface communications at 2,45 GHz*

ISO/IEC 19762 (all parts), *Information technology — Automatic identification and data capture techniques — Harmonized vocabulary*¹⁾

ISBN 92-67-10188-9, 1993, *ISO Guide to the expression of uncertainty in measurement*

1) To be published.