

AS ISO/ASTM 52911.2:2021
ISO/ASTM 52911-2:2019



STANDARDS
Australia



Additive manufacturing — Design

Part 2: Laser-based powder bed fusion of polymers

currently in preview, click buy full version



AS ISO/ASTM 52911.2:2021

This Australian Standard ® was prepared by MB-028, Additive Manufacturing. It was approved on behalf of the Council of Standards Australia on 3 May 2021.

This Standard was published on 21 May 2021.

The following are represented on Committee MB-028:

Australian Automotive Aftermarket Association
Australian Manufacturing Technology Institute
Austroads
Charles Darwin University
Engineers Australia
Materials Australia
NSW Government
RMIT University
University of Wollongong
Weld Australia

This Standard was issued in draft form for comment as DR AS ISO/ASTM 52911.2:2011.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 309 1

Additive manufacturing — Design

Part 2: Laser-based powder bed fusion of polymers

First published as AS ISO/ASTM 52911.2:2021.

COPYRIGHT

© ISO 2021 — All rights reserved
© Standards Australia Limited 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Standard was prepared by the Standards Australia Committee MB-028, Additive Manufacturing.

The objective of this document is to specify the features of laser-based powder bed fusion of polymers (LB-PBF/P) and provide detailed design recommendations.

Some of the fundamental principles are also applicable to other additive manufacturing (AM) processes, provided that due consideration is given to process-specific features.

This document also provides a state-of-the-art review of design guidelines associated with the use of powder bed fusion (PBF) by bringing together relevant knowledge about this process and by extending the scope of AS ISO/ASTM 52910:2020.

This document is identical with, and has been reproduced from, ISO/ASTM 52911-2:2019 *Additive manufacturing — Design — Part 1: Laser-based powder bed fusion of polymers*.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	2
4.1 Symbols	2
4.2 Abbreviated terms	3
5 Characteristics of powder bed fusion (PBF) processes	3
5.1 General	3
5.2 Size of the parts	3
5.3 Benefits to be considered in regard to the PBF process	3
5.4 Limitations to be considered in regard to the PBF process	4
5.5 Economic and time efficiency	4
5.6 Feature constraints (islands, overhang, stair-step effect)	5
5.6.1 General	5
5.6.2 Islands	5
5.6.3 Overhang	5
5.6.4 Stair-step effect	5
5.7 Dimensional, form and positional accuracy	6
5.8 Data quality, resolution, representation	6
6 Design guidelines for laser-based powder bed fusion of polymers (LB-PBF/P)	7
6.1 General	7
6.2 Material and structural characteristics	7
6.3 Anisotropy of the material characteristics	8
6.4 Build orientation, positioning and arrangement	9
6.4.1 General	9
6.4.2 Powder coating	9
6.4.3 Part location in the build chamber	9
6.4.4 Overshooting	9
6.4.5 Packing parts efficiently in the build chamber	9
6.5 Surface roughness	9
6.6 Post-production finishing	10
6.7 Design considerations	10
6.7.1 Allowing for powder removal	10
6.7.2 Reducing warpage	11
6.7.3 Wall thickness	11
6.7.4 Gaps, cylinders and holes	11
6.7.5 Lattice structures	12
6.7.6 Fluid channels	12
6.7.7 Springs and elastic elements	13
6.7.8 Connecting elements and fasteners	13
6.7.9 Static assemblies	14
6.7.10 Movable assemblies	15
6.7.11 Bearings	15
6.7.12 Joints	16
6.7.13 Integrated markings	16
6.7.14 Cutting and joining	16
6.8 Example applications	17
6.8.1 Functional toy car with integrated spring	17
6.8.2 Robot gripper	18

7 General design consideration	19
Bibliography	20

Currently in preview, click buy full version

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the aim to create a common set of ISO/ASTM standards on additive manufacturing.

A list of all parts in the ISO 52911 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Laser-based powder bed fusion of polymers (LB-PBF/P) describes an additive manufacturing (AM) process and offers an additional manufacturing option alongside established processes. LB-PBF/P has the potential to reduce manufacturing time and costs, and increase part functionality. Practitioners are aware of the strengths and weaknesses of conventional, long-established manufacturing processes, such as cutting, joining and shaping processes (e.g. by machining, welding or injection moulding) and of giving them appropriate consideration at the design stage and when selecting the manufacturing process. In the case of LB-PBF/P and AM in general, design and manufacturing engineers only have a limited pool of experience. Without the limitations associated with conventional processes, the use of LB-PBF/P offers designers and manufacturers a high degree of freedom and this requires an understanding about the possibilities and limitations of the process.

The ISO 52911 series provides guidance for different powder bed fusion (PBF) technologies. It is intended that the series will include ISO 52911-1 on laser-based powder bed fusion of metals (LB-PBF/M), this document on LB-PBF/P, and ISO 52911-3¹⁾ on electron beam powder bed fusion of metals (EB-PBF/M). [Clauses 1](#) to [5](#), where general information including terminology and the PBF processes provided, are similar throughout the series. The subsequent clauses focus on the specific technologies.

This document is based on VDI 3405-3:2015^[8]. It provides support to technology users, such as design and production engineers, when designing parts that need to be manufactured by means of LB-PBF/P. It will help practitioners to explore the benefits of LB-PBF/P and to recognise the process-related limitations when designing parts. It also builds on ISO/ASTM 52910^[1] to extend the requirements, guidelines and recommendations for AM design to include the PBF process.

1) Under preparation.

Australian Standard[®]

Additive manufacturing — Design

Part 2: Laser-based powder bed fusion of polymers

1 Scope

This document specifies the features of laser-based powder bed fusion of polymers (LB-PBF/P) and provides detailed design recommendations.

Some of the fundamental principles are also applicable to other additive manufacturing (AM) processes, provided that due consideration is given to process-specific features.

This document also provides a state-of-the-art review of design guidelines associated with the use of powder bed fusion (PBF) by bringing together relevant knowledge about this process and by extending the scope of ISO/ASTM 52910.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/ASTM 52900, *Additive manufacturing — General principles — Fundamentals and vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/ASTM 52900 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

downskin area

D

(sub-)area where the normal vector \vec{n} projection on the z-axis is negative

Note 1 to entry: See [Figure 1](#).

3.2

downskin angle

δ

angle between the plane of the build platform and the *downskin area* ([3.1](#))

Note 1 to entry: The angle lies between 0° (parallel to the build platform) and 90° (perpendicular to the build platform).

Note 2 to entry: See [Figure 1](#).

3.3

upskin area

U

(sub-)area where the normal vector \vec{n} projection on the z-axis is positive

Note 1 to entry: See [Figure 1](#).