

American Society of Civil Engineers

Design and Construction of Frost-Protected Shallow Foundations

This document uses both Système International (SI) and customary units.



ASCE



Published by the American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, Virginia 20191-4400

ABSTRACT

This standard addresses the design and construction of frost-protected shallow foundations in areas subject to seasonal ground freezing. Foundation insulation requirements to protect heated and unheated buildings from frost heave are presented in easy-to-follow steps with reference to design tables, climate maps, and other necessary data to furnish a complete frost-protection design. The advantages of this technology include improved construction efficiency over conventional practices, increased energy efficiency, minimized site disturbance, and enhanced frost protection. A commentary is included to provide background information and important technical insights.

Library of Congress Cataloging-in-Publication Data

Design and construction of frost-protected shallow foundations/American Society of Civil Engineers.

p. cm.—(ASCE standard)

“ASCE 32-01.”

Includes bibliographical references and index.

ISBN 0-7844-0564-6

1. Foundations—Design and construction—Standards—Cold regions. 2. Foundations—Cold weather conditions. 3. Frozen ground. I. American Society of Civil Engineers.

TH2101 .D44 2001

624.1'5—dc21

2001034096

The material presented in this publication has been prepared in accordance with generally recognized engineering principles and practices, and is for general information only. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application.

The contents of this publication are not intended to be and should not be construed to be a standard of the American Society of Civil Engineers (ASCE) and are not intended for use as a reference in purchase of specifications, contracts, regulations, statutes, or any other legal document.

No reference made in this publication to any specific method, product, process, or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE.

ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefore.

Anyone using this information assumes all liability arising from such use, including but not limited to infringement of any patent or patentable process.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies: Authorization to photocopy material for internal or personal use under circumstances not falling within the fair use provisions of the Copyright Act is granted by ASCE to libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$8.00 per chapter plus \$.50 per page is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923. The identification for ASCE Books is 0-7844-0564-6/01/\$8.00 + \$.50 per page. Requests for special permission or bulk copying should be addressed to Permissions & Copyright Department, ASCE.

Copyright © 2001 by the American Society of Civil Engineers.

All Rights Reserved.

Library of Congress Catalog Card No: 2001034096

ISBN 0-7844-0564-6

Manufactured in the United States of America.

STANDARDS

In April 1980, the Board of Direction approved ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by the Society. All such standards are developed by a consensus standards process managed by the Management Group F (MGF), Codes and Standards. The consensus process includes balloting by the balanced standards committee made up of Society members and nonmembers, balloting by the membership of ASCE as a whole, and balloting by the public. All standards are updated or reaffirmed by the same process at intervals not exceeding 5 years.

The following Standards have been issued.

ANSI/ASCE 1-82 N-725 Guideline for Design and Analysis of Nuclear Safety Related Earth Structures
ANSI/ASCE 2-91 Measurement of Oxygen Transfer in Clean Water
ANSI/ASCE 3-91 Standard for the Structural Design of Composite Slabs and ANSI/ASCE 9-91 Standard Practice for the Construction and Inspection of Composite Slabs
ASCE 4-98 Seismic Analysis of Safety-Related Nuclear Structures
Building Code Requirements for Masonry Structures (ACI 530-99/ASCE 5-99/TMS 402-99) and Specifications for Masonry Structures (ACI 530.1-99/ASCE 6-99/TMS 602-99)
ASCE 7-98 Minimum Design Loads for Buildings and Other Structures
ANSI/ASCE 8-90 Standard Specification for the Design of Cold-Formed Stainless Steel Structural Members
ANSI/ASCE 9-91 listed with ASCE 3-91
ASCE 10-97 Design of Latticed Steel Truss Member Structures
SEI/ASCE 11-99 Guideline for Structural Condition Assessment of Existing Buildings
ANSI/ASCE 12-91 Guideline for the Design of Urban Subsurface Drainage

ASCE 13-93 Standard Guidelines for Installation of Urban Subsurface Drainage
ASCE 14-93 Standard Guidelines for Operation and Maintenance of Urban Subsurface Drainage
ASCE 15-98 Standard Practice for Direct Design of Buried Precast Concrete Pipe Using Standard Installations (SIDDD)
ASCE 16-95 Standard for Load and Resistance Factor Design (LRFD) of Engineered Wood Construction
ASCE 17-96 Air-Supported Structures
ASCE 18-96 Standard Guidelines for In-Process Oxygen Transfer Testing
ASCE 19-96 Structural Applications of Steel Cases for Buildings
ASCE 20-96 Standard Guidelines for the Design and Installation of Pile Foundations
ASCE 21-96 Automated People Mover Standards—Part 1
ASCE 21-98 Automated People Mover Standards—Part 2
SEI/ASCE 23-97 Specification for Structural Steel Beams with Web Openings
SEI/ASCE 24-97 Flood Resistant Design and Construction
ASCE 25-97 Earthquake-Actuated Automatic Gas Shut-Off Devices
ASCE 26-97 Standard Practice for Design of Buried Precast Concrete Box Sections
ASCE 27-00 Standard Practice for Direct Design of Precast Concrete Pipe for Jacking in Trenchless Construction
ASCE 28-00 Standard Practice for Direct Design of Precast Concrete Box Sections for Jacking in Trenchless Construction
EWRI/ASCE 33-01 Comprehensive Transboundary International Water Quality Management Agreement
EWRI/ASCE 34-01 Standard Guidelines for Artificial Recharge of Ground Water

FOREWORD

The material presented in this publication has been prepared in accordance with recognized engineering principles. The publication of this document is not intended as representation or warranty on the part of the American Society of Civil Engineers, or of any other

person named herein, that this information is suitable for any general or particular use or promises freedom from infringement of any patent or patents. ASCE assumes no liability for the use of information in this document.

ACKNOWLEDGMENTS

The American Society of Civil Engineers (ASCE) acknowledges the work of the Frost-Protected Shallow Foundation Standard Committee of the Structural Engineering Institute (SEI). This committee is composed of individuals from many backgrounds, including consulting engineering, research, testing, manufacturing, construction, education, government, and private practice. The first edition

Jennifer Autry
Shveta Bagade
Frank Berg
Todd Bergstrom
Chhin Chhi C. Chang
Jay H. Crandell
Larry S. Danyluk
Marvin Davidson
Art DeGaetano
Gerald D. Eid, *Chair*
William Freeborne
G. Robert Fuller
Thomas R. Greeley
Susan Herrenbruck
Thomas G. Krzewinski

of the standard began in 1995 and incorporated information from several sources, as noted in the document.

This Standard was prepared through a consensus standards process by balloting in compliance with procedures of the ASCE Structural Engineering Institute. Those individuals who served on the Frost-Protected Shallow Foundations Standard Committee are:

Scott J. Miller
Richard A. Morris
Joe Pasm
James A. Rosenberg
Thomas L. Savoy
Steve Skalko
Herbert Slone
Fred Sonnenberg
Peter Steurer
Chia-Kiang Tan
Guy Titley
Larry O. Troxell
William D. Wall
John P. Zarling

CONTENTS

1. Scope and Limitations	1
2. References	1
3. Symbols, Units, and Definitions	1
3.1 Symbols and Units	1
3.2 Definitions	1
4. Design Principles	3
4.1 General	3
4.1.1 Bearing Capacity	3
4.1.2 Drainage	3
4.1.3 Compaction	3
4.1.4 Insulation Protection	3
4.1.5 Termite Protection	3
4.2 Foundations on Non-Frost-Susceptible Ground or Fill Material	4
4.3 Foundations with Insulation to Prevent Ground Freezing	4
5. Simplified FPSF Design Method for Heated Buildings with Slab-On-Ground Foundations	4
6. FPSF Design Method for Heated Buildings	6
6.1 Slab-on-Ground Foundations	6
6.2 Unvented Crawlspace Foundations	7
6.3 Walk-Out Basements	8
7. FPSF Design Method for Unheated Buildings	8
7.1 Slab-on-Ground Foundation	8
7.2 Continuous Foundation Wall	11
7.3 Column Foundation	11
8. Special Design Conditions for FPSF	11
8.1 Small Unheated Areas in Otherwise Heated Buildings	11
8.2 Large Unheated Areas in Heated Buildings	12
8.3 Semi-Heated Buildings	12
8.4 Cold-Bridges	14
Appendix A: Design Data	15
Commentary	25
Index	35

Currently in preview, click buy full version

Design and Construction of Frost-Protected Shallow Foundations

1. SCOPE AND LIMITATIONS

This Standard addresses the design and construction of frost-protected shallow foundations to prevent frost damage in cold climates with seasonal ground freezing. For the purpose of this Standard, a frost-protected shallow foundation is a foundation that does not extend below the design frost depth, but is protected against effects of frost. This Standard applies to buildings on potentially frost-susceptible ground with slab-on-ground or suspended floor foundations. This Standard does not apply to buildings on permafrost, to areas with mean annual outdoor air temperatures less than 32°F (0°C), or to areas with design air-freezing indexes greater than 4,500°F-days (60,000°C-hr).

This Standard addresses heated, unheated, and semi-heated structures, as classified by the minimum average monthly indoor temperature expected during the building's intended useful life. For the purpose of using this Standard, the building shall be classified in accordance with Table 1.

This Standard does not preclude the judgment and practice of those competent in foundation design and the prevention of frost damage, nor does it preclude compliance with other design considerations or local building code requirements. Structural requirements, other than frost protection, shall be in accordance with the building code or accepted design practices and are not included in this Standard.

TABLE 1. Classification of Building Based on Indoor Air Temperature

Minimum Average Monthly Indoor Temperature, T	Thermal Classification
$T \geq 63^\circ\text{F} (17^\circ\text{C})$	Heated
$41^\circ\text{F} (5^\circ\text{C}) < T < 63^\circ\text{F} (17^\circ\text{C})$	Semi-heated
$T \leq 41^\circ\text{F} (5^\circ\text{C})$	Unheated

2. REFERENCES

- American Society of Heating, Refrigeration, and Air-Conditioning Engineers (ASHRAE). *Handbook of Fundamentals*, Atlanta, GA (1997).
- American Society for Testing and Materials (ASTM). ASTM C578-95. *Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation*, West Conshohocken, PA (1995).

- American Society for Testing and Materials. ASTM D422-63 (90). *Test Method for Particle-Size Analysis of Soils*, West Conshohocken, PA (1990).

- American Society for Testing and Materials. ASTM D2487-93. *Standard Classification of Soils for Engineering Purposes (Unified Soil Classification System)*, West Conshohocken, PA (1993).

3. SYMBOLS, UNITS, AND DEFINITIONS

3.1 SYMBOLS AND UNITS

The symbols and units used throughout this Standard are found in Table 2. Conversion factors for units are found in Table 3. English units accompanied by soft conversions to SI units (shown in parentheses) are used throughout the Standard.

3.2 DEFINITIONS

Approved: Accepted by the building official of the jurisdiction, as the result of investigations, analysis, tests, or any combination of these evaluation approaches or on the basis of accepted principles or local experience.

Air-Freezing Index (AFI): Determined from cumulative degree days above and below 32°F (0°C), recorded for an annual cycle. The AFI for a given winter is the largest difference between the maximum freezing degree day cumulative total reached at the start of the winter season and the minimum total reached during the winter.

Cold-Bridges: Discontinuities in insulation that create thermally conductive pathways and increase the potential for frost damage.

Design Air-Freezing Index (F_{100}): The 100-year mean return period AFI used in this Standard for protection of building foundations against frost damage.

Design Frost Depth: The minimum depth at which the soil temperature remains above freezing for an extreme winter event, based on analysis, local regulations, or experience.

Effective Thermal Resistivity (r_{eff}): An adjusted thermal resistivity to account for long-term use in a moist, below-ground condition. Commonly referred to in this Standard as an effective R per inch.

Effective Thermal Resistance (R_{eff}): An adjusted R-value to account for long-term use in a moist, below-ground condition.