

ASCE STANDARD

ASCE/EWRI

44-20

Standard Practice for the Design, Operation, and Evaluation of Supercooled Fog Dispersion Projects

Currently in preview, click buy full version

ASCE STANDARD

ASCE/EWRI

44-20

Standard Practice for the Design, Operation, and Evaluation of Supercooled Fog Dispersion Projects



PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers, author.

Title: Standard practice for the design, operation, and evaluation of supercooled fog dispersal projects : Standard 44-20 / published by the American Society of Civil Engineers.

Other titles: Standard practice for the design and operation of supercooled fog dispersal projects

Description: Reston, Virginia : American Society of Civil Engineering, 2020. | Revised edition of: Standard practice for the design and operation of supercooled fog dispersal projects. | Includes bibliographical references and index. | Summary: "Standard ASCE/EWRI 44-20 presents the standard practice for conducting supercooled fog dispersal operational programs"— Provided by publisher.

Identifiers: LCCN 2020027694 | ISBN 9780784415429 (paperback) | ISBN 9780784482605 (Adobe PDF)

Subjects: LCSH: Fog—Control. | Precipitation (Meteorology)—Modification.

Classification: LCC QC929.F7 A55 2020 | DDC 551.68/75—dc23

LC record available at <https://lccn.loc.gov/2020027694>

Published by American Society of Civil Engineers

1801 Alexander Bell Drive

Reston, Virginia, 20191-4382

www.asce.org/bookstore | ascelibrary.org

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards, to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity.

ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in US Patent and Trademark Office.

Photocopies and permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an email to permissions@asce.org or by locating a title in ASCE's Civil Engineering Database (<http://cedb.asce.org>) or ASCE Library (<http://ascelibrary.org>) and using the "Permissions" link.

Errata: Errata, if any, can be found at <http://dx.doi.org/10.1061/9780784415450>.

Copyright © 2020 by the American Society of Civil Engineers.

All Rights Reserved.

ISBN 978-0-7844-1545-0 (soft cover)

ISBN 978-0-7844-8260-5 (PDF)

Manufactured in the United States of America.

25 24 23 22 21 20 1 2 3 4 5

ASCE STANDARDS

In 2016, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to ten years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees which are available at www.asce.org. Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at www.asce.org.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent rights or risk of infringement is entirely his or her own responsibility.

A complete list of currently available standards is available in the ASCE Library (<http://ascelibrary.org/page/books/s-standards>).

This page intentionally left blank

Currently in preview, click buy full version

CONTENTS

PREFACE	vii
ACKNOWLEDGMENTS	ix
1 INTRODUCTION TO SUPERCOOLED FOG DISPERSAL PROJECTS	1
1.1 Introduction.	1
1.2 Scope of Standard	1
1.3 Historical Review of Supercooled Fog Dispersal Operations.	1
1.4 Appropriate ASCE/EWRI Standards.	2
1.5 Appropriate ASCE/EWRI Manuals of Practice	2
2 FOG CHARACTERISTICS	3
2.1 Introduction.	3
2.2 Fog Droplet Characteristics	3
2.3 Fog Characteristics as Applied to Fog Dispersal Operations	4
2.4 Seeding Strategy for Dispersing Supercooled Fog	5
3 DESIGN OF SUPERCOOLED FOG DISPERSAL PROJECTS	7
3.1 Project Scope.	7
3.1.1 Basic Project Area Concepts.	7
3.1.2 Initial Design Considerations.	7
3.2 Delivery Methods	7
3.2.1 Airborne Programs	8
3.2.2 Ground-Based Programs	9
3.3 Seeding Agent Selection	9
3.3.1 Dry Ice, Liquid Propane, and Liquid Nitrogen	9
3.3.2 Quality Control of Seeding Agents	10
3.4 Targeting and Delivery Considerations.	10
3.5 Experience and Training	11
3.6 Seeding Suspension Criteria	11
3.7 Legal, Environmental, and Social Considerations.	11
4 SUPERCOOLED FOG DISPERSAL OPERATIONS	13
4.1 Operations Manual	13
4.2 Personnel Requirements	13
4.2.1 Meteorological Staff.	13
4.2.2 Support Personnel.	13
4.2.3 Cloud Treatment Pilots.	13
4.2.4 Direction of Operations.	13
4.3 Operational Decision Making	14
4.4 Communications	14
4.5 Public Relations, Information, Involvement, and Safety Considerations	14
5 EVALUATION OF SUPERCOOLED FOG DISPERSAL PROJECTS	17
APPENDIX A CONVERSION OF UNITS	19
APPENDIX B GLOSSARY OF DEFINITIONS AND ACRONYMS	21

APPENDIX C STATUS OF SUPERCOOLED FOG DISPERSAL TECHNOLOGY (NON-MANDATORY) 25
C.1 American Society of Civil Engineers 25
C.2 Weather Modification Association 25
C.3 World Meteorological Organization 25
C.4 American Meteorological Society 26

APPENDIX D REFERENCES 27

INDEX 1

Currently in preview, click buy full version

PREFACE

This standard and its previous version, ASCE/EWRI 44-13, have been prepared in accordance with the ASCE Standards Writing Manual, August 20, 2010, revision, with recognized engineering principles, and it should not be used without the user's competent knowledge of the underlying principles for a given application.

This version of the standard was obtained by first conducting a reaffirmation ballot. Then the Ad Hoc committee, as mentioned in the acknowledgments, was established to create the first version for the ASCE/EWRI Atmospheric Water Management Standards Committee (AWM SC) balloting. Additional

material was then added, including a new figure, and updated wording from the certified professionals dealing with the technology over the past 5 years or so. The AWM SC members that provided some new or revised material are listed in the acknowledgments shown below.

This version of the standard is not intended as warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent rights or risk of infringement is entirely his or her own responsibility.

This page intentionally left blank

ACKNOWLEDGMENTS

Some have contributed materially to this revision by their comments and review. The primary authors of the additional material of this version of the standard were the EWRI AWM SC's Supercooled Fog Dispersion Ad Hoc Members:

Conrad G. Keyes Jr., *Chair*
Thomas P. DeFelice, *Corresponding editor*
Andrew Detwiler, Major initial commenter to this standard

At the end of 2018, additional commenters during later ballots included the following:

Bruce Boe
Bob Czys
Conrad Keyes Jr.
Darin Langerud
James Stalker

Currently in preview, click buy full version

This page intentionally left blank

CHAPTER 1

INTRODUCTION TO SUPERCOOLED FOG DISPERSAL PROJECTS

1.1 INTRODUCTION

Fogs can pose a significant threat to public safety and quality of life in the air, on land, and at sea. For example, the luxury liner *Andrea Doria* collided with the *Stockholm* in fog off New York and sank on its 1956 maiden voyage. Fifty-one people died and millions of dollars in property were lost (Silverman and Weinstein 1974). An airliner (Flight VD8387) overran the runway in heavy fog after landing in Yichun, in northeastern China, killing 43 passengers on August 24, 2010. Extended periods of fog can have large economic impacts on the aviation, tourism, transportation, and mining industries (ANSI/ASCE/EWRI 2013). For example, in the early 1970s fog at one US airport caused an estimated \$100,000 loss of revenue due to aircraft diversions, delays, and cancellations (Silverman and Weinstein 1974); however, one shall update costs estimates for future planning or design efforts when dealing with new projects.

The harmful effects on transportation alone have been sufficient justification for attempts to modify or disperse fogs. Silverman and Weinstein (1974) note that fog was the subject of the first scientifically designed weather modification effort of any kind. This may partially explain why supercooled fog dispersal is perhaps the only weather-modification technology that does not require long experimentation and careful measurement to detect results, because results are both visible and nearly instantaneous. The most frequently cited goal of any supercooled fog dispersal project is to increase visibility. An increase in the local temperature can be a byproduct of the clearing activities. Fog dispersal operations reduce the threat to public safety by increasing the visibility over highways and airport runways. Dispersing fog to increase visibility, especially at airports, has tremendous economic value—particularly at the local level—as transportation returns to normal levels.

Additional sunshine resulting from fog dispersal operations can often improve the quality of life for specific populations. Fog clearing in open-pit mines can allow the safe resumption of mining operations that were suspended due to decreased visibility (ASCE 2013).

Commentary: Although extended foggy periods can have negative impacts on agriculture and the mental health of the general public, there are some situations in which fog is beneficial, such as where fog water is collected for drinking water in arid regions (e.g., Schemenauer 1998) and where fog supplies some of the necessary moisture to vegetation. For example, fog supplies needed moisture to the northern California redwood trees during the summer dry season (e.g., Schemenauer 1998). Another example is the notorious winter fog in the San Joaquin Valley of California, which provides an important portion of the winter dormancy requirements of many deciduous orchard crops in the region (ASCE 2013). The San Joaquin Valley fogs are also known as “tule” fogs and are in the category of “warm fogs” that

are not normally supercooled, as their temperatures are often above freezing.

Ice fogs are a special case and are slower to dissipate than supercooled fogs because they are composed mostly of tiny ice crystals and they generally form at air temperatures below about 243 °K (e.g., Huffman and Ohtake 1971). Ice fog dispersal is fundamentally different from the dispersal of supercooled fogs and may be more appropriately labeled ice fog suppression. Ice crystals predominate and form by heterogeneous nucleation and, in some instances, by homogeneous nucleation. Ice fogs are primarily caused by unnatural sources of water vapor, which may include automobile and aircraft exhaust, exhaust from utility plants, and open water, such as cooling ponds (ASCE 2013). Benson (1969) indicated that decreasing the ambient temperature of these moisture sources did improve visibility. Most attempts to disperse ice fogs have included electric fields, dehydrators of various types (e.g., gas, furnace, automobile), air movement by helicopters, polyethylene rafts, plastic films (e.g., polyethylene), injection wells, cooling towers, and chemical films (e.g., hexadecyl, ethylene glycol monobutyl ether). Presently, the standard technique used to suppress ice fog caused by exposed water sources employs a thin ethylene glycol monobutyl ether film. This film is harmless to marine life (it is biodegradable) and lasts much longer than other films, but it is less effective in suppressing ice fog than hexadecyl film (ASCE 2013). McFadden (1976) and McFadden and Collins (1978) provide details of these techniques. Ice fog suppression techniques will not be discussed in this standard.

1.2 SCOPE OF STANDARD

The focus of this standard is the dispersal of supercooled fog. Fog-clearing operations are required under US law to be reported to the National Oceanic and Atmospheric Administration (NOAA). Sponsors shall periodically publish the results of these activities, because knowing about them could improve the understanding of fogs and their impacts on society and the environment.

The remainder of this document includes capability statements for fog dispersal and an abridged version of the physics of supercooled fog formation and dispersal, as well as recommendations for planning, organizing, conducting, and evaluating a supercooled fog dispersal project. The status of supercooled fog dispersal technology is summarized in Appendix C. The International System of Units, or SI units, and any CGS units of this document can be converted using Appendix A.

1.3 HISTORICAL REVIEW OF SUPERCOOLED FOG DISPERSAL OPERATIONS

Supercooled fog is colloidally stable but is otherwise in a thermodynamically metastable state (e.g., Silverman and Weinstein 1974). Thus, supercooled fog can be dissipated by