ASCE STANDARD

ASCE/G-I

53-19

Compaction Grouting Consensus Guide

ASCE
AMERICAN SOCIETY OF CIVIL ENGINEERS

G-I
ASCE
GEO-INSTITUTE

ASCE STANDARD

ASCE/G-I

53-19

Compaction Grouting Consensus Guide

PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

Library of Congress Cataloging-in-Publication Data

Published by American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, Virginia, 20191-4382
www.asce.org/bookstore | ascelibrary.org

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity.

ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies and permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an email to permissions@asce.org or by locating a title in ASCE's Civil Engineering Database (https://cedb.asce.org) or ASCE Library (https://ascelibrary.org) and using the "Permissions" link.

***Errata:* Errata, if any, can be found at https://dx.doi.org/10.1061/9780784415030.**

ISBN 978-0-7844-1503-0 (soft cover)
ISBN 978-0-7844-0000-0 (PDF) To come
Manufactured in the United States of America.

24 23 22 21 20 19 1 2 3 4 5

ASCE STANDARDS

In 2014, the Board of Direction approved revisions to the ASCE Rules for Standards Committees that govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to 10 years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees, which are available at www.asce.org. Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at www.asce.org.

The provisions of this document are written in permissive language and, as such, offer the user a series of options or instructions but do not prescribe a specific course of action. Significant judgment is left to the user of this document.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained herein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. Users are advised that the determination of patent rights or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (https://ascelibrary.org/page/books/s-standards).

This page intentionally left blank

CONTENTS

This page intentionally left blank

PREFACE

This new edition of the *Compaction Grouting Consensus Guide* aims to promote good practice in compaction grouting. Compaction grouting is a reliable methodology for improving soil density and strength. Similar to other grouting technologies, compaction grouting is based on sound engineering principles, not a "black magic" that only a chosen few can understand. And, like all other soil improvement techniques, compaction grouting needs to be applied competently.

Scope

This standard provides background for those interested in specifying, designing, and/or undertaking compaction grouting. This guide is not a manual and is not intended for use as a code of practice; hence, the use of nonmandatory language throughout the text is not accidental. The developers of this guide hope that it will become a useful reference for all those interested in compaction grouting.

Compaction grouting is a ground improvement technique that enhances the ground's strength and/or stiffness by slow and controlled injection of a low-mobility grout. The soil is displaced and compacted as the grout mass expands. Provided the injection process progresses in a controlled fashion, the grout material remains as a growing mass within the ground and does not permeate or fracture the soil. This behavior enables consistent densification around the expanding grout mass, resulting in stiff inclusions of grout surrounded by soil of increased density.

This guide focuses specifically on compaction grouting applications where the soil's increased strength and/or stiffness due to compaction is a primary element of ground improvement. Applications wherein a ground improvement design requires the injected grout to obtain strength greater than that of the surrounding soil, although potentially a valid application of low-mobility grout, are not considered to be compaction grouting for the purposes of this guide and hence are beyond the scope of this document.

This guide discusses both practical and theoretical aspects of compaction grouting.

In addition, this guide follows ASCE guidelines and uses the International System of Units (SI) as the primary system of units; customary units are also provided in parentheses. Compaction grouting in North America typically uses customary units in the field; hence many of the SI units have been calculated from the original customary equivalents. In these cases, an effort has been made to keep the "rule of thumb" values in their original form, and some loss of accuracy in the conversion between units may occur. This standard may involve hazardous materials, operations, and equipment. This standard does not purport to address the safety problems associated with its application. Whoever uses this standard is responsible for establishing appropriate safety and health practices and for determining the applicability of regulatory and nonregulatory limitations.