

SEI/ASCE 7-02
Second Edition

American Society of Civil Engineers

Minimum Design Loads for Buildings and Other Structures

This second edition incorporates the
corrections as shown in the errata
found on www.sei.institute.org.

Revision of ASCE 7-98

This document uses both Système International (SI) units and customary units.

ASCE

SEI
Structural Engineering Institute

Published by the American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, Virginia 20191-4400

ABSTRACT

This revision of the ASCE Standard *Minimum Design Loads for Buildings and Other Structures* is a replacement of ASCE 7-98. This Standard provides requirements for dead, live, soil, flood, wind, snow, rain, ice, and earthquake loads, and their combinations that are suitable for inclusion in building codes and other documents.

Substantial changes were made to the wind, snow, earthquake, and ice provisions. In addition, substantial new material was added regarding the determination of flood loads. The structural loading requirements provided by this Standard are intended for use by architects, structural engineers, and those engaged in preparing and administering local building codes.

Library of Congress Cataloging-in-Publication Data

Minimum design loads for buildings and other structures / American Society of Civil Engineers.

p. cm. — (ASCE standard.)

“Revision of ASCE 7-98.”

ISBN 0-7844-0624-3

1. Structural engineering — United States. 2. Standards, Engineering — United States. I. American Society of Civil Engineers.

TH851 .M56 2002
624.1'72'021873 — dc21

20020386

Any statements expressed in these materials are those of the individual authors and do not necessarily represent the views of ASCE, which takes no responsibility for any statement made herein. No reference made in this publication to any specific method, product, process or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE. The materials are for general information only. They are not intended as a reference in purchase specifications, contracts, regulations, statutes, or any other legal document.

ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product or process discussed in this publication, and assumes no liability therefore. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application. Anyone utilizing this information assumes all liability arising from such use, including but not limited to infringement of any patent or trademarks.

ASCE and American Society of Civil Engineers — Registered in U.S. Patent and Trademark Office.

Photocopies: Authorization to photocopy material for internal or personal use under circumstances not falling within the fair use provisions of the Copyright Act is granted by ASCE to libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$18.00 per article is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923. The identification for ASCE Books is 0-7844-0624-3/03 \$18.00. Requests for special permission or bulk copying should be addressed to Permissions & Copyright Dept., ASCE.

Copyright © 2003 by the American Society of Civil Engineers. All Rights Reserved.

Library of Congress Catalog Card No: 2002038610

ISBN 0-7844-0624-3

Manufactured in the United States of America.

Second Printing.

STANDARDS

In April 1980, the Board of Direction approved ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by the Society. All such standards are developed by a consensus standards process managed by the Codes and Standards Activities Committee (CSAC). The consensus process includes balloting by the balanced standards committee made up of Society members and nonmembers, balloting by the membership of ASCE as a whole, and balloting by the public. All standards are updated or reaffirmed by the same process at intervals not exceeding 5 years.

The following Standards have been issued:

- ANSI/ASCE 1-82 N-725 Guideline for Design and Analysis of Nuclear Safety Related Earth Structures
- ANSI/ASCE 2-91 Measurement of Oxygen Transfer in Clean Water
- ANSI/ASCE 3-91 Standard for the Structural Design of Composite Slabs and ANSI/ASCE 9-91 Standard Practice for the Construction and Inspection of Composite Slabs
- ASCE 4-98 Seismic Analysis of Safety-Related Nuclear Structures
- Building Code Requirements for Masonry Structures (ACI 530-02/ASCE 5-02/TMS 402-02) and Specifications for Masonry Structures (ACI 530.1-02/ASCE 6-02/TMS 602-02)
- SEI/ASCE 7-02 Minimum Design Loads for Buildings and Other Structures
- ANSI/ASCE 8-90 Standard Specification for the Design of Cold-Formed Stainless Steel Structural Members
- ANSI/ASCE 9-91 listed with ASCE 3-91
- ASCE 10-97 Design of Latticed Steel Transmission Structures
- SEI/ASCE 11-99 Guideline for Structural Condition Assessment of Existing Buildings
- ANSI/ASCE 12-91 Guideline for the Design of Urban Subsurface Drainage
- ASCE 13-93 Standard Guidelines for Installation of Urban Subsurface Drainage
- ASCE 14-93 Standard Guidelines for Operation and Maintenance of Urban Subsurface Drainage
- ASCE 15-98 Standard Practice for Direct Design of Buried Precast Concrete Pipe Using Standard Installations (SIDD)
- ASCE 16-95 Standard for Load and Resistance Factor Design (LRFD) of Engineered Wood Construction
- ASCE 17-96 Air-Supported Structures
- ASCE 18-96 Standard Guidelines for In-Process Oxygen Transfer Testing
- ASCE 19-96 Structural Applications of Steel Cables for Buildings
- ASCE 20-96 Standard Guidelines for the Design and Installation of Pile Foundations
- ASCE 21-96 Automated People Mover Standards — Part 1
- ASCE 21-98 Automated People Mover Standards — Part 2
- ASCE 21-00 Automated People Mover Standards — Part 3
- SEI/ASCE 23-97 Specification for Structural Steel Beams with Web Openings
- SEI/ASCE 24-98 Flood Resistant Design and Construction
- ASCE 25-97 Earthquake-Actuated Automatic Gas Shut-Off Devices
- ASCE 26-97 Standard Practice for Design of Buried Precast Concrete Box Sections
- ASCE 27-99 Standard Practice for Direct Design of Precast Concrete Pipe for Jacking in Trenchless Construction
- ASCE 28-00 Standard Practice for Direct Design of Precast Concrete Box Sections for Jacking in Trenchless Construction
- SEI/ASCE 30-00 Guideline for Condition Assessment of the Building Envelope
- SEI/ASCE 32-01 Design and Construction of Frost-Protected Shallow Foundations
- EWRI/ASCE 33-01 Comprehensive Transboundary International Water Quality Management Agreement
- EWRI/ASCE 34-01 Standard Guidelines for Artificial Recharge of Ground Water
- EWRI/ASCE 35-01 Guidelines for Quality Assurance of Installed Fine-Pore Aeration Equipment
- CI/ASCE 36-01 Standard Construction Guidelines for Microtunneling
- SEI/ASCE 37-02 Design Loads on Structures During Construction
- CI/ASCE 38-02 Standard Guideline for the Collection and Depiction of Existing Subsurface Utility Data

Currently in preview, click buy full version

FOREWORD

The material presented in this Standard has been prepared in accordance with recognized engineering principles. This Standard should not be used without first securing competent advice with respect to its suitability for any given application. The publication of the material contained herein is not intended as a representation or warranty on

the part of the American Society of Civil Engineers, or of any other person named herein, that this information is suitable for any general or particular use or promises freedom from infringement of any patent or patents. Anyone making use of this information assumes all liability from such use.

Currently in preview, click buy full version

Currently in preview, click buy full version

ACKNOWLEDGEMENTS

The American Society of Civil Engineers (ASCE) acknowledges the work of the Minimum Design Loads on Buildings and Other Structures Standards Committee of the Codes and Standards Activities Division of the Structural Engineering Institute. This group comprises individuals from many backgrounds including: consulting engineering, research, construction industry, education, government, design, and private practice.

This revision of the standard began in 1999 and incorporates information as described in the commentary.

This Standard was prepared through the consensus standards process by balloting in compliance with procedures of ASCE's Codes and Standards Activities Committee. Those individuals who serve on the Standards Committee are:

Kharaiti L. Abrol
Robert E. Bachman
Charles C. Baldwin
Demirtas C. Bayar
John E. Breen
David G. Brinker
Ray A. Bucklin
James R. Cagley
Charles J. Carter
Jack E. Cermak
William L. Coulbourne
Jay H. Crandell
Stanley W. Crawley
Majed Dabdoub
James M. Delahay
Bernard J. Deneke
Bradford K. Douglas
John F. Duntemann
Donald Dusenberry
Bruce R. Ellingwood, Vice-Chair
Edward R. Estes
Mohammed M. Ettouney
David A. Fanella
Lawrence Fischer
Theodore V. Galambos
Satyendra K. Ghosh
Dennis W. Graber
Lawrence G. Griffis
David S. Gromala
Robert D. Hanson
Gilliam S. Harris
James R. Harris, Chair
Joseph F. Harshbarger
Scott F. Humphreys
Nicholas Iyemov
Christopher P. Jones
John J. Kapmann, Jr.
A. Harry Karabinis
Jon P. Kiland
Randy Kissell
Uno Kula

Edward M. Laatsch
John V. Loscheider
Fred Morello
Ian Mackinlay
Sanjeev Malushte
Bonnie Manley
Harry W. Martin
Rusk Masih
George M. Matsumura
Therese P. McAllister
Robert R. McCluer
Richard McConnell
Kishor C. Mehta
Joseph J. Messersmith, Jr.
Joe N. Nunnery
Michael O'Rourke
George D. Olive
Frederick C. Palmer
Alan R. Peabody
David B. Peraza
Clayton W. Pinkham
Robert D. Prince
Robert T. Ratay
Mayasandra K. Ravindra
Lawrence D. Reaveley
Abraham J. Rokach
James A. Rossberg, Secretary
Herbert S. Saffir
Phillip J. Samblanet
Suresh C. Satsangi
Andrew Scanlon
Jeffery C. Sciaudone
William L. Shoemaker
Emil Simiu
Thomas D. Skaggs
Thomas L. Smith
James G. Soules
Theodore Stathopoulos
Donald R. Strand
Harry B. Thomas
Wayne N. Tobiasson

Brian E. Taintor
David L. Tyree
Thomas K. Tyson
Joseph W. Vellozzi
Francis J. Walter, Jr.
Yi Kwei Wen
Peter J.G. Willse
Lyle L. Wilson
Joseph A. Wintz, III

Task Committee on General Structural Requirements

James S. Cohen
John F. Duntemann
Donald Dusenberry, Chair
John L. Gross
Anatol Longinow
John V. Loscheider
Robert T. Ratay
James G. Soules
Jason J. Thompson

Task Committee on Strength

Bruce R. Ellingwood, Chair
Theodore V. Galambos
David S. Gromala
James R. Harris
Clarkson Pinkham
Massandra K. Ravindra
Andrew Scanlon
James G. Soules
Yi Kwei Wen

Task Committee on Live Loads

James R. Cagley
Raymond A. Cook
Ross B. Corotis
John V. Loscheider
William L. Shoemaker
John G. Tawresey
Harry B. Thomas
Thomas R. Tyson
Yi Kwei Wen, Chair

Task Committee on Flood Loads

Christopher P. Jones, Chair

Task Committee on Wind Loads

Pete Billing
Dayrl Boggs
Jack E. Cermak
Ronald A. Cook
Jay H. Crandell
James M. Delahay
Bradford K. Douglas
Charles Everly
Dennis W. Graber
Lawrence G. Griffis, Chair
Gilliam S. Harris
Peter A. Irwin
Nicholas Isyumov
Ahsan Kareem
Edward M. Laatsch
Marc Levitan
John V. Loscheider
Kishor C. Mehta
Joseph J. Messersmith, Jr.
Charles Olivier
Rick Perry
Jon A. Peterka
Timothy A. Reinhold
Herbert S. Saffir
Jeffery C. Sciaudone
Don R. Scott
William L. Shoemaker
Emil Simiu
Douglas Smith
Thomas L. Smith
Eric Stafford
Theodore Stathopoulos
Peter J. Vickery
Robert G. Willse
Peter J. G. Willse

Task Committee on Snow and Rain Loads

Charles De Angelis
Brad Douglas
Nicholas Isyumov
J. Randolph Kissell
Ian Mackinlay
Joe N. Nunnery
Michael O'Rourke, Chair
Edwin R. Schmeckpeper
Joseph D. Scholze
W. Lee Shoemaker
Wayne N. Tobiasson
Peter J.G. Willse

Task Committee on Earthquake Loads

Victor Azzi
Robert E. Bachman, Chair
David R. Bonneville
James R. Cagley
Alan Carr
Len Cobb
Michael Constantinou
Bradford K. Douglas
Douglas A. Foutch
Larry D. Franks
Thomas A. Gangel
Satyendra K. Ghossein
John Gillengerten
Ronald O. Hamburger
Robert D. Hanson
James R. Housner
Ronald W. Haupt
William F. Holmes
Douglas G. Honegger
John Hooper
Roy J. Hunt
James K. Iverson
Martin W. Johnson
Dominic J. Kelly
Jon P. Kiland
Charles A. Kircher
Vladimir Kochkin
Edgar V. Leyendecker
Mike Mahoney
Sanjeev Malushte
Bonnie E. Manley
Harry W. Martin
Rory M. McGruer, Secretary
Phillip Myers

Lawrence D. Reaveley
James A. Rossberg
Arthur B. Savery
Grover L. Sawyer, Jr.
Timothy D. Sheckler
Jonathon C. Siu
James G. Soules
Harold O. Sprague
Bill Staehin
Jason J. Thompson
John W. Wallace
Andrew S. Whittaker
David L. Wismer

Task Committee on Atmospheric Icing

David G. Bricker
Peter C. Catchpole
Clayton L. Clem
John Ericson
Loren Finstad
Donald G. Heald
Kathy Jones
Settiana G. Kishnasamy
Steve LaCasse
Neal Lott
Donald G. Marshall
Nate Mulherin
Alan B. Peabody, Chair
Joe Pohlman
Chuck Ryerson
Tapani Seppa
Longgang Shan
Ronald M. Thorkildson
H. B. White

CONTENTS

	Page
STANDARDS	iii
FOREWORD	v
ACKNOWLEDGMENTS	vii
 Standard	
1.0 General	1
1.1 Scope	1
1.2 Definitions	1
1.3 Basic Requirements	2
1.3.1 Strength	2
1.3.2 Serviceability	2
1.3.3 Self-Straining Forces	2
1.3.4 Analysis	2
1.3.5 Counteracting Structural Actions	2
1.4 General Structural Integrity	2
1.5 Classification of Buildings and Other Structures	2
1.5.1 Nature of Occupancy	2
1.5.2 Hazardous Materials and Extremely Hazardous Materials	2
1.6 Additions and Alterations to Existing Structures	3
1.7 Load Tests	3
 2.0 Combinations of Loads	 5
2.1 General	5
2.2 Symbols and Notation	5
2.3 Combining Factored Loads Using Strength Design	5
2.3.1 Applicability	5
2.3.2 Basic Combinations	5
2.3.3 Load Combinations Including Flood Load	5
2.3.4 Load Combinations Including Atmospheric Ice Loads	5
2.4 Combining Nominal Loads Using Allowable Stress Design	6
2.4.1 Basic Combinations	6
2.4.2 Load Combinations Including Flood Load	6
2.4.3 Load Combinations Including Atmospheric Ice Loads	6
2.5 Load Combinations for Extraordinary Events	6
 3.0 Dead Loads	 7
3.1 Definition	7
3.2 Weight of Materials and Constructions	7
3.3 Weight of Fixed Service Equipment	7
 4.0 Live Loads	 9
4.1 Definition	9
4.2 Uniformly Distributed Loads	9
4.2.1 Required Live Loads	9
4.2.2 Provision for Partitions	9
4.3 Concentrated Loads	9
4.4 Loads on Handrails, Guardrail Systems, Grab Bar Systems, Vehicle Barrier Systems, and Fixed Ladders	9

4.4.1	Definitions	9
4.4.2	Loads	9
4.5	Loads Not Specified	10
4.6	Partial Loading	10
4.7	Impact Loads	10
4.7.1	Elevators	10
4.7.2	Machinery	10
4.8	Reduction in Live Loads	10
4.8.1	General	10
4.8.2	Heavy Live Loads	10
4.8.3	Passenger Car Garages	11
4.8.4	Special Occupancies	11
4.8.5	Limitations on One-Way Slabs	11
4.9	Minimum Roof Live Loads	11
4.9.1	Flat, Pitched, and Curved Roofs	11
4.9.2	Special-Purpose Roofs	11
4.9.3	Special Structural Elements	11
4.10	Crane Loads	11
4.10.1	Maximum Wheel Load	11
4.10.2	Vertical Impact Force	11
4.10.3	Lateral Force	11
4.10.4	Longitudinal Force	12
4.11	References	12
5.0	Soil and Hydrostatic Pressure and Flood Loads	17
5.1	Pressure on Basement Walls	17
5.2	Uplift on Floors and Foundations	17
5.3	Flood Loads	17
5.3.1	Definitions	17
5.3.2	Design Requirements	18
5.3.2.1	Design Loads	18
5.3.2.2	Erosion and Scour	18
5.3.2.3	Loads on Breakaway Walls	18
5.3.3	Loads During Flooding	18
5.3.3.1	Load Basis	18
5.3.3.2	Hydrostatic Loads	18
5.3.3.3	Hydrodynamic Loads	18
5.3.3.4	Wave Loads	18
5.3.3.4.1	Breaking Wave Loads on Vertical Pilings and Columns	19
5.3.3.4.2	Breaking Wave Loads on Vertical Walls	19
5.3.3.4.3	Breaking Wave Loads on Nonvertical Walls	20
5.3.3.4.4	Breaking Wave Loads from Obliquely Incident Waves	20
5.3.5	Impact Loads	20
5.4	Reference	20
6.0	Wind Loads	23
6.1	General	23
6.1.1	Scope	23
6.1.2	Allowed Procedures	23
6.1.3	Wind Pressures Acting on Opposite Faces of Each Building Surface	23
6.1.4	Minimum Design Wind Loading	23
6.1.4.1	Main Wind Force-Resisting System	23
6.1.4.2	Components and Cladding	23
6.2	Definitions	23

6.3	Symbols and Notations	25
6.4	Method 1—Simplified Procedure	26
6.4.1	Scope	26
6.4.1.1	Main Wind Force-Resisting Systems	26
6.4.1.2	Components and Cladding	26
6.4.2	Design Procedure	27
6.4.2.1	Main Wind Force-Resisting System	27
6.4.2.1.1	Minimum Pressures	27
6.4.2.2	Components and Cladding	27
6.4.2.2.1	Minimum Pressures	27
6.4.3	Air-Permeable Cladding	27
6.5	Method 2—Analytical Procedure	27
6.5.1	Scope	27
6.5.2	Limitations	27
6.5.2.1	Shielding	27
6.5.2.2	Air-Permeable Cladding	27
6.5.3	Design Procedure	28
6.5.4	Basic Wind Speed	28
6.5.4.1	Special Wind Regions	28
6.5.4.2	Estimation of Basic Wind Speeds from Regional Climatic Data	28
6.5.4.3	Limitation	28
6.5.4.4	Wind Directionality Factor	28
6.5.5	Importance Factor	28
6.5.6	Exposure	28
6.5.6.1	Wind Directions and Sectors	28
6.5.6.2	Surface Roughness Categories	28
6.5.6.3	Exposure Categories	29
6.5.6.4	Exposure Category for Main Wind Force-Resisting Systems	29
6.5.6.4.1	Buildings and Other Structures	29
6.5.6.4.2	Low-Rise Buildings	29
6.5.6.5	Exposure Category for Components and Cladding	29
6.5.6.5.1	Buildings with Mean Roof Height h Less Than or Equal to 60 ft (18 m)	29
6.5.6.5.2	Buildings with Mean Roof Height h Greater Than 60 ft (18 m) and Other Structures	29
6.5.6.6	Velocity Pressure Exposure Coefficient	29
6.5.7	Topographic Effects	29
6.5.7.1	Wind Speed-Up over Hills, Ridges, and Escarpments	29
6.5.7.2	Topographic Factor	30
6.5.8	Gust Effect Factor	30
6.5.8.1	Rigid Structures	30
6.5.8.2	Flexible or Dynamically Sensitive Structures	30
6.5.8.3	Rational Analysis	30
6.5.8.4	Limitations	30
6.5.9	Enclosure Classifications	30
6.5.9.1	General	30
6.5.9.2	Openings	30
6.5.9.3	Wind-Borne Debris	31
6.5.9.4	Multiple Classifications	31
6.5.10	Velocity Pressure	31
6.5.11	Pressure and Force Coefficients	31
6.5.11.1	Internal Pressure Coefficient	31
6.5.11.1.1	Reduction Factor for Large Volume Buildings, R_i	31
6.5.11.2	External Pressure Coefficients	31
6.5.11.2.1	Main Wind Force-Resisting Systems	31

	6.5.11.2.2	Components and Cladding	31
	6.5.11.3	Force Coefficients	31
	6.5.11.4	Roof Overhangs	31
	6.5.11.4.1	Main Wind Force-Resisting System	31
	6.5.11.4.2	Components and Cladding	31
	6.5.11.5	Parapets	32
	6.5.11.5.1	Main Wind Force-Resisting System	32
	6.5.11.5.2	Components and Cladding	32
6.5.12		Design Wind Loads on Enclosed and Partially Enclosed Buildings	32
	6.5.12.1	General	32
	6.5.12.1.1	Sign Convention	32
	6.5.12.1.2	Critical Load Condition	32
	6.5.12.1.3	Tributary Areas Greater Than 700 ft ² (65 m ²)	32
	6.5.12.2	Main Wind Force-Resisting Systems	32
	6.5.12.2.1	Rigid Buildings of All Height	32
	6.5.12.2.2	Low-Rise Building	32
	6.5.12.2.3	Flexible Buildings	32
	6.5.12.2.4	Parapets	32
	6.5.12.3	Design Wind Load Cases	33
	6.5.12.4	Components and Cladding	33
	6.5.12.4.1	Low-Rise Buildings and Buildings with $h \leq 60$ ft (18.3 m)	33
	6.5.12.4.2	Buildings with $h > 60$ ft (18.3 m)	33
	6.5.12.4.3	Alternative Design Wind Pressures for Components and Cladding in Buildings with 60 ft (18.3 m) $< h < 90$ ft (27.4 m)	33
	6.5.12.4.4	Parapets	34
6.5.13		Design Wind Loads on Open Buildings and Other Structures	34
6.6		Method 3—Wind-Tunnel Procedure	34
	6.6.1	Scope	34
	6.6.2	Test Conditions	34
	6.6.3	Dynamic Response	34
	6.6.4	Limitations	34
	6.6.4.1	Limitations on Wind Speeds	34
6.7		References	35
7.0		Snow Loads	77
	7.1	Symbols and Notations	77
	7.2	Ground Snow Loads, p_g	77
	7.3	Flat Roof Snow Loads p_f	77
	7.3.1	Exposure Factor, C_e	77
	7.3.2	Thermal Factor, C_t	77
	7.3.3	Importance Factor, I	77
	7.3.4	Minimum Values of p_f for Low-Slope Roofs	77
	7.4	Sloped Roof Snow Loads, p_s	77
	7.4.1	Warm Roof Slope Factor, C_s	78
	7.4.2	Cold Roof Slope Factor, C_s	78
	7.4.3	Roof Slope Factor for Curved Roofs	78
	7.4.4	Roof Slope Factor for Multiple Folded Plate, Sawtooth, and Barrel Vault Roofs	78
	7.4.5	Ice Dams and Icicles Along Eaves	78
	7.5	Partial Loading	78
	7.5.1	Continuous Beam Systems	78
	7.5.2	Other Structural Systems	78
	7.6	Unbalanced Roof Snow Loads	78
	7.6.1	Unbalanced Snow Loads for Hip and Gable Roofs	79
	7.6.2	Unbalanced Snow Loads for Curved Roofs	79

7.6.3	Unbalanced Snow Loads for Multiple Folded Plate, Sawtooth, and Barrel Vault Roofs	79
7.6.4	Unbalanced Snow Loads for Dome Roofs	79
7.7	Drifts on Lower Roofs (Aerodynamic Shade)	79
7.7.1	Lower Roof of a Structure	79
7.7.2	Adjacent Structures and Terrain Features	80
7.8	Roof Projections	80
7.9	Sliding Snow	80
7.10	Rain-on-Snow Surcharge Load	80
7.11	Ponding Instability	80
7.12	Existing Roofs	80
8.0	Rain Loads	93
8.1	Symbols and Notation	93
8.2	Roof Drainage	93
8.3	Design Rain Loads	93
8.4	Ponding Instability	93
8.5	Controlled Drainage	93
9.0	Earthquake Loads	95
9.1	General Provisions	95
9.1.1	Purpose	95
9.1.2	Scope and Application	95
9.1.2.1	Scope	95
9.1.2.3	Change of Use	95
9.1.2.4	Application of Provisions	95
9.1.2.4.1	New Buildings	95
9.1.2.2	Additions to Existing Structures	96
9.1.2.2.1	96
9.1.2.2.2	96
9.1.2.5	Alternate Materials and Methods of Construction	96
9.1.3	Seismic Use Groups	96
9.1.3.1	High Hazard Exposure Structures	96
9.1.3.1.1	Seismic Use Group III Structure Protected Access	96
9.1.3.1.2	Seismic Use Group III Function	96
9.1.3.2	96
9.1.3.3	96
9.1.3.4	Multiple Use	96
9.1.4	Occupancy Importance Factor	96
9.2.1	Definitions	96
9.2.2	Symbols	102
9.3	107
9.4.1	Procedures for Determining Maximum Considered Earthquake and Design Earthquake Ground Motion Accelerations and Response Spectra	107
9.4.1.1	Maximum Considered Earthquake Ground Motions	107
9.4.1.2	General Procedure for Determining Maximum Considered Earthquake and Design Spectral Response Accelerations	107
9.4.1.2.1	Site Class Definitions	107
9.4.1.2.2	Steps for Classifying a Site	128
9.4.1.2.3	Definitions of Site Class Parameters	128
9.4.1.2.4	Site Coefficients and Adjusted Maximum Considered Earthquake Spectral Response Acceleration Parameters	129
9.4.1.2.5	Design Spectral Response Acceleration Parameters	129
9.4.1.2.6	General Procedure Response Spectrum	129
9.4.1.3	Site-Specific Procedure for Determining Ground Motion Accelerations	130

	9.4.1.3.1	Probabilistic Maximum Considered Earthquake	130
	9.4.1.3.2	Deterministic Limit on Maximum Considered Earthquake Ground Motion	131
	9.4.1.3.3	Deterministic Maximum Considered Earthquake Ground Motion . .	131
	9.4.1.3.4	Site-Specific Design Ground Motion	131
	9.4.1.3.5	Design Acceleration Parameters	131
9.4.2		Seismic Design Category	131
	9.4.2.1	Determination of Seismic Design Category	131
	9.4.2.2	Site Limitation for Seismic Design Categories E and F	131
9.4.3		Quality Assurance	131
9.5		Structural Design Criteria, Analysis, and Procedures	132
	9.5.1	This Section Has Been Intentionally Left Blank	132
	9.5.2	Structural Design Requirements	132
	9.5.2.1	Design Basis	132
	9.5.2.2	Basic Seismic Force-Resisting Systems	132
	9.5.2.2.1	Dual System	132
	9.5.2.2.2	Combinations of Framing Systems	132
		9.5.2.2.2.1 R and Ω_0 Factors	136
		9.5.2.2.2.2 Combination Framing Detailing Requirements . . .	136
	9.5.2.2.3	Seismic Design Categories B and C	136
	9.5.2.2.4	Seismic Design Categories D and E	136
		9.5.2.2.4.1 Increased Building Height Limit	136
		9.5.2.2.4.2 Interaction Effects	136
		9.5.2.2.4.3 Deformational Compatibility	136
		9.5.2.2.4.4 Special Moment Frames	136
	9.5.2.2.5	Seismic Design Category F	137
	9.5.2.3	Structure Configuration	137
	9.5.2.3.1	Diaphragm Flexibility	137
	9.5.2.3.2	Plan Irregularity	137
	9.5.2.3.3	Vertical Irregularity	137
	9.5.2.4	Redundancy	138
	9.5.2.4.1	Seismic Design Categories A, B, and C	138
	9.5.2.4.2	Seismic Design Category D	138
	9.5.2.4.3	Seismic Design Categories E and F	139
	9.5.2.5	Analysis Procedures	139
	9.5.2.5.1	Analysis Procedures	139
	9.5.2.5.2	Application of Loading	139
		9.5.2.5.2.1 Seismic Design Categories A and B	139
		9.5.2.5.2.2 Seismic Design Category C	139
		9.5.2.5.2.3 Seismic Design Categories D, E, and F	141
	9.5.2.6	Design and Detailing Requirements	141
	9.5.2.6.1	Seismic Design Category A	141
		9.5.2.6.1.1 Load Path Connections	141
		9.5.2.6.1.2 Anchorage of Concrete or Masonry Walls	141
	9.5.2.6.2	Seismic Design Category B	141
		9.5.2.6.2.1 P -Delta Effects	141
		9.5.2.6.2.2 Openings	141
		9.5.2.6.2.3 Direction of Seismic Load	141
		9.5.2.6.2.4 Discontinuities in Vertical System	141
		9.5.2.6.2.5 Nonredundant Systems	142
		9.5.2.6.2.6 Collector Elements	142
		9.5.2.6.2.7 Diaphragms	142
		9.5.2.6.2.8 Anchorage of Concrete or Masonry Walls	142
		9.5.2.6.2.9 Inverted Pendulum-Type Structures	142
		9.5.2.6.2.10 Anchorage of Nonstructural Systems	142

	9.5.2.6.2.11	Elements Supporting Discontinuous Walls or Frames	142
	9.5.2.6.3	Seismic Design Category C	143
	9.5.2.6.3.1	Collector Elements	143
	9.5.2.6.3.2	Anchorage of Concrete or Masonry Walls	143
	9.5.2.6.4	Seismic Design Category D	143
	9.5.2.6.4.1	Collector Elements	143
	9.5.2.6.4.2	Plan or Vertical Irregularities	144
	9.5.2.6.4.3	Vertical Seismic Forces	144
	9.5.2.6.4.4	Diaphragms	144
	9.5.2.6.5	Seismic Design Categories E and F	144
	9.5.2.6.5.1	Plan or Vertical Irregularities	144
	9.5.2.7	Combination of Load Effects	144
	9.5.2.7.1	Special Seismic Load	145
	9.5.2.8	Deflection, Drift Limits, and Building Separation	145
9.5.3		Index Force Analysis Procedure for Seismic Design of Buildings	145
9.5.4		Simplified Analysis Procedure for Seismic Design of Buildings	146
	9.5.4.1	Seismic Base Shear	146
	9.5.4.2	Vertical Distribution	146
	9.5.4.3	Horizontal Distribution	146
	9.5.4.4	Design Drift	146
9.5.5		Equivalent Lateral Force Procedure	146
	9.5.5.1	General	146
	9.5.5.2	Seismic Base Shear	146
	9.5.5.2.1	Calculation of Seismic Response Coefficient	146
	9.5.5.3	Period Determination	147
	9.5.5.3.1	Upper Limit on Calculated Period	147
	9.5.5.3.2	Approximate Fundamental Period	147
	9.5.5.4	Vertical Distribution of Seismic Forces	148
	9.5.5.5	Horizontal Shear Distribution and Torsion	148
	9.5.5.5.1	Direct Shear	148
	9.5.5.5.2	Torsion	148
	9.5.5.6	Overturning	148
	9.5.5.7	Drift Determination and <i>P</i> -Delta Effects	149
	9.5.5.7.1	Story Drift Determination	149
	9.5.5.7.2	<i>P</i> -Delta Effects	149
9.5.6		Modal Analysis Procedure	150
	9.5.6.1	General	150
	9.5.6.2	Modeling	150
	9.5.6.3	Modes	150
	9.5.6.4	Periods	150
	9.5.6.5	Modal Base Shear	150
	9.5.6.6	Modal Forces, Deflections, and Drifts	151
	9.5.6.7	Modal Story Shears and Moments	151
	9.5.6.8	Design Values	151
	9.5.6.9	Horizontal Shear Distribution	152
	9.5.6.10	Foundation Overturning	152
	9.5.6.11	<i>P</i> -Delta Effects	152
9.5.7		Linear Response History Analysis Procedure	152
	9.5.7.1	Modeling	152
	9.5.7.2	Ground Motion	152
	9.5.7.2.1	Two-Dimensional Analysis	152
	9.5.7.2.2	Three-Dimensional Analysis	152
	9.5.7.3	Response Parameters	152
9.5.8		Nonlinear Response History Analysis	153

	9.5.8.1	Modeling	153
	9.5.8.2	Ground Motion and Other Loading	153
	9.5.8.3	Response Parameters	153
	9.5.8.3.1	Member Strength	153
	9.5.8.3.2	Member Deformation	153
	9.5.8.3.3	Interstory Drift	154
	9.5.8.4	Design Review	154
9.5.9		Soil-Structure Interaction	154
	9.5.9.1	General	154
	9.5.9.2	Equivalent Lateral Force Procedure	154
	9.5.9.2.1	Base Shear	154
	9.5.9.2.1.1	Effective Building Period	154
	9.5.9.2.1.2	Effective Damping	155
	9.5.9.2.2	Vertical Distribution of Seismic Forces	156
	9.5.9.2.3	Other Effects	156
	9.5.9.3	Modal Analysis Procedure	156
	9.5.9.3.1	Modal Base Shears	156
	9.5.9.3.2	Other Modal Effects	157
	9.5.9.3.3	Design Values	157
9.6		Architectural, Mechanical, and Electrical Components and Systems	157
	9.6.1	General	157
	9.6.1.1	Reference Standards	158
	9.6.1.1.1	Consensus Standards	158
	9.6.1.1.2	Accepted Standards	159
	9.6.1.2	Component Force Transfer	159
	9.6.1.3	Seismic Forces	159
	9.6.1.4	Seismic Relative Displacements	160
	9.6.1.5	Component Importance Factor	160
	9.6.1.6	Component Anchorage	160
	9.6.1.6.1	160
	9.6.1.6.2	160
	9.6.1.6.3	161
	9.6.1.6.4	161
	9.6.1.6.5	161
	9.6.1.6.6	161
	9.6.1.7	Construction Documents	161
9.6.2		Architectural Component Design	161
	9.6.2.1	General	161
	9.6.2.2	Architectural Component Forces and Displacements	161
	9.6.2.3	Architectural Component Deformation	161
	9.6.2.4	Exterior Nonstructural Wall Elements and Connections	162
	9.6.2.4.1	General	162
	9.6.2.4.2	Glass	163
	9.6.2.5	Out-of-Plane Bending	163
	9.6.2.6	Suspended Ceilings	163
	9.6.2.6.1	Seismic Forces	163
	9.6.2.6.2	Industry Standard Construction	163
	9.6.2.6.2.1	Seismic Design Category C	163
	9.6.2.6.2.2	Seismic Design Categories D, E, and F	163
	9.6.2.6.3	Integral Ceiling/Sprinkler Construction	164
	9.6.2.7	Access Floors	164
	9.6.2.7.1	General	164
	9.6.2.7.2	Special Access Floors	164
	9.6.2.8	Partitions	164
	9.6.2.8.1	General	164

	9.6.2.8.2	Glass	164
	9.6.2.9	Steel Storage Racks	164
	9.6.2.10	Glass in Glazed Curtain Walls, Glazed Storefronts, and Glazed Partitions	165
	9.6.2.10.1	General	165
	9.6.2.10.2	Seismic Drift Limits for Glass Components	165
9.6.3		Mechanical and Electrical Component Design	165
	9.6.3.1	General	165
	9.6.3.2	Mechanical and Electrical Component Forces and Displacements	165
	9.6.3.3	Mechanical and Electrical Component Period	165
	9.6.3.4	Mechanical and Electrical Component Attachments	166
	9.6.3.5	Component Supports	167
	9.6.3.6	Component Certification	167
	9.6.3.7	Utility and Service Lines at Structure Interfaces	167
	9.6.3.8	Site-Specific Considerations	167
	9.6.3.9	Storage Tanks Mounted in Structures	167
	9.6.3.10	HVAC Ductwork	167
	9.6.3.11	Piping Systems	168
	9.6.3.11.1	Pressure Piping Systems	168
	9.6.3.11.2	Fire Protection Sprinkler Systems	168
	9.6.3.11.3	Other Piping Systems	168
	9.6.3.11.4	Supports and Attachments for Other Piping	168
	9.6.3.12	Boilers and Pressure Vessels	169
	9.6.3.12.1	ASME Boilers and Pressure Vessels	169
	9.6.3.12.2	Other Boilers and Pressure Vessels	169
	9.6.3.12.3	Supports and Attachments for Other Boilers and Pressure Vessels	169
	9.6.3.13	Mechanical Equipment, Attachments, and Supports	169
	9.6.3.13.1	Mechanical Equipment	170
	9.6.3.13.2	Attachments and Supports for Mechanical Equipment	170
	9.6.3.14	Electrical Equipment, Attachments, and Supports	170
	9.6.3.14.1	Electrical Equipment	170
	9.6.3.14.2	Attachments and Supports for Electrical Equipment	171
	9.6.3.15	Alternative Seismic Qualification Methods	171
	9.6.3.16	Elevator Design Requirements	171
	9.6.3.16.1	Reference Document	171
	9.6.3.16.2	Elevators and Hoistway Structural System	172
	9.6.3.16.3	Elevator Machinery and Controller Supports and Attachments	172
	9.6.3.16.4	Seismic Controls	172
	9.6.3.16.5	Retainer Plates	172
9.7		Foundation Design Requirements	172
	9.7.1	General	172
	9.7.2	Seismic Design Category A	172
	9.7.3	Seismic Design Category B	172
	9.7.3.1	Structural Components	172
	9.7.3.2	Soil Capacities	172
	9.7.4	Seismic Design Category C	172
	9.7.4.1	Investigation	172
	9.7.4.2	Pole-Type Structures	173
	9.7.4.3	Foundation Ties	173
	9.7.4.4	Special Pile Requirements	173
	9.7.5	Foundation Requirements for Seismic Design Categories D, E, and F	173
	9.7.5.1	Investigation	173
	9.7.5.2	Foundation Ties	173
	9.7.5.3	Liquefaction Potential and Soil Strength Loss	173
	9.7.5.4	Special Pile and Grade Beam Requirements	173
9.8		Steel	174

9.8.1	Reference Documents	174
9.9	Structural Concrete	174
9.9.1	Reference Documents	174
9.10	Composite Structures	174
9.10.1	Reference Documents	174
9.10.1.1		175
9.11	Masonry	175
9.11.1	Reference Documents	175
9.12	Wood	175
9.12.1	Reference Documents	175
9.12.1.1	Consensus Standards	175
9.12.1.2	Other References	175
9.13	Provisions for Seismically Isolated Structures	175
9.13.1	General	175
9.13.2	Criteria Selection	175
9.13.2.1	Basis for Design	175
9.13.2.2	Stability of the Isolation System	175
9.13.2.3	Seismic Use Group	176
9.13.2.4	Configuration Requirements	176
9.13.2.5	Selection of Lateral Response Procedure	176
9.13.2.5.1	General	176
9.13.2.5.2	Equivalent Lateral Force Procedure	176
9.13.2.5.3	Dynamic Analysis	176
9.13.2.5.3.1	Response-Spectrum Analysis	176
9.13.2.5.3.2	Time-History Analysis	176
9.13.2.5.3.3	Site-Specific Design Spectra	176
9.13.3	Equivalent Lateral Force Procedure	176
9.13.3.1	General	176
9.13.3.2	Deformation Characteristics of the Isolation System	176
9.13.3.3	Minimum Lateral Displacements	177
9.13.3.3.1	Design Displacement	177
9.13.3.3.2	Effective Period at Design Displacement	177
9.13.3.3.3	Maximum Lateral Displacement	177
9.13.3.3.4	Effective Period at Maximum Displacement	177
9.13.3.3.5	Total Lateral Displacement	178
9.13.3.4	Minimum Lateral Forces	178
9.13.3.4.1	Isolation System and Structural Elements at or Below the Isolation System	178
9.13.3.4.2	Structural Elements Above the Isolation System	178
9.13.3.4.3	Limits on V_s	179
9.13.3.5	Vertical Distribution of Force	179
9.13.3.6	Drift Limits	179
9.13.4	Dynamic Lateral Response Procedure	179
9.13.4.1	General	179
9.13.4.2	Isolation System and Structural Elements Below the Isolation System	179
9.13.4.3	Structural Elements Above the Isolation System	180
9.13.4.4	Ground Motion	180
9.13.4.4.1	Design Spectra	180
9.13.4.4.2	Time Histories	180
9.13.4.5	Mathematical Model	180
9.13.4.5.1	General	180
9.13.4.5.2	Isolation System	180
9.13.4.5.3	Isolated Building	181
9.13.4.5.3.1	Displacement	181
9.13.4.5.3.2	Forces and Displacements in Key Elements	181

9.13.4.6	Description of Analysis Procedures	181
9.13.4.6.1	General	181
9.13.4.6.2	Input Earthquake	181
9.13.4.6.3	Response-Spectrum Analysis	181
9.13.4.6.4	Time-History Analysis	181
9.13.4.7	Design Lateral Force	181
9.13.4.7.1	Isolation System and Structural Elements at or Below the Isolation System	181
9.13.4.7.2	Structural Elements Above the Isolation System	181
9.13.4.7.3	Scaling of Results	181
9.13.4.7.4	Drift Limits	182
9.13.5	Lateral Load on Elements of Structures and Nonstructural Components Supported by Buildings	182
9.13.5.1	General	182
9.13.5.2	Forces and Displacements	182
9.13.5.2.1	Components at or Above the Isolation Interface	182
9.13.5.2.2	Components Crossing the Isolation Interface	182
9.13.5.2.3	Components Below the Isolation Interface	182
9.13.6	Detailed System Requirements	182
9.13.6.1	General	182
9.13.6.2	Isolation System	182
9.13.6.2.1	Environmental Conditions	182
9.13.6.2.2	Wind Forces	182
9.13.6.2.3	Fire Resistance	182
9.13.6.2.4	Lateral Restoring Force	182
9.13.6.2.5	Displacement Restraint	183
9.13.6.2.6	Vertical-Load Stability	183
9.13.6.2.7	Overturning	183
9.13.6.2.8	Inspection and Replacement	183
9.13.6.2.9	Quality Control	183
9.13.6.3	Structural System	183
9.13.6.3.1	Horizontal Distribution of Force	183
9.13.6.3.2	Building Separations	183
9.13.6.3.3	Nonbuilding Structures	183
9.13.7	Foundations	183
9.13.8	Design and Construction Review	184
9.13.8.1	General	184
9.13.8.2	Isolation System	184
9.13.9	Required Tests of the Isolation System	184
9.13.9.1	General	184
9.13.9.2	Prototype Tests	184
9.13.9.2.1	General	184
9.13.9.2.2	Record	184
9.13.9.2.3	Sequence and Cycles	184
9.13.9.2.4	Units Dependent on Loading Rates	184
9.13.9.2.5	Units Dependent on Bilateral Load	185
9.13.9.2.6	Maximum and Minimum Vertical Load	185
9.13.9.2.7	Sacrificial Wind-Restraint Systems	185
9.13.9.2.8	Testing Similar Units	185
9.13.9.3	Determination of Force-Deflection Characteristics	185
9.13.9.4	System Adequacy	185
9.13.9.5	Design Properties of the Isolation System	185
9.13.9.5.1	Maximum and Minimum Effective Stiffness	185
9.13.9.5.2	Effective Damping	186
9.14	Nonbuilding Structures	186

9.14.1	General	186
9.14.1.1	Nonbuilding Structures	186
9.14.1.2	Design	186
9.14.2	Reference Standards	187
9.14.2.1	Consensus Standards	187
9.14.2.2	Accepted Standards	187
9.14.3	Industry Design Standards and Recommended Practice	188
9.14.4	Nonbuilding Structures Supported by Other Structures	188
9.14.4.1	Architectural, Mechanical, and Electrical Components	188
9.14.5	Structural Design Requirements	188
9.14.5.1	Design Basis	188
9.14.5.1.1	Seismic Factors	191
9.14.5.1.2	Importance Factors and Seismic Use Group Classifications	191
9.14.5.2	Rigid Nonbuilding Structures	192
9.14.5.3	Loads	192
9.14.5.4	Fundamental Period	192
9.14.5.5	Drift Limitations	192
9.14.5.6	Materials Requirements	192
9.14.5.7	Deflection Limits and Structure Separation	192
9.14.5.8	Site-Specific Response Spectra	192
9.14.6	Nonbuilding Structures Similar to Buildings	192
9.14.6.1	General	192
9.14.6.2	Pipe Racks	193
9.14.6.2.1	Design Basis	193
9.14.6.3	Steel Storage Racks	193
9.14.6.3.1	General Requirements	193
9.14.6.3.2	Operating Weight	193
9.14.6.3.3	Vertical Distribution of Seismic Forces	193
9.14.6.3.4	Seismic Displacements	193
9.14.6.4	Electrical Power Generating Facilities	194
9.14.6.4.1	General	194
9.14.6.4.2	Design Basis	194
9.14.6.5	Structural Towers for Tanks and Vessels	194
9.14.6.5.1	General	194
9.14.6.6	Piers and Wharves	194
9.14.6.6.1	General	194
9.14.6.6.2	Design Basis	194
9.14.7	Nonbuilding Structures Not Similar to Buildings	194
9.14.7.1	General	194
9.14.7.2	Earth-Retaining Structures	194
9.14.7.2.1	General	194
9.14.7.3	Tanks and Vessels	194
9.14.7.3.1	General	194
9.14.7.3.2	Design Basis	195
9.14.7.3.3	Strength and Ductility	195
9.14.7.3.4	Flexibility of Piping Attachments	195
9.14.7.3.5	Anchorage	196
9.14.7.3.6	Ground-Supported Storage Tanks for Liquids	196
9.14.7.3.6.1	General	196
9.14.7.3.6.1.1	Distribution of Hydrodynamic and Inertia Forces	197
9.14.7.3.6.1.2	Freeboard	197
9.14.7.3.6.1.3	Equipment and Attached Piping	197
9.14.7.3.6.1.4	Internal Components	198
9.14.7.3.6.1.5	Sliding Resistance	198

	9.14.7.3.6.1.6	Local Shear Transfer	198
	9.14.7.3.6.1.7	Pressure Stability	199
	9.14.7.3.6.1.8	Shell Support	199
	9.14.7.3.6.1.9	Repair, Alteration, or Reconstruction	199
9.14.7.3.7		Water and Water Treatment Tanks and Vessels	199
	9.14.7.3.7.1	Welded Steel	199
	9.14.7.3.7.2	Bolted Steel	199
	9.14.7.3.7.3	Reinforced and Prestressed Concrete	200
9.14.7.3.8		Petrochemical and Industrial Tanks and Vessels Storing Liquids . .	200
	9.14.7.3.8.1	Welded Steel	200
	9.14.7.3.8.2	Bolted Steel	200
	9.14.7.3.8.3	Reinforced and Prestressed Concrete	200
9.14.7.3.9		Ground-Supported Storage Tanks for Granular Materials	200
	9.14.7.3.9.1	General	200
	9.14.7.3.9.2	Lateral Force Determination	200
	9.14.7.3.9.3	Force Distribution to Shell and Foundation	201
	9.14.7.3.9.3.1	Increased Lateral Pressure	201
	9.14.7.3.9.3.2	Effective Mass	201
	9.14.7.3.9.3.3	Effective Density	201
	9.14.7.3.9.3.4	Lateral Sliding	201
	9.14.7.3.9.3.5	Combined Anchorage Systems . .	201
	9.14.7.3.9.4	Welded Steel Structures	201
	9.14.7.3.9.5	Bolted Steel Structures	201
	9.14.7.3.9.6	Reinforced Concrete Structures	201
	9.14.7.3.9.7	Prestressed Concrete Structures	201
9.14.7.3.10		Elevated Tanks and Vessels for Liquids and Granular Materials . .	201
	9.14.7.3.10.1	General	201
	9.14.7.3.10.2	Effective Mass	201
	9.14.7.3.10.3	<i>P</i> -Delta Effects	202
	9.14.7.3.10.4	Transfer of Lateral Forces into Support Tower . . .	202
	9.14.7.3.10.5	Evaluation of Structures Sensitive to Buckling Failure	202
	9.14.7.3.10.6	Welded Steel Water Storage Structures	202
	9.14.7.3.10.6.1	Analysis Procedures	203
	9.14.7.3.10.6.2	Structure Period	203
	9.14.7.3.10.7	Concrete Pedestal (Composite) Tanks	203
	9.14.7.3.10.7.1	Analysis Procedures	203
	9.14.7.3.10.7.2	Structure Period	203
9.14.7.3.11		Boilers and Pressure Vessels	203
	9.14.7.3.11.1	General	203
	9.14.7.3.11.2	ASME Boilers and Pressure Vessels	203
	9.14.7.3.11.3	Attachments of Internal Equipment and Refractory	203
	9.14.7.3.11.4	Coupling of Vessel and Support Structure	204
	9.14.7.3.11.5	Effective Mass	204
	9.14.7.3.11.6	Other Boilers and Pressure Vessels	204
	9.14.7.3.11.7	Supports and Attachments for Boilers and Pressure Vessels	204
9.14.7.3.12		Liquid and Gas Spheres	204
	9.14.7.3.12.1	General	204
	9.14.7.3.12.2	ASME Spheres	204
	9.14.7.3.12.3	Attachments of Internal Equipment and Refractory	205
	9.14.7.3.12.4	Effective Mass	205

	9.14.7.3.12.5	Post and Rod Supported	205
	9.14.7.3.12.6	Skirt Supported	205
	9.14.7.3.13	Refrigerated Gas Liquid Storage Tanks and Vessels	205
	9.14.7.3.13.1	General	205
	9.14.7.3.14	Horizontal, Saddle-Supported Vessels for Liquid or Vapor Storage	205
	9.14.7.3.14.1	General	205
	9.14.7.3.14.2	Effective Mass	205
	9.14.7.3.14.3	Vessel Design	205
9.14.7.4		Stacks and Chimneys	206
	9.14.7.4.1	General	206
	9.14.7.4.2	Design Basis	206
9.14.7.5		Amusement Structures	206
	9.14.7.5.1	General	206
	9.14.7.5.2	Design Basis	206
9.14.7.6		Special Hydraulic Structures	206
	9.14.7.6.1	General	206
	9.14.7.6.2	Design Basis	206
9.14.7.7		Secondary Containment Systems	206
	9.14.7.7.2	Freeboard	206
9.14.7.8		Telecommunication Towers	206
10.0		Ice Loads — Atmospheric Icing	207
10.1		General	207
	10.1.1	Site-Specific Studies	207
	10.1.2	Dynamic Loads	207
	10.1.3	Exclusions	207
10.2		Definitions	207
10.3		Symbols and Notation	207
10.4		Ice Loads Due to Freezing Rain	208
	10.4.1	Ice Weight	208
	10.4.2	Nominal Ice Thickness	208
	10.4.3	Height Factor	208
	10.4.4	Importance Factors	208
	10.4.5	Topographic Factor	208
	10.4.6	Design Ice Thickness for Freezing Rain	208
10.5		Wind on Ice-Covered Structures	208
	10.5.1	Wind on Ice-Covered Chimneys, Tanks, and Similar Structures	209
	10.5.2	Wind on Ice-Covered Solid Freestanding Walls and Solid Signs	209
	10.5.3	Wind on Ice-Covered Open Signs and Lattice Frameworks	209
	10.5.4	Wind on Ice-Covered Trussed Towers	209
10.6		Partial Loading	209
10.7		Design Procedure	209
10.8		References	209
Appendix A			
A.9		Supplemental Provisions	217
	A.9.1	Purpose	217
	A.9.3	Quality Assurance	217
	A.9.3.1	Scope	217
	A.9.3.2	Quality Assurance Plan	217
	A.9.3.2.1	Details of Quality Assurance Plan	217
	A.9.3.2.2	Contractor Responsibility	218
	A.9.3.3	Special Inspection	218

A.9.3.3.1	Foundations	218
A.9.3.3.2	Reinforcing Steel	218
A.9.3.3.2.1	218
A.9.3.3.2.2	218
A.9.3.3.3	Structural Concrete	218
A.9.3.3.4	Prestressed Concrete	218
A.9.3.3.5	Structural Masonry	218
A.9.3.3.5.1	218
A.9.3.3.5.2	218
A.9.3.3.6	Structural Steel	218
A.9.3.3.6.1	218
A.9.3.3.6.2	218
A.9.3.3.7	Structural Wood	218
A.9.3.3.7.1	218
A.9.3.3.7.2	219
A.9.3.3.7.3	218
A.9.3.3.8	Cold-Formed Steel Framing	219
A.9.3.3.8.1	219
A.9.3.3.8.2	219
A.9.3.3.9	Architectural Components	219
A.9.3.3.10	Mechanical and Electrical Components	219
A.9.3.3.11	Seismic Isolation System	219
A.9.3.4	Testing	219
A.9.3.4.1	Reinforcing and Prestressing Steel	219
A.9.3.4.1.1	219
A.9.3.4.1.2	219
A.9.3.4.1.3	219
A.9.3.4.2	Structural Concrete	220
A.9.3.4.3	Structural Masonry	220
A.9.3.4.4	Structural Steel	220
A.9.3.4.4.1	Base Metal Testing	220
A.9.3.4.5	Mechanical and Electrical Equipment	220
A.9.3.4.6	Seismic-Isolated Structures	220
A.9.3.5	Structural Observations	220
A.9.3.6	Reporting and Compliance Procedures	220
A.9.7	Supplementary Foundation Requirements	220
A.9.7.4.4	Special Pile Requirements for Category C	220
A.9.7.4.4.1	Uncased Concrete Piles	221
A.9.7.4.4.2	Metal-Cased Concrete Piles	221
A.9.7.4.4.3	Concrete-Filled Pipe	221
A.9.7.4.4.4	Precast Nonprestressed Concrete Piles	221
A.9.7.4.4.5	Precast Prestressed Piles	221
A.9.7.5	Special Pile Requirements for Categories D, E, and F	221
A.9.7.5.4.1	Uncased Concrete Piles	221
A.9.7.5.4.2	Metal-Cased Concrete Piles	222
A.9.7.5.4.3	Precast Concrete Piles	222
A.9.7.5.4.4	Precast Prestressed Piles	222
A.9.7.5.4.5	Steel Piles	223
A.9.8	Supplementary Provisions for Steel	223
A.9.8.1	General	223
A.9.8.2	Seismic Requirements for Steel Structures	223
A.9.8.3	Seismic Design Categories A, B, and C	223
A.9.8.4	Seismic Design Categories D, E, and F	223
A.9.8.5	Cold-Formed Steel Seismic Requirements	223
A.9.8.5.1	223

A.9.8.6	Light-Framed Wall Requirements	223
A.9.8.6.1	Boundary Members	223
A.9.8.6.2	Connections	223
A.9.8.6.3	Braced Bay Members	223
A.9.8.6.4	Diagonal Braces	224
A.9.8.6.5	Shear Walls	224
A.9.8.7	Seismic Requirements for Steel Deck Diaphragms	224
A.9.8.8	Steel Cables	224
A.9.9	Supplemental Provisions for Concrete	224
A.9.9.1	Modifications to Ref. 9.9-1 (ACI 318-02)	224
A.9.9.1.1	ACI 318, Section 21.0	224
A.9.9.1.2	ACI 318, Section 21.1	224
A.9.9.1.3	ACI 318, Section 21.2.5	224
A.9.9.1.4	ACI 318, Section 21.7	225
A.9.9.1.5	ACI 318, Section 21.10	225
A.9.9.1.6	ACI 318, Section 21.11	225
A.9.9.1.7	ACI 318 Section D.4.2	225
A.9.9.2	Classification of Shear Walls	225
A.9.9.2.1	Ordinary Plain Concrete Shear Walls	225
A.9.9.2.2	Detailed Plain Concrete Shear Walls	225
A.9.9.2.3	Ordinary Reinforced Concrete Shear Walls	226
A.9.9.2.4	Special Reinforced Concrete Shear Walls	226
A.9.9.3	Seismic Design Category B	226
A.9.9.3.1	Ordinary Moment Frames	226
A.9.9.4	Seismic Design Category C	226
A.9.9.4.1	Seismic Force-Resisting Systems	226
A.9.9.4.2	Discontinuous Members	226
A.9.9.4.3	Anchor Bolts in the Top of Columns	226
A.9.9.4.4	Plain Concrete	226
A.9.9.4.4.1	Walls	226
A.9.9.4.4.2	Footings	226
A.9.9.4.4.3	Pedestals	227
A.9.9.5	Seismic Design Categories D, E, and F	227
A.9.9.5.1	Seismic Force-Resisting Systems	227
A.9.9.5.2	Frame Members Not Proportioned to Resist Forces Induced by Earthquake Motions	227
A.9.11	Supplementary Provisions for Masonry	227
A.9.11.1	227
A.9.11.2	227
A.9.11.3	227
A.9.11.4	227
A.9.11.4.1	Method A	227
A.9.11.4.2	Method B	228
A.9.11.5	228

Appendix B

B.0	Serviceability Considerations	229
B.1	Deflection, Vibration, and Drift	229
B.1.1	Vertical Deflections	229
B.1.2	Drift of Walls and Frames	229
B.1.3	Vibrations	229
B.2	Design for Long-Term Deflection	229
B.3	Camber	229
B.4	Expansion and Contraction	229
B.5	Durability	229

Commentary

C1.0	General	232
C1.1	Scope	232
C1.3	Basic Requirements	232
C1.3.1	Strength	232
C1.3.2	Serviceability	232
C1.3.3	Self-Straining Forces	232
C1.4	General Structural Integrity	232
C1.5	Classification of Buildings and Other Structures	235
C1.5.1	Nature of Occupancy	235
C1.5.2	Hazardous Materials and Extremely Hazardous Materials	236
C1.7	Load Tests	236
	References	237
C2.0	Combinations of Loads	239
C2.2	Symbols and Notation	239
C2.3	Combining Loads Using Strength Design	239
C2.3.1	Applicability	239
C2.3.2	Basic Combinations	239
C2.3.3	Load Combinations Including Flood Load	240
C2.3.4	Load Combinations Including Atmospheric Ice Loads	241
C2.4	Combining Loads Using Allowable Stress Design	241
C2.4.1	Basic Combinations	241
C2.4.2	Load Combinations Including Flood Load	241
C2.4.3	Load Combinations Including Atmospheric Ice Loads	241
C2.5	Load Combinations for Extraordinary Events	242
	References	243
C3.0	Dead Loads	245
C3.2	Weights of Materials and Constructions	245
C4.0	Live Loads	254
C4.2	Uniformly Distributed Loads	254
C4.2.1	Required Live Loads	254
C4.3	Concentrated Loads	255
C4.3.1	Accessible Roof-Supporting Members	255
C4.4	Loads on Handrails, Guardrail Systems, Grab Bar Systems, and Vehicle Barrier Systems	255
C4.4.2	Loads	255
C4.6	Partial Loading	255
C4.7	Impact Loads	255
C4.8	Reduction in Live Loads	255
C4.8.1	General	255
C4.8.2	Heavy Live Loads	256
C4.8.3	Parking Garage Loads	256
C4.8.5	Limitations on One-Way Slabs	256
C4.9	Minimum Roof Live Loads	256
C4.9.1	Flat, Pitched, and Curved Roofs	256
C4.9.2	Special Purpose Roofs	256
C4.10	Crane Loads	257
	References	257
C5.0	Soil and Hydrostatic Pressure and Flood Loads	261
C5.1	Pressure on Basement Walls	261
C5.2	Uplift on Floors and Foundations	261

C5.3	Flood Loads	261
C5.3.1	Definitions	261
C5.3.2	Design Requirements	262
C5.3.2.1	Design Loads	262
C5.3.2.2	Erosion and Scour	262
C5.3.3.6	Loads on Breakaway Walls	262
C5.3.3.1	Load Basis	263
C5.3.3.2	Hydrostatic Loads	263
C5.3.3.3	Hydrodynamic Loads	263
C5.3.3.4	Wave Loads	263
C5.3.3.4.2	Breaking Wave Loads on Vertical Walls	264
C5.3.3.5	Impact Loads	264
References	267
C6.0	Wind Loads	271
C6.1	General	271
C6.2	Definitions	271
C6.3	Symbols and Notation	272
C6.4	Method 1—Simplified Procedure	273
C6.5	Method 2—Analytical Procedure	273
C6.5.1	Scope	273
C6.5.2	Limitations of Analytical Procedure	274
C6.5.2.1	Shielding	274
C6.5.2.2	Air-Permeable Cladding	274
C6.5.4	Basic Wind Speed	274
C6.5.4.1	Special Wind Regions	276
C6.5.4.2	Estimation of Basic Wind Speeds from Regional Climatic Data	276
C6.5.4.3	Limitation	276
C6.5.4.4	Wind Directionality Factor	276
C6.5.5	Importance Factor	277
C6.5.6	Exposure Categories	277
C6.5.6.4	Velocity Pressure Exposure Coefficient	282
C6.5.7	Wind Speed-Up over Hills and Escarpments	283
C6.5.8	Gust Effect Factors	283
C6.5.9	Enclosure Classifications	284
C6.5.10	Velocity Pressure	285
C6.5.11	Pressure and Force Coefficients	286
C6.5.11.1	Internal Pressure Coefficients	290
C6.5.11.5	Parapets	290
C6.5.12	Design Wind Loads on Buildings	291
C6.5.12.3	Design Wind Load Cases	291
C6.6	Method 3—Wind-Tunnel Procedure	292
References	293
C7.0	Snow Loads	313
C7.2	Ground Snow Loads	313
C7.3	Flat Roof Snow Loads, p_f	315
C7.3.1	Exposure Factor, C_e	315
C7.3.2	Thermal Factor, C_t	316
C7.3.3	Importance Factor, I	317
C7.3.4	Minimum Allowable Values of p_f for Low-Slope Roofs	317
C7.4	Sloped Roof Snow Loads, p_s	317
C7.4.3	Roof Slope Factor for Curved Roofs	318
C7.4.4	Roof Slope Factor for Multiple Folded Plate, Sawtooth, and Barrel Vault Roofs	318

	C7.4.5	Ice Dams and Icicles Along Eaves	318
C7.5		Unloaded Portions	318
C7.6		Unbalanced Roof Snow Loads	318
	C7.6.1	Unbalanced Snow Loads on Hip and Gable Roofs	318
	C7.6.2	Unbalanced Snow Loads for Curved Roofs	318
	C7.6.3	Unbalanced Snow Loads for Multiple Folded Plate, Sawtooth, and Barrel Vault Roofs	319
	C7.6.4	Unbalanced Snow Loads for Dome Roofs	319
C7.7		Drifts on Lower Roofs (Aerodynamic Shade)	319
C7.8		Roof Projections	320
C7.9		Sliding Snow	320
C7.10		Rain-on-Snow Surcharge Load	320
C7.11		Ponding Instability	321
C7.12		Existing Roofs	321
C7.13		Other Roofs and Sites	321
		References	324
C8.0		Rain Loads	335
	C8.1	Symbols and Notation	335
	C8.2	Roof Drainage	335
	C8.3	Design Rain Loads	335
	C8.4	Ponding Instability	335
	C8.5	Controlled Drainage	336
		References	336
C9.0		Earthquake Loads	339
	C9.1.1	Purpose	341
		C9.4.1.1 Maximum Considered Earthquake Ground Motions	341
		C9.5.2.4 Redundancy	341
		C9.5.2.5.1 Seismic Design Category A	342
		C9.5.2.6.2.5 Nonredundant Systems	342
		C9.5.2.6.2.11 Elements Supporting Discontinuous Walls or Frames	342
		C9.5.2.6.2.8 Anchorage of Concrete or Masonry Walls	342
		C9.5.2.7.1 Special Seismic Loads	342
		C9.5.5.5.5 Torsion	342
		C9.5.4.3 Horizontal Distribution	343
	C9.5.9	Soil Structure Interaction	343
		C9.6.1.4 Seismic Relative Displacements	343
		C9.6.2.10 Glass in Glazed Curtain Walls, Glazed Storefronts, and Glazed Partitions	343
		C9.7.4.1 Investigation	343
	C9.7.5	Foundation Requirements for Seismic Design Categories D, E, and F	343
		C9.7.5.3 Liquefaction Potential and Soil Strength Loss	343
		C9.7.5.4 Special Pile and Grade Beam Requirements	344
C9.9		Structural Concrete	344
C9.12		Wood	344
C9.14		Nonbuilding Structures	344
		C9.14.2 Reference Standards	344
		C9.14.3 Industry Design Standards and Recommended Practice	344
		C9.14.7.3 Tanks and Vessels	345
		C9.14.7.3.6.1.4 Internal Components	345
		C9.14.7.3.8.2 Bolted Steel	345

	C9.14.7.7	Secondary Containment Systems	345
	C9.14.7.8	Telecommunication Towers	345
	CA.9.7.4.4.1	Uncased Concrete Piles	345
	CA.9.7.4.4.4	Precast Nonprestressed Concrete Piles	346
	CA.9.7.4.4.5	Precast Prestressed Piles	346
	CA.9.7.5.4.1	Uncased Concrete Piles	346
	CA.9.7.5.4.3	Precast Concrete Piles	346
	CA.9.7.5.4.4	Precast-Prestressed Piles	346
	CA.9.9	Supplementary Provisions for Concrete	346
	CA.9.11	Supplementary Provisions for Masonry	346
C10.0		Ice Loads — Atmospheric Icing	351
C10.1		General	351
	C10.1.1	Site-Specific Studies	351
	C10.1.2	Dynamic Loads	352
	C10.1.3	Exclusions	352
C10.2		Definitions	352
C10.4		Ice Loads Due to Freezing Rain	353
	C10.4.1	Ice Weight	353
	C10.4.2	Nominal Ice Thickness	353
	C10.4.4	Importance Factors	355
	C10.4.6	Design Ice Thickness for Freezing Rain	355
C10.5		Wind-on-Ice-Covered Structures	356
C10.6		Partial Loading	356
	References	356
CB		Serviceability Considerations	365
	CB.1.1	Vertical Deflections and Misalignment	365
	CB.1.2	Drift of Walls and Frames	366
	CB.1.3	Vibrations	366
CB.2		Design for Long-Term Deflection	367
CB.3		Camber	367
CB.4		Expansion and Contraction	367
CB.5		Durability	367
	References	367
Index		369

SECTION 1.0 GENERAL

SECTION 1.1 SCOPE

This standard provides minimum load requirements for the design of buildings and other structures that are subject to building code requirements. Loads and appropriate load combinations, which have been developed to be used together, are set forth for strength design and allowable stress design. For design strengths and allowable stress limits, design specifications for conventional structural materials used in buildings and modifications contained in this standard shall be followed.

SECTION 1.2 DEFINITIONS

The following definitions apply to the provisions of the entire standard.

ALLOWABLE STRESS DESIGN. A method of proportioning structural members such that elastically computed stresses produced in the members by nominal loads do not exceed specified allowable stresses (also called working stress design).

AUTHORITY HAVING JURISDICTION. The organization, political subdivision, office, or individual charged with the responsibility of administering and enforcing the provisions of this standard.

BUILDINGS. Structures, usually enclosed by walls and a roof, constructed to provide support or shelter for an intended occupancy.

DESIGN STRENGTH. The product of the nominal strength and a resistance factor.

ESSENTIAL FACILITIES. Buildings and other structures that are intended to remain operational in the event of extreme environmental loading from wind, snow, or earthquakes.

FACTORED LOAD. The product of the nominal load and a load factor.

HAZARDOUS MATERIAL. Chemicals or substances classified as a physical or health hazard whether the chemicals or substances are in a usable or waste condition.

HEALTH HAZARD. Chemicals or substances classified by the authority having jurisdiction as toxic, highly toxic, or corrosive.

LIMIT STATE. A condition beyond which a structure or member becomes unfit for service and is judged either to be no longer useful for its intended function (serviceability limit state) or to be unsafe (strength limit state).

LOAD EFFECTS. Forces and deformations produced in structural members by the applied loads.

LOAD FACTOR. A factor that accounts for deviations of the actual load from the nominal load, for uncertainties in the analysis that transforms the load into a load effect, and for the probability that more than one extreme load will occur simultaneously.

LOADS. Forces or other actions that result from the weight of all building materials, occupants and their possessions, environmental effects, differential movement, and restrained dimensional changes. Permanent loads are those loads in which variations over time are rare or of small magnitude. All other loads are variable loads. (see also nominal loads.)

NOMINAL LOADS. The magnitudes of the loads specified in Sections 3 through 9 (dead, live, soil, wind, snow, rain, flood, and earthquake) of this standard.

NOMINAL STRENGTH. The capacity of a structure or member to resist the effects of loads, as determined by computations using specified material strengths and dimensions and formulas derived from accepted principles of structural mechanics or by field tests or laboratory tests of scaled models, allowing for modeling effects and differences between laboratory and field conditions.

OCCUPANCY. The purpose for which a building or other structure, or part thereof, is used or intended to be used.

OTHER STRUCTURES. Structures, other than buildings, for which loads are specified in this standard.

P-DELTA EFFECT. The second-order effect on shears and moments of frame members induced by axial loads on a laterally displaced building frame.

PHYSICAL HAZARD. Chemicals or substances in a liquid, solid, or gaseous form that are classified by the authority having jurisdiction as combustible, flammable, explosive, oxidizer, pyrophoric, unstable (reactive), or water reactive.

RESISTANCE FACTOR. A factor that accounts for deviations of the actual strength from the nominal strength and