




# Seismic Loads

Guide to the Seismic Load Provisions of ASCE 7-05

Finley A. Charney, Ph.D., P.E.

**ASCE**  
PRESS

click buy full version



## ***Seismic Loads***

Currently in preview, click buy full version

## ***Other Titles of Interest***

***Minimum Design Loads for Buildings and Other Structures, ASCE/SEI 7-05.*** (ASCE Standard, 2006). Provides requirements for general structural design and includes means for determining dead, live, soil, flood, wind, snow, rain, atmospheric ice, and earthquake loads and their combinations that are suitable for inclusion in building codes and other documents. A detailed commentary of explanatory and supplementary information is included. (ISBN 978-0-7844-0809-4)

### **Books Related to ASCE 7-05**

***Snow Loads: Guide to the Snow Load Provisions of ASCE 7-05,*** by **Michael J. Rourke, Ph.D., P.E.** (ASCE Press, 2007). Presents a detailed, authoritative interpretation of the snow load provisions of ASCE 7-05 by a respected engineering professional, plus three complete design examples. (ISBN 978-0-7844-0857-5)


***Wind Loads: Guide to the Wind Load Provisions of ASCE 7-05,*** by **Kishor C. Mehta, Ph.D., P.E., and William Coulbourne, P.E.** (ASCE Press, 2010). Presents a detailed, authoritative interpretation of the wind load provisions of ASCE 7-05 by respected engineering professionals. (ISBN 978-0-7844-0858-2)

### **Books on Seismic Engineering**

***Earthquake-Actuated Automatic Gas Shutoff Devices, ANSI/ASCE/SEI 25-06.*** (ASCE Standard, 2008). Provides current minimum functionality requirements for earthquake-actuated automatic gas shut-off devices and systems. (ISBN 978-0-7844-0817-3)

***Seismic Rehabilitation of Existing Buildings, ASCE/SEI 41-06.*** (ASCE Standard, 2007). Describes the latest generation of performance-based seismic rehabilitation methodologies in a new national consensus standard. (ISBN 978-0-7844-0814-1)

***Seismic Evaluation of Existing Buildings, ASCE/SEI 31-03.*** (ASCE Standard, 2002). Instructs design professionals, code officials, and building owners on how to evaluate whether existing buildings are adequately designed and constructed to resist seismic forces (ISBN 978-0-7844-0670-0)



# ***Seismic Loads***

## ***Guide to the Seismic Load Provisions of ASCE 7-05***

Finley A. Charney, Ph.D., P.E.

**ASCE**  
PRESS

**Library of Congress Cataloging-in-Publication Data**

Charney, Finley Allan.

Seismic loads : guide to the seismic load provisions of ASCE 7-05 / Finley A. Charney.

p. cm.

Includes bibliographical references and index.

ISBN 978-0-7844-1076-9

1. Earthquake resistant design—Standards. 2. Earthquake resistant design—Case studies. I. American Society of Civil Engineers. II. Title.

TA658.44.C38 2010

624.1'762—dc22

2009048315

Published by American Society of Civil Engineers

1801 Alexander Bell Drive

Reston, Virginia 20191

[www.pubs.asce.org](http://www.pubs.asce.org)

Any statements expressed in these materials are those of the individual authors and do not necessarily represent the views of ASCE, which makes no responsibility for any statement made herein. No reference made in this publication to any specific method, product, process, or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE. The materials are for general information only and do not represent a standard of ASCE, nor are they intended as a reference in purchase specifications, contracts, regulations, statutes, or any other legal document.

ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefor. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application. Anyone utilizing this information assumes all liability arising from such use, including but not limited to infringement of any patent or patents.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

*Photocopies and reprints.* You can obtain instant permission to photocopy ASCE publications by using ASCE's online permission service (<http://pubs.asce.org/permissions/requests/>). Requests for 100 copies or more should be submitted to the Reprints Department, Publications Division, ASCE (address above); e-mail: [permissions@asce.org](mailto:permissions@asce.org). A reprint order form can be found at <http://pubs.asce.org/support/reprints/>.

Copyright © 2010 by the American Society of Civil Engineers.

All Rights Reserved.

ISBN 978-0-7844-1076-9

Manufactured in the United States of America.

18 17 16 15 14 13 12 11 10 1 2 3 4 5

# Contents

Preface ..... 1

Abbreviations and Symbols..... xi

Table of Conversion Factors ..... xiii

Examples

- 1. Occupancy Category.....1
- 2. Importance Factor and Seismic Design Category.....7
- 3. Site Classification Procedure for Seismic Design.....11
- 4. Determining Ground Motion Parameters.....19
- 5. Developing an Elastic Response Spectrum.....25
- 6. Ground Motion Scaling for Response History Analysis.....29
- 7. Selection of Structural System.....41
- 8. Combinations of Lateral Load Resisting Systems.....49
- 9. Horizontal Structural Irregularities.....57
- 10. Vertical Structural Irregularities.....69
- 11. Diaphragm Flexibility.....81
- 12. Structural Analysis Requirements.....89
- 13. Determining the Redundancy Factor.....93
- 14. Accidental Torsion and Amplification of Accidental Torsion... 99
- 15. Load Combinations.....109
- 16. Effective Seismic Weight (Mass).....119
- 17. Period of Vibration.....129
- 18. Equivalent Lateral Force Analysis.....139
- 19. Drift and P-Delta Effects.....153
- 20. Modal Response Spectrum Analysis.....165
- 21. Diaphragm Forces.....185

Frequently Asked Questions.....189

Appendixes

- A. Interpolation Functions.....207
- B. Using the USGS Seismic Hazards Mapping Utility.....211
- C. Using the PEER NGA Database.....217

References.....221

Index.....223

About the Author.....233

Currently in preview, click buy full version

# Preface

The purpose of this guide is to provide the reader with a set of examples related to the use of ASCE Standard 7, *Minimum Design Loads for Buildings and Other Structures* (ASCE/SEI 7-05). The guide is also pertinent to users of the *2006 International Building Code* (ICC 2006) because ICC refers directly to ASCE 7.

## Sections of ASCE 7 Pertinent to the Guide

The guide has examples pertinent to the following chapters of ASCE 7:

- Chapter 1: General
- Chapter 2: Combinations of Loads
- Chapter 11: Seismic Design Criteria
- Chapter 12: Seismic Design Requirements for Building Structures
- Chapter 16: Seismic Response History Procedures
- Chapter 20: Site Classification Procedure for Seismic Design
- Chapter 22: Seismic Ground Motion and Long Period Transition Maps

Seismic material excluded from the guide are Chapters 13 (Seismic Design Requirements for Nonstructural Components), Chapter 14 (Material-Specific Design and Detailing Requirements), Chapter 15 (Seismic Design Requirements for Nonbuilding Structures), Chapter 17 (Seismic Design Requirements for Seismically Isolated Structures), Chapter 18 (Seismic Design Requirements for Structures with Damping Systems), Chapter 19 (Soil-Structure Interaction for Seismic Design), and Chapter 21 (Site-Specific Ground Motion Procedures for Seismic Design).

The vast majority of the examples in the guide relate to Chapters 1, 2, 11, and 12 of ASCE 7; the principal subject covered is buildings. The materials on nonstructural components and on nonbuilding structures will be expanded in a later edition of this book or in a separate volume. The materials presented for Chapter 16 relate only to the selection and scaling of ground motions for response history analysis.

Chapter 14 of ASCE 7 is not included because the guide is focused principally on seismic load analysis, and not seismic design. The reader is referred to the reference section of the guide for resources containing design examples. The materials included in Chapters 17 through 19 are

considered advanced topics and may be included in a separate volume of examples.

The principal purpose of this guide is to illustrate the provisions of ASCE 7, and not to provide background on the theoretical basis of the provisions. Hence, theoretical discussion is held to a minimum. However, explanations are provided in a few instances. The reference section of this guide contains several sources for understanding the theoretical basis of the ASCE 7 seismic loading provisions. Specifically, the reader is referred to the commentary section to the *NEHRP Recommended Provisions for Seismic Regulations for New Buildings and Other Structures*. Also of interest to the reader is FEMA 451CD, the *NEHRP Recommended Provisions: Design Examples*.

## How to Use the Guide

This guide is organized into a series of individual examples. With minor exceptions, each example stands alone and does not depend on information provided in other examples. This arrangement means that, in some cases, information is provided in the beginning of the example that requires some substantial calculations, but these calculations are not shown. For instance, in the example on drift and P-delta effects, the details for computing the lateral forces used in the analysis are not provided, and insufficient information is provided for the reader to backcalculate these forces. However, reference is made to other examples in the guide where similar calculations (e.g., finding lateral forces) are presented. The reader should always be able to follow and reproduce all new numbers (not part of the given information) that are generated in the example.

### Table and Figure Numbering

The examples presented in the guide often refer to sections, equations, tables, and figures in ASCE 7. All such items are referred to directly, without specific reference to ASCE 7. For instance, a specific example might contain the statement “The response modification factor  $R$  for the system is provided by Table 12.2-1.”

References to sections, equations, tables, and figures that are unique to the guide are always preceded by the letter G and appear in boldface. For example, the text may state that the distribution of forces along the height of the structure is listed in **Table G12-3** and illustrated in **Figure G12-5**. In this citation, the number 12 is the example number, and the number following the dash is the sequence number of the item (i.e., third table, fifth figure).

### Notation and Definitions

The mathematical notation in the guide follows directly the notation provided in Chapter 11 of ASCE 7. A list of Abbreviations and Symbols provides definitions for symbols that have been introduced in the guide.

## Computational Units

All of the examples in the guide are developed in the U.S. Customary (English) system, as follows (with the standard abbreviation in parentheses):

Length units:	inches (in.) or feet (ft)
Force units:	pounds (lb) or kips
Time units:	seconds (s)

All other units (e.g., mass) are formed as combinations of the above units.

A table with common unit conversions is provided.

## Appendixes

The three appendixes provide additional detail that is not necessary in specific examples. Appendix A covers interpolation functions. Appendix B describes how to use the U.S. Geological Survey Seismic Hazards Mapping Utility, and Appendix C explains the use of the PEER Web site, from which ground motion acceleration histories may be obtained.

## User Comments

The author invites users to comment on any ambiguities or errors that are found in this guide. Suggestions for improvement or additions are welcomed and will be considered for future versions of the guide, especially the one to accompany the forthcoming ASCE/SEI 7-10.

## Disclaimer

The interpretations of ASCE 7 requirements, as well as all other opinions presented in this guide, are those of the author and do not necessarily represent the views of the ASCE 7 Standards Committee or the American Society of Civil Engineers.

## Acknowledgments

The author wishes to acknowledge the following individuals for their contributions to this book:

James R. Harris, P.E., Ph.D. (advisor)

John Hooper, P.E., Magnusson Klemencic, Seattle, Washington  
(reviewer)

William P. Jacobs V, P.E., Stanley D. Lindsey & Associates, Ltd., Atlanta, Georgia (reviewer)

Viral Patel, P.E., Walter P. Moore and Associates, Austin, Texas  
(reviewer)

Charles J. Smith, P.E., and Thomas T. Moore, E.I.T., Schnabel Engineering Associates, Blacksburg, Virginia (author of the example on Site Classification Procedure)

# *Abbreviations and Symbols*

## **Abbreviations**

2D	Two-dimensional
3D	Three-dimensional
ACI	American Concrete Institute
AISC	American Institute of Steel Construction
ASCE	American Society of Civil Engineers
ASTM	Formerly American Society for Testing and Materials, now ASTM International
BRB	Buckling restrained brace
CBF	Concentrically braced frame
CQC	Complete quadratic combination
DBE	Design basis earthquake
EBF	Eccentrically braced frame
ELF	Equivalent lateral force
FEMA	Federal Emergency Management Agency
IBC	International Building Code
LRH	Liner response history
MCE	Maximum considered earthquake
MRS	Modal response spectrum
NGA	Next generation attenuation
NRH	Nonlinear response history
OC	Occupancy Category
PEER	Pacific Earthquake Engineering Research Center
RC	Reinforced concrete
SDC	Seismic Design Category
SRSS	Square root of the sum of squares

## Symbols Unique to This Guide

<i>Symbol</i>	<i>Definition</i>	<i>Introduced in Example No.</i>
$CS$	Combined scale factor	6
$FPS$	Fundamental period scale factor	6
$k$	Lateral stiffness of component	9
$K$	Structural stiffness matrix	20
$M$	Structural mass matrix	20
$M_{pCk}$	Plastic moment strength of column $k$	10
$M_{pGk}$	Plastic moment strength of girder $k$	10
$R$	Modal excitation vector	20
$R_{eff}$	Effective response modification coefficient	7
$S_{ai}$	Spectral acceleration in mode $i$	20
$S_{di}$	Spectral displacement in mode $i$	20
$T_{computed}$	Period computed by structural analysis	17
$T_{MF}$	Period at which Eq. 12.8-5 controls $C_s$	7
$T_{MN}$	Period at which Eq. 12.8-6 controls $C_s$	18
$V_{yi}$	Story strength	10
$G$	Modal participation factor	20
$\delta_i$	Displacement in mode $i$	20
$\Delta_o$	Drift computed without P-delta effects	19
$\Delta_{center}$	Drift at geometric center of building	9
$\Delta_{edge}$	Drift at edge of building	9
$\Delta_F$	Drift computed with P-delta effects	19
$\phi$	Mode shape	20
$\omega$	Circular frequency of vibration	20

# ***Table of Conversion Factors***

---

<i>U.S. customary units</i>	<i>International System of Units (SI)</i>
1 inch (in.)	25.4 millimeters (mm)
1 foot (ft)	0.3048 meter (m)
1 statute mile	1.6093 kilometers (km)
1 square foot (ft <sup>2</sup> )	0.0929 square meter (m <sup>2</sup> )
1 cubic foot (ft <sup>3</sup> )	0.0283 cubic meter (m <sup>3</sup> )
1 pound (lb)	0.4536 kilogram (kg)
1 pound (force)	4.4482 newtons (N)
1 pound per square foot (lb/ft <sup>2</sup> )	0.0479 kilonewton per square meter (kN/m <sup>2</sup> )
1 pound per cubic foot (lb/ft <sup>3</sup> )	16.0185 kilograms per cubic meter (kg/m <sup>3</sup> )
1 degree Fahrenheit (°F)	1.8 degrees Celsius (°C)
1 British thermal unit (Btu)	1.0551 kilojoules (kJ)
1 degree Fahrenheit per British thermal unit (°F/Btu)	1.7061 degrees Celsius per kilojoule (°C/kJ)

---