

ASCE STANDARD

ASCE/SEI

72-21

Design of Steel Lighting System Support Pole Structures

Currently in preview, click buy full version

ASCE STANDARD

ASCE/SEI

72-21

Design of Steel Lighting System Support Pole Structures



PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers, author.

Title: Design of steel lighting system support pole structures.

Description: Reston : American Society of Civil Engineers, 2021. | "ASCE/SEI 72-XX." | Includes bibliographical references and index. | Summary: "Design of Steel Lighting System Support Pole Structures, ASCE/SEI 72-21, provides design parameters applicable to self-supporting structures, with base plates for installation on a concrete pier foundation, or as direct embedded, backfilled poles with the base section being either steel or concrete"— Provided by publisher.

Identifiers: LCCN 2021022255 | ISBN 9780784415597 (soft cover) | ISBN 9780784483015 (pdf)

Subjects: LCSH: Roads—Lighting—Supports—Design and construction—Standards. | Tubular steel structures—Design and construction—Standards.

Classification: LCC TE228 .A523 2021 | DDC 625.7/9—dc23

LC record available at <https://lccn.loc.gov/2021022255>

Published by American Society of Civil Engineers

1801 Alexander Bell Drive

Reston, Virginia, 20191-4382

www.asce.org/bookstore | ascelibrary.org

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process disclosed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the content of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity.

ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damage of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in US Patent and Trademark Office.

Photocopies and permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an email to permissions@asce.org or by locating a title in ASCE's Civil Engineering Database (<http://cedb.asce.org>) or ASCE Library (<http://ascelibrary.org>) and using the "Permissions" link.

Errata: Errata, if any, can be found at <http://dx.doi.org/10.1061/9780784415597>.

Copyright © 2021 by the American Society of Civil Engineers.

All Rights Reserved.

ISBN 978-0-7844-1559-7 (soft cover)

ISBN 978-0-7844-8301-5 (PDF)

Manufactured in the United States of America.

ASCE STANDARDS

In 2016, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to ten years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees, which are available at www.asce.org. Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at www.asce.org.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent rights or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (<http://ascelibrary.org/page/books/s-standards>)

This page intentionally left blank

CONTENTS

PREFACE		ix
ACKNOWLEDGMENTS		xi
1 GENERAL		1
1.1	Scope	1
1.2	Definitions	1
2 LOADS		3
2.1	Scope	3
2.2	Symbols for Construction Load	3
2.3	Classification of Structures	3
2.4	Combinations of Loads	3
2.5	Dead Load	3
2.6	Live Load	3
2.7	Wind Load	3
2.7.1	Scope	3
2.7.2	Symbols for Wind Load	3
2.7.3	General Requirements	4
2.7.4	Shielding	4
2.7.5	Strength Design of Supporting Structures	4
2.7.5.1	Design Wind Force Applied to the Supporting Structure	4
2.7.5.2	Design Wind Force Applied to Signaling Fixtures	5
2.7.5.3	Design Wind Force Applied to Mounting Systems	6
2.7.5.4	Design Wind Force Applied to Appurtenances	6
2.7.6	Strength Design of Attachments	7
2.8	Earthquake Load	7
2.8.1	Scope	7
2.8.2	Symbols for Earthquake Load	7
2.8.3	General Requirements	7
2.8.4	Analysis Consideration	7
2.8.4.1	Structural Analysis Considerations	7
2.8.4.2	Equivalent Lateral Force Procedure	8
2.8.4.3	Modal Response Spectrum Analysis	8
2.8.5	Overstrength Factor	8
2.9	Fatigue Load	9
2.9.1	Scope	9
2.9.2	General Requirements	9
2.10	Stiffness Requirement	9
2.10.1	Scope	9
2.10.2	General Requirements	9
3 STEEL DESIGN		11
3.1	Scope	11
3.2	Symbols	11
3.3	Analysis	11
3.4	Design Strength	11
3.5	Materials	12
3.5.1	Prequalified Structural Steel Material	12
3.5.1.1	Supplementary Requirements	12
3.5.2	Other Structural Steel Material	12
3.5.3	Fasteners	12
3.5.4	Anchor Rods	12
3.5.5	Test Reports	12

3.6	Corrosion Control	12
3.6.1	Members and Components.	12
3.6.2	Fasteners	12
3.6.3	Anchor Rods	12
3.6.4	Direct Embed Foundations.	12
3.7	Member Properties	12
3.7.1	Round Members	13
3.7.2	Multisided Members	13
3.8	Effective Yield Strengths	13
3.8.1	Tubular Round Members	13
3.8.2	Multisided Members	13
3.9	Tubular Pole Design Strength	13
3.9.1	Combined Axial Force, Shear, and Moments.	13
3.9.1.1	Nominal Axial Compressive Strength.	15
3.9.1.2	Nominal Flexural Strength.	14
3.9.1.3	Nominal Shear and Torsional Strengths.	14
3.10	Connections	14
3.10.1	Pole Slip Splices	14
3.10.2	Flange Plates	14
3.10.2.1	Socketed Connections	15
3.10.2.2	Butt-Welded Connections	15
3.11	Components and Attachments	15
3.12	Anchor Rod Strength.	15
4	FATIGUE DESIGN	17
4.1	Scope	17
4.2	Symbols	17
4.3	Fatigue Analysis	17
4.4	Fatigue Thresholds	17
4.4.1	Pole Sections.	17
4.4.2	Slip Splices.	17
4.4.3	Circumferential Welds	20
4.4.4	Welded Attachments	20
4.4.5	Reinforced Holes and Cutouts.	20
4.4.6	Unreinforced Holes and Cutouts.	20
4.4.7	Pole-to-Flange Plate Connection	21
4.4.7.1	Effective Center Opening Diameter	21
4.4.7.2	Stiffener Connection with Flange Plates.	22
4.4.8	Anchor Rods	22
4.4.9	Bolts	22
4.5	Miscellaneous Fatigue Strength Requirements	22
4.5.1	Pole Cross Sections	22
4.5.2	Holes and Cutouts	22
4.5.3	Flange Plates	23
4.5.4	Butt-Welded Pole-to-Flange Plate Connections	23
4.5.5	Socketed Pole-to-Flange Plate Connections	23
4.5.6	Stiffened Pole-to-Flange Plate Connections	23
4.5.7	Foundations	23
5	FOUNDATION DESIGN	25
5.1	Scope	25
5.2	Symbols	25
5.3	General	25
5.3.1	Foundation Analysis	25
5.3.2	Longitudinal Reinforcement	25
5.3.3	Transverse Reinforcement	26
5.3.4	Shrinkage and Temperature Reinforcement	26
5.4	Site Investigation	26
5.4.1	Concrete Mix Design	26
5.4.2	Frost Depth.	26
5.4.3	Expansive Soil	26
5.4.4	High Water Table	27

5.5	Drilled Shaft and Direct Embed Foundations	27
5.5.1	Direct Embed Effective Foundation Diameter	27
5.6	Mat Foundations	27
5.7	Corrosion Control	27
5.7.1	Direct Embed Steel Sections.	27
5.7.1.1	Ground Sleeves.	28
5.7.2	Direct Embed Precast Concrete Sections	28
5.8	Design Strength of Soil or Rock	28
5.9	Development of Anchor Rods	28
5.9.1	Deformed Anchor Rods	28
5.9.2	Headed Anchor Rods	28
5.10	Seismic Considerations.	29
5.10.1	Longitudinal Reinforcement	29
5.10.2	Transverse Reinforcement	29
5.10.3	Batter Piles	29
6	FABRICATION	31
6.1	Scope	31
6.2	General	31
6.3	Materials	31
6.4	Welding.	31
6.4.1	Tack Welds.	31
6.4.2	Seam Welds	31
6.4.3	Backing.	31
6.4.4	Fit-Up	31
6.4.5	Anchor Rods	31
6.4.6	Weld Inspections.	32
6.4.6.1	Ultrasonic Testing	32
6.5	Shearing	32
6.6	Burning.	32
6.7	Punching Holes.	32
6.8	Forming.	32
6.9	Galvanizing.	32
6.10	Additional Coatings	32
6.11	Fabrication Tolerances	33
7	INSTALLATION.	35
7.1	Scope	35
7.2	General	35
7.3	Direct Embed Foundations.	35
7.4	Drilled Shaft Foundations	35
7.5	Anchor Rods	35
7.5.1	Anchor Rod Tightening	36
7.6	Pole Slip Splices.	36
7.7	Pole Flange Plate Spaces	36
7.8	Miscellaneous Bolted Connections	37
7.9	Installation Tolerances	37
8	INSPECTION, ASSESSMENTS, AND MAINTENANCE	39
8.1	Scope	39
8.2	Initial Construction Inspections	39
8.3	Periodic Condition Assessments	39
8.3.1	Evaluation of Dents in Steel Poles	40
8.4	Damage Assessments	40
8.5	Additional Examination Requirements	40
8.6	Maintenance	40
8.6.1	Grouted Base Flange Plates	40

APPENDIX A GEOTECHNICAL INVESTIGATIONS	43
APPENDIX B DAMAGE AND CONDITION ASSESSMENT EXAMPLES	45
COMMENTARY TO STANDARD ASCE/SEI 72-21.	49
C1 General	49
C1.1 Scope	49
C2 Loads	51
C2.1 Scope	51
C2.3 Classification of Structures.	51
C2.4 Combinations of Loads	51
C2.7.1 Scope	51
C2.7.3 General Requirements	51
C2.7.5 Strength Design of Supporting Structures	51
C2.7.5.2.1 Effective Projected Area of Fixtures	51
C2.7.5.3 Design Wind Force Applied to Mounting Systems	51
C2.9.1 Scope	51
C2.9.2 General Requirements	51
C3 Steel Design	53
C3.3 Analysis	53
C3.4 Design Strength	53
C3.5 Materials	53
C3.6.3 Anchor Rods	53
C3.12 Anchor Rod Strength	53
C4 Fatigue Design	55
C4.1 Scope	55
C4.3 Fatigue Analysis	55
C4.4.7.2 Stiffener Connection with Flange Plates	55
C4.4.8 Anchor Rods	55
C4.4.9 Bolts	55
C4.5.6 Stiffened Pole-to-Flange-Plate Connections	55
C5 Foundation Design	57
C5.3 General	57
C5.4 Site Investigation.	57
C5.10 Seismic Considerations	57
C6 Fabrication	59
C6.3 Materials	59
C6.4.6 Weld Inspections	59
C6.7 Punching Holes	59
C6.8 Forming	59
C6.9 Galvanizing	59
C6.10 Additional Coatings	60
C7 Installation	61
C7.2 General	61
C7.3 Direct Embed Foundations.	61
C7.5 Anchor Rods	61
C7.5.1 Anchor Rod Tightening	61
C7.9 Installation Tolerances	61
C8 Inspections, Assessments, and Maintenance.	63
C8.1 Scope	63
C8.3 Periodic Condition Assessments.	63
C8.3.1 Evaluation of Dents in Steel Poles	63
C8.5 Additional Examination Requirements	63
C8.6 Maintenance	64
C8.6.1 Grouted Base Flange Plates	64
REFERENCES	65
INDEX.	67

PREFACE

Lighting system support structures (primarily cold-formed single- and multi-pole tubular steel structures) differ from buildings in many performance-related characteristics. But, like buildings, lighting systems support structures are a critical public safety issue if they are not properly specified, designed, fabricated, installed, and actively inspected and routinely maintained by competent professionals. Current practices related to support structures of this type have been inconsistently developed and even more inconsistently applied, rendering many of those practices confusing—and even worse—ill-advised. The catastrophic failure of dozens of lighting system support structures around the country and the removal from service of hundreds more as a precaution in view of faulty or incomplete specifications for design, fabrication, installation, or ongoing maintenance prompted several members of ASCE's Structural Engineering Institute to begin development of this document in the interest of improving public safety related to these structures. This consensus standard has been specifically written to unify the

core body of best practice knowledge available in the structural engineering community and to provide public and private agencies, practicing engineers, installers, and facility owners a consistent roadmap for the safe specification, design, fabrication, installation, and ongoing maintenance of structural supports of this type.

The standard includes design parameters applicable to self-supporting structures, with base plates for installation on a concrete pier foundation, or as direct embedded, backfilled poles with the base section being either steel or concrete. The standard provides for the proper specification and/or development of the various loads and load combinations to be applied to support structures of this type, as well as safety factor resistance requirements. Special design issues for these structures include structure deflection, vibration, and fatigue. Issues related to fabrication and installation, as well as critical ongoing inspection and maintenance best practices, are also addressed.

This page intentionally left blank

ACKNOWLEDGMENTS

The Structural Engineering Institute of ASCE acknowledges the devoted efforts of the Design of Steel Lighting System Support Structures Committee of the Codes and Activities Division. This group was composed of individuals with a variety of backgrounds and interests, including structure supply, consulting engineering, construction, and academic and education, who have contributed many hundreds of volunteer hours to develop this important standard.

These committee members participated in developing this standard:

Brian R. Reese, *Chair*
Carl J. Macchietto, *Vice-Chair*
Beth L. McCoy, *Secretary*
George H. Brammer
David G. Brinker
Mark Dejong
Martin L. De la Rosa
John R. Erichsen
Jerrod K. Franklin
Travis Haskin
David W. Hawkins
Patrick Joyce
Carl Kempkes

Simon W. Leland
Corey Lines
Ajay Kumar Mallik
E. Mark Malouf
Dylan Menes
Michael R. Morel
Vichien Nopratvarakorn
Wesley J. Oliphant
Aaron C. Poot
Sougata Roy
Tom Schepke
James R. Sutphen
Zach Thiemann

This page intentionally left blank

CHAPTER 1 GENERAL

1.1 SCOPE

Lighting system support structures have unique design and performance-related characteristics.

This standard provides recognized literature for the structural design, fabrication, installation, inspection, and maintenance of cold-formed single and multiple-section tubular steel lighting system support pole structures.

The standard is applicable to self-supporting poles with base plates supported on foundations with anchor rods, and to poles without a base plate supported on direct embedded, backfilled steel or concrete sections. This standard applies to round and symmetrical multisided cross section galvanized steel poles.

Minimum design criteria are specified, including combinations of loadings, strength requirements, deflection limitations, and fatigue strength considerations. Guidelines for fabrication, installation, inspection, and maintenance are also provided.

The design, fabrication, and installation provisions of this standard are intended for new structures.

Means and methods for construction are not within the scope of this standard.

1.2 DEFINITIONS

Azimuth of Lighting Fixture: Direction in a horizontal plane that a lighting fixture is pointed to result in the desired lighting intensity.

Ballast: Electrical device used for starting and regulating lighting fixtures, either integral to a lighting fixture or mounted remotely.

Corrosive Soil: Soil identified in a geotechnical report as being corrosive to concrete or steel.

Design Strength: Product of nominal strength and a resistance factor.

Direct Embed Foundation: Steel pole or precast concrete section extending below grade and acting as the foundation.

Discrete Appurtenance: Remote ballasts, speakers, signs, anticlimbing devices, or other similar attached items that may be modeled as a concentrated load.

Effective Projected Area: Projected area of an object multiplied by a drag coefficient.

Elastic Structural Analysis: Structural analysis based on the members of the structural model not exceeding their yield strength, resulting in the structure returning to its original geometry after the removal of loading.

Equivalent Constant-Amplitude Stress Range: Constant-amplitude nominal stress range that is theoretically equivalent, with respect to fatigue damage, to a lifetime of variable cyclic stress ranges from wind loading.

Fatigue Failure: Visible crack growth from cyclic loading to an extent that the structure cannot be safely used in service.

Fatigue Limit State Static Pressure Range: Damage-equivalent wind pressure for determining nominal stresses in structural members and components for the investigation of fatigue strength.

Fatigue Threshold: Stress range below which a particular detail can withstand an infinite number of stress cycles without fatigue failure.

Fixture Projected Area: Maximum fixture area projected onto a vertical plane within the range of working tilt angles prescribed by the fixture manufacturer.

Flange Plate: Base or intermediate exterior flange welded to a tubular pole structure.

Foundation: Substructure or extension of the superstructure designed to transmit reactions to the underlying soil or rock.

Headed Anchor Rod: Deformed or a smooth bar with an attached end plate or nut.

High-Risk Seismic Location: Location where the spectral response acceleration parameter at short periods defined by ASCE 7-16 exceeds 1.0.

Lens: Surface from which light is emitted from a lighting fixture.

Lighting Fixture: Enclosure with a lens to focus light in a specific direction.

Lighting Fixture Mounting Plane: Vertical plane generally containing a group of lighting fixtures, or, for a single lighting fixture, the vertical plane normal to the azimuth of the lighting fixture.

Lighting System: Combination of lighting fixtures and support members.

Linear Appurtenance: Coax, conduit, lines, ladders, safety climb devices, step bolts, brackets, or other continuous or regularly spaced attachments that may be modeled as a distributed load.

Mounting Components: Components used to mount a lighting fixture to a mounting pipe, frame, or other mounting system.

Mounting System: Structural members used to support lighting fixtures on a supporting structure.

Nominal Strength: Capacity of a structure or member to resist the effect of loads without a resistance factor applied.

Nominal Stress: Stress in a member or component based on its cross-sectional properties without the use of magnification or stress concentration factors.

Resistance Factor: Factor applied to the nominal strength to obtain the design strength that accounts for the unavoidable deviations of the nominal strength from the actual strength and for the manner and consequence of failure. Also referred to as a strength reduction factor.

Service Basket: Mounting system that accommodates service personnel.

Tilt Angle: Acute angle in a vertical plane between a line normal to a lens of a mounted lighting fixture and the horizon.

Visor: Component used to minimize light scatter and/or to improve the aerodynamic profile of a lighting fixture.