

ASCE STANDARD

ASCE/COS

73-23

Standard Practice for Sustainable Infrastructure

Currently in preview, click buy full version

ASCE STANDARD

ASCE/COS

73-23

**Standard Practice
for Sustainable
Infrastructure**



PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers, author.

Title: Standard practice for sustainable infrastructure : ASCE/COS 73-23 / American Society of Civil Engineers.

Description: Reston : American Society of Civil Engineers, [2022] | Series: ASCE standard | Includes bibliographical references and index. | Summary: "Standard Practice for Sustainable Infrastructure, ASCE/COS 73-23, addresses development and implementation of sustainable infrastructure solutions through the entire infrastructure life-cycle process"— Provided by publisher.

Identifiers: LCCN 2022040941 | ISBN 9780784415733 (soft cover) | ISBN 9780784483350 (pdf)

Subjects: LCSH: Environmental engineering—Standards. | Civil engineering—Standards. | Sustainable construction—Standards. | Public works—Management—Standards.

Classification: LCC TA170 .A47 2022 | DDC 624.02/18—dc23/eng/20221110

LC record available at <https://lccn.loc.gov/2022040941>

Published by American Society of Civil Engineers

1801 Alexander Bell Drive

Reston, Virginia, 20191-4382

www.asce.org/bookstore | ascelibrary.org

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standard development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity. ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in US Patent and Trademark Office.

Photocopies and Permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an email to permissions@asce.org or by locating a title in ASCE's Civil Engineering Database (<http://cedb.asce.org>) or ASCE Library (<http://ascelibrary.org>) and using the "Permissions" link.

Errata: Errata, if any, can be found at <http://dx.doi.org/10.1061/9780784415733>.

Copyright © 2022 by the American Society of Civil Engineers.

All Rights Reserved.

ISBN 978-0-7844-1573-3 (soft cover)

ISBN 978-0-7844-8335-0 (PDF)

Manufactured in the United States of America.

26 25 24 23 1 2 3 4 5

ASCE STANDARDS

In 2016, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to ten years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees which are available at www.asce.org. Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at www.asce.org.

The provisions of this document are written in permissive language and, as such, offer to the user a series of options or instructions, but do not prescribe a specific course of action. Significant judgment is left to the user of this document.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent rights or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (<http://ascelibrary.org/page/books/s-standards>).

This page intentionally left blank

Currently in preview, click buy full version

CONTENTS

PREFACE	vii
ACKNOWLEDGMENTS	ix
1 GENERAL	1
1.1 General	1
1.2 Scope	1
1.3 Purpose	1
1.4 Limitations	1
1.5 Use of This Standard.	1
1.6 Definitions and Acronyms	1
2 SUSTAINABILITY LEADERSHIP	3
2.1 General	3
2.2 Scope	3
2.3 Purpose	3
2.4 Leadership Components	3
2.5 Outcomes	3
3 QUALITY OF LIFE	5
3.1 General	5
3.2 Scope	5
3.3 Purpose	5
3.4 Quality of Life Assessment Components	5
3.5 Outcomes	5
4 RESOURCE ALLOCATION	7
4.1 General	7
4.2 Scope	7
4.3 Purpose	7
4.4 Outcomes	7
5 NATURAL WORLD	9
5.1 General	9
5.2 Scope	9
5.3 Purpose	9
5.4 Natural World Assessment Components	9
5.5 Outcomes	9
6 GREENHOUSE GAS EMISSIONS	11
6.1 General	11
6.2 Scope	11
6.3 Purpose	11
6.4 Greenhouse Gas Emissions Components	11
6.5 Outcomes	11
7 RESILIENCE	13
7.1 General	13
7.2 Scope	13
7.3 Purpose	13

7.4	Resilience Analysis.	13
7.5	Outcomes.	13
8	LIFE-CYCLE COST ANALYSIS.	15
8.1	General.	15
8.2	Scope.	15
8.3	Purpose.	15
8.4	Limitations.	15
8.5	Cost Components.	15
8.6	Life-Cycle Durations.	15
COMMENTARY TO STANDARD 73-23.		17
C1	GENERAL.	17
C1.1	General.	17
C1.4	Limitations.	17
C1.5	Use of This Standard.	17
C2	SUSTAINABILITY LEADERSHIP.	19
C2.1	General.	19
C2.5	Outcomes.	19
C3	QUALITY OF LIFE.	21
C3.5	Outcomes.	21
C4	RESOURCE ALLOCATION.	23
C4.4	Outcomes.	23
C5	NATURAL WORLD.	25
C5.4	Natural World Assessment Components.	25
C5.5	Outcomes.	25
C6	GREENHOUSE GAS EMISSIONS.	27
C6.4	Greenhouse Gas Emissions Components.	27
C6.5	Outcome.	27
C7	RESILIENCE.	29
C7.4	Resilience Analysis.	29
C8	LIFE-CYCLE COST ANALYSIS.	31
C8.1	General.	31
C8.4	Limitations.	31
REFERENCES (NOT CITED).		33
INDEX.		35

PREFACE

This standard may be used to develop and implement sustainable infrastructure solutions through the entire infrastructure life-cycle process. Leadership shall encourage transformative development of the infrastructure solution from the earliest stages; consider and analyze all reasonable alternatives; and consider natural, no-construction, and constructed project solutions. Leadership shall use this standard to address owner, community, and

stakeholder needs and issues and to balance the economic, environmental, and social impacts (positive and negative, quantifiable and nonquantifiable) throughout the life cycle of sustainable infrastructure solutions. In addition, leadership shall comply with the life-cycle cost analysis requirements of this standard to protect and professionally steward private and public funds

Currently in preview, click buy full versi

This page intentionally left blank

Currently in preview, click buy full version

ACKNOWLEDGMENTS

The Sustainable Infrastructure Standards Committee acknowledges the ASCE Committee on Sustainability for supporting this standard and the Institute for Sustainable Infrastructure for use of its Envision sustainable infrastructure framework.

Steering Group

Michael Loose, P.E., NAC, Dist.M.ASCE, *Chair, Editor and Chapter 2 Lead*
Brad McCoy, Ph.D., P.E. ENV SP, M.ASCE, *Past Chair, Chapter 1 Lead, and Past Vice Chair*
James Rispoli, P.E., BCEE, NAC, Dist.M.ASCE, *Past Chair*
John Frauenhoffer, P.E., S.E., M.ASCE, *Secretary and Chapter 8 Lead*
Karen Kabbes, P.E., D.WRE, ENV SP, F.ASCE, *Chapter 5 Lead*
Michael Sanio, ENV SP, CAE, F.ASCE, *Past ASCE Staff and Past Steering Group Member*

Committee Members

Michael Loose, P.E., NAC, Dist.M.ASCE, *Chair, Editor and Chapter 2 Lead*
Brad McCoy, Ph.D., P.E. ENV SP, M.ASCE, *Past Chair, Chapter 1 Lead, and Past Vice Chair*
James Rispoli, P.E., BCEE, NAC, Dist.M.ASCE, *Past Chair*
John Frauenhoffer, P.E., S.E., M.ASCE, *Secretary and Chapter 8 Lead*
Craig Hebebrand, P.E., M.ASCE, *Chapter 3 Lead*
Chuck Hookham, P.E. M.ASCE, *Chapter 4 Lead*
Karen Kabbes, P.E., D.WRE, ENV SP, F.ASCE, *Chapter 5 Lead*
Christian Fellner, M.S. Chem. E., *Chapter 6 Lead*
Jennifer Cass, P.E., LEED AP, M.ASCE *Chapter 7 Lead*
John Andrew, P.E., MPP, PMP, ENV SP, M.ASCE
Bilal M. Ayyub, Ph.D., P.E., Hon.M.ASME, Dist.M.ASCE
Perrin Falkner, EIT, LEED Green Associate, A.M.ASCE
Nancy Kralik, P.E., LEED AP BD+C, ENV SP, F.ASCE
Debra Leigh, M.EWRI, M.WEF, M.APWA, M.IWA
Ryan Prime, ENV SP, LEED AP, WELL AP
Zubin Taraporevala, A.M.ASCE

Scott West, ENV SP, MBA
Michael Sanio, ENV SP, CAE, F.ASCE

Corresponding Members

Peter Adams, ENV SP
K. C. Atkins, P.E.
Loida Begley, P.E., M.ASCE
Amar Bhattacharya, Senior Fellow, *Brookings Institute*
Eric Bill, P.Eng.
Rick Capka, P.E., NAC, F.ASCE
Cristina Contreras Casado, ALM ENV SP, M.ASCE
Kathryn DePippo, P.E., ENV SP
J. Michael Devine, P.E.
Dan Frangopol, Sc.D., P.E., F.ASCE
Christopher Gutkowski, P.E., C.M., M.ASCE
Benjamin Harper, M.ASCE
Cheyanne Harris, EIT, M.ASCE
Juliette Finzi Hart, Ph.D.
Werner Heyes, P.E. M.ASCE
Minji Jeong, Senior Fellow, *Brookings Institute*
A. R. Aron Kosmal, FAIA
Rebecca Luman, P.E., LEED AP BD+C
Jennifer McConnell, Ph.D. M.SEI, M.ASCE
Samuel Millard, ENV SP, LEED Green Associate, CFM
Abbas Mokhtar-Zadeh, Ph.D, P.E. PMP, M.ASCE
Loren Olson, P.E., CFM, D.WRE
Chris Stone, P.E., F.NSPE, LEED AP, F.ASCE
Missy Stults, Ph.D.
George Thomas, A.M.ASCE
Todd Young, P.E., ENV SP
John Williams, RLA, FSA I, ENV SP

This page intentionally left blank

CHAPTER 1 GENERAL

1.1 GENERAL

The scope, purpose, applicability, and limitations are defined in this chapter.

1.2 SCOPE

1.2.1 Components and Outcomes The components and outcomes described in the subsequent chapters of this standard are intended to guide sustainable infrastructure development through the entire life-cycle process. Leadership shall encourage transformative development of the infrastructure solution at the earliest stages; consider and analyze all reasonable alternatives; and consider natural, no-construction, and constructed project solutions. For constructed project solutions, the entire life cycle of the project shall be considered within the context of this standard.

1.2.2 Project Team Composition The composition of the project team, as determined by the owner or owner agency, shall consist of owners or owner agencies, architects and engineers, support organizations, and contractors and subcontractors necessary to deliver the desired infrastructure solution.

1.2.3 Project Team Leaders Project team leaders shall use Chapters 2 through 7 of this standard to identify the economic, environmental, and social impacts (positive and negative, quantifiable and nonquantifiable) of sustainable infrastructure solutions. In addition, leadership shall comply with life-cycle cost analysis requirements in Chapter 8 of this standard.

1.2.4 Standard Authority This standard does not supersede regulatory requirements or codes/standards.

1.3 PURPOSE

To establish the minimum requirements for a sustainable infrastructure solution.

1.4 LIMITATIONS

This standard can be used on infrastructure solutions of any scale, though it is specifically not intended to unduly burden small projects.

This standard is not intended to be used to establish regulatory requirements for interior, conditioned buildings with the primary purpose of human occupation.

1.5 USE OF THIS STANDARD

1.5.1 Solutions This non-mandatory standard may be used to develop and implement sustainable infrastructure solutions. The following criteria shall be satisfied for an infrastructure solution to be considered sustainable:

1. A minimum of 19 outcomes defined in Chapters 2 through 7 shall be satisfied (as applied to the life cycle of the sustainable infrastructure solution unless otherwise stated). No-build and natural solutions shall be considered as alternatives to new-construction infrastructure solutions when appropriate.
2. Outcomes defined in Chapters 2 through 7 that are deemed not applicable to the sustainable infrastructure solution shall be considered in the unsatisfied outcomes.
3. A life-cycle cost analysis shall be performed in accordance with Chapter 8 for all infrastructure solutions that satisfy 19 outcomes defined in Chapters 2 through 7.
4. Infrastructure solution(s) that satisfy Criteria 1 and 3 (directly above) and achieve the least equivalent life-cycle cost as determined by Chapter 8 shall be defined as sustainable infrastructure solutions.
5. A Sustainability Management Plan shall be prepared for the selected infrastructure solution. The Sustainability Management Plan shall (as a minimum)
 - Address owner, community, and stakeholder needs and issues
 - Establish sustainability goals and objectives to balance the solution's economic, environmental, and social impacts (quantifiable and nonquantifiable)
 - Identify specific outcomes as defined in Chapters 2 through 7 that will be achieved to yield a sustainable infrastructure solution
 - Be implemented throughout the life cycle of the infrastructure solution to monitor and enhance sustainability performance.

1.6 DEFINITIONS AND ACRONYMS

1.6.1 Definitions

Base Date: First date of the life-cycle cost analysis period.

Brownfield: Site documented as contaminated per an ASTM E1903 Phase II environmental site assessment or a site classified as a brownfield by a local, state, or federal government agency.

Carbon Dioxide Equivalent: Measure used to compute the sum of greenhouse gas emissions and to assess the impact of those emissions based on their global warming potential (GWP) for an infrastructure project (construction or operations phases, or project total).

Commissioning: Actions and processes used to ensure the owner's construction requirements for an infrastructure project have been achieved, including functional and performance testing and other qualitative means.

Community: Any group or representative of the group in the physical vicinity of a project that may be impacted by the infrastructure solution.