

ASME A112.14.6-2010
(Revision of ASME A112.14.6-2006)

FOG (Fats, Oils, and Greases) Disposal Systems

AN AMERICAN NATIONAL STANDARD



INTENTIONALLY LEFT BLANK

ASME A112.14.6-2010

(Revision of ASME A112.14.6-2006)

FOG (Fats, Oils, and Greases) Disposal Systems

AN AMERICAN NATIONAL STANDARD



Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: August 20, 2010

This Standard will be revised when the Society approves the issuance of a new edition. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically certain actions of the ASME A112 Committee may be published as Cases. Cases and interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public at large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue
New York, NY 10016-5990

Copyright © 2010 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

TABLE OF CONTENTS

Foreword	iv
ASME A112 Committee	v
Correspondence With the A112 Committee	vi
1 General	1
2 General Requirements	2
3 Special Requirements	2
4 Testing	3
5 Marking	4

FOREWORD

The American Society of Mechanical Engineers has prepared this Standard for establishing specifications regarding the construction and application of FOG (fats, oils, and greases) disposal systems. It also is intended to serve as a guide for producers, distributors, architects, engineers, contractors, installers, inspectors, and users; to promote understanding regarding designs, materials, applications, and installation; and to provide guidelines for identifying FOG disposal systems that conform to this Standard.

In 1994, the Plumbing and Drainage Institute (PDI) agreed to work with The American Society of Mechanical Engineers for the development of a Grease Interceptor Standard. That Standard is known as ASME A112.14.3, and it serves as a derivative of that collaboration. PDI has a membership of organizations that manufactures products for the plumbing industry. The basic aim of PDI is to contribute its combined talents and resources to the advancement of plumbing engineering and the plumbing industry. This Standard was developed with the assistance of PDI.

For more than a century, grease interceptors have been used in plumbing wastewater systems to permit the free flow of drainage from sinks and similar equipment and to prevent grease accumulations from clogging collecting piping and sewer lines. In 1883, Nathaniel T. Whiting of California applied for a patent on a grease interceptor, which was issued in October 1884.

Whiting's design principle does not differ greatly from present-day grease interceptors.

For the next 50 years, there was no coordinated effort to standardize ratings or to establish performance requirements for grease interceptors. Ratings were determined by each manufacturer for its interceptors, which were produced in a variety of sizes and types in an effort to meet engineers' specifications and plumbing code requirements.

In late 1940 and early 1941, prior to U.S. entry into World War II, grease interceptors were specified for army posts to meet specifications of the Construction Division, Office of the Quartermaster General. These specifications called for interceptors, which proved inadequate; it immediately became apparent that a comprehensive engineering and testing program was needed to rate grease interceptors properly. Apart from prevention of sewage systems clogging, properly rated and sized grease interceptors were essential to the recovery of oils and grease so badly needed for the war effort. As a result, a series of conferences involving the Research Committee of the Plumbing and Drainage Manufacturer's Association (now the Plumbing and Drainage Institute), representatives of the Quartermaster General, Surgeon General, Army Corps of Engineers, and others was held to develop a testing program to establish flow rates and grease holding capacity for uniform rating of grease interceptors manufactured at that time.

The program that emerged from these conferences included exhaustive laboratory testing of each grease interceptor at the Iowa Institute of Hydraulic Research at Iowa State University. This phase of the program was covered in a comprehensive report issued in August 1945. Using the guidelines established in Iowa, the Research Committee continued the testing program at the United States Testing Company, Inc., which culminated in the publication of Standard PDI-G101 in 1949 and the rating of applicable grease interceptors.

Since its initial publication, Standard PDI-G101 has been widely accepted and is referenced in most plumbing codes. It has been reprinted in its original form at many times and serves as the definitive standard for determining separation and retention efficiency of grease interceptors.

Restrictions and regulations regarding proper disposal of retained FOG promulgated subsequent to PDI-G101 and ASME A112.14.3 resulted in the development of various devices that not only separate and retain FOG, but internally dispose of retained FOG by means of mass and volume reduction by processes including, but not limited to, thermal, chemical, electrical, and biological. It is devices having this disposal characteristic to which this Standard applies. Due to the differences between this technology and those described in PDI-G101 and ASME A112.14.3, such as internal disposal, the ASME A112 Standards Committee suggested the development of this Standard. This Standard applies to grease interceptors using the hydromechanical principles of PDI-G101, ASME A112.14.3, or the gravity interceptor principles of IAPMO/ANSI Z 1001.

This revision was approved as an American National Standard on June 14, 2010.

ASME A112 COMMITTEE

Standardization of Plumbing Materials and Equipment

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

D. W. Viola, *Chair*
S. A. Remedios, *Vice Chair*
F. Constantino, *Secretary*

STANDARDS COMMITTEE PERSONNEL

R. H. Ackroyd, Rand Engineering
S. R. Aridi, NSF International
J. A. Ballanco, J. B. Engineering & Code Consulting
J. Bouwer, Sanitary for All Ltd.
M. N. Burgess, Milton N. Burgess, P.E.
S. L. Cavanaugh, Consultant
F. Constantino, The American Society of Mechanical Engineers
P. V. DeMarco, International Association of Plumbing and Mechanical Officials
G. S. Duren, Code Compliance, Inc.
R. Emmerson, Consultant
K. Fromme, Bradley Corporation
L. S. Galowin, Consultant
R. I. Greenwald, Consultant
G. W. Harrison, Consultant
J. M. Koeller, Koeller and Co.
N. M. Kummerlen, Consultant
J. W. Lauer, Sloan Valve Co.
L. A. Mercer, Moen, Inc.
T. C. Pitcherello, New Jersey Department of Community Affairs
S. Rawalpindiwala, Kohler Co.
S. A. Remedios, Delta Faucet Co.
G. L. Simmon, Charlotte Pipe and Foundry
W. M. Smith, Jay R. Smith Manufacturing Co.
D. W. Viola, International Association of Plumbing and Mechanical Officials
W. C. Whitehead, Plumbing and Drainage Institute
J. E. Farnand, *Alternate*, Moen, Inc.
M. Campos, *Alternate*, International Association of Plumbing and Mechanical Officials
A. C. Machanowski, *Alternate*, NSF International
T. R. Eberhardy, *Alternate*, Bradley Corporation
D. E. Holloway, *Alternate*, International Association of Plumbing and Mechanical Officials
W. B. Morris, *Alternate*, Charlotte Pipe and Foundry
J. C. Watson, *Alternate*, Sloan Valve Co.
C. Trendelman, *Alternate*, Delta Faucet Co.
M. Weiss, *Alternate*, Weiss Research

A112 PROJECT TEAM 14.6 — FOG DISPOSAL SYSTEMS

R. H. Ackroyd, *Project Team Leader*, Rand Engineering
M. N. Burgess, Burgess Group, Inc.
M. Campos, International Association of Plumbing and Mechanical Officials
R. L. George, Ron George Design & Consulting Services
G. W. Harrison, Josam Co.
M. J. Lenger, Hydrologix Systems, LLC
W. M. Smith, Jay R. Smith Manufacturing Co.
M. Weiss, Weiss Research
W. C. Whitehead, Consultant

CORRESPONDENCE WITH THE A112 COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions, and attending Committee meetings. Correspondence should be addressed to:

Secretary, A112 Standards Committee
The American Society of Mechanical Engineers
Three Park Avenue
New York, NY 10016-5990
(<http://go.asme.org/Inquiry>)

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the edition, the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation. When appropriate, proposals should be submitted using the A112 Project Information Request Form.

Proposing a Case. Cases may be issued for the purpose of providing alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee Web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the standard, the paragraph, figure or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the standard to which the proposal case applies.

Interpretations. Upon request, the A112 Committee will render an interpretation of any requirement of the Standard. Interpretations can only be rendered in response to a written request sent to the Secretary of the A112 Standards Committee.

The request for interpretation should be clear and unambiguous. It is further recommended that the inquirer submit his/her request in the following format:

Subject: Cite the applicable paragraph number(s) and the topic of the inquiry.
Edition: Cite the applicable edition of the Standard for which the interpretation is being requested.
Question: Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. The inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in this format will be rewritten in the appropriate format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME Committee or Subcommittee. ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

Attending Committee Meetings. The A112 Standards Committee schedules meetings as needed, which are open to the public. Persons wishing to attend any meeting should contact the Secretary of the A112 Standards Committee. The A112 home page contains information on future meeting dates and locations.

1 GENERAL

1.1 Scope

This Standard establishes requirements for FOG (fats, oils, and greases) disposal systems. FOG disposal systems shall be designed to

- (a) remove FOG from effluent
- (b) retain separated FOG
- (c) internally dispose retained FOG by means and methods of mass and volume reduction as required by para. 4.3.2

The use of alternate materials or methods are permitted, provided the proposed material and method complies with the performance requirements and intent of this Standard.

1.2 Units of Measurement

Where values are stated in U.S. Customary units and the International System of Units (SI), the U.S. Customary units shall be considered as the standard.

In this Standard, gallons (U.S. liquid) per minute is abbreviated “gpm” and liters (metric liquid) per minute is abbreviated “L/min”.

1.3 References

The following is a list of publications referenced in this Standard:

AASHTO H20-44, Standard Specifications for HS-20, Highway Loading

Publisher: American Association of State Highway and Transportation Officials (AASHTO), 444 North Capitol Street, NW, Washington, DC 20001 (<http://www.transportation.org>)

ACI 318, Specification for Steel Reinforcement

Publisher: American Concrete Institute (ACI), 38800 Country Club Drive, Farmington Hills, MI 48331 (<http://www.aci-int.org>)

ASME A112.3.1, Stainless Steel Drainage Systems for Sanitary, Storm, and Chemical Applications, Above and In-Ground

ASME A112.14.3, Grease Interceptors

ASME B1.20.1, Pipe Threads, General Purpose (Inch)

Publisher: The American Society of Mechanical Engineers (ASME), Three Park Avenue, New York, NY 10016-5990; Order Department: 22 Law Drive, P.O. Box 2900, Fairfield, NJ, 07007-2900 (<http://www.asme.org>)

ASTM A 888, Standard Specification for Ductile Cast Iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Applications

ASTM C 33-03, Standard Specification for Concrete

ASTM C 94, Standard Specification for Ready-Mixed Concrete

ASTM C 150-04, Standard Specification for Portland Cement

ASTM C 260-01, Standard Specification for Air-Entraining Admixtures for Concrete

ASTM C 618-03, Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete

Publisher: American Society for Testing and Materials (ASTM International), 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959 (<http://www.astm.org>)

IAPMO/ANSI Z 110.1, Grease Interceptors

Publisher: International Association of Plumbing and Mechanical Officials (IAPMO), 5001 East Philadelphia Street, NW, Ontario, CA 91701 (<http://www.iapmo.org>)

PDI 110.1, Testing and Rating Procedure for Grease Interceptors With Appendix of Sizing and Installation Data

Publisher: Plumbing and Drainage Institute (PDI), 800 Turnpike Street, North Andover, MA 01845 (<http://www.pdionline.org>)

UL 499, Electrical Standard for Heated Appliances

UL 917, Standard for Clock-Operated Switches

UL 1004, Standard for Electric Motors

UL 1585, Standard for Class 2 and Class 3 Transformers

Publisher: Underwriters Laboratories, Inc. (UL), 333 Pfingsten Road, Northbrook, IL 60062-2096 (<http://www.ul.com>)

USEPA Method 1664 (A), FOG (Fats, Oils & Greases) Measurement