

ASME/ANS RA-S-1.1–2024
(Revision of ASME/ANS RA-S-1.1–2022)

Standard for Level 1/Large Early Release Frequency Probabilistic Risk Assessment for Nuclear Power Plant Applications

AN AMERICAN NATIONAL STANDARD



The American Society of
Mechanical Engineers



Date of Issuance: March 15, 2024

This Standard will be revised when the Society approves the issuance of a new edition.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2024 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS



CONTENTS

Foreword	v	
Correspondence with the ASME/ANS Joint Committee on Nuclear Risk Management	vii	
Acknowledgments	ix	
ASME/ANS RA-S Committee	xi	
PART 1	GENERAL REQUIREMENTS FOR A LEVEL 1 PRA, INCLUDING LARGE EARLY RELEASE FREQUENCY	1
Section 1-1	Introduction	1
Section 1-2	Acronyms and Definitions	9
Section 1-3	PRA Scope and Capabilities in Support of Risk-Informed Applications	21
Section 1-4	Requirements for Use of Expert Judgment	22
Section 1-5	PRA Configuration Control Program	23
Section 1-6	Peer Review	26
Section 1-7	Newly Developed Methods	29
Section 1-8	References	32
Nonmandatory Appendix		33
1-A	Meanings of Action Verbs	33
PART 2	REQUIREMENTS FOR INTERNAL-EVENTS AT-POWER PRA	38
Section 2-1	Overview of Internal-Events At-Power PRA Requirements	38
Section 2-2	Internal-Events PRA Technical Elements and Requirements	39
Nonmandatory Appendix		88
2-A	Explanatory Notes Regarding Application of the Part 2 Supporting Requirements	88
PART 3	REQUIREMENTS FOR INTERNAL FLOOD AT-POWER PRA	110
Section 3-1	Overview of Internal Flood At-Power PRA Requirements	110
Section 3-2	Internal Flood PRA Technical Elements and Requirements	111
Nonmandatory Appendix		135
3-A	Internal Flood At-Power PRA: Commentary	135
PART 4	REQUIREMENTS FOR INTERNAL FIRES AT-POWER PRA	155
Section 4-1	Risk Assessment Technical Requirements for Internal Fires At-Power	155
Section 4-2	Internal Fire PRA Technical Elements and Requirements	156
Nonmandatory Appendix		186
4-A	Notes and Explanatory Material	186
PART 5	REQUIREMENTS FOR SEISMIC EVENTS FOR AT-POWER PRA	204
Section 5-1	Overview of Seismic PRA Requirements At-Power	204
Section 5-2	Seismic At-Power Technical Elements and Requirements	205
Nonmandatory Appendix		220
5-A	Seismic Probabilistic Risk Assessment Commentary	220



PART 6	REQUIREMENTS FOR SCREENING AND CONSERVATIVE ANALYSIS OF HAZARDS FOR AT-POWER PRA	250
Section 6-1	Overview of Screening and Conservative Analysis Requirements	250
Section 6-2	Screening and Conservative Analysis Technical Requirements	251
Nonmandatory Appendix		255
6-A	Screening Commentary	255
6-B	List of Hazards for Consideration	259
PART 7	REQUIREMENTS FOR HIGH WIND AT-POWER PRA	262
Section 7-1	Overview of High Wind At-Power PRA Requirements	262
Section 7-2	High Wind At-Power PRA Technical Elements and Requirements	263
Nonmandatory Appendix		277
7-A	High Wind Notes and Commentary	277
PART 8	REQUIREMENTS FOR EXTERNAL FLOOD AT-POWER PRA	316
Section 8-1	Overview of External Flood At-Power PRA Requirements	316
Section 8-2	External Flood At-Power PRA Technical Elements and Requirements	317
Nonmandatory Appendix		334
8-A	External Flood Probabilistic Risk Assessment Commentary	334
PART 9	REQUIREMENTS FOR OTHER HAZARDS AT-POWER PRA	372
Section 9-1	Overview of Other Hazards At-Power PRA Requirements	372
Section 9-2	Other Hazards At-Power PRA Technical Elements and Requirements	373
Nonmandatory Appendix		381
9-A	Other Hazards Commentary	381



FOREWORD

The American Society of Mechanical Engineers (ASME) Board on Nuclear Codes and Standards (BNCS) and American Nuclear Society (ANS) Standards Board have formed a Joint Committee on Nuclear Risk Management (JCNRM) to develop and maintain probabilistic risk assessment (PRA) standards. The JCNRM operates under procedures accredited by the American National Standards Institute (ANSI) as meeting the criteria of consensus procedures for American National Standards. The JCNRM holds two formal meetings per year, and users are invited to participate. Additional information about the JCNRM can be found on its committee page at <https://csu.ols.ame.org/>.

The JCNRM is responsible for ensuring that this Standard is maintained and revised, as necessary. This responsibility includes appropriate coordination with and linkage to other standards under development for related risk-informed applications.

In 2002, ASME issued an initial PRA standard, the scope of which was Level 1 and a large early release frequency for internal events at-power for light water reactor (LWR) nuclear power plants. In 2003 and 2007, ANS issued two other PRA standards, the scopes of which were external hazards and internal fires at-power for LWR nuclear power plants. In 2008, the three standards were combined into one standard, ASME/ANS RA-S-2008, under the joint auspices of ASME and ANS. A revision, ASME/ANS RA-Sa-2009 [Addendum (a)], was issued in 2009. The JCNRM came into existence after Addendum (a) was issued. A second revision was issued in 2013, ASME/ANS RA-Sb-2013 [Addendum (b)]. This revision was reaffirmed in 2018. A Case was issued in 2017, ASME/ANS RA-S CASE 1, which was an alternative to Part 5 (Seismic PRA). This was then reissued in 2019, ASME/ANS RA-S CASE 1-1, with only minor corrections.

In 2022, ASME/ANS RA-S-1.1-2022 was released and superseded all previous revisions.

ASME/ANS RA-S-1.1-2022 represented a substantial revision of ASME/ANS RA-Sb-2013. The 2022 edition had a significantly larger number of SRs, even though some were removed. However, the intent of the overall Standard remained consistent with the previous version. The following major modifications were among those performed:

- A number of changes were implemented to strengthen the consistency among technical elements that are cross-cutting through different hazards. These changes required, for example, revisiting Supporting Requirements (SRs) associated with screening, uncertainty, human reliability analysis, and documentation. The screening criteria are now consolidated into a single set of screening criteria in [Part 1](#).
- Back references from Part to Part (e.g., from [Part 4](#) to [Part 2](#)) were made more consistent, deliberate, and explicit in each Part to facilitate the peer review process.
- Significant lessons learned were gathered in the past few years on hazard PRAs such as high-wind PRAs and external flooding PRAs that previously had less opportunity for being piloted. Such lessons learned were incorporated in clarifications of the intent of the SRs for [Part 7](#) and [Part 8](#).
- Capability Category III was removed across the board on the basis that Capability Category II already envisions refined analysis and realism implemented for the risk-significant elements. Going beyond this, while not discouraged, is not something that needs to be codified in a standard that is supposed to identify the minimum requirements for a technically adequate analysis.
- The 2022 edition of this Standard included a new section in [Part 1](#). [Section 1-7](#) states requirements to assess the technical adequacy of newly developed methods to be used in the plant PRA.
- In previous addenda, Nonmandatory Appendix (NMA) 1-A provided examples of “PRA maintenance” and “PRA upgrades.” These subjects are now being addressed by the Pressurized Water Reactor Owners Group (PWROG). The 2022 [NMA 1-A](#) provides meanings for the action verbs used in SRs. It is provided as an aid to interpret the intent of the SRs, especially for users for whom English is not the first language.

- Key operating definitions such as the definitions of “PRA upgrade” and “PRA maintenance” were changed. These definitions now agree with the ones presented in PWROG-19027-NP (Rev. 2), “Newly Developed Method Requirements and Peer Review,” and endorsed by the U.S. Nuclear Regulatory Commission via Regulatory Guide 1.200 (Rev. 3), “Acceptability of Probabilistic Risk Assessment Results for Risk-Informed Activities.” Other definitions have been revisited for clarity.
- Notes and commentaries have been revised to ensure content is still up to date and, for the most part, are removed from the body of this Standard and located in NMAs associated with the individual Parts. This relocation emphasizes the concept that notes and commentaries do not represent formal requirements of this Standard and are provided for information. References are also removed from individual SRs and moved to notes as one way to meet the SRs.
- All peer review requirements have been consolidated into one section in [Part 1](#) to remove inconsistencies and duplicated information from different Parts.
- The clarification regarding the scope of walkdowns documented in JCNRM Inquiry 20-2435 for Addendum B has been included in the NMAs for all walkdown SRs in this Standard (Inquiry 20-2435 available at <https://cstools.asme.org/csconnect/CommitteePages.cfm?Committee=100186782&Action=40886>)
- Finally, Part 10 on the Seismic Margin Assessment has been withdrawn from this Standard and is therefore removed.

The current edition, ANSI/ANS RA-S-1-1-2024, presents only minimal editorial modifications and reference corrections from the 2022 edition and further enhances the internal consistency of this Standard. Expanded requirements are only provided for [HR-H2](#) and [HR-C3](#).

This publication, the 2024 edition of the “Standard for Level 1/Large Early Release Frequency Probabilistic Risk Assessment for Nuclear Power Plant Applications,” was approved by the ASME BNCS and the ANS Standards Board. ASME/ANS RA-S-1-1-2024 was approved by ANSI on February 29, 2024.

CORRESPONDENCE WITH THE ASME/ANS JOINT COMMITTEE ON NUCLEAR RISK MANAGEMENT

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at <https://go.asme.org/JCNRMcommittee>.

Revisions and Errata. The committee processes revisions to this Standard on a continuous basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive e-mail notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revision. Such proposals should be as specific as possible, citing the paragraph number, the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases

(a) The most common applications for cases are

- (1) to permit early implementation of a revision based on an urgent need
- (2) to provide alternative requirements

(3) to allow users to gain experience with alternative or potential additional requirements prior to incorporation directly into the Standard

- (4) to permit the use of a new material or process

(b) Users are cautioned that not all jurisdictions or owners automatically accept cases. Cases are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Standard.

(c) A proposed case shall be written as a question and reply in the same format as existing cases. The proposal shall also include the following information:

- (1) a statement of need and background information
- (2) the urgency of the case (e.g., the case concerns a project that is underway or imminent)
- (3) the Standard and the paragraph, figure, or table number
- (4) the editions of the Standard to which the proposed case applies

(d) A case is effective for use when the public review process has been completed and it is approved by the cognizant supervisory board. Approved cases are posted on the committee web page.

Interpretations. Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the online Interpretation Submittal Form at <https://go.asme.org/InterpretationRequest>. Upon submitting the form, the inquirer will receive an automatic e-mail confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at <https://go.asme.org/Interpretations>.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect the interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Interpretations are published in the ASME Interpretations Database at <https://go.asme.org/Interpretations> as they are issued.



Committee Meetings. The ASME/ANS JCNRM regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at <https://go.asme.org/JCNRMcommittee>.

Currently in preview, click buy full version



ACKNOWLEDGMENTS

The ANS/ASME JCNRM is animated by the passion of more than 200 professionals in the industry, from four continents and spanning the extensive interdisciplinary breadth needed for the development of multihazard, full-scope, comprehensive risk assessments. Their dedication and support continue to sustain the primary role that risk information has in the safe and efficient design, operation, and regulation of nuclear power plants. The members of the JCNRM Working Group on Level 1 LWR have dedicated significant time to the refinement of this Standard.



Currently in preview, click buy full version

INTENTIONALLY LEFT BLANK



ASME/ANS RA-S COMMITTEE

Standard for Level 1/ Large Early Release Frequency Probabilistic Risk Assessment for Nuclear Power Plant Applications

(The following is a roster of the Committee at the time of the approval of this Standard.)

ASME/ANS Joint Committee on Nuclear Risk Management

K. R. Fine, *ASME Cochair*, Energy Harbor
D. W. Henneke, *ANS Cochair*, GE Hitachi Nuclear Energy
G. W. Kindred, *ASME Vice Cochair*, Tennessee Valley Authority
A. Maioli, *ANS Vice Cochair*, Westinghouse Electric Company, LLC
O. Martinez, *Secretary*, The American Society of Mechanical Engineers
P. J. Amico, Jensen Hughes, Inc.
V. Andersen, Jensen Hughes, Inc.
V. K. Anderson, Nuclear Energy Institute
G. Apostolakis, Nuclear Risk Research Center
M. Bensi, University of Maryland
S. Bristol, NuScale Power, LLC
R. J. Budnitz, Lawrence Berkeley National Laboratory (retired)
G. DeMoss, PSEG Nuclear, LLC
M. R. Denman, Kairos Power
B. Dolan, *Alternate*, Tennessee Valley Authority, Pressurized Water Reactor Owners Group
K. N. Fleming, KNF Consulting Services, LLC
D. Grabaskas, Argonne National Laboratory
C. R. Grantom, C. R. Grantom P. E. Associates, LLC
H. A. Hackerott, Individual
J. E. Hagaman, Kairos Power
D. C. Hance, Electric Power Research Institute
M. Humberstone, U.S. Nuclear Regulatory Commission
J. M. Jansen Vehec, HOLTEC International
N. R. LaBarge, Westinghouse Electric Company, LLC
S. H. Levinson, Individual
S. R. Lewis, Individual
S. M. Loyd, *Alternate*, Constellation
Z. Ma, Idaho National Laboratory
P. F. Nelson, National Autonomous University of Mexico
R. I. Rishel, Duke Energy, Boiling Water Reactor Owners Group
M. B. Sattison, Individual
R. E. Schneider, Westinghouse Electric Company, LLC
J. L. Stone, Constellation
R. W. Youngblood, Idaho National Laboratory
K. L. Kiper, *Contributing Member*, Westinghouse Electric Company, LLC
R. Linthicum, *Contributing Member*, Constellation
J. O'Brien, *Contributing Member*, U.S. Department of Energy
S. Poghosyan, *Contributing Member*, International Atomic Energy Agency
P. A. Schroeder, *Contributing Member*, American Nuclear Society
I. B. Wall, *Contributing Member*, Consultant

Nuclear Risk Standards and Guidance Subcommittee (NURI-SC)

N. R. LaBarge, *Chair*, Westinghouse Electric Company, LLC
Z. Ma, *Vice Chair*, Idaho National Laboratory
V. K. Anderson, Nuclear Energy Institute
S. Bristol, NuScale Power, LLC
H. L. Detar, Westinghouse Electric Company, LLC
K. N. Fleming, KNF Consulting Services, LLC
D. Grabaskas, Argonne National Laboratory
D. W. Henneke, GE Hitachi Nuclear Energy
M. Humberstone, U.S. Nuclear Regulatory Commission
A. Maioli, Westinghouse Electric Company, LLC
R. E. Schneider, Westinghouse Electric Company, LLC
R. Summitt, ENERCON
T. Sung, Southern Nuclear
G. A. Teagarden, Three Strand Living, LLC

JCNRM Working Group on Level 1 LWR

A. Maioli, *Chair*, Westinghouse Electric Company, LLC
J. M. Jansen Vehec, *Vice Chair*, HOLTEC International
P. J. Amico, Jensen Hughes, Inc.
V. Andersen, Jensen Hughes, Inc.
M. Bensi, University of Maryland
J. M. Biersdorf, Terrapower
S. A. Brinkman, GE Hitachi Nuclear Energy
M. Degonish, *Alternate*, Ameren
S. Eder, Facility Risk Consultants, Inc.
J. E. Evans, U.S. Nuclear Regulatory Commission
M. Gonzalez, *Alternate*, U.S. Nuclear Regulatory Commission
H. A. Hackerott, Individual
J. Hall, Entergy Operations, Inc.
D. C. Hance, Electric Power Research Institute
D. W. Henneke, GE Hitachi Nuclear Energy
F. Joglar, Jensen Hughes, Inc.
A. M. Kammerer, U.S. Department of the Army
J. C. Lin, ABSG Consulting, Inc.
N. Lovelace, Jensen Hughes, Inc.
D. N. Miskiewicz, Engineering Planning and Management, Inc.
A. Rubbico, Duke Energy
R. E. Schneider, Westinghouse Electric Company, LLC
M. L. Szoke, UK Atomic Energy Authority



Standards Infrastructure Subcommittee (SI-SC)

D. C. Rapp, *Chair*, Energy Harbor
S. Zhang, *Vice Chair*, Idaho National Laboratory
M. R. Denman, Kairos Power

H. A. Hackerott, Individual
R. E. Schneider, Westinghouse Electric Company, LLC
J. L. Stone, Constellation

Subcommittee on Risk Applications (SCoRA)

S. R. Lewis, *Chair*, Individual
G. M. DeMoss, *Vice Cochair*, PSEG Nuclear, LLC
F. G. Hudson, *Vice Cochair*, Metcalfe PLLC
G. Apostolakis, Nuclear Risk Research Center
R. J. Budnitz, Lawrence Berkeley National Laboratory (retired)
B. Dolan, Tennessee Valley Authority
A.-M. Grady, *Alternate*, U.S. Nuclear Regulatory Commission
C. R. Grantom, C. R. Grantom P. E. Associates, LLC
J. E. Hagaman, Kairos Power
J. M. Jansen Vehec, HOLTEC International
G. W. Kindred, Tennessee Valley Authority
N. R. LaBarge, Westinghouse Electric Company, LLC
S. H. Levinson, Individual
R. Linthicum, Constellation
A. Maioli, Westinghouse Electric Company, LLC

P. F. Nelson, National Autonomous University of Mexico
J. O'Brien, U.S. Department of Energy
S. J. Reed, Westinghouse Electric Company, LLC
R. I. Rishel, Duke Energy
T. D. Sande, ENERCON
J. L. Stone, Constellation
R. Summitt, ENERCON
K. Sutton, INGRID Consulting Services, LLC
C. Trull, Engineering Planning and Management, Inc.
M. Valentin, U.S. Nuclear Regulatory Commission
V. Warren, Jensen Hughes, Inc.
Y. Yamanaka, Nuclear Damage Compensation and Decommissioning
Facilitation
R. W. Youngblood, Idaho National Laboratory

Technical Requirements Subcommittee (TR-SC)

K. R. Fine, *Chair*, Energy Harbor
M. Degonish, *Vice Chair*, Ameren
V. Andersen, Jensen Hughes, Inc.
M. Bensi, University of Maryland
J. DeJesus Segarra, U.S. Nuclear Regulatory Commission

F. Grant, Simpson Gumpertz & Heger, Inc.
H. A. Hackerott, Individual
F. J. Joglar, Jensen Hughes, Inc.
J. C. Lin, ABSG Consulting, Inc.
N. Lovelace, Jensen Hughes, Inc.



PART 1

GENERAL REQUIREMENTS FOR

A LEVEL 1 PRA, INCLUDING

LARGE EARLY RELEASE

FREQUENCY

Section 1-1

Introduction

1-1.1 OBJECTIVE

This Standard states the requirements for probabilistic risk assessments (PRAs) used to support risk-informed decisions for commercial light water reactor (LWR) nuclear power plants while at-power.

1-1.2 SCOPE AND APPLICABILITY

This Standard states requirements for a Level 1 PRA of internal and external hazards while at-power for the evaluation of core damage frequency (CDF). In addition, this Standard states requirements for a limited Level 2 PRA sufficient to evaluate large early release frequency (LERF). The only hazards explicitly excluded from the scope are accidents resulting from purposeful human-induced security threats (e.g., sabotage, terrorism). These requirements are written for operating LWR power plants (i.e., plants with designs and features similar to the plants operating when this Standard was published). They may be used for LWR plants under design or construction or for advanced LWRs, but revised or additional requirements may be needed.

1-1.2.1 Treatment of Hazard Groups

This Standard states specific requirements for the following hazard groups:

- (a) Internal Events ([Part 2](#))
- (b) Internal Floods ([Part 3](#))

- (c) Internal Fires ([Part 4](#))
- (d) Seismic Events ([Part 5](#))
- (e) High Winds ([Part 7](#))
- (f) External Floods ([Part 8](#))
- (g) Other Hazards ([Part 9](#))

Many of the technical requirements in [Part 2](#) are fundamental requirements for performing a PRA for any hazard group and are therefore relevant to [Part 3](#), [Part 4](#), [Part 5](#), [Part 6](#) (for external hazard screening), [Part 7](#), [Part 8](#), and [Part 9](#) of this Standard. They are included by reference in those requirements that address the development of the plant response to the damage states created by the hazard groups addressed in [Part 3](#), [Part 4](#), [Part 5](#), [Part 6](#), [Part 7](#), [Part 8](#), and [Part 9](#). Their specific allocation to [Part 2](#) is partially a historical artifact of the way this PRA Standard was developed, with the at-power internal-events (including internal floods) requirements being developed first, and those of the remaining hazard groups being developed later. However, it is also a reflection of the fact that a fundamental understanding of the plant response to a reasonably complete set of initiating events (as defined in [Section 1-2.2](#)) provides the foundation for modeling the impact of various hazards on the plant. Thus, even though [Part 2](#) is given a title associated with the internal-events hazard group, it is understood that the requirements in this Part are applicable to all the hazard groups within the scope of the PRA.

(The text presented in [blue font](#) in this Standard comprises hyperlinks to enable efficient access to referenced sections and elements, requirements, notes, references, etc., including hyperlinks to and from HLRs and SRs in the requirements section and appendix.)