

ASME B107.300-2021
[Revision of ASME B107.300-2010 (R2016)]

Hand Torque Tools and Torque Testers

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B107.300-2021
[Revision of ASME B107.300-2010 (R2016)]

Hand Torque Tools and Torque Testers

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: August 31, 2021

This Standard will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee web page and under <http://go.asme.org/InterpsDatabase>. Periodically certain actions of the ASME B107 Committee may be published as Cases. Cases are published on the ASME website under the B107 Committee Page at <http://go.asme.org/B107committee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The B107 Committee Page can be found at <http://go.asme.org/B107committee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures agreed to as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" an item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2021 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	v
Committee Roster	vi
Correspondence With the B107 Committee	vii
1	Scope	1
2	Definitions	1
3	References	1
4	Classification	2
5	Performance Requirements	2
6	Tests	12
7	Safety Requirements and Limitations of Use	19
Nonmandatory Appendices		
A	Accuracy Examples	20
B	Correlation of ASME B107.300 to ISO 6789	22
Figures		
5.1.1-1	Category 14, Type I, Class A	6
5.1.1-2	Category 14, Type I, Class B	6
5.1.1-3	Category 14, Type I, Class C	6
5.1.1-4	Category 14, Type I, Class D	6
5.1.2-1	Category 14, Type I, Class B, Style 1	7
5.1.2-2	Category 14, Type I, Class B, Style 2	7
5.1.3-1	Category 14, Type II, Class A, Style 2	7
5.1.3-2	Category 14, Type II, Class A, Style 3 (Shown Without Interchangeable Head)	7
5.1.3-3	Category 14, Type II, Class B, Style 2	7
5.1.3-4	Category 14, Type II, Class B, Style 3 (Shown Without Interchangeable Head)	7
5.1.3-5	Category 14, Type II, Classes A and B, Style 3 (Shown With Interchangeable Head)	7
5.1.3-6	Flexible Head	8
5.1.4-1	Category 14, Type III, Class A, Style 1, Design A	8
5.1.4-2	Category 14, Type III, Class A, Style 1, Design B	9
5.1.4-3	Category 14, Type III, Class A, Style 2, Design A	9
5.1.4-4	Category 14, Type III, Class A, Style 2, Design B	9
5.1.4-5	Category 14, Type III, Class B	9
5.1.5-1	Category 14, Type IV Break-Over Wrench	10
5.7.1-1	Drive Ball Location	10
5.10.1-1	Gravity-Independent Test Position	11
6.1-1	Graduated Range	13
6.3-1	Accuracy Test Flowchart — Category 14	14

6.4.1-1	Accuracy Test Flowchart — Category 28 Torque Test	15
6.4.2-1	Accuracy Test Flowchart — Category 28, Types II and IV Angle Test	16
6.5.2-1	Accuracy Test Flowchart — Category 29	17
6.6.2-1	Gravity-Dependent Test Positions	18

Tables

4-1	Classification: Category 14 Hand Torque Tools, Mechanical	3
4-2	Classification: Category 28 Electronic Torque Instruments	5
4-3	Classification: Category 29 Electronic Torque Testers	6
5.8-1	Torque Instrument Capacity	11
5.9-1	Maximum Torque Instrument Increment Value as Percent of Rated Capacity	11
5.10.1-1	Torque Instrument Torque Accuracy	12
5.10.2-1	Torque Instrument Angle Accuracy	12
5.11-1	Torque Instrument Operating Load	12
A-1	Examples of Accuracy Percent Calculation	20
A-2	Examples of Test Point Calculation for Accuracy Test	21
A-3	Example of Reading Below 20%	21
B-1	Correlation of ASME B107.300 to ISO 6789	23

FOREWORD

The American National Standards Committee B107, Socket Wrenches and Drives, under sponsorship of The American Society of Mechanical Engineers (ASME), was reorganized on June 28, 1967, as an ASME Standards Committee, and its title was changed to Hand Tools and Accessories. In 1996, its scope was expanded to include safety considerations.

In 1999, ASME initiated a project to consolidate hand tool standards by category of tool. The initial implementation included distinct standards within a single publication bearing a three-digit number corresponding to the responsible B107 subcommittee. To maintain continuity within the user community, the former component standard numbers are renamed as categories in the consolidated standard.

This edition completes the integration of the component standards into a single document. Previous editions of B107.14, Hand Torque Tools (Mechanical); B107.28, Electronic Torque Instruments; and B107.29, Electronic Torque Tester, Hand Torque Tools, are obsolete.

The purpose of B107.300 is to define essential performance and safety requirements for the following three types of torque instruments:

- (a) manually operated torque instruments, commonly used for mechanical measurement of torque for control of the tightness of threaded fasteners
- (b) electronic torque testers used for checking manually operated, hand-held torque wrenches and screwdrivers
- (c) manually operated electronic torque instruments with integral or interchangeable heads

This Standard may be used as a guide by state authorities or other regulatory bodies in the formulation of laws or regulations. It is also intended for voluntary use by establishments that use or manufacture the tools covered.

This edition includes requirements for endurance, torque value ranges, and accuracy for these torque instruments; specifies test methods to evaluate performance related to the defined requirements; and indicates limitations of safe use. Calculation examples and a cross-reference to tools described in ISO 6789 are provided in the appendices.

This Foreword is not a part of ASME B107.300 and is included for information purposes only.

Members of the Hand Tools Institute Torque Instrument Standards Committee, through their knowledge and hard work, have been major contributors to the development of the B107 wrench standards. Their active efforts in the promotion of these standards is acknowledged and appreciated.

ASME B107.300-2021 was approved by the F10 Standards Committee on March 12, 2021, and by the Board on Standards and Testing on March 12, 2021. It was approved as an American National Standard on June 10, 2021, and takes effect when issued.

ASME B107 COMMITTEE

Hand Tools and Accessories

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

J. S. Foote, *Chair*
B. Price, *Vice Chair*
D. Papert, *Secretary*

STANDARDS COMMITTEE PERSONNEL

N. C. Cantlon, Jore Corp.
J. D. Davidson, Ideal Industries, Inc.
D. M. Eggert, Snap-On, Inc.
J. S. Foote, Trade Association Management, Inc.
D. Kritikos, Channellock, Inc.
C. Kuznia, General Services Administration
B. List, Apex Tool Group
G. E. Olson, Gene Olson Engineering Consultant, Ltd.
W. T. Pagac, Forever Associates, LLC

D. Papert, The American Society of Mechanical Engineers
B. Price, Consultant
W. C. Snyder, Wright Tool Co.
H. Yin, Consultant
B. Solar, *Alternate*, SK Hand Tool, LLC
C. J. Hyatt, *Contributing Member*, Air Force Metrology and Calibration
C. S. Rakurty, *Contributing Member*, The M. K. Morse Co.
J. L. Reynertson, Jr., *Contributing Member*, Snap-On, Inc.
D. D. Schmick, *Contributing Member*, Midwest Tool and Cutlery Co.

CORRESPONDENCE WITH THE B107 COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions or a case, and attending Committee meetings. Correspondence should be addressed to:

Secretary, B107 Standards Committee
The American Society of Mechanical Engineers
Two Park Avenue
New York, NY 10016-5990
<http://go.asme.org/Inquiry>

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

Proposing a Case. Cases may be issued to provide alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the Standard and the paragraph, figure, or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

Interpretations. Upon request, the B107 Standards Committee will render an interpretation of any requirement of the Standard. Interpretations can only be rendered in response to a written request sent to the Secretary of the B107 Standards Committee.

Requests for interpretation should preferably be submitted through the online Interpretation Submittal Form. The form is accessible at <http://go.asme.org/interpretationRequest>. Upon submittal of the form, the Inquirer will receive an automatic e-mail confirming receipt.

If the Inquirer is unable to use the online form, he/she may mail the request to the Secretary of the B107 Standards Committee at the above address. The request for an interpretation should be clear and unambiguous. It is further recommended that the Inquirer submit his/her request in the following format:

- Subject: Cite the applicable paragraph number(s) and the topic of the inquiry in one or two words.
- Edition: Cite the applicable edition of the Standard for which the interpretation is being requested.
- Question: Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. Please provide a condensed and precise question, composed in such a way that a "yes" or "no" reply is acceptable.
- Proposed Reply(ies): Provide a proposed reply(ies) in the form of "Yes" or "No," with explanation as needed. If entering replies to more than one question, please number the questions and replies.
- Background Information: Provide the Committee with any background information that will assist the Committee in understanding the inquiry. The Inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in the format described above may be rewritten in the appropriate format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

Moreover, ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the inquiry information submitted, it is the opinion of the Committee that the Inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME Committee or Subcommittee. ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

Attending Committee Meetings. The B107 Standards Committee regularly holds meetings and/or telephone conferences that are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the B107 Standards Committee. Future Committee meeting dates and locations can be found on the Committee Page at <http://go.asme.org/B107committee>.

HAND TORQUE TOOLS AND TORQUE TESTERS

1 SCOPE

This Standard provides performance and safety requirements for manually operated torque instruments, commonly used for measurement of torque to control the tightness of threaded fasteners. It also provides performance and safety requirements for manually operated electronic torque instruments with integral or interchangeable heads. It includes requirements for endurance, torque value ranges, angle measurements, and accuracy for these torque instruments. It further provides performance and safety requirements for electronic torque testers used for checking manually operated, hand-held torque wrenches and torque screwdrivers. It is not intended to describe products infrequently utilized or those designed for special purposes.

This Standard may be used as a guide by state authorities or other regulatory bodies in the formulation of laws or regulations. It is also intended for voluntary use by establishments that use or manufacture the instruments covered.

2 DEFINITIONS

accuracy: the permissible deviation, tolerance, or error band. A higher value means a lower certainty of correctness.

angle: the amount of axial rotational displacement from a start point to an end point.

break-over: a temporary reduction in torque indicating a target value has been achieved, indicated by a displacement of the handle of at least 10 deg.

click: a temporary reduction in torque indicating a target value has been achieved, indicated by a displacement of the handle of less than 5 deg.

first peak: the maximum torque value just prior to the torque drop-off, which on Category 14, Types II and IV torque wrenches occurs as the wrench begins its momentary reaction in torque.

flex head: see *flexible ratchet head*.

flexible ratchet head: a handle with the capability of operating at an angle other than perpendicular to the axis of rotation.

full scale: see *rated capacity*.

graduation: a mark on the instrument indicating a torque value.

hand torque instrument: a tool combining hand wrenching and torque measurement functions, formerly referred to as *hand torque wrench*.

increment: the value of the difference between adjacent graduations.

indicated value: for Category 14, Type I, the value the instrument displays when torque is applied; for Types II, III, and IV, the value to which the instrument is set or preset.

measured value: the actual torque determined by a torque tester.

operating load: the operating load shall be calculated by dividing the rated capacity by the distance between the axis of the torque moment and the center of the grip or designated load point.

peak: the maximum torque value reached during the process of applying the load to the wrench.

rod: short rod or shaft on which a related part rotates or swings.

rated capacity: the maximum intended torque the user shall measure or apply.

resolution: the smallest distinguishable change in displayed value.

scale: the representation of the range of the instrument, divided into increments marked by numbered and unnumbered graduations.

setting: the amount of torque the instrument is expected to apply.

torque-to-angle: a method of assembly where a threshold torque is applied and then more torque is applied to produce a specific angle.

track: continuous readout of torque applied at any moment.

usable range of the transducer: the range to which the accuracy requirements of [para. 5.9](#) are applied.

3 REFERENCES

The following documents form a part of this Standard to the extent specified herein. The latest edition shall be used.

ASME B107.4, Driving and Spindle Ends for Portable Hand, Impact, Air, and Electric Tools (Percussion Tools Excluded)