

**ASME B1.1-2003**  
[Revision of ASME B1.1-1989 (R2001)]

# **Unified Inch Screw Threads**

(UN and UNR Thread Form)

**AN AMERICAN NATIONAL STANDARD**



The American Society of  
Mechanical Engineers

Intentionally left blank



The American Society of  
Mechanical Engineers

A N A M E R I C A N N A T I O N A L S T A N D A R D

# UNIFIED INCH SCREW THREADS

(UN and UNR Thread Form)

**ASME B1.1-2003**

[Revision of ASME B1.1-1989 (R2001)]

Date of Issuance: September 30, 2004

The 2004 edition of this Standard is being issued with an automatic addenda subscription service. The use of addenda allows revisions made in response to public review comments or committee actions to be published as necessary. This Standard will be revised when the Society approves the issuance of a new edition.

There will be no written interpretations of the requirements of this Standard issued to this edition.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Three Park Avenue, New York, NY 10016-5990

Copyright © 2004 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....	vi
Committee Roster .....	viii
<b>1 General</b> .....	<b>1</b>
1.1 Scope .....	1
1.2 Unified Screw Thread Standards .....	1
1.3 UN and UNR Screw Threads .....	1
1.4 Interchangeability .....	1
1.5 Designations .....	1
1.6 Reference Documents .....	1
1.7 Acceptability .....	2
1.8 Reference Temperature .....	2
1.9 Units of Measure .....	2
1.10 Federal Government Use .....	2
<b>2 Screw Thread Profile</b> .....	<b>2</b>
2.1 Scope .....	2
2.2 Basic Profile .....	2
2.3 Design Profiles .....	2
2.4 Formulas and Symbols .....	2
<b>3 Screw Thread Series</b> .....	<b>2</b>
3.1 Thread Series Definition .....	2
3.2 Order of Selection .....	2
3.3 Coarse-Thread Series Applications .....	3
3.4 Fine-Thread Series Applications .....	3
3.5 Extra-Fine-Thread Series Applications .....	3
3.6 Constant-Pitch Thread Series Applications .....	3
3.7 Fine Threads for Thin Wall Tubing .....	7
<b>4 Screw Thread Classes</b> .....	<b>36</b>
4.1 Thread Classes .....	36
4.2 Combinations of Classes .....	36
<b>5 Screw Thread Allowance and Tolerance</b> .....	<b>36</b>
5.1 Allowance .....	36
5.2 Pitch Diameter Tolerance, All Classes .....	36
5.3 Special Lengths of Engagement, <i>LE</i> .....	37
5.4 Minor Diameter Tolerance and Allowance for External Threads .....	54
5.5 Major Diameter Tolerance for Internal Threads .....	54
5.6 Minor Diameter Tolerance and Length of Engagement for Internal Threads .....	55
5.7 Disposition of Allowance and Tolerance .....	55
5.8 Formulas for Allowance and Tolerance .....	55
5.9 Lead and Flank Angle Tolerances .....	58
5.10 Coated or Plated Threads .....	58
5.11 Circular Runout .....	58
<b>6 Screw Thread Designation</b> .....	<b>58</b>
6.1 Basic Method of Designating .....	58

6.2	Method of Designating Coated Threads .....	61
6.3	Method of Designating Left-Hand Threads .....	62
6.4	Method of Designating UNS Threads .....	62
6.5	Designations for Other Threads .....	62
6.6	Method of Designating Threads Having Special Length of Engagement.....	63
6.7	Method of Designating Threads Having Modified Crests.....	63
<b>7</b>	<b>Dimensional Accommodation of Coating or Plating for 60-deg Threads .....</b>	<b>64</b>
7.1	Introduction.....	64
7.2	Material Lifts for Coated Threads.....	64
7.3	Dimensional Effects of Coating .....	64
7.4	External Thread With Allowance Available for Coating .....	64
7.5	External Thread With No Allowance for Coating .....	64
7.6	Internal Threads.....	67
7.7	Electrodeposited Coatings .....	67
7.8	Other Considerations .....	67
<b>8</b>	<b>Standard Series Threads (UN/UNR) and Limits of Size for Standard Series and UNS/UNRS Series Threads .....</b>	<b>67</b>
8.1	Standard Series.....	67
8.2	Limits of Size .....	67
8.3	Formulas for Limits of Size .....	67
8.4	Example of Calculations From Formulas .....	68
<b>9</b>	<b>Lead and Angle Tolerances .....</b>	<b>68</b>
9.1	Lead and Flank Angle Acceptance .....	68
<b>10</b>	<b>Formulas and Symbols for Thread Form .....</b>	<b>69</b>
10.1	Thread Form Formulas and Symbols .....	69
<b>11</b>	<b>Tables of Basic Dimensions .....</b>	<b>70</b>
11.1	Table Content .....	70
11.2	Thread Series.....	70
<b>Figures</b>		
1	Basic Profile for UN and UNF Screw Threads .....	3
2	Disposition of Diametral Tolerances, Allowance, and Crest Clearance for Unified Inch Screw Thread Classes 1A, 2A, 1B, and 2B .....	4
3	Disposition of Diametral Tolerances and Crest Clearances for Unified Inch Screw Thread Classes 3A and 3B.....	5
4	Ratio of Pitch Diameter Change to Thickness of Coating on 60-deg Threads.....	65
5	Effect of Electrodeposited Coatings on 60-deg External Threads .....	66
6	Application of General Thread Symbols .....	70
<b>Tables</b>		
1	Standard Series Threads (UN/UNR) .....	6
2	Limits of Size for Standard Series Threads (UN/UNR).....	8
3	Allowable Variations in Lead and Equivalent Change in Functional Diameter.....	38
4	Increments in Pitch Diameter Tolerance — Class 2A .....	56
5	Thread Form Data .....	59
6	Basic Dimensions for Coarse-Thread Series (UNC/UNRC) .....	72
7	Basic Dimensions for Fine-Thread Series (UNF/UNRF) .....	73
8	Basic Dimensions for Extra-Fine-Thread Series (UNEF/UNREF).....	74
9	Basic Dimensions for 4-Thread Series (4-UN/4-UNR) .....	75

10	Basic Dimensions for 6-Thread Series (6-UN/6-UNR) .....	76
11	Basic Dimensions for 8-Thread Series (8-UN/8-UNR) .....	77
12	Basic Dimensions for 12-Thread Series (12-UN/12-UNR) .....	79
13	Basic Dimensions for 16-Thread Series (16-UN/16-UNR) .....	81
14	Basic Dimensions for 20-Thread Series (20-UN/20-UNR) .....	83
15	Basic Dimensions for 28-Thread Series (28-UN/28-UNR) .....	84
16	Basic Dimensions for 32-Thread Series (32-UN/32-UNR) .....	85
17A	Outline Guide for Determining Limits of Size of External Threads .....	86
17B	Outline Guide for Determining Limits of Size of Internal Threads .....	86
18A	Examples of External Screw Threads .....	87
18B	Examples of Internal Screw Threads .....	90
19	Allowable Variation in 30 deg Basic Half Angle of External and Internal Screw Threads .....	92
20	General Symbols .....	93
 <b>Nonmandatory Appendices</b>		
A	Terminology and Identification of Unified Inch Screw Threads .....	95
B	Thread Strength Design Formulas .....	97
C	Unified Inch Screw Threads — Metric Translation .....	98
D	Special Threads .....	134
E	Changes to ASME B1.1-1989 Tables 3A and 3B .....	177

# FOREWORD

This Standard is the outgrowth of and supersedes previous editions that were published as B1-1924, B1.1-1935, B1.1-1949, B1.1-1960, B1.1-1974, B1.1-1982, and B1.1-1989. Throughout such development, special attention has been given to the practical aspects of thread standardization, and many details of the current Standard result from studies and tests based on user problems. For example, there was disclosed the need for free assembly in high-production industries and the desirability of making some provision for threads that require a coating. The tolerance classes 2A/2B were developed to meet these two major requirements as well as to provide a general standard for externally and internally threaded fasteners. Thread symbols and nomenclature were changed to be expressed according to ASME B1.7. Thread acceptability now refers to ASME B1.3.

This issue includes the following changes to ASME B1.1-1989:

(a) The revision of some of the values in Table 2. These revisions are the result of the application of the consistent eight place decimal and rounding rules established in ASME B1.30-1992 that were mandated for use in all new and future revisions of ASME B1 documents. ASME B1.30 was developed under the direction of the B1 Committee as the basis for rounding of decimal values associated with the computation of screw thread dimensions. Using the thread calculation formulas in paras. 5 and 8 of this document and following the rounding rules of B1.30 all parties using a calculator or standard computer spreadsheet program will derive precisely the same values.

Table E-1 of Nonmandatory Appendix E identifies the thread sizes in Table 2 that have been revised and lists the dimensions from the ASME B1.1-1989 standard. The majority of the dimensional changes are within  $\pm 0.0001$  in.

Paragraph 8.2.1 states that both the values in Tables 2 and E-1 should be considered acceptable until a future revision of this standard makes the values in Table 2 the only acceptable values.

(b) Former Table 3B has been moved to Nonmandatory Appendix D. This table provides calculated values for various UNS (Unified Special), ASME B1 strongly urges the adoption of the standard thread sizes in Table 2 whenever possible instead of those listed in Table D-1.

(c) Former Tables 20 through 30 have been eliminated because the allowances and tolerances contained in them was determined to be redundant with data provided in Table 2.

(d) Former Tables 31 through 40 have been moved to Nonmandatory Appendix D and were renamed Tables D-2 through D-11. These tables were used in the past for the quick calculation of special threads. In some cases the derived values resulted in values that differ from those derived by use of the formulas in paras. 5 and 8 of ASME B1.1. All future special threads should be based on calculations in paras. 5 and 8 in this document using the rounding rules in ASME B1.30 to ensure uniformity and consistency.

(e) All references to percent of thread engagement have been eliminated from this document. Past changes in the thread form designation of the "basic" thread height from  $0.750H$  to  $0.625H$  confused the calculation of percent of thread engagement. This calculation has been used in the past for threaded products users to determine drill size selection. It is now recommended that users select a drill size that will result in a hole size that lies between the maximum and minimum size of the internal thread's minor diameter shown in the tables included in this Standard.

(f) The definition of "functional diameter" has been included in this document and the term has been added in Table 2 in the same column as "pitch diameter" since both characteristics have the same limits of size.

(g) The effects of coating on threads have been explained in more depth in para. 7.

The Unified Screw Threads Standard is an integrated system of threads for fastening purposes in mechanisms and structures. Its outstanding characteristic is general interchangeability of threads, achieved through the standardization of thread form, diameter-pitch combinations, and limits of size.

The Standard has as its original basis the work done more than a century ago by William Sellers in the United States and Sir Joseph Whitworth in Great Britain. Throughout the intervening

years there have been many further developments and revisions, culminating in the system of Unified Threads approved and adopted for use by all inch-using countries.

The achievements represented by ASME B1.1 in development, standardization, and unification are the result of cooperation and coordination of many organizations, including The American Society of Mechanical Engineers, Society of Automotive Engineers, National Institute of Science and Technology (formerly National Bureau of Standards), Committee B1, the former National Screw Thread Commission, the former Interdepartmental Screw Thread Committee, British Standards Institution, Canadian Standards Association, and American National Standards Institute.

Unification of screw thread standards received its impetus from the need for interchangeability among the billions of fasteners used in the complex equipment of modern technology and made in different countries. Equally important, however, are international trade in mechanisms of all kinds and the servicing of transportation equipment which moves from country to country. These have made unification not only highly advantageous, but practically essential. In sizes  $\frac{1}{4}$  in and larger, complete unification of certain thread series and six tolerance classes was signaled by the signing of an accord on November 18, 1948. Since that time, further unification has been extended into smaller sizes. Working through Technical Committee No. 1 of the International Organization for Standardization (ISO), the unified standard was adopted as an ISO inch screw thread standard, ISO 5864, parallel to the ISO metric screw thread system. Both systems have a common basic profile. The standard was subject to Quadripartite Standardization Agreement (QS-AG) 247, in the ABCA Army Standardization Program of America, Britain, Canada, and Australia.

Suggestions for improvement of this Standard will be welcomed. They should be sent to the American Society of Mechanical Engineers at ASME International, Three Park Avenue, New York, NY 10016-5990, U.S.A.

ASME B1.1-2003 was approved by the American National Standards Institute (ANSI) on March 27, 2003.

# ASME STANDARDS COMMITTEE B1

## Standardization and Unification of Screw Threads

(The following is the roster of the Committee at the time of approval of this Standard.)

### OFFICERS

**A. L. Barrows**, *Chair*  
**D. S. George**, *Vice Chair*  
**R. L. Crane**, *Secretary*

### COMMITTEE PERSONNEL

**G. L. Allen**, L. S. Starret Co.  
**A. L. Barrows**, Kennametal — IPG  
**M. H. Bernier**, Standard Nut and Bolt  
**F. G. Calderone**, Quality Systems Implementers  
**R. L. Crane**, The American Society of Mechanical Engineers  
**L. N. Dixon, Jr.**, General Electric  
**R. Dodge**, Penney-Dodge Co.  
**G. A. Flannery**, Mercury Gage Co.  
**D. Skierski**, *Alternate*, Mercury Gage Co.  
**H. N. Frost**, Defense Supply Center Philadelphia  
**J. O. Gehret**, Vermont Thread Gage  
**D. S. George**, Ford Motor Co.  
**J. R. Gervasi**, Kerr Lakeside Inc.  
**J. Greenslade**, Greenslade & Co.  
**J. Vance**, *Alternate*, Greenslade and Co.  
**R. J. Hukari**, SPS Tehnologies  
**L. C. Johnson**, The Johnson Gage Co.  
**D. D. Katz**, Precision Fittings  
**R. P. Knittel**, Leitech—U.S., Ltd.  
**B. Larzelere**, Deltronic Corp.  
**L. L. Lord**, Caterpillar, Inc.  
**R. L. Tennis**, *Alternate*, Caterpillar, Inc.  
**M. H. McWilliams**, PMC Gage, Inc.  
**D. Miskinis**, Kennametal—IPG  
**W. R. Newman**, Consultant  
**M. W. Rose**, Southern Gage, Inc.  
**W. A. Watts**, *Alternate*, Southern Gage, Inc.  
**E. Schwartz**, Consultant  
**R. H. Searr**, Consultant  
**B. F. Sheffler**, Dresser-Rand Co.  
**A. D. Shepard, Jr.**, Emuge Corp.  
**A. C. Strong**, Consultant  
**R. D. Strong**, General Motors Corp.  
**A. F. Thibodeau**, Swanson Tool Manufacturing Co.  
**R. E. Vincent, Jr.**, General Plug Manufacturing Co.  
**C. J. Wilson**, Industrial Fasteners Institute  
**F. W. Akstens**, *Alternate*, Industrial Fasteners Institute

### SUBCOMMITTEE — UNIFIED SCREW THREADS

**A. L. Barrows**, *Chair*, Kennametal — IPG  
**D. Miskinis**, *Vice-Chair*, Kennametal — IPG  
**M. H. Bernier**, Standard Nut and Bolt  
**M. Cox**, Frank J. Cox Sales, Ltd.  
**L. N. Dixon, Jr.**, General Electric  
**H. N. Frost**, Defense Supply Center Philadelphia  
**D. S. George**, Ford Motor Co.  
**J. R. Gervasi**, Kerr Lakeside, Inc.  
**J. Greenslade**, Greenslade & Co.  
**J. Vance**, *Alternate*, Greenslade & Co.  
**D. H. Honsinger**, Consultant  
**R. J. Hukari**, SPS Tehnologies  
**L. C. Johnson**, The Johnson Gage Co.  
**J. M. Kane**, Boeing  
**D. D. Katz**, Precision Fittings  
**R. P. Knittel**, Leitech — U.S., Ltd.  
**B. Larzelere**, Deltronic Corp.  
**L. L. Lord**, Consultant  
**W. R. Newman**, Consultant  
**E. Schwartz**, Consultant  
**R. H. Searr**, Consultant  
**B. F. Sheffler**, Dresser-Rand Co.  
**J. D. Smith**, Hi-Shear Corp.  
**R. D. Strong**, GM Vehicle Engineering Ctr.  
**A. F. Thibodeau**, Swanson Tool Manufacturing, Inc.  
**R. E. Vincent, Jr.**, General Plug Manufacturing Co.  
**C. J. Wilson**, Industrial Fasteners Institute  
**F. W. Akstens**, *Alternate*, Industrial Fasteners Institute

# UNIFIED INCH SCREW THREADS

## (UN AND UNR THREAD FORM)

### 1 GENERAL

#### 1.1 Scope

This Standard specifies the thread form, series, class, allowance, tolerance, and designation for unified screw threads. (In order to emphasize that unified screw threads are based on inch modules, they may be denoted unified inch screw threads.) Several variations in thread form have been developed for unified threads; however, this Standard covers only UN and UNR thread forms.

For easy reference, a metric translation of this Standard has been incorporated as Nonmandatory Appendix C. Nonmandatory Appendices A through E contain useful information that is supplementary to the sections of this Standard.

#### 1.2 Unified Screw Thread Standards

The standards for unified screw threads published in this Standard are in agreement with formal standards of the International Organization for Standardization for diameter-pitch combinations, designations, and tolerances for 60 deg triangular form inch screw threads. Unified screw threads had their origin in an accord signed in Washington, D.C., on November 18, 1948, by representatives of standardizing bodies of Canada, the United Kingdom, and the United States, and have subsequently superseded American National screw threads.

#### 1.3 UN and UNR Screw Threads

UNR applies only to external threads; the difference between UN and UNR threads, in addition to designation, is that a flat or optional rounded root contour is specified for UN threads, while only a rounded root contour is specified for UNR threads.

#### 1.4 Interchangeability

Unified (UN/UNR) and its predecessor, American National screw threads, have substantially the same thread form, and threads of both standards having the same diameter and pitch are mechanically interchangeable. The principal differences between these standards relate to the application of allowances, the variation of tolerances with size, differences in the amounts of pitch diameter tolerances for external and internal threads, and differences in thread designations. Unified inch and

ISO metric screw threads are not mechanically interchangeable.

#### 1.5 Designations

Unified thread sizes (specific combinations of diameter and pitch) are identified by the letter combination "UN" in the thread symbol. In the unified standards, the pitch diameter tolerances for external threads differ from those for internal threads; for this reason the letter "A" is used in the thread symbol to denote an external thread and the letter "B," an internal thread. Where the letters "U," "A," or "B" do not appear in the thread designation, the threads conform to the outdated American National screw threads. Details regarding thread designations are given in para. 6.

#### 1.6 Reference Documents

The latest issues of the following documents form a part of this Standard to the extent specified herein.

When the following American National Standards referred to in this Standard are superseded by a revision approved by the American National Standards Institute, Inc., the revision should apply.

ASME B1.2, Gages and Gaging for Unified Inch Screw Threads

ASME B1.3, Screw Thread Gaging Systems for Dimensional Acceptability — Inch and Metric Screw Threads

ASME B1.7, Nomenclature, Definitions, and Letter Symbols for Screw Threads

ASME B1.30, Screw Threads — Standard Practices for Calculating and Rounding Dimensions

ASME B47.1, Gage Blanks

ASME B94.11, Twist Drills

ASME Y14.5, Dimensioning and Tolerancing

Publisher: The American Society of Mechanical Engineers (ASME International), Three Park Avenue, New York, NY 10016-5990; Order Department: 22 Law Drive, Box 2300, Fairfield, NJ 07007-2300

ISO 68, General Purpose Screw Threads — Basic Profile

Publisher: International Organization for Standardization (ISO), 1 rue de Varembe, Case Postale 56, CH-1211, Genève 20, Switzerland/Suisse