

ASME B30.12-2024

[Revision of ASME B30.12-2011 (R2021)]

Handling Loads Suspended From Rotorcraft

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks,
Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B30.12-2024
[Revision of ASME B30.12-2011 (R2021)]

Handling Loads Suspended From Rotorcraft

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks,
Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: February 7, 2025

This Standard will be revised when the Society approves the issuance of a new edition. This Standard will become effective 1 year after the Date of Issuance.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

CONTENTS

Foreword	v
Committee Roster	vi
Correspondence With the B30 Committee	vii
B30 Standard Introduction	ix
Summary of Changes	xi
Chapter 12-0 Scope, Definitions, and References	1
Section 12-0.1 Scope	1
Section 12-0.2 Purpose	1
Section 12-0.3 Definitions	1
Section 12-0.4 Abbreviations and Acronyms	5
Section 12-0.5 References	5
Chapter 12-1 External Load Ratings and Characteristics	6
Section 12-1.1 Load Ratings	6
Section 12-1.2 Load Characteristics and Control	6
Chapter 12-2 Lifting — Rigging Components	7
Section 12-2.1 Hook With Open-Throat Load Beam	7
Section 12-2.2 Impact of Rotorcraft Maneuvering on Resultant Forces on Rigging Components	7
Section 12-2.3 Longlines and Leadlines	7
Section 12-2.4 Rigging Components	10
Section 12-2.5 Slings	10
Section 12-2.6 Rigging Hardware	12
Section 12-2.7 Hooks	12
Section 12-2.8 Below-the-Hook Devices	12
Section 12-2.9 Cargo Nets	12
Section 12-2.10 Flexible Intermediate Bulk Containers	12
Section 12-2.11 Load Attachments Points (Non-Airframe)	12
Chapter 12-3 Inspection	14
Section 12-3.1 Open Throat Load Beam Inspection	14
Section 12-3.2 Synthetic Slings and Synthetic Longline Inspection	14
Section 12-3.3 Wire Rope Slings and Wire Rope Longlines	14
Section 12-3.4 Cargo Nets Inspection	15
Section 12-3.5 Structural Load Attachments Points	15
Section 12-3.6 BTH Devices — Inspection and Testing	15
Section 12-3.7 Rigging Hardware and Hooks	15
Section 12-3.8 Selection, Inspection and Use of FIBCs	16
Chapter 12-4 Operations	17
Section 12-4.1 Pre-Job Coordination: Rotorcraft Operator and Contractor	17
Section 12-4.2 Pre-Job Coordination	17

Section 12-4.3	Pre-Lift Meeting	18
Section 12-4.4	Responsibilities	18
Section 12-4.5	Rotorcraft Operation in the Vicinity of Electric Power Lines	22
Section 12-4.6	Transportation of Ground Crew	23
Section 12-4.7	Precautions to Prevent Hazards to Rotorcraft and Ground Personnel	23
Section 12-4.8	Personal Protective Equipment	24
Section 12-4.9	BTH Operations	24
Chapter 12-5	Load Handling Operations	25
Section 12-5.1	Hooking and Unhooking Loads	25
Section 12-5.2	Taglines	25
Section 12-5.3	Attachment Methods	25
Chapter 12-6	Signals and Communication	26
Section 12-6.1	Signal Systems	26
Section 12-6.2	Personnel	26

Nonmandatory Appendix

A	Maneuvering Forces on Rigging Gear	27
---	--	----

Figures

12-0.3.2-1	Hook With Closed-Throat Load Beam	2
12-0.3.2-2	Hook With Open-Throat Load Beam	3
12-2.1.2-1	Remote Cargo Hook Including Hook Cage Enclosure, Swivel Electrical Connection, and Connection for Longline	8
12-2.2.2-1	Diagram Showing the Effects of Rotorcraft Bank Angle on Rigging	9
12-2.2.3-1	Diagram Showing the Effects Rotorcraft Travel Speed Drag on Rigging	10
12-2.3.1-1	Longline Arrangement Consisting of Two Lines Hooked Together End to End Through End Connections	11
12-2.3.2-1	The Standard Leadline Length From Bearing Edge to Bearing Edge	12
12-4.4.3.5.2.1-1	Rotorcraft Hand Signals	21
12-4.6-1	Personnel Approach or Departure Path (Level Ground)	24
12-4.6-2	Personnel Approach or Departure Path (Sloping Ground)	24
12-4.6-3	Personnel Approach or Departure With Tools	24
12-5.1-1	Hazardous Area	25

Tables

12-4.4.3.4.2-1	Applicable ASME B30 Volumes	20
A-1-1	Minimum Rated Load for Longline or Leadline Lifting 1,000 lb	28
A-2-1	Estimated Rotorcraft Maneuvering CLF	28
A-3-1	BLF	28
A-4-1	DLF	28

FOREWORD

This American National Standard, Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings, has been developed under the procedures accredited by the American National Standards Institute (ANSI). This Standard had its beginning in December 1916, when an eight-page Code of Safety Standards for Cranes, prepared by the American Society of Mechanical Engineers (ASME) Committee on the Protection of Industrial Workers, was presented at the annual meeting of ASME.

Meetings and discussions regarding safety on cranes, derricks, and hoists were held from 1920 to 1925 involving the ASME Safety Code Correlating Committee, the Association of Iron and Steel Electrical Engineers, the American Museum of Safety, the American Engineering Standards Committee (AESC) [later changed to American Standards Association (ASA), then to the United States of America Standards Institute (USASI), and finally to ANSI], Department of Labor — State of New Jersey, Department of Labor and Industry — State of Pennsylvania, and the Locomotive Crane Manufacturers Association. On June 11, 1925, the AESC approved the ASME Safety Code Correlating Committee's recommendation and authorized the project with the U.S. Department of the Navy, Bureau of Yards and Docks, and ASME as sponsors.

In March 1926, invitations were issued to 50 organizations to appoint representatives to the Sectional Committee. The call for organization of this Sectional Committee was sent out October 2, 1926, and the committee was organized on November 4, 1926, with 57 members representing 29 national organizations.

Commencing June 1, 1927, and using the eight-page Code published by ASME in 1916 as a basis, the Sectional Committee developed the Safety Code for Cranes, Derricks, and Hoists. The early drafts of this safety code included requirements for jacks, but, due to inputs and comments on those drafts, the Sectional Committee decided in 1938 to make the requirements for jacks a separate code. In January 1943, ASA B30.2-1943 was published addressing a multitude of equipment types, and in August 1943, ASA B30.1-1943 was published addressing only jacks. Both documents were reaffirmed in 1952 and widely accepted as safety standards.

Due to changes in design, advancement in techniques, and general interest of labor and industry in safety, the Sectional Committee, under the joint sponsorship of ASME and the Bureau of Yards and Docks (now the Naval Facilities Engineering Command), was reorganized on January 31, 1962, with 39 members representing 27 national organizations. The new Committee changed the format of ASA B30.2-1943 so that the multitude of equipment types it addressed could be published in separate volumes that could completely cover the construction, installation, inspection, testing, maintenance, and operation of each type of equipment that was included in the scope of ASA B30.2. This format change resulted in B30.3, B30.5, B30.6, B30.11, and B30.12 being designated as revisions of B30.2 with the remainder of the B30 volumes being published as totally new volumes. ASA changed its name to USASI in 1966 and to ANSI in 1969, which resulted in B30 volumes from 1943 to 1968 being designated as either ASA B30, USAS B30, or ANSI B30, depending on their date of publication.

In 1982, the Committee was reorganized as an Accredited Organization Committee operating under procedures developed by ASME and accredited by ANSI. This Standard presents a coordinated set of rules that may serve as a guide to government and other regulatory bodies and municipal authorities responsible for the guarding and inspection of the equipment falling within its scope. The suggestions leading to accident prevention are given both as mandatory and advisory provisions; compliance with both types may be required by employers of their employees.

In case of practical difficulties, new developments, or unnecessary hardship, the administrative or regulatory authority may grant variances from the literal requirements or permit the use of other devices or methods but only when it is clearly evident that an equivalent degree of protection is thereby secured. To secure uniform application and interpretation of this Standard, administrative or regulatory authorities are urged to consult the B30 Committee, in accordance with the format described on the Correspondence With the B30 Committee page, before rendering decisions on disputed points.

Safety codes and standards are intended to enhance public safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

This edition of the B30.12 Volume was approved by the B30 Committee and by ASME and was revised in its entirety. It was approved by ANSI and designated as an American National Standard on September 5, 2024.

ASME B30 COMMITTEE

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

(The following is the roster of the committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

E. D. Fidler, *Chair*
T. Sicklesteel, *Vice Chair*
S. D. Wood, *Vice Chair*
K. Peterson, *Secretary*

STANDARDS COMMITTEE PERSONNEL

N. E. Andrew, Neil E. Andrew and Associates, LLC
B. B. Bacon, Tennessee Valley Authority
T. L. Blanton, OGR Consulting Services, LLC
P. A. Boeckman, The Crosby Group, LLC
J. R. Burkey, Columbus McKinnon Corp.
J. A. Danielson, The Boeing Co.
D. R. Decker, Becket Training & Consulting, Inc.
L. D. Demark, Sr., Equipment Training Solutions, LLC
D. W. Eckstine, Eckstine & Associates, Inc.
E. D. Fidler, Grove U.S., LLC
M. Gardiner, ICC Forensics, LLC
J. A. Gilbert, JAGwire Management, LLC
D. A. Henninger, Bridon-Bekaert, The Ropes Group
M. M. Jaxtheimer, Navy Crane Center
P. Juhren, Morrow Equipment Co., LLC
T. W. Klein, WireCo WorldGroup
R. M. Kohner, Landmark Engineering Services
A. J. Lusi, Jr., Lumark Consulting, LLP
T. C. Mackey, HiLine Engineering and Fabrication, Inc.
J. Mihalbauer, All Ship & Cargo Surveys, Ltd.
R. M. Parnell, Industrial Training International
J. T. Perkins, All Material Handling
B. A. Pickett, Systems Engineering and Forensic Services
J. A. Pilgrim, Manitowoc Cranes
K. Peterson, The American Society of Mechanical Engineers
S. K. Rammelsberg, CB&I Storage Solutions
J. M. Randall, J. E. Spear Consulting, LP
K. Rask, NationsBuilders Insurance Services, Inc.
K. Reynolds, Shell Exploration and Production
C. L. Richardson, Lone Star Logging, LP
J. E. Richardson, Navy Crane Center
J. W. Rowland III, Consultant
A. R. Ruud, Atkinson Construction
L. K. Shapiro, Howard I. Shapiro and Associates
T. Sicklesteel, National Commission for the Certification of Crane Operators
D. Smith, J. E. Spear Consulting, LP
J. Smith, Jr., NationsBuilders Insurance Services, Inc.
C. S. Stemp, Lampson International, LLC
G. Strain, Advanced Crane Technologies, LLC
J. Sturm, Sturm Corp.
D. Sullivan, International Union of Operating Engineers Local 542
Joint Apprenticeship and Training Committee
P. A. Vallejos, Harbor Mission Integration Solutions, LLC
C. Warren, Webber, LLC
J. D. Wiethorn, International Crane and Construction Safety Solutions
S. D. Wood, Telex Corp.
D. Boyle, *Alternate*, The Crosby Group, LLC
M. Choudhury, *Alternate*, Howard I. Shapiro and Associates
P. F. Debrignie, *Alternate*, Blue Origin
W. C. Dickinson, Jr., *Alternate*, Crane Industry Service, LLC
D. Duerr, *Alternate*, ZDM Associates, Inc.
M. Eckstine, *Alternate*, Eckstine & Associates, Inc.
D. Erkerking, *Alternate*, XCMG American Research Corp.
T. Gordon, *Alternate*, International Union of Operating Engineers
Local 14-14B Benefits Fund
J. B. Greenwood, *Alternate*, Navy Crane Center
D. F. Jordan, *Alternate*, American International Crane Bureau
L. D. Means, *Alternate*, Consultant
W. J. Merrill, *Alternate*, Merrill Safety Solutions, LLC
G. D. Miller, *Alternate*, Manitowoc Cranes
D. A. Moore, *Alternate*, Unified Engineering, LP
P. Quick, *Alternate*, Affiliated Engineering Laboratories, Inc.
G. M. Ray, *Alternate*, Tennessee Valley Authority
M. Riggs, *Alternate*, Riggsafe Solutions, Inc.
S. Santee, *Alternate*, Navy Crane Center
J. R. Schober, *Alternate*, American Bridge Co.
C. H. Smith, *Alternate*, Morrow Equipment Co., LLC
J. E. Spear, *Alternate*, J. E. Spear Consulting, LP
J. A. Stewart, *Alternate*, Stewart Safety Consulting
A. Thompson, *Alternate*, WireCo WorldGroup
W. Tubbs, *Alternate*, Craneology, Inc.
J. J. Van Egeren, *Alternate*, Manitowoc Cranes
M. P. Zerba, *Alternate*, Lampson International, LLC
J. W. Downs, Jr., *Honorary Member*, Downs Crane and Hoist Co., Inc.
J. L. Franks, *Honorary Member*, Consultant
C. W. Ireland, *Honorary Member*, National Oilwell Varco
J. M. Klibert, *Honorary Member*, Lift-All Co., Inc.
J. C. Ryan, *Honorary Member*, Boh Bros. Construction Co.

B30.12 SUBCOMMITTEE PERSONNEL

B. Pickett, *Chair*, Systems Engineering and Forensic Services
A. R. Brown, Strand Core
D. R. Chambers II, Erickson Air-Crane, Co.
P. B. Debuigne, Blue Origin
J. A. Gilbert, JAGwire Management, LLC
D. K. Huber, Bell
E. Perry, Rigging Institute, LLC

C. Schopfer, Loos & Co.
P. A. Vallejos, Hanford Mission Integration Solutions, LLC
T. Blanton, *Contributing Member*, OGR Consulting Services, LLC
R. E. Bluff IV, *Contributing Member*, Flatiron West, Inc.
M. Gelskey, Jr., *Contributing Member*, Lift-It Manufacturing Co., Inc.
L. D. Means, *Contributing Member*, Consultant

B30 INTEREST REVIEW GROUP

O. Akinboboye, Ropetech Engineering Services, Ltd.
B. Dobbs, Lifting Equipment Engineers Association
J. Edmundson, Konecranes Nuclear Equipment & Services, LLC
M. J. Eggenberger, Berry Contracting, Inc.
Y. T. F. Elhola, Axess Group
D. Ferland, AMECO
A. Gomes Rocha, Industrial Training International
J. Groce, WireCo WorldGroup

N. C. Hargreaves, Hargreaves Consulting, LLC
J. Hui, School of Civil Engineering, Southeast University, Nanjing
D. Mabelane, South African Nuclear Energy Corp.
A. C. Mattoli, Prowinch, LLC
T. McCullough, Allegiance Crane and Equipment
D. Modzeleski, Dematic Corp.
C. Neth, Neth Engineering, PLLC
A. Payne, Bureau of Safety and Environmental Enforcement

B30 REGULATORY AUTHORITY COUNCIL

C. N. Stribling, Jr., *Chair*, Kentucky Labor Cabinet
K. Peterson, *Secretary*, The American Society of Mechanical Engineers
R. D. Jackson, U.S. Department of Labor
D. E. Latham, State of Maryland Department of Labor, Licensing, and Regulation

M. J. Nelmidia, State of California, Occupational Safety and Health Standards Board
S. Sureshwar, State of California Department of Industrial Regulation
T. T. Tolson, North Carolina Department of Labor
W. Reynolds, *Alternate*, Maryland Occupational Safety and Health

CORRESPONDENCE WITH THE B30 COMMITTEE

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at <https://go.asme.org/B30committee>.

Revisions and Errata. The committee processes revisions to this Standard on a periodic basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive email notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number, the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases. The committee does not issue cases for this Standard.

Interpretations. Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the Online Inquiry Submittal Form at <https://go.asme.org/InterpretationRequest>. Upon submitting the form, the inquirer will receive an automatic email confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at <https://go.asme.org/Interpretations>.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Interpretations are published in the ASME Interpretations Database at <https://go.asme.org/Interpretations> as they are issued.

Committee Meetings. The B30 Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at <https://go.asme.org/B30committee>.

B30 STANDARD INTRODUCTION

SECTION I: SCOPE

The ASME B30 Standard contains provisions that apply to the construction, installation, operation, inspection, testing, maintenance, and use of cranes and other lifting and material-movement-related equipment. For the convenience of the reader, the Standard has been divided into separate volumes. Each volume has been written under the direction of the ASME B30 Standards Committee and has successfully completed a consensus approval process under the general auspices of the American National Standards Institute (ANSI).

As of the date of issuance of this Volume, the B30 Standard comprises the following volumes:

- B30.1 Jacks, Industrial Rollers, Air Casters, and Hydraulic Gantries
- B30.2 Overhead and Gantry Cranes (Top Running Bridge, Single or Multiple Girder, Top Running Trolley Hoist)
- B30.3 Tower Cranes
- B30.4 Portal and Pedestal Cranes
- B30.5 Mobile and Locomotive Cranes
- B30.6 Derricks
- B30.7 Winches
- B30.8 Floating Cranes and Floating Derricks
- B30.9 Slings
- B30.10 Hooks
- B30.11 Monorails and Underhung Cranes (withdrawn 2018 — requirements found in latest revision of B30.17)
- B30.12 Handling Loads Suspended From Rotorcraft
- B30.13 Storage/Retrieval (C/R) Machines and Associated Equipment
- B30.14 Side Boom and Rotating Pipelayers
- B30.15 Mobile Hydraulic Cranes (withdrawn 1982 — requirements found in latest revision of B30.5)
- B30.16 Overhead Underhung and Stationary Hoists
- B30.17 Cranes and Monorails (With Underhung Trolley or Bridge)
- B30.18 Stacker Cranes (Top or Under Running Bridge, Multiple Girder With Top or Under Running Trolley Hoist)
- B30.19 Cableways
- B30.20 Below-the-Hook Lifting Devices
- B30.21 Lever Hoists
- B30.22 Articulating Boom Cranes
- B30.23 Personnel Lifting Systems
- B30.24 Container Cranes
- B30.25 Scrap and Material Handlers
- B30.26 Rigging Hardware
- B30.27 Material Placement Systems
- B30.28 Balance Lifting Units
- B30.29 Self-Erecting Tower Cranes
- B30.30 Ropes
- B30.31 Self-Propelled, Powered, or Remote-Controlled Hydraulic Platform Transporters¹
- B30.32 Unmanned Aircraft Systems (UAS) Used in Inspection, Testing, Maintenance, and Load-Handling Operations

SECTION II: SCOPE EXCLUSIONS

Any exclusion of, or limitations applicable to, the equipment, requirements, recommendations, or operations contained in this Standard are established in the affected volume's scope.

SECTION III: PURPOSE

The B30 Standard is intended to

- (a) prevent or minimize injury to workers, and otherwise provide for the protection of life, limb, and property by prescribing safety requirements
- (b) provide direction to manufacturers, owners, employers, users, and others concerned with, or responsible for, its application
- (c) guide governments and other regulatory bodies in the development, promulgation, and enforcement of appropriate safety directives

SECTION IV: USE BY REGULATORY AGENCIES

These volumes may be adopted in whole or in part for governmental or regulatory use. If adopted for governmental use, the references to other national codes and standards in the specific volumes may be changed to refer to the corresponding regulations of the governmental authorities.

¹This volume is currently in the development process.