

ASME B30.14-2025

[Revision of ASME B30.14-2015 (R2021)]

Side Boom and Rotating Pipelayers

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks,
Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B30.14-2025
[Revision of ASME B30.14-2015 (R2021)]

Side Boom and Rotating Pipelayers

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks,
Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: May 1, 2025

The next edition of this Standard is scheduled for publication in 2029. This Standard will become effective 1 year after the Date of Issuance.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

CONTENTS

Foreword		v
Committee Roster		vii
Correspondence With the B30 Committee		ix
B30 Standard Introduction		xi
Summary of Changes		xiii
Chapter 14-0	Scope, Definitions, Translation, Personnel Competence, and References	1
Section 14-0.1	Scope of B30.14	1
Section 14-0.2	Definitions	1
Section 14-0.3	Personnel Competence	2
Section 14-0.4	References	2
Chapter 14-1	Construction and Characteristics	4
Section 14-1.1	Load Ratings	4
Section 14-1.2	Operational Aids	6
Section 14-1.3	Boom Hoist and Load Hoist Mechanisms	6
Section 14-1.4	Rotating Pipelayer Structure	7
Section 14-1.5	Pipelayer Travel	7
Section 14-1.6	Controls	7
Section 14-1.7	Ropes and Reeving Accessories	8
Section 14-1.8	Cabs	8
Section 14-1.9	General Requirements	8
Section 14-1.10	Manuals and Translation	9
Chapter 14-2	Inspection, Testing, and Maintenance	10
Section 14-2.1	Inspection — General	10
Section 14-2.2	Testing	11
Section 14-2.3	Maintenance	11
Section 14-2.4	Rope Inspection, Replacement, and Maintenance — General	12
Chapter 14-3	Operation	13
Section 14-3.1	Operator Qualifications and Operating Practices	13
Section 14-3.2	Handling the Load	17
Section 14-3.3	Signals	18
Section 14-3.4	Operating Near Electric Power Lines	18
Section 14-3.5	Miscellaneous	19
Figures		
14-0.2-1	Track-Type Rotating Pipelayer	3
14-0.2-2	Track-Type Side Boom Pipelayer	3
14-0.2-3	Wheel-Type Side Boom Pipelayer	3
14-1.1.1-1	Load Overhang	5

14-1.1.4-1	Load Rating Chart	5
14-3.3.2-1	Standard Hand Signals for Controlling Pipelayer Operations	20
14-3.4.1-1	Specified Clearance for Pipelayers and Lifted Loads Operating Near Electrical Transmission Lines	22
 Table		
14-3.4.1-1	Required Clearance for Normal Voltage in Operation Near High-Voltage Power Lines and Operation in Transit With No Load and Boom or Mast Lowered	22

Currently in preview, click buy full version

FOREWORD

This American National Standard, Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings, has been developed under the procedures accredited by the American National Standards Institute (ANSI). This Standard had its beginning in December 1916, when an eight-page Code of Safety Standards for Cranes, prepared by the American Society of Mechanical Engineers (ASME) Committee on the Protection of Industrial Workers, was presented at the annual meeting of ASME.

Meetings and discussions regarding safety on cranes, derricks, and hoists were held from 1920 to 1925 involving the ASME Safety Code Correlating Committee, the Association of Iron and Steel Electrical Engineers, the American Museum of Safety, the American Engineering Standards Committee (AESC) [later changed to American Standards Association (ASA), then to the United States of America Standards Institute (USASI), and finally to ANSI], Department of Labor — State of New Jersey, Department of Labor and Industry — State of Pennsylvania, and the Locomotive Crane Manufacturers Association. On June 11, 1925, the AESC approved the ASME Safety Code Correlating Committee's recommendation and authorized the project with the U.S. Department of the Navy, Bureau of Yards and Docks, and ASME as sponsors.

In March 1926, invitations were issued to 50 organizations to appoint representatives to a Sectional Committee. The call for organization of this Sectional Committee was sent out October 2, 1926, and the committee was organized on November 4, 1926, with 57 members representing 29 national organizations.

Commencing June 1, 1927, and using the eight-page Code published by ASME in 1916 as a basis, the Sectional Committee developed the Safety Code for Cranes, Derricks, and Hoists. The early drafts of this safety code included requirements for jacks, but, due to inputs and comments on those drafts, the Sectional Committee decided in 1938 to make the requirements for jacks a separate code. In January 1943, ASA B30.2-1943 was published addressing a multitude of equipment types, and in August 1943, ASA B30.1-1943 was published addressing only jacks. Both documents were reaffirmed in 1952 and widely accepted as safety standards.

Due to changes in design, advancement in techniques, and general interest of labor and industry in safety, the Sectional Committee, under the joint sponsorship of ASME and the Bureau of Yards and Docks (now the Naval Facilities Engineering Command), was reorganized on January 31, 1962, with 39 members representing 27 national organizations. The new Committee changed the format of ASA B30.2-1943 so that the multitude of equipment types it addressed could be published in separate volumes that could completely cover the construction, installation, inspection, testing, maintenance, and operation of each type of equipment that was included in the scope of ASA B30.2. This format change resulted in B30.3, B30.5, B30.6, B30.11, and B30.14 being designated as revisions of B30.2 with the remainder of the B30 volumes being published as totally new volumes. ASA changed its name to USASI in 1966 and to ANSI in 1969, which resulted in B30 volumes from 1943 to 1968 being designated as either ASA B30, USAS B30, or ANSI B30, depending on their date of publication.

In 1982, the Committee was reorganized as an Accredited Organization Committee operating under procedures developed by ASME and accredited by ANSI. This Standard presents a coordinated set of rules that may serve as a guide to government and other regulatory bodies and municipal authorities responsible for the guarding and inspection of the equipment falling within its scope. The suggestions leading to accident prevention are given both as mandatory and advisory provisions; compliance with both types may be required by employers of their employees.

In case of practical difficulties, new developments, or unnecessary hardship, the administrative or regulatory authority may grant variances from the literal requirements or permit the use of other devices or methods but only when it is clearly evident that an equivalent degree of protection is thereby secured. To secure uniform application and interpretation of this Standard, administrative or regulatory authorities are urged to consult the B30 Committee, in accordance with the format described on the Correspondence With the B30 Committee page, before rendering decisions on disputed points.

Safety codes and standards are intended to enhance public safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

B30.14 has been in existence since 1979. New editions were published in 1985, 1991, 1996, 2004, and 2015. The 2015 edition contained technical and editorial revisions, including the addition of responsibilities of personnel, and requirements for personnel competence and translations. This 2025 edition revises the title and scope of ASME B30.14, adds references to ASME B30.30, and updates definitions and references. It also replaces the terms "machine," "side boom tractor," and "tractor" with "pipelayer" throughout and adds new figures.

This Volume of the Standard, which was approved by the B30 Standards Committee and by ASME, was approved by ANSI and designated as an American National Standard on April 10, 2025.

Currently in preview, click buy full version

ASME B30 COMMITTEE

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

(The following is the roster of the committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

E. D. Fidler, *Chair*
T. Sickelsteel, *Vice Chair*
S. D. Wood, *Vice Chair*
K. Peterson, *Secretary*

STANDARDS COMMITTEE PERSONNEL

N. E. Andrew, Neil E. Andrew & Associates, LLC
B. B. Bacon, Tennessee Valley Authority
T. L. Blanton, OGR Consulting Services, LLC
P. A. Boeckman, The Crosby Group, LLC
J. R. Burke, Consultant
J. A. Danielson, The Boeing Co.
D. Decker, Becket, LLC
L. D. DeMark, Equipment Training Solutions, LLC
D. W. Eckstine, Eckstine & Associates, Inc.
E. D. Fidler, Grove U.S., LLC
M. Gardiner, ICC Forensics, LLC
J. A. Gilbert, JAGwire Management, LLC
D. A. Henninger, Bridon-Bekaert The Ropes Group
M. M. Jaxtheimer, Navy Crane Center
P. R. Juhren, Morrow Equipment Co., LLC
T. W. Klein, WireCo WorldGroup
R. M. Kohner, Landmark Engineering Services, Ltd.
A. J. Lusi, Jr., Lumark Consulting, LLP
T. C. Mackey, HiLine Engineering & Fabrication, Inc.
J. P. Muhlbauer, All Ship & Cargo Surveys, LLC
R. M. Parnell, Industrial Training International, Inc.
J. T. Perkins, All Material Handling
K. Peterson, The American Society of Mechanical Engineers
B. A. Pickett, Systems Engineering and Forensic Services
J. A. Pilgrim, Manitowoc Cranes
S. K. Rammelsberg, CB&I Storage Solutions
J. M. Randall, J. E. Spear Consulting, LP
K. Rask, NationsBuilders Insurance Services, Inc.
K. Reynolds, Shell Exploration & Production
C. L. Richardson, One Star Rigging, LP
J. E. Richardson, Navy Crane Center
J. W. Rowland, III, Consultant
A. R. Rowland, Rowland Construction
L. Shapiro, Howard I. Shapiro & Associates
T. Sickelsteel, National Commission for the Certification of Crane Operators
D. W. Smith, J. E. Spear Consulting, LP
J. Smith, Jr., NationsBuilders Insurance Services, Inc.
R. S. Stemp, Lampson International, LLC
R. G. Strain, Advanced Crane Technologies, LLC
J. Sturm, Sturm Corp.
D. Sullivan, IUOF Local 542 JATC
C. Warren, Vahlbein, LLC
J. D. Wiethorn, International Crane & Construction Safety Solutions, LLC
S. D. Wood, Trex Corp.
D. W. Woychik, *Alternate*, The Cosby Group, LLC
M. C. Anderson, *Alternate*, Howard I. Shapiro & Associates
P. B. Debuigne, *Alternate*, Blue Origin
W. C. Dickinson, Jr., *Alternate*, Crane Industry Services, LLC
D. Duerr, *Alternate*, 2DM Associates, Inc.
M. Eckstine, *Alternate*, Eckstine & Associates, Inc.
D. Frerking, *Alternate*, XCMG American Research Corp.
T. D. Gordon, *Alternate*, IUOE Local 14-14b
J. B. Greenwood, *Alternate*, Navy Crane Center
D. F. Jordan, *Alternate*, American International Crane Bureau, LLC
L. D. Means, *Alternate*, Consultant
W. J. Merrill, *Alternate*, Merrill Safety Solutions, LLC
G. D. Miller, *Alternate*, Manitowoc Cranes
D. A. Moore, *Alternate*, Unified Engineering, LP
L. S. Olver, *Alternate*, Kolo Holdings, Inc.
G. M. Ray, *Alternate*, Tennessee Valley Authority
M. Riggs, *Alternate*, Riggsafe Solutions, Inc.
S. Santee, *Alternate*, Navy Crane Center
J. R. Schober, *Alternate*, American Bridge Co.
C. H. Smith, *Alternate*, Morrow Equipment Co., LLC
J. E. Spear, *Alternate*, J. E. Spear Consulting, LP
J. A. Stewart, *Alternate*, Stewart Safety Consulting
A. Thompson, *Alternate*, WireCo WorldGroup
W. Tubbs, *Alternate*, Craneology, Inc.
J. J. Van Egeren, *Alternate*, Manitowoc Cranes
M. P. Zerba, *Alternate*, Lampson International, LLC
J. W. Downs, Jr., *Honorary Member*, Downs Crane & Hoist Co., Inc.
J. L. Franks, *Honorary Member*, Consultant
C. W. Ireland, *Honorary Member*, National Oilwell Varco
J. M. Klibert, *Honorary Member*, Lift-All Co., Inc.
R. W. Parry, *Honorary Member*, Parry Parry & Glen
J. C. Ryan, *Honorary Member*, Boh Bros. Construction Co., LLC

B30.14 SUBCOMMITTEE PERSONNEL

K. Reynolds, *Chair*, Shell Exploration & Production
B. Abel, IUOE/PLCA
T. A. Cannegieter, Volvo Construction Equipment
J. Dean, WIKA Mobile Control
B. J. Dein, WireCo WorldGroup
D. Garner, Midwestern Manufacturing Co.

J. C. Hendry, Stanley Engineered Fastening
L. Johnson, Caterpillar
L. S. Olver, Kolo Holdings, Inc.
T. W. Klein, *Alternate*, WireCo WorldGroup
M. W. Holt, *Contributing Member*, Cransesmart Systems, Inc.
L. D. Means, *Contributing Member*, Consultant

B30 INTEREST REVIEW GROUP

O. Akinboboye, Ropetech Engineering Services, Ltd.
B. Dobbs, LEEA
J. Edmundson, Koncranes Nuclear Equipment & Services, LLC
M. J. Eggenberger, Bay, Ltd.
Y. T. F. Elhola, Axess Group
D. Ferland, AMECO
A. Gomes Rocha, Industrial Training International
J. Groce, WireCo WorldGroup

N. C. Hargreaves, Hargreaves Consulting, LLC
J. Hui, Southeast University, School of Civil Engineering, Nanjing
D. Mabelane, South African Nuclear Energy Corp.
A. C. Mattoli, Prowinch, LLC
T. McCullough, Consultant
D. Modzeleski, Dematic Corp.
C. Neth, Siefert Associates, LLC
A. Payne, Bureau of Safety & Environmental Enforcement

B30 REGULATORY AUTHORITY COUNCIL

C. N. Stribling, Jr., *Chair*, Kentucky Labor Cabinet
K. Peterson, *Secretary*, The American Society of Mechanical Engineers
R. D. Jackson, U.S. Department of Labor
D. E. Latham, State of Maryland (DLLR)

M. J. Nelmidia, State of California, Occupational Safety and Health Standards Board
S. Sumeshwar, State of California, Department of Industrial Relations
T. Taylor, North Carolina Department of Labor
N. Reynolds, *Alternate*, Maryland Occupational Safety and Health

CORRESPONDENCE WITH THE B30 COMMITTEE

(25)

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at <https://go.asme.org/B30committee>.

Revisions and Errata. The committee processes revisions to this Standard on a periodic basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive email notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number, the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases

(a) The most common applications for cases are

(1) to permit early implementation of a revision based on an urgent need

(2) to provide alternative requirements

(3) to allow users to gain experience with alternative or potential additional requirements prior to incorporation directly into the Standard

(4) to permit the use of a new material or process

(b) Users are cautioned that not all jurisdictions or owners automatically accept cases. Cases are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Standard.

(c) A proposed case shall be written as a question and reply in the same format as existing cases. The proposal shall also include the following information:

(1) a statement of need and background information

(2) the urgency of the case (e.g., the case concerns a project that is underway or imminent)

(3) the Standard and the paragraph, figure, or table number

(4) the editions of the Standard to which the proposed case applies

(d) A case is effective for use when the public review process has been completed and it is approved by the cognizant supervisory board. Approved cases are posted on the committee web page.

Interpretations. Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the online Inquiry Submittal Form at <https://go.asme.org/InterpretationRequest>. Upon submitting the form, the inquirer will receive an automatic email confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at <https://go.asme.org/Interpretations>.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Interpretations are published in the ASME Interpretations Database at <https://go.asme.org/Interpretations> as they are issued.

Committee Meetings. The B30 Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at <https://go.asme.org/B30committee>.

B30 STANDARD INTRODUCTION

(25)

SECTION I: SCOPE

The ASME B30 Standard contains provisions that apply to the construction, installation, operation, inspection, testing, maintenance, and use of cranes and other lifting and material-movement-related equipment. For the convenience of the reader, the Standard has been divided into separate volumes. Each volume has been written under the direction of the ASME B30 Standards Committee and has successfully completed a consensus approval process under the general auspices of the American National Standards Institute (ANSI).

As of the date of issuance of this Volume, the B30 Standard comprises the following volumes:

- B30.1 Jacks, Industrial Rollers, Air Casters, and Hydraulic Gantries
- B30.2 Overhead and Gantry Cranes (Top Running Bridge, Single or Multiple Girder, Top Running Trolley Hoist)
- B30.3 Tower Cranes
- B30.4 Portal and Pedestal Cranes
- B30.5 Mobile and Locomotive Cranes
- B30.6 Derricks
- B30.7 Winches
- B30.8 Floating Cranes and Floating Derricks
- B30.9 Slings
- B30.10 Hooks
- B30.11 Monorails and Underhung Cranes (withdrawn 2018 — requirements found in latest revision of B30.17)
- B30.12 Handling Loads Suspended From Rotorcraft
- B30.13 Storage/Retrieval (S/R) Machines and Associated Equipment
- B30.14 Side Boom and Rotating Pipelayers
- B30.15 Mobile Hydraulic Cranes (withdrawn 1982 — requirements found in latest revision of B30.5)
- B30.16 Overhead Underhung and Stationary Hoists
- B30.17 Cranes and Monorails (With Underhung Trolley or Bridge)
- B30.18 Stacker Cranes (Top or Under Running Bridge, Multiple Girder With Top or Under Running Trolley Hoist)
- B30.19 Cableways
- B30.20 Below-the-Hook Lifting Devices
- B30.21 Lever Hoists
- B30.22 Articulating Boom Cranes
- B30.23 Personnel Lifting Systems
- B30.24 Container Cranes
- B30.25 Scrap and Material Handlers
- B30.26 Rigging Hardware
- B30.27 Material Placement Systems
- B30.28 Balance Lifting Units
- B30.29 Self-Erecting Tower Cranes
- B30.30 Ropes
- B30.31 Self-Propelled, Towed, or Remote-Controlled Hydraulic Platform Transporters¹
- B30.32 Unmanned Aircraft Systems (UAS) Used in Inspection, Testing, Maintenance, and Load-Handling Operations

SECTION II: SCOPE EXCLUSIONS

Any exclusion of, or limitations applicable to, the equipment, requirements, recommendations, or operations contained in this Standard are established in the affected volume's scope.

SECTION III: PURPOSE

The B30 Standard is intended to

- (a) prevent or minimize injury to workers, and otherwise provide for the protection of life, limb, and property by prescribing safety requirements
- (b) provide direction to manufacturers, owners, employers, users, and others concerned with, or responsible for, its application
- (c) guide governments and other regulatory bodies in the development, promulgation, and enforcement of appropriate safety directives

SECTION IV: USE BY REGULATORY AGENCIES

These volumes may be adopted in whole or in part for governmental or regulatory use. If adopted for governmental use, the references to other national codes and standards in the specific volumes may be changed to refer to the corresponding regulations of the governmental authorities.

¹This volume is currently in the development process.