

ASME B94.2-1995

(REVISION OF ANSI B94.2-1983)

REAMERS

AN AMERICAN NATIONAL STANDARD



The American Society of
Mechanical Engineers

AN AMERICAN NATIONAL STANDARD

REAMERS

ASME B94.2-1995
(REVISION OF ANSI B94.2-1983)



The American Society of
Mechanical Engineers

345 East 47 th Street, New York, N.Y.

Date of Issuance: July 31, 1995

This Standard will be revised when the Society approves the issuance of a new edition. There will be no addenda or written interpretations of the requirements of this Standard issued to this edition.

ASME is the registered trademark of the American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations issued in accordance with governing ASME procedures and policies which preclude the issuance of interpretations by individual volunteers.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

Copyright © 1995 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved
Printed in U.S.A.

FOREWORD

This Standard for reamers was formulated by Technical Committee 20 of the B5 Sectional Committee on the Standardization of Small Tools and Machine Tool Elements. The organization of Technical Committee 20 on the Standardization of Reamers in March 1937 was prompted by a recognized need for unifying the practice in this field.

The proposal submitted by the committee was approved by ASA and designated ASA B5.14-1941. The Standard ASA B5.14-1941 was revised and approved in 1949, and subsequently reaffirmed in 1954. A sufficient number of requests for revision resulted in reactivation of the committee in 1957. The revision was approved by the sectional committee and the sponsors, and the required ASA approval and designation were granted April 9, 1959.

In November 1961, the ASA Mechanical Standards Board approved the request of the B5 Sectional Committee sponsors that a separate project be initiated under ASA Procedure on the subject of Cutting Tools. As a result of this action, a new project was initiated on Cutting Tools, and ASME accepted sponsorship. The committee was designated B94 Cutting Tools, and the activity on cutting tools was removed from the B5 Sectional Committee. The designation numbers of the technical committees were changed to conform with the new sectional committee organization. B5 Technical Committee 20 was changed to B94 Technical Committee 9.

Requests for revision to B5.14-1959 to cover additions, deletions, and clarification of the Standard necessitated reactivation of the committee. The revised draft was prepared and distributed to the members for review and comment. A meeting of TC-9 was held in November 1962, and the draft was subsequently approved by the committee.

The revised Standard was submitted to Sectional Committee B94 on May 27, 1964. Following approval by the Sectional Committee and the sponsor, the Standard was approved by ASA on December 21, 1964 and designated as ASA B94.2-1964.

In 1970, Technical Committee 9 revised the 1964 issue of B94.2, incorporating revisions and additions reflecting current industry practice. The revision was presented to American National Standards Committee B94 and to the B94 secretariat for approval. Thereafter, the revision was approved by ANSI on September 28, 1971.

In accordance with ANSI procedures, a further revision was undertaken in 1976 in order to update the Standard. This revision was approved by ANSI on May 4, 1977.

Since then, ANSI also approved a 1983 revision, on September 30 of that year, as well as the present one, on April 14, 1995.

ASME STANDARDS COMMITTEE B94
Standardization of Cutting Tools, Holders, Drivers, and Bushings

(The following is the roster of the Committee at the time of approval of this Standard.)

OFFICERS

C. W. Preuss, *Chair*
K. I. Baron, *Secretary*

COMMITTEE PERSONNEL

K. I. Baron, ASME, New York, New York
A. M. Bratkovich, Association for Manufacturing Technology, McLean, Virginia
M. E. Merchant, Institute of Advanced Manufacturing Science, Cincinnati, Ohio
C. W. Preuss, Kingsford Broach and Tool, Inc., Westlake, Ohio

PERSONNEL OF TECHNICAL COMMITTEE 9 — REAMERS

P. Bourg, Tivoly, Inc., Derby Line, Vermont
P. Field, Michigan Drill Corp., Miami, Florida
M. N. Jarvis II, Jarvis Cutting Tools, Inc., Rochester, New Hampshire
R. E. Moring, Greenfield Industries, Augusta, Georgia
C. W. Preuss, Kingsford Broach and Tool, Inc., Westlake, Ohio

CONTENTS

Foreword	iii
Standards Committee Roster	v
1 Scope	1
2 Nomenclature and Definitions	1
3 Classifications Based on Construction	3
4 Classifications Based on Method of Holding or Driving	3
5 Direction of Rotation and Helix	3
Figure	
1 Illustrations of Terms Applying to Reamers	5
Tables	
1 Expansion Hand Reamers With Straight Flutes and Squared Shank — Carbon Steel	6
Tolerances for Table 1	7
2 Expansion Hand Reamers With Left-Hand Helical Flutes and Squared Shank — Carbon Steel	8
Tolerances for Table 2	9
3 Hand Reamers With Straight Flutes and Squared Shank — High-Speed Steel	10
Tolerances for Table 3	11
4 Hand Reamers With Left-Hand Helical Flutes and Squared Shank — High-Speed Steel	12
Tolerances for Table 4	13
5 Taper Shank Jobbers Reamers With Straight Flutes — High-Speed Steel	14
Tolerances for Table 5	15
6 Driving Slots and Lugs for Shell Reamers and Shell Reamer Arbors	16
7 Shell Reamers With Straight Flutes — High-Speed Steel	17
Tolerances for Table 7	18
8 Shell Reamers With Left-Hand Helical Flutes — High-Speed Steel	19
Tolerances for Table 8	20
9 Arbors With Straight Shanks for Shell Reamers	21
Tolerances for Table 9	21
10 Arbors With Taper Shanks for Shell Reamers	22
Tolerances for Table 10	22
11 Expansion Chucking Reamers With Straight Flutes and Straight Shank — High-Speed Steel	23
Tolerances for Table 11	24

12	Expansion Chucking Reamers With Straight Flutes and Taper Shank — High-Speed Steel.....	25
	Tolerances for Table 12.....	26
13	Straight Shank Chucking Reamers With Straight Flutes — High-Speed Steel, Fractional Sizes	27
	Tolerances for Table 13.....	28
14	Straight Shank Chucking Reamers With Straight Flutes — High-Speed Steel, Wire Gage Sizes	29
	Tolerances for Table 14.....	30
15	Straight Shank Chucking Reamers With Straight Flutes — High-Speed Steel, Letter Sizes.....	31
	Tolerances for Table 15.....	32
16	Straight Shank Chucking Reamers With Straight Flutes — High-Speed Steel, Decimal Sizes.....	33
	Tolerances for Table 16.....	33
17	Taper Shank Chucking Reamers With Straight Flutes — High-Speed Steel.....	34
	Tolerances for Table 17.....	35
18	Straight Shank Chucking Reamers With Helical Flutes — Right- or Left-Hand Helix — Right-Hand Cut — High-Speed Steel.....	36
	Tolerances for Table 18.....	37
19	Taper Shank Chucking Reamers With Helical Flutes — Right-Hand Helix — Right-Hand Cut — High-Speed Steel.....	38
	Tolerances for Table 19.....	39
20	Straight Shank Rose Chucking Reamers With Straight Flutes — High-Speed Steel.....	40
	Tolerances for Table 20.....	40
21	Stub Screw Machine Reamers With Helical Flutes — High-Speed Steel	41
	Tolerances for Table 21.....	42
22	Morse Taper Finishing Reamers With Straight Flutes and Squared Shank — High-Speed Steel.....	43
	Tolerances for Table 22.....	43
23	Morse Taper Reamers With Morse Taper Shank.....	44
	Tolerances for Table 23.....	44
24	Taper Pin Reamers With Straight Flutes and Squared Shank — Carbon Steel, High-Speed Steel.....	45
	Taper Pin Reamers With Left-Hand Spiral Flutes and Squared Shank — High-Speed Steel.....	45
	Tolerances for Table 24.....	46
25	Taper Pin Reamers With High-Spiral Flutes — High-Speed Steel.....	47
	Tolerances for Table 25.....	47
26	Die Maker's Reamers With High-Spiral Flutes — High-Speed Steel	48
	Tolerances for Table 26.....	48
27	Taper Shank Bridge Reamers With Straight Flutes — High-Speed Steel.....	49
	Tolerances for Table 27.....	49
28	Taper Shank Bridge Reamers With Helical Flutes — High-Speed Steel.....	50
	Tolerances for Table 28.....	51
29	Taper Shank Car Reamers With Straight Flutes — High-Speed Steel	52
	Tolerances for Table 29.....	52
30	Taper Shank Car Reamers With Helical Flutes — High-Speed Steel	53
	Tolerances for Table 30.....	53
31	Taper Shank Structural Reamers With Three Helical Flutes — High-Speed Steel.....	54
	Tolerances for Table 31.....	54

32	Straight Shank Center Reamers (Short Countersinks) —	
	High-Speed Steel.....	55
	Tolerances for Table 32.....	55
33	Straight Shank Machine Countersinks — High-Speed Steel.....	56
	Tolerances for Table 33.....	56
34	Taper Pipe Reamers With Spiral Flutes and Squared Shank —	
	High-Speed Steel.....	57
	Tolerances for Table 34.....	58
	Appendix	
A	Conversion Tables From Inch to Millimeter	59

REAMERS

1 SCOPE

This Standard covers the American National Standard for Reamers — nomenclature, definitions, types, sizes, and tolerances.

2 NOMENCLATURE AND DEFINITIONS

reamer — a rotary cutting tool with one or more cutting elements used for enlarging to size and contour a previously formed hole. Its principal support during the cutting action is obtained from the workpiece. (See Fig. 1.)

actual size — the actual measured diameter of a reamer, usually slightly larger than the nominal size to allow for wear

angle of taper — the included angle of taper on a taper tool or taper shank

arbor hole — the central mounting hole in a shell reamer

axis — the imaginary straight line which forms the longitudinal centerline of a reamer, usually established by rotating the reamer between centers

back taper — a slight decrease in diameter, from front to back, in the flute length of reamers

bevel — an unrelieved angular surface of revolution (not to be confused with chamfer)

body — the fluted full diameter portion of a reamer, inclusive of the chamfer, starting taper, and bevel

chamfer — the angular cutting portion at the entering end of a reamer [see also *secondary (chamfer)*]

chamfer angle — the angle between the axis and the cutting edge of the chamfer measured in an axial plane at the cutting edge

chamfer length — the length of the chamfer measured parallel to the axis at the cutting edge

chamfer relief angle — see under *relief*

chamfer relief — see under *relief*

chip breakers — notches or grooves in the cutting edges of some taper reamers designed to break the continuity of the chips

circular land — see preferred term *margin*

clearance — the space created by the relief behind the cutting edge or margin of a reamer

core — the central portion of a reamer below the flutes which joins the lands

core diameter — the diameter at a given point along the axis of the largest circle which does not project into the flutes

cutter sweep — the section removed by the milling cutter or grinding wheel in entering or leaving a flute

cutting edge — the leading edge of the relieved land in the direction of rotation for cutting

cutting face — the leading side of the relieved land in the direction of rotation for cutting on which the chip impinges

external center — the pointed end of a reamer. The included angle varies with manufacturing practice.

flutes — longitudinal channels formed in the body of the reamer to provide cutting edges, permit passage of chips, and allow cutting fluid to reach the cutting edges

angular flute — a flute which forms a cutting face lying in a plane intersecting the reamer axis at an angle. It is unlike a helical flute in that it forms a cutting face which lies in a single plane.

helical flute — (sometimes called spiral flute) a flute which is formed in a helical path around the axis of a reamer

spiral flute (1) on a taper reamer, a flute of constant lead; or,
(2) in reference to a straight reamer, see preferred term *helical flute*.

straight flute — a flute which forms a cutting edge lying in an axial plane

flute length — the length of the flutes not including the cutter sweep

guide — a cylindrical portion following the flutes of a reamer to maintain alignment

heel — the trailing edge of the land in the direction of rotation for cutting