

ASME BPE-2024
(Revision of ASME BPE-2022)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



The American Society of
Mechanical Engineers

ASME BPE-2024
(Revision of ASME BPE-2022)

Bioprocessing Equipment

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: April 29, 2024

The next edition of this International Standard is scheduled for publication in 2026. This International Standard will become effective 6 months after the Date of Issuance.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2024 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword	xi
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising	vi
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xvi
Committee Roster	xvii
Correspondence With the BPE Committee	xxii
Summary of Changes	xxiv
Chapter 1	1
Introduction, Scope, and General Requirements	1
Part GR	1
General Requirements	1
GR-1 Introduction	1
GR-2 Scope of the ASME BPE Standard	1
GR-3 Manufacturer's Quality Assurance Program	2
GR-4 Examination, Inspection, and Testing	2
GR-5 Documentation	6
GR-6 Product Identification and Packaging	8
GR-7 Process Compatibility	9
GR-8 Contamination Control	9
GR-9 U.S. Customary and SI Units	9
GR-10 References	9
GR-11 Terms and Definitions	11
GR-12 Nomenclature	20
Chapter 2	21
Certification	21
Part CR	21
Certification Requirements	21
CR-1 Purpose and Scope	21
CR-2 General	21
Chapter 3	24
Materials	24
Part MM	24
Metallic Materials	24
MM-1 Purpose and Scope	24
MM-2 Alloy Designations	24
MM-3 Uses of Specifications	24
MM-4 Referenced Specifications	28
MM-5 Base Metals and Filler Materials	30
MM-6 Mechanical Properties and Leak Testing	39
MM-7 Positive Material Identification	40
MM-8 Corrosion-Resistance Requirements	40
MM-9 Minimum Requirements for Alloys in Part MM	40
Part PM	42
Polymeric and Other Nonmetallic Materials	42
PM-1 Purpose and Scope	42
PM-2 Materials	42

PM-3	Properties and Performance	46
PM-4	Applications	48
Chapter 4	Design for Multiuse	50
Part SD	Systems Design for Multiuse	50
SD-1	Purpose and Scope	50
SD-2	General Guidelines	50
SD-3	Process Components and Equipment	54
SD-4	Process Utility Systems	99
SD-5	Process Systems	105
SD-6	Process Support Systems	130
SD-7	Design Conformance Testing	153
Chapter 5	Process Components for Multiuse	155
Part DT	Dimensions and Tolerances for Process Components	155
DT-1	Purpose and Scope	155
DT-2	Pressure Rating	155
DT-3	Wall Thickness	155
DT-4	Dimensions	155
DT-5	Materials	156
DT-6	Tests	156
DT-7	Tolerances	156
DT-8	Weld Ends	156
DT-9	Hygienic Clamp Unions	156
DT-10	Minimum Examination Requirements	157
DT-11	Marking	157
DT-12	Packaging	158
Part PI	Process Instrumentation for Multiuse	196
PI-1	Purpose and Scope	196
PI-2	Process Instrumentation General Requirements	196
PI-3	Instrument Receiving, Handling, and Storage	199
PI-4	Flowmeters	199
PI-5	Level Instrument	204
PI-6	Pressure Instruments	206
PI-7	Temperature Sensors and Associated Components	206
PI-8	Analytical Instruments	213
PI-9	Optical	217
Part MC	Components for Multiuse	221
MC-1	Purpose and Scope	221
MC-2	Sealing Component Types	221
MC-3	Sealing Components General Design Requirements (General Provisions)	239
MC-4	Seal Performance Requirements	245
MC-5	Hose Assemblies	247
Chapter 6	Fabrication, Assembly, and Erection for Multiuse	249
Part MJ	Materials Joining for Multiuse	249
MJ-1	Purpose and Scope	249
MJ-2	Materials	249

MJ-3	Joint Design and Preparation	250
MJ-4	Joining Processes and Procedures	254
MJ-5	Procedure Qualifications	254
MJ-6	Performance Qualifications	254
MJ-7	Examination, Inspection, and Testing	255
MJ-8	Acceptance Criteria	257
MJ-9	Joining of Polymeric Materials	25
MJ-10	Documentation Requirements	272
MJ-11	Passivation	272
Part SF	Process Contact Surface Finishes for Multiuse	274
SF-1	Purpose and Scope	274
SF-2	Metallic Applications	274
SF-3	Polymeric Applications	277
Chapter 7	Design for Single-Use	279
Part SU	Systems Design for Single-Use	279
SU-1	General	279
SU-2	General Guidelines	279
SU-3	Integrity	279
SU-4	Biocompatibility	280
SU-5	Extractables and Leachables	280
SU-6	Identification	280
SU-7	Certificate of Conformance	280
SU-8	Inspection and Packaging	280
SU-9	Sterilization and Bioburden Reduction	281
SU-10	Shelf Life, Storage, and Expiration Date	281
SU-11	Particulates	282
SU-12	Design Conformance	282
Chapter 8	Process Components for Single-Use	283
Part SC	Components for Single-Use	283
SC-1	Steam-Through and Steam-To Connectors	283
SC-2	Aseptic Connections	283
SC-3	Flexible End-process Containers (Bags)	283
SC-4	Polymeric Hygienic Unions	284
SC-5	Valves	284
Chapter 9	Fabrication, Assembly, and Erection for Single-Use	289
Part SJ	Joining Methods for Single-Use	289
SJ-1	General	289
SJ-2	Mechanical Hose Barb Connections	289
SJ-3	Thermal Welding of Thermoplastic Elastomer Tubing	289
Part SI	Single-Use Process Instrumentation	291
SI-1	Purpose and Scope	291
SI-2	Single-Use Process Instrumentation General Requirements	291
Mandatory Appendices		
II	Standard Units	292

III	Single-Use Components and Assemblies	293
IV	Nomenclature	294

Nonmandatory Appendices

A	Slag and Oxide Island Formation in Welds	296
B	Material and Weld Examination/Inspection Documentation	297
C	Slope Measurement and Joint Misalignment	301
D	Rouge and Stainless Steel	302
E	Passivation Procedure Qualification	310
F	Corrosion Testing	319
G	Ferrite	323
H	Electropolishing Procedure Qualification	324
J	Vendor Documentation Requirements for New Instruments	328
K	Standard Process Test Conditions (SPTC) for Seal Performance Evaluation	331
L	Standard Test Methods for Polymers	341
M	Spray Device Coverage Testing	344
N	Explanation of Weld Bead and Heat-Affected Zone Discoloration Acceptance Criteria on UNS S31603	346
O	Guidance When Choosing Polymeric and Nonmetallic Materials	347
P	General Background/Useful Information for Extractables and Leachables	350
Q	Temperature Sensors and Associated Components	353
R	Instrument Receiving, Handling, and Storage	355
S	Application Data Sheet	356
T	Guidance on Polymer Applications: Chromatography Columns and Filtration	358
U	Guidance for the Use of U.S. Customary and SI Units	361
W	Positive Material Identification	363
Y	Procurement Sources	366
Z	Quality Management System	367
AA	Seal Application Material Selection Guide	371
BB	Mechanical Seal Face Material Selection for Compensial Water Pumps	377
CC	Examination, Inspection, and Testing Cross-References	378
DD	Conductivity Sensor Selection Guide	381
EE	Vessel Flange, Agitator, and Mechanical Seal Design for Bottom-Mount Agitators	383
FF	Leak and Integrity Test Methods for Single-Use Systems	393
GG	Single-Use Mechanical Hose Barb Design Recommendations	399
HH	Physical and Functional Testing References Used to Characterize Single-Use Bags	401
JJ	Size Comparison of Common Thermoplastic Sizing Standards	404

Figures

CR-1-1	The ASME Single Certification Mark With the BPE Certification Designator	21
SD-3.1.1-1	Flat Gasket Applications	55
SD-3.1.2.2-1	Accepted Point-of-Use Designs	59
SD-3.1.2.3-1	Double Block-and-Bleed Valve Assembly	60
SD-3.2.1-1	Flexible Hygienic Hose Design	62
SD-3.3.2.2-1	Pump Impeller Configurations	63

SD-3.3.2.2-2	Acceptable Impeller Attachments	64
SD-3.3.2.2-3	Casing Drain Configurations	64
SD-3.3.2.2-4	Casing Drain L/d Ratios	65
SD-3.3.2.4-1	Rotary Lobe Pump Rotor Attachment	66
SD-3.4.2-1	Nozzle Design	67
SD-3.4.2-2	Side and Bottom Connections	68
SD-3.4.2-3	Sidewall Nozzles	69
SD-3.4.2-4	Vessel Design Tangential Nozzles	70
SD-3.4.2-5	Typical Nozzle Detail	71
SD-3.4.3-1	Accepted Nozzle Penetrations	72
SD-3.4.3-2	Internal Components	73
SD-3.4.6-1	Sight Glass Design (Accepted)	74
SD-3.5.1-1	Agitator Mounting Flanges	76
SD-3.5.2-1	Shaft Coupling Construction	77
SD-3.5.2-2	Shaft Coupling Seal Arrangements	78
SD-3.5.2-3	Fastener Seal Arrangements: Alternative Bolting Designs	80
SD-3.5.5-1	Shaft Steady Bearing	81
SD-3.5.5-2	Magnetically Coupled Mixer (Typical Bottom-Mount)	82
SD-3.6.2-1	Double Tubesheet Heat Exchanger Bonnet Design	83
SD-3.7.1-1	Transfer Panel Looped Headers	85
SD-3.7.2-1	Transfer Panel Tolerances	86
SD-3.7.4-1	Transfer Panel Jumpers	88
SD-3.9.1-1	Dynamic Spray Device: Single Axis	91
SD-3.9.1-2	Two-Axis Dynamic Spray Device	92
SD-3.9.2.1-1	Static Spray Device	93
SD-3.9.2.1-2	Flow Rate Guideline for Vertical Cylindrical Vessels	93
SD-3.9.2.1-3	Flow Rate Guideline for Horizontal Cylindrical Vessels	94
SD-3.9.2.3-1	Impact Pattern Buildup	95
SD-3.12-1	Steam Traps for Clean Steam Systems	96
SD-3.17.1-1	Example Strainer Designs	98
SD-4.1.2.1-1	Point-of-Use Piping	101
SD-4.1.2.2-1	Physical Break in Point-of-Use Piping	102
SD-4.2.2-1	Typical Clean Steam System Isometric	103
SD-4.2.2-2	Clean Steam Point-of-Use Design	104
SD-5.1.4.1.3-1	Gas Sparging Assembly — Lance	106
SD-5.1.4.1.3-2	Gas Sparging Assembly — Sintered	107
SD-5.1.4.1.3-3	Gas Sparging Assembly — Ring	108
SD-5.1.4.1.3-4	Gas Sparging Assembly — Single Orifice	109
SD-5.1.4.2.1-1	Exhaust Gas Condenser	110
SD-5.1.4.2.1-2	Exhaust Gas Heater	110
SD-5.1.4.2.1-3	Electrically Heat Traced Filter Housing	111
SD-5.1.5-1	Fermentor Sterile Envelope	113
SD-5.1.5-2	Bioreactor Sterile Envelope	114
SD-5.2.1-1	Cell Disruptor Process Flow Schematic Diagram	116
SD-5.4.5.1-1	Tank/Vessel Vent Fillers	120

SD-5.6.4-1	Typical Lyophilizer Component Assembly	124
SD-5.6.5-1	Lyophilizer Sterile Boundary	127
SD-6.3.4.1.1-1	Conical Vessel With Reduced Bottom Outlet, or Tulip Tank	136
SD-6.3.4.2-1	CIP Looped Header (Supply or Return)	138
SD-6.3.4.2-2	Zero-Static Chain	138
SD-6.3.4.2-3	Swing Elbow Arrangement	138
SD-6.3.4.2-4	Mix-Proof Valve Array	139
SD-6.4.1.1-1	Example of HTST Process Flow Schematic Diagram	142
SD-6.4.1.1-2	Example of Direct Steam Injection UHT Process Flow Schematic Diagram	143
SD-6.4.4.5-1	Example of Additional Retention Tube Length Required to Account for Axial Mixing	145
SD-6.5.4.2-1	Immersion Tank Side Nozzle Design	148
DT-9.4-1	Clamp Conditions at Installation	194
PI-2.2.1-1	In-Line and At-Line Instrument Installation Examples	197
PI-2.2.2-1	Accepted Insertion Device Installation Examples	198
PI-4.1.3.2-1	Manifold or Flow Splitter for Dual-Tube Construction Flowmeters and Potential Product Holdup	200
PI-4.1.3.3-1	Concentrically Reducing Process Connection	200
PI-4.1.4.3-1	Vertical Installation	202
PI-4.1.4.4-1	Minimum Angle of Inclination, α	202
PI-4.2.2-1	Typical Turbine Flowmeters	203
PI-5.1.2-1	Bulb, Horn, Isolated Horn, and Rod-Style Antennae	205
PI-5.1.3.1-1	Dead Band, Measuring Range, and Mounting Location	205
PI-6.1.2-1	Accepted Orientation and Flow	207
PI-7.3-1	Typical Installation Styles	208
PI-7.3.4-1	Accepted Elbow Orientations and Flow Directions	209
PI-7.3.4-2	Accepted Nonintrusive Orientation and Flow Directions	209
PI-7.3.5-1	Sensor Insertion Lengths for Tee Installations	211
PI-7.3.5-2	Sensor Insertion Lengths for Elbow Installations	212
PI-8.1.2-1	Conductivity Sensor Components	213
PI-8.1.3.2-1	Acceptable Orientation for Conductivity Sensors	215
PI-8.1.3.4-1	Installation Clearance Requirements	215
PI-8.2.2-1	pH Sensor Components	216
PI-8.2.3.3-1	Accepted Mounting Orientations	216
PI-8.4.3-1	Accepted Installation for a TOC Instrument	218
PI-9.1.3.2-1	Vessel Light Class Design and Mounting	219
PI-9.1.3.4-1	In-Line Insertion Length	220
PI-9.1.3.4-2	Immersion Probe Length	220
MC-2.2.2-1	Hygienic Union, Ferrules per Table DT-7.1-1 or Table DT-7.1-2	222
MC-2.2.2-2	Hygienic Clamp Union, Ferrules per Table DT-7.1-1 or Table DT-7.1-2	222
MC-2.2.2-3	Hygienic Union per DIN 11864	223
MC-2.2.2-4	Hygienic Clamp Union per DIN 11864	223
MC-2.2.2-5	Nonhygienic Connections	224
MC-2.3.1.2-1	Weir Valves	226
MC-2.3.1.2-2	Radial Valves	226
MC-2.3.1.2-3	Weirless Diaphragm Valve	227

MC-2.3.1.2-4	Linear Control Valves	227
MC-2.3.1.2-5	Regulator Valve	228
MC-2.3.1.3-1	Ball Valves	228
MC-2.3.1.4-1	Rising Stem Single, Double-Seat Mix-Proof, and Needle Valves	229
MC-2.3.1.5-1	Butterfly Valve	229
MC-2.3.1.7-1	Back Pressure Control Valve	229
MC-2.3.1.8-1	Pinch Valve	230
MC-2.3.1.9-1	Check Valves	231
MC-2.3.1.10-1	Plug Valve	232
MC-2.3.2.2-1	Single Mechanical Seal	233
MC-2.3.2.2-2	Single Seal for Top-Entry Agitator	233
MC-2.3.2.3-1	Dual Mechanical Seal-Pressurized for Pumps	233
MC-2.3.2.3-2	Dual Mechanical Seal-Pressurized for Top-Entry Agitator	233
MC-2.3.2.3-3	Dual Mechanical Seal-Unpressurized for Pumps	234
MC-2.3.2.4-1	Plan 01	235
MC-2.3.2.4-2	Plan 02	235
MC-2.3.2.4-3	Plan 03	236
MC-2.3.2.4-4	Plan 11	236
MC-2.3.2.4-5	Plan 32	236
MC-2.3.2.4-6	Plan 52 for Pump	236
MC-2.3.2.4-7	Plan 52 for Top-Entry Agitator	237
MC-2.3.2.4-8	Plan 53 for Pump	237
MC-2.3.2.4-9	Plan 53 for Top-Entry Agitator	237
MC-2.3.2.4-10	Plan 54 for Pump	237
MC-2.3.2.4-11	Plan 54 for Top-Entry Agitator	238
MC-2.3.2.4-12	Plan 55 for Pump	238
MC-2.3.2.4-13	Plan 55 With Buffer Fluid From Pump Discharge	238
MC-2.3.2.4-14	Plan 55 for Top-Entry Agitator	238
MC-2.3.2.4-15	Plan 74 for Pump	239
MC-2.3.2.4-16	Plan 74 for Top-Entry Agitator	239
MC-3.3.2.2-1	Examples of Static O-Ring Grooves	241
MC-3.3.2.3-1	Seals for Rising Stem Valves	243
MC-4.2-1	Typical Isogenic Clamp Union: Allowable Gasket Intrusion	246
MJ-3.1-1	Vent Hole Examples	251
MJ-3.2-1	Acceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	252
MJ-3.2-2	Acceptable Pressure Vessel and Tank Head-to-Shell Joint Configurations	253
MJ-8.4-1	Acceptable and Unacceptable Weld Profiles for Groove Welds on Metallic Tube-to-Tube Butt Joints	264
MJ-8.4-2	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Electropolished UNS S31603 Tubing	265
MJ-8.4-3	Discoloration Acceptance Criteria for Welds and Heat-Affected Zones on Mechanically Polished UNS S31603 Tubing	266
MJ-8.4-4	Acceptable and Unacceptable Metallic Weld Bead Width and Meander on Non-Process Contact Surfaces of Groove Welds on Tube-to-Tube Butt Joints	267
MJ-8.5-1	Acceptable Weld Profiles for Metallic Tube-Attachment Fillet Welds	270
MJ-9.7.1-1	Acceptable and Unacceptable Weld Profiles for Polymeric Beadless Welds	273

SC-5.2-1	Typical Pinch Clamps	285
SC-5.3-1	Typical Pinch Valves	286
SC-5.4-1	Typical Diaphragm Valve	287
K-1.3.2.1-1	Weir-Style Diaphragm	333
K-1.3.2.1-2	Weir-Style Body	336
K-1.3.2.1-3	Radial-Style Body	336
K-1.3.2.1-4	Manual Bonnet	337
K-1.3.2.1-5	Pneumatic	337
P-4-1	Flowchart of Bioprocessing Equipment/Component Evaluation Related to Extractables and Leachables Characterization	352
AA-3.2.1-1	Polymeric Static and Dynamic Seal Selection for Use in Compensial Water Systems . .	374
AA-3.2.3-1	Mechanical Seal Face Material Selection for Compensial Water Pumps	376
DD-2.1.1-1	Conductivity Scale	382
EE-3-1	Direct-Mount Agitator	384
EE-3-2	Pedestal-Mount Agitator	385
EE-3.1-1	Registered Fit to Ensure Concentricity: Seal Housing-to-Drive Pilot	386
EE-3.2-1	Dual Mechanical Seal Assembly	387
EE-3.2-2	Seal Assembly to Flange O-Ring Detail	388
EE-3.3-1	Vessel Flange With Piloted Bore	390
EE-3.3-2	Vessel Flange Tolerance Parameters	391
GG-1.2-1	Typical Polymeric Single-Use Hose Barb Featuring Mono-Barb Design	399
 Tables		
GR-4.2-1	Quality Inspector's Delegate Capabilities	3
CR-1-1	Types of ASME BPE Certificates	21
MM-2.1-1	Wrought Stainless Steels: Nominal Compositions (wt. %)	25
MM-2.1-2	Wrought Nickel Alloys: Nominal Compositions (wt. %)	26
MM-2.1-3	Stainless Steel and Nickel Alloy Cast Designations	27
MM-2.1-4	Wrought Copper: Nominal Compositions (wt. %) (Cleaned for Oxygen Service)	28
MM-5.2.1.1-1	Predicted Ferrite Number (FN) Ranges for Various Austenitic Stainless Steel Product Forms and Welds	31
MM-5.2.5-1	Materials for OEM Equipment	32
MM-5.3-1	Filler Metals for Austenitic Stainless Steels	33
MM-5.3-2	Filler Metals for Superaustenitic Stainless Steels	35
MM-5.3-3	Filler Metals for Duplex Stainless Steels	36
MM-5.3-4	Filler Metals for Nickel Alloys	37
MM-5.3-5	Consumable Inserts for Superaustenitic and Duplex Stainless Steels	38
MM-5.3.4-1	Brazing Filler Metals for Copper	39
MM-5.4-1	Solution Anneal Heat Treatment Requirements for Superaustenitic and Duplex Stainless Steels	40
PM-2.2.1-1	Content Required on the Certificate of Conformance	44
PM-2.2.3.2-1	Change Levels and Minimum Change Notification Requirements	45
SD-2.4.3.1-1	Slope Designations for Drainable Lines	53
SD-3.1.2.2-1	<i>L/d</i> Dimensions for Flow-Through Tee: Full-Size Standard Straight Tee With Blind Cap	56
SD-3.1.2.2-2	<i>L/d</i> Dimensions for Flow-Through Tee: Short-Outlet Reducing Tee With Blind Cap	57
SD-3.4.3-1	Annular Spacing Recommendations for Hygienic Dip Tubes	71

SD-6.3.5.2.1-1	Flow Rates to Achieve 5 ft/sec (1.5 m/s)	140
DT-2-1	Metallic Fittings: Rated Internal Working Pressure	158
DT-3-1	Final Tolerances for Mechanically Polished Fittings and Process Components, Excluding Tube	159
DT-3-2	Final Tolerances for Electropolished Fittings and Process Components, Excluding Tube	161
DT-4-1	Nominal O.D. Tubing Sizes	161
DT-4.1-1	Tangent Lengths	162
DT-4.1.1-1	Automatic Tube Weld: 90-deg Elbow	162
DT-4.1.1-2	Automatic Tube Weld: Hygienic Clamp Joint, 90-deg Elbow	163
DT-4.1.1-3	Hygienic Clamp Joint: 90-deg Elbow	163
DT-4.1.1-4	Automatic Tube Weld: 45-deg Elbow	164
DT-4.1.1-5	Automatic Tube Weld: Hygienic Clamp Joint, 45-deg Elbow	164
DT-4.1.1-6	Hygienic Clamp Joint: 45-deg Elbow	165
DT-4.1.1-7	Automatic Tube Weld: 180-deg Return Bend	165
DT-4.1.1-8	Hygienic Clamp Joint: 180-deg Return Bend	166
DT-4.1.1-9	Automatic Tube Weld: 88-deg Elbow	166
DT-4.1.1-10	Automatic Tube Weld: 92-deg Elbow	167
DT-4.1.2-1	Automatic Tube Weld: Straight Tee and Cross	167
DT-4.1.2-2	Automatic Tube Weld: Short-Outlet Hygienic Clamp Joint Tee	168
DT-4.1.2-3	Hygienic Mechanical Joint: Short-Outlet Run Tee	168
DT-4.1.2-4	Hygienic Clamp Joint: Straight Tee and Cross	169
DT-4.1.2-5	Hygienic Clamp Joint: Short-Outlet Tee	169
DT-4.1.2-6	Automatic Tube Weld: Reducing Tee	170
DT-4.1.2-7	Automatic Tube Weld: Short-Outlet Hygienic Clamp, Joint Reducing Tee	171
DT-4.1.2-8	Hygienic Clamp Joint: Reducing Tee	172
DT-4.1.2-9	Hygienic Clamp Joint: Short-Outlet Reducing Tee	173
DT-4.1.2-10	Automatic Tube Weld: Instrument Tee	174
DT-4.1.2-11	Hygienic Clamp Joint: Instrument Tee	174
DT-4.1.2-12	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Tee	174
DT-4.1.2-13	Automatic Tube Weld: Standard Outlet Hygienic Clamp Joint Reducing Tee	175
DT-4.1.3-1	Automatic Tube Weld: Concentric and Eccentric Reducer	176
DT-4.1.3-2	Hygienic Clamp Joint: Tube Weld Concentric and Eccentric Reducer	177
DT-4.1.3-3	Hygienic Clamp Joint: Concentric and Eccentric Reducer	178
DT-4.1.4-1	Automatic Tube Weld: Ferrule	179
DT-4.1.5-1	Automatic Tube Weld: Cap	180
DT-4.1.5-2	Hygienic Clamp Joint: Solid End Cap	181
DT-4.4.1-1	Hygienic Clamp Joint: Two-Way, Weir-Style Diaphragm Valve	182
DT-4.5.1-1	Tapered Locking Tab Retainer: Recessed	183
DT-4.5.2-1	Tapered Locking Tab Retainer: External	184
DT-7.1-1	Metallic Hygienic Clamp Ferrule Standard Dimensions and Tolerances	185
DT-7.1-2	Polymeric Hygienic Clamp Ferrule Standard Dimensions and Tolerances	188
DT-7.2-1	Tubing End Square Cut Tolerances	191
DT-7.3-1	Transfer Panel and Jumper Tolerances	192
DT-9.3-1	Hygienic Clamp Ferrule: Design Criteria	193
DT-11.1.1-1	Minimum Required Marking Information	195

MJ-6.3-1	Metallic Tube/Pipe Diameter Limits for Orbital GTAW Performance Qualification	255
MJ-6.3-2	Metallic Weld Thickness Limits for Orbital GTAW Performance Qualification	255
MJ-8.2-1	Visual Examination Acceptance Criteria for Welds on Metallic Pressure Vessels and Tanks	258
MJ-8.3-1	Visual Examination Acceptance Criteria for Welds on Metallic Pipe	260
MJ-8.4-1	Visual Examination Acceptance Criteria for Groove Welds on Metallic Tube-to-Tube Butt Joints	262
MJ-8.5-1	Visual Examination Acceptance Criteria for Metallic Tube-Attachment Welds	268
MJ-9.7.1-1	Visual Examination Acceptance Criteria for Polymeric Pipe Beadless Welds	272
SF-2.2-1	Acceptance Criteria for Metallic Process Contact Surface Finishes	275
SF-2.2-2	Additional Acceptance Criteria for Electropolished Metallic Process Contact Surface Finishes	275
SF-2.4.1-1	R_a Readings for Metallic Process Contact Surfaces	276
SF-2.6-1	Acceptance Criteria for Metallic Passivated Process Contact Surface Finishes	277
SF-3.3-1	Acceptance Criteria for Polymeric Process Contact Surface Finishes	278
SF-3.4-1	R_a Readings for Polymeric Process Contact Surfaces	278
SU-12-1	Single-Use Design Aspects	282
II-1	Standard Units	292
D-2-1	Considerations That Affect the Amount of Rouge Formation During the Fabrication of a System	304
D-2-2	Considerations That Affect the Amount of Rouge Formation During the Operation of a System	305
D-3.1-1	Process Fluid Analyses for the Identification of Mobile Constituents of Rouge	306
D-3.2-1	Solid Surface Analyses for the Identification of Surface Layers Composition	307
D-4.1-1	Rouge Remediation Processes Summary	308
E-3.2-1	Minimum Surface Requirements for Process Qualification Samples	311
E-3.2-2	Passivation Processes	313
E-5-1	Test Matrix for Evaluation of Cleaned and Passivated Surfaces	315
F-1-1	Corrosion Tests	320
F-3-1	PRE Numbers for Stainless Steels per Table MM-2.1-1 and for Nickel Alloys per Table MM-2.1-2	322
H-4.3-1	Procedure Qualification Acceptance Criteria for Test Coupons	327
J-1.1-1	Vendor Documentation Requirements for New Instruments: Section 1, VDR Definitions	329
J-1.2-1	Vendor Documentation Requirements for New Instruments: Section 2, Instrument Types and Required Documents	330
L-3-1	Thermoset Polymer Test Properties	342
L-4-1	Interpretation of Thermoset Material Property Changes	343
O-1.1-1	Common Thermoplastic Polymers and Applications	348
O-1.2-1	Common Thermoset Polymers and Applications	348
O-1.3-1	Examples of Nonmetallics	349
DD-2.6-1	Technological Considerations	382
EE-3.3-1	Vessel Flange Bore per Shaft Diameter	389
EE-3.3-2	Vessel Flange Fabrication Tolerance Guidelines	392
FF-1-1	Leak and Integrity Test, Nondestructive Methods	394
FF-1-2	Leak and Integrity Test, Destructive Methods	396
GG-2-1	Typical Retention Devices by Tubing Type and Operating Pressure	400
HH-1	Physical Testing References Used to Characterize Single-Use Bags	402

HH-2	Functional Testing References Used to Characterize Single-Use Bags	403
JJ-1	Size Comparison of Common Thermoplastic Sizing Standards	405
Forms		
MEL-1	Material Examination Log	298
MER-1	Material Examination Record	299
WEL-1	Weld and Examination/Inspection Log	300
EPPS-1	Suggested Format for Electropolishing Procedure Specification (EPPS)	325
EPQR-1	Suggested Format for Electropolishing Procedure Qualification Record (EPQR)	326
S-1	Application Data Sheet	357
Index	406

FOREWORD

At the 1988 American Society of Mechanical Engineers (ASME) Winter Annual Meeting (WAM), many individuals expressed interest in developing standards for the design of equipment and components for use in the biopharmaceutical industry. As a result of this interest, the ASME Council on Codes and Standards (CCS) was petitioned to approve this as a project. The initial scope was approved by the CCS on June 20, 1989, with a directive to the Board on Pressure Technology to initiate this project with the following initial scope:

This standard is intended for design, materials, construction, inspection, and testing of vessels, piping, and related accessories such as pumps, valves, and fittings for use in the biopharmaceutical industry. The rules provide for the adoption of other ASME and related national standards, and when so referenced become part of the standard.

(a) At the 1989 WAM, an ad hoc committee was formed to assess the need to develop further the scope and action plan. The committee met in 1990 and there was consensus concerning the need to develop standards that would meet the requirements of operational bioprocessing, including

- (1) the need for equipment designs that are both cleanable and sterilizable
- (2) the need for special emphasis on the quality of weld surfaces once the required strength is present
- (3) the need for standardized definitions that can be used by material suppliers, designers/fabricators, and users
- (4) the need to integrate existing standards covering vessels, piping, appurtenances, and other equipment necessary for the biopharmaceutical industry without infringing on the scopes of those standards

(b) The BPE Main Committee was structured with six functioning subcommittees and an executive committee comprising the main committee chair and the subcommittee chairs. The initial subcommittees were

- (1) General Requirements
- (2) Design Relating to Sterility and Cleanability of Equipment
- (3) Dimensions and Tolerances
- (4) Material Joining
- (5) Surface Finishes
- (6) Seals

(c) Throughout the development of the Standard, close liaison was made with the European Committee for Standardization (CEN), the American Society for Testing and Materials (ASTM), and the 3-A Dairy Standards. The purpose was to develop an ASME standard that would be distinctive, germane, and not in conflict with other industry standards. Wherever possible, the Committee strove to reference existing standards that are applicable to biopharmaceutical equipment design and fabrication.

(d) This Standard represents the work of the BPE Standards Committee, and this edition includes the following:

Chapter 1, Introduction, Scope, and General Requirements

Part GR, General Requirements

Chapter 2, Certification

Part CR, Certification Requirements

Chapter 3, Materials

Part MM, Metallic Materials

Part PM, Polymeric and Other Nonmetallic Materials

Chapter 4, Design for Multiuse

Part SD, Systems Design for Multiuse

Chapter 5, Process Components for Multiuse

Part DT, Dimensions and Tolerances for Process Components

Part PI, Process Instrumentation for Multiuse

Part MC, Components for Multiuse

Chapter 6, Fabrication, Assembly, and Erection for Multiuse
 Part MJ, Materials Joining for Multiuse
 Part SF, Process Contact Surface Finishes for Multiuse
Chapter 7, Design for Single-Use
 Part SU, Systems Design for Single-Use
Chapter 8, Process Components for Single-Use
 Part SC, Components for Single-Use
Chapter 9, Fabrication, Assembly, and Erection for Single-Use
 Part SJ, Joining Methods for Single-Use
 Part SI, Single-Use Process Instrumentation

The first edition of this Standard was approved as an American National Standard on May 20, 1997. This edition was approved by the American National Standards Institute (ANSI) on April 5, 2024.

STATEMENT OF POLICY ON THE USE OF THE ASME SINGLE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Codes and Standards. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Codes and Standards may state this capability in its advertising literature.

Organizations that are authorized to use the ASME Single Certification Mark for marking items or constructions that have been constructed and inspected in compliance with ASME Codes and Standards are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the ASME Single Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the ASME Single Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certificates of Authorization and references to Codes or Standards construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the ASME Single Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the applicable ASME Code or Standard.” An ASME corporate logo shall not be used by any organization other than ASME.

The ASME Single Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code or Standard. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the ASME Single Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the ASME Single Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules of the applicable Code or Standard.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Codes and Standards provide rules for the construction of various items. These include requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of ASME are identified with the ASME Single Certification Mark described in the governing Code or Standard.

Markings such as “ASME” and “ASME Standard” or any other marking including “ASME” or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME which tend to imply that all requirements have been met when in fact they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

ASME’s certification related to products means that the capability by the supplier to fulfill requirements in the applicable standard has been reviewed and accepted by ASME. The supplier is responsible for ensuring that products meet, and if applicable continue to meet, the requirements.

ASME BPE COMMITTEE

Bioprocessing Equipment

(The following is the roster of the committee at the time of approval of this standard.)

STANDARDS COMMITTEE OFFICERS

M. McFeeters, *Chair*
A. Lamore, *Vice Chair*
P. D. Stumpf, *Secretary*

STANDARDS COMMITTEE PERSONNEL

J. Ankers , Ocean Alloys, LLC	M. Pelletier , Clark, Richardson and Biskup Consulting Engineers, Inc.
M. L. Balmer , Merck	L. J. Peterman , United Industries, Inc.
P. H. Banes , Astro Pak Corp.	J. Rau , Dockweiler AG
B. A. Billmyer , Central States Industrial Equipment & Service, Inc.	W. L. Roth , Welding Engineering Consultants
T. J. Cook , Consultant	S. Sharon , Consultant
R. A. Cotter , Cotter Brothers Corp.	R. A. Snow , Sanofi
J. R. Daniels , ITT Engineered Valves, LLC	P. D. Stumpf , The American Society of Mechanical Engineers
J. Dvorscek , Vessel and Weld Inspection Services, LLC	P. L. Sturgill , Sturgill Welding & Code Consulting
A. D. Dyrness , Trinity Consultants Life Sciences	C. A. Trumbull , Paul Mueller Co.
M. Embury , WMFTS	Z. Gu , <i>Delegate</i> , Shanghai Morimatsu Pharmaceutical Equipment Engineering
R. Hayes , BioMarin Pharmaceutical, Inc.	M. Oda , <i>Delegate</i> , Hitachi Plant Services Co., Ltd.
C. A. Johnson , Genentech/Roche	F. Villela , <i>Delegate</i> , Tubofarma Equipamentos Industriais, Ltda.
D. Juritsch , Zeta GmbH	W. H. Cagney , <i>Contributing Member</i> , Johnson & Johnson Innovative Medicine
C. Kettermann , United Industries	M. W. Johnson , <i>Contributing Member</i> , Entegris
K. D. Kimbrel , VNE Corp.	R. McGregor , <i>Contributing Member</i> , Titan Research Group
A. Lamore , Burkert USA Corp.	S. Murakami , <i>Contributing Member</i> , Hitachi, Ltd.
T. Larkin , Consultant	J. Vogel , <i>Contributing Member</i> , The BioProcess Institute
J. T. Mahar , Solventum	
D. J. Mathien , Behringer Corp.	
M. McFeeters , Refined Sciences	

EXECUTIVE COMMITTEE

A. Lamore , <i>Chair</i> , Burkert USA Corp.	K. D. Kimbrel , VNE Corp.
M. McFeeters , <i>Vice Chair</i> , Refined Sciences	J. T. Mahar , Solventum
J. Ankers , Ocean Alloys, LLC	D. J. Mathien , Behringer Corp.
T. J. Cook , Consultant	M. Pelletier , Clark, Richardson and Biskup Consulting Engineers, Inc.
R. A. Cotter , Cotter Brothers Corp.	J. Rau , Dockweiler AG
J. R. Daniels , ITT Engineered Valves, LLC	W. L. Roth , Welding Engineering Consultants
A. Dyrness , Trinity Consultants Life Sciences	S. Sharon , Consultant
M. Embury , WMFTS	P. L. Sturgill , Sturgill Welding & Code Consulting

SUBCOMMITTEE ON GENERAL REQUIREMENTS AND EDITORIAL REVIEW

M. Embury, *Chair*, WMFTS
J. W. Minor, *Vice Chair*, Paul Mueller Co.
S. C. Botham, *Secretary*, BWT Pharma & Biotech
W. P. Burg, DECCO, Inc.
R. D. Campbell, Bechtel
S. Hantske, Genentech/Roche
W. M. Huitt, W. M. Huitt Co.
C. Kettermann, United Industries

D. McCune, Allegheny Bradford Corp.
V. L. Norton, Stainless Integrity
M. Pelletier, Clark, Richardson and Biskup Consulting Engineers, Inc.
K. Seibert, ABEC, Inc.
S. Sharon, Consultant
P. L. Sturgill, Sturgill Welding & Code Consulting
T. J. Winter, Winter Technologies
D. Kwilosz, *Contributing Member*, Eli Lilly and Co.

SUBCOMMITTEE ON SYSTEMS DESIGN

A. D. Dyrness, *Chair*, Trinity Consultants Life Sciences
M. L. Balmer, *Vice Chair*, Merck
X. Chen, *Vice Chair*, IPS
B. Jensen, *Vice Chair*, Alfa Laval
J. W. Minor, *Secretary*, Paul Mueller Co.
J. Ankers, Ocean Alloys, LLC
F. P. Armstrong, Cotter Brothers Corp.
P. Barrie, Sani-Matic
R. Berk, Hyde Engineering and Consulting
T. Bremner, AGC Biologics
E. Buchanan, CSI
C. Chapman, GEMÜ Valves
R. A. Cotter, Cotter Brothers Corp.
J. Craig, Holloway America
J. Crawley, Jacobs Engineering Group, Inc.
J. Daly, BSI Engineering, Inc.
K. Duncan, Duncan Enterprises, Inc.
J. Feldman, Yula Corp.
J. Fisher, Amgen, Inc.
J. W. Franks, Electrol Specialties Co.
Z. Gu, Shanghai Morimatsu
M. Guttzeit, Bayer AG Pharmaceuticals
T. L. Hobick, Holland Applied Technologies
J. Janousek, Abbott Laboratories
C. A. Johnson, Genentech/Roche
A. Kaiser, Kaiser Global Engineering
P. M. Kubera, ABEC, Inc.
R. Lalonde, BFC Technologies, Inc.
J. Lorenz, Bristol Myers Squibb

J. T. Mahar, Solventum
I. Mak, Trinity Consultants Life Sciences
R. Manser, DCI, Inc.
D. P. McCune, Allegheny Bradford Corp.
K. B. Melchior, Biogen, Inc.
J. F. Monachello, SP Industries
M. Mortensen, NNE A/S
M. Pelletier, Clark, Richardson and Biskup Consulting Engineers, Inc.
L. Rappl, BioMarin Pharmaceutical, Inc.
T. E. Robillard, Feldmeier Equipment, Inc.
S. Sharon, Consultant
C. R. Siegel, BioMarin Pharmaceutical, Inc.
R. Snow, Sanofi
R. Warn, Operational Readiness Partners, Inc.
K. J. Westin, Roplan Sales, Inc.
T. Canty, *Contributing Member*, JM Canty, Inc.
J. Dvorscek, *Contributing Member*, Vessel and Weld Inspection Services, LLC
J. Fortin, *Contributing Member*, Catalent
R. Gerra, *Contributing Member*, Takeda Pharmaceuticals
R. Hanselka, *Contributing Member*, CRB Engineers
D. Hogensen, *Contributing Member*, Amgen, Inc.
M. Inoue, *Contributing Member*, Fujikin, Inc.
C. Kelleher, *Contributing Member*, Janssen Supply Chain
D. M. Marks, *Contributing Member*, O'Neal, Inc.
R. A. Michalak, *Contributing Member*, Eli Lilly and Co.
A. Morgenthaler, *Contributing Member*, Wild Type, Inc.
A. Powell, *Contributing Member*, Consultant
S. Yang, *Contributing Member*, Sani-Matic

SUBCOMMITTEE ON DIMENSIONS AND TOLERANCES

D. J. Mathien, *Chair*, Behringer Corp.
B. A. Billmyer, *Vice Chair*, Central States Industrial Equipment & Service, Inc.
G. Montgomery, *Vice Chair*, Tank Components Industries
O. V. Anderson, Alfa Laval Kolding A/S
R. Bortorff, Dockweiler AG
D. Brockmann, United Industries, Inc.
R. Canell, Steel & O'Brien Manufacturing, Inc.
C. C. Conn, Steel & O'Brien Manufacturing, Inc.
J. Fisher, Amgen, Inc.
J. Georgan, VNE Corp.
C. Gramlich, Winter Technologies, LLC

S. Henry, Advanced Couplings, Ltd.
J. Kendrick, Advanced Couplings, Ltd.
L. J. Peterman, United Industries, Inc.
D. Purcel, Clark-Reliance Corp.
M. Thomas, Eppendorf Manufacturing Corp.
R. Vermillion, Advance Fittings Corp.
F. G. Villela, Tubofarma Equipamentos Industriais, Ltda.
T. J. Winter, Winter Technologies, LLC
C. Chapman, *Contributing Member*, GEMÜ Valves
K. R. Davis, *Contributing Member*, Value Plastics, Inc.
M. Manfredi, *Contributing Member*, MC&P Equipamentos
B. Munn, *Contributing Member*, PE Design, Inc.

SUBCOMMITTEE ON COMPONENTS FOR MULTIUSE

J. R. Daniels, *Chair*, ITT Engineered Valves, LLC
J. Pouliot, *Vice Chair*, Amgen
K. J. Westin, *Vice Chair*, Roplan Sales, Inc.
W. R. Sams, *Secretary*, Richards Industrials
G. Ahrens, GEMÜ Valves, Inc.
M. Atkinson, Flowserve
J. A. Blumenthal, Perceptual Focus, LLC
D. Donnelly, Chemring Group PLC
M. Embury, WMFTS
P. Esbensen, Alfa Laval Kolding A/S
B. D. Gregg, Steel and O'Brien Manufacturing, Inc.
S. Haman, Fristam Pumps
J. Heaven, Crane Process Flow Technology, Ltd.
M. Inoue, Fujikin, Inc.
D. Irish, Carten
B. Kennedy, Pfizer

J. Kerr, PBM, Inc.
P. M. Kubera, ABEC, Inc.
N. Marcum, A-T Controls, Inc.
J. Marshall, Perrigo, Inc.
M. McFeeters, Refined Sciences
K. B. Melchiors, Biogen, Inc.
A. R. Obertanec, Clark-Reliance Corp.
A. Ogle, Huhnseal Mechanical Seals
M. Patterson, Huhnseal Mechanical Seals
A. L. Powell, Consultant
J. Saldana, SVF Flow Controls, LLC
B. Schipull, Emerson Automation Solutions
R. P. Schroder, Newman Sanitary Gasket Co.
S. Tanner, Garlock Sealing Technologies
J. D. Vogel, The BioProcess Institute

SUBCOMMITTEE ON MATERIALS JOINING

W. L. Roth, *Chair*, Welding Engineering Consultants
J. Craig, *Vice Chair*, Holloway America
C. Kramer, *Secretary*, BMW Constructors, Inc.
E. Adams, Allegheny Bradford Corp.
K. A. Brown, Feldmeier Equipment, Inc.
W. P. Burg, DECCO, Inc.
R. D. Campbell, Bechtel
T. J. Cook, Consultant
R. Cotter, Cotter Brothers Corp.
R. A. Cotter, Cotter Brothers Corp.
J. Dvorscek, Vessel and Weld Inspection Services, LLC
C. W. Elkins, Central States Industrial Equipment & Service, Inc.
J. D. Fritz, JDF Metal Consulting
J. Hammer, Procter & Gamble Co.

R. Hayes, BioMarin Pharmaceutical, Inc.
D. Juritsch, Zeta GmbH
N. S. McCauley, A&B Process Systems/JBT
T. M. O'Connor, MKS Instruments, Inc.
G. Placide, Cytiva
J. Schaecher, Astro Pak Corp.
P. L. Sturgill, Sturgill Welding & Code Consulting
G. R. Tabor, Diamond T
C. A. Trumbull, Paul Mueller Co.
C. Weeks, RGD Project Management
R. Hanselka, *Contributing Member*, CRB Engineers
B. K. Henon, *Contributing Member*, Retired
W. Huitt, *Contributing Member*, W. M. Huitt Co.
H. Reinhold, *Contributing Member*, AM Technical Solutions

SUBCOMMITTEE ON SURFACE FINISH

T. J. Cook, *Chair*, Consultant
J. P. Schaecher, *Vice Chair*, Astro Pak Corp.
N. Walter, *Secretary*, Central States Industrial Equipment
P. H. Banes, *Past Chair*, Astro Pak Corp.
E. Adams, Allegheny Bradford Corp.
N. K. Bickel, Retired
M. Bosley, L. J. Star, Inc.
S. C. Botham, BWT Pharma & Biotech
K. A. Brown, Feldmeier Equipment, Inc.
K. Chih-Feng, King Lai Group
C. C. Conn, Steel and O'Brien Manufacturing, Inc.
J. R. Daniels, ITT Engineered Valves, LLC
C. W. Elkins, Central States Industrial Equipment
E. L. Gayer, Holloway America
J. Georgen, VNE Corp.
L. Hamilton, Richards Industrials, Inc.

S. T. Harrison, Harrison Electropolishing, LP
D. Juritsch, Zeta GmbH
K. D. Kimbrel, VNE Corp.
M. Lovelace, Steel and O'Brien Manufacturing, Inc.
N. Marcum, A-T Controls, Inc.
A. Navabi, Massachusetts Division of L. J. Star of Ohio
L. J. Peterman, United Industries, Inc.
P. A. Petrillo, Millenium Facilities Resources, Inc.
J. Rau, Dockweiler AG
P. D. Sedivy, RathGibson
C. A. Trumbull, Paul Mueller Co.
T. J. Winter, Elkhorn Electropolish
M. M. Gonzalez, *Contributing Member*, Consultant
J. Hamilton, *Contributing Member*, RathGibson
R. K. Raney, *Contributing Member*, UltraClean Electropolish, Inc.

SUBCOMMITTEE ON POLYMERIC AND OTHER NONMETALLIC MATERIALS

J. T. Mahar, *Chair*, Solventum
S. Hanstke, *Vice Chair*, Genentech/Roche
M. Thomas, *Vice Chair*, Eppendorf Manufacturing Corp.
M. Abraham, *Vice Chair/Secretary*, Purity One
M. Allard, Melkel Consulting Services, LLC
B. Allen, Sartorius
T. Andrews, Colder Products Co.
J. Carter, Cytiva
A. Dyrness, Trinity Consultants Life Sciences
G. Evans, Ace Sanitary
P. G. Galvin, GF Piping Systems, LLC
J. R. Harp, Int2 Solutions
J. Hathcock, Cytiva
R. Hayes, BioMarin Pharmaceutical, Inc.
P. Higgins, Asahi/America, Inc.

C. Klopp, Consultant
T. Larkin, Jr., MassBiologics
M. McFeeters, Refined Sciences
A. Peters, Arkema, Inc.
J. Pouliot, Amgen, Inc.
P. Priebe, Qosina
R. Schroder, Newman Sanitary Gasket Co.
D. A. Seiler, Seiler Appraisal & Consulting Services, LLC
H. Sinkovich, Meissner
R. A. Snow, Sanofi
A. Valiga, Arkema, Inc.
J. D. Vogel, The BioProcess Institute
A. Witmer, Regeneron
K. R. Davis, *Contributing Member*, Value Plastics, Inc.
T. Seelert, *Contributing Member*, Evolve Biologics

SUBCOMMITTEE ON METALLIC MATERIALS

J. Rau, *Chair*, Dockweiler AG
J. Hammer, *Secretary*, Procter & Gamble
N. Alms, RathGibson
R. D. Campbell, Bechtel
J. W. Franks, Electrol Specialties Co.
J. D. Fritz, JDF Metal Consulting
S. T. Harrison, Harrison Electropolishing, LP
B. Hostetler, Astro Pak Corp.
W. M. Huitt, W. M. Huitt Co.

C. Kettermann, United Industries
T. Kobayashi, JGC Corp.
D. P. McCune, Allegheny Bradford Corp.
D. L. Roll, Astro Pak Corp.
W. L. Roth, Welding Engineering Consultants
N. A. Schmidt, Boccard Life Sciences
P. L. Sturgill, Sturgill Welding & Code Consulting
K. J. Matheis, Sr., *Contributing Member*, Complete Automation, Inc.

SUBCOMMITTEE ON CERTIFICATION REQUIREMENTS

S. Sharon, *Chair*, Consultant
N. Bickel, *Vice Chair*, Boehringer Ingelheim
T. Larkin, Jr., *Vice Chair*, MassBiologics
L. Rapp, *Secretary*, BioMarin Pharmaceutical, Inc.
E. Adams, Allegheny Bradford Corp.
B. A. Billmyer, Central States Industrial Equipment
D. Brockmann, United Industries, Inc.
R. D. Campbell, Bechtel
R. Cohen, EGMO, Ltd.
T. J. Cook, Consultant
J. Craig, Holloway America
J. Daniels, ITT Engineered Valves, LLC
W. F. Daprile, Eli Lilly and Co.

P. M. Dunbar, VNE Corp.
J. Dvorscek, Vessel and Weld Inspection Services, LLC
E. L. Gayer, Holloway America
T. L. Hobick, Holland Applied Technologies
W. M. Huitt, W. M. Huitt Co.
L. T. Hutton, Plasticwelding, LLC
K. D. Kimbrel, VNE Corp.
K. J. Matheis, Sr., Complete Automation, Inc.
A. R. Obertanec, Clark-Reliance, LLC
T. Robillard, Feldmeier Equipment, Inc.
W. L. Roth, Welding Engineering Consultants
P. L. Sturgill, Sturgill Welding and Code Consulting
M. M. Gonzalez, *Contributing Member*, Consultant

SUBCOMMITTEE ON PROCESS INSTRUMENTATION

G. Placide, *Chair*, Cytiva
C. Perelman, *Vice Chair*, Arcadia
C. R. Siegel, *Vice Chair*, BioMarin Pharmaceutical, Inc.
J. Sipka, *Secretary*, Brooks Instrument
J. A. Blumenthal, Perceptual Focus, LLC
R. Bond, Anderson Instrument Co.
T. Canty, JM Canty Associates, Inc.
J. W. Defeo, Hoffer Flow Controls, Inc.
J. M. Featherston, KROHNE INOR
D. Fennell, TQ Constructors, Inc.
J. Gleeson, Hamilton Co.
V. Gorbis, Genentech/Roche
M. Johnson, JMS Southeast, Inc.
A. Kalantari, Mettler-Toledo
S. J. Kannengieszer, Brooks Instrument

J. R. Kielty, Endress + Hauser
D. T. Klees, Consultant
D. Kresge, CRB Consulting Engineers
A. Lamore, Burkert Fluid Control Systems, Ltd.
R. Large, Gannett Fleming
A. Mueller, Endress + Hauser
V. Pai, Advent Engineering Services, Inc.
P. A. Petrillo, Millennium Facilities Resources, Inc.
R. Shankar, RSE
J. Wynn, Paul Mueller Co.
J. Zipp, WIKA Alexander Wiegand SE and Co. KG
J. Ankers, *Contributing Member*, Ocean Alloys, LLC
D. Kwilosz, *Contributing Member*, Eli Lilly and Co.
K. Rengering, *Contributing Member*, BSI Engineering

CORRESPONDENCE WITH THE BPE COMMITTEE

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at <https://go.asme.org/BPEcommittee>.

Revisions and Errata. The committee processes revisions to this Standard on a continuous basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive e-mail notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number, the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases

(a) The most common applications for cases are

(1) to permit early implementation of a revision based on an urgent need

(2) to provide alternative requirements

(3) to allow users to gain experience with alternative or potential additional requirements prior to incorporation directly into the Standard

(4) to permit the use of a new material or process

(b) Users are cautioned that not all jurisdictions or owners automatically accept cases. Cases are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Standard.

(c) A proposed case shall be written as a question and reply in the same format as existing cases. The proposal shall also include the following information:

(1) a statement of need and background information

(2) the urgency of the case (e.g., the case concerns a project that is underway or imminent)

(3) the Standard and the paragraph, figure, or table number

(4) the editions of the Standard to which the proposed case applies

(d) A case is effective for use when the public review process has been completed and it is approved by the cognizant supervisory board. Approved cases are posted on the committee web page.

Interpretations. Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the online Interpretation Submittal Form at <https://go.asme.org/InterpretationRequest>. Upon submitting the form, the inquirer will receive an automatic e-mail confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at <https://go.asme.org/Interpretations>.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Interpretations are published in the ASME Interpretations Database at <https://go.asme.org/Interpretations> as they are issued.

Committee Meetings. The BPE Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at <https://go.asme.org/BPEcommittee>.

ASME BPE-2024

SUMMARY OF CHANGES

Following approval by the ASME BPE Committee and ASME, and after public review, ASME BPE-2024 was approved by the American National Standards Institute on April 5, 2024.

ASME BPE-2024 includes the following changes identified by a margin note, **(24)**.

<i>Page</i>	<i>Location</i>	<i>Change</i>
1	GR-1	Revised
1	GR-2	Revised
2	GR-4	Cross-references to GR-8 updated to GR-11
2	GR-4.2.1	Subparagraph (c) revised
6	GR-4.3.2	Title revised
6	GR-5.2	Revised in its entirety
7	GR-5.3	Revised in its entirety
8	GR-5.4	Former GR-5.5 redesignated
8	GR-5.5	Added
8	GR-6	Added
9	GR-7	Added
9	GR-8	Added
9	GR-9	Former GR-6 redesignated
9	GR-10	Former GR-7 redesignated and updated
11	GR-11	Former GR-8 redesignated and revised
20	GR-12	Former GR-9 redesignated
21	Table CR-1-1	Revised
22	CR-2.1	(1) Subparagraphs (b) and (d) revised (2) Subparagraph (e) added
22	CR-2.2.3	Revised
23	CR-2.3.2	Subparagraph (b) revised
25	Table MM-2.1-1	S32750 added
27	Table MM-2.1-3	J93404 added
28	MM-4.2	Updated
29	MM-4.3	Updated
29	MM-4.4	Updated
29	MM-4.5	Updated
30	MM-4.6	Updated
30	MM-5.2.1.1	Subparagraph (a) revised
31	Table MM-5.2.1.1-1	References in notes updated
31	MM-5.2.1.3	Second paragraph revised
32	Table MM-5.2.5-1	Note (3) revised
35	Table MM-5.3-2	Revised

<i>Page</i>	<i>Location</i>	<i>Change</i>
36	Table MM-5.3-3	S32750 added
38	Table MM-5.3-5	Revised
40	Table MM-5.4-1	S32750 added
40	MM-8.2	Last paragraph added
40	MM-9.1	Revised
40	MM-9.1.1	Revised
41	MM-9.1.2	Revised
42	Part PM	PM-4.3 revised and redesignated as MC-5
42	PM-2.1	Revised
48	PM-4.2	Revised
48	PM-4.2.1	Revised in its entirety
48	PM-4.2.2	Revised
49	PM-4.2.4.1	Revised in its entirety
49	PM-4.2.4.2	Revised
49	PM-4.2.5	Revised in its entirety
50	SD-1	First paragraph revised
50	SD-2	Revised
50	SD-2.2	First paragraph revised
50	SD-2.3	Subparagraph (b) revised in its entirety
51	SD-2.4	Revised
52	SD-2.4.2	Subparagraphs (a)(1) and (a)(2) revised
53	SD-2.4.3.4	In subpara. (a), last sentence added
53	SD-2.4.4.2	First paragraph and subparas. (d), (g), (j), and (m) revised
54	SD-2.5	First sentence revised
54	SD-2.6	Deleted
54	SD-3.1.1	Subparagraph (c) revised
56	SD-3.1.2.2	Last paragraph revised
59	Figure SD-3.1.2.2-1	Revised in its entirety
66	SD-3.4	(1) Title revised (2) In SD-3.4.1, first paragraph and subpara. (c) revised (3) In SD-3.4.2, subpara. (c) added and subsequent subparagraphs redesignated (4) In SD-3.4.6, subpara. (a) revised
68	Figure SD-3.4.2-2	Note (2) revised
96	SD-3.13	Subparagraphs (a) and (d) revised
99	SD-3.19	Added
105	SD-5.1.4	(1) Redesignated in its entirety (2) Figures SD-5.1.4.4-1 through SD-5.1.4.4-4 and SD-5.1.4.7-1 through SD-5.1.4.7-3 redesignated as Figures SD-5.1.4.1.3-1 through SD-5.1.4.1.3-4 and SD-5.1.4.2.1-1 through SD-5.1.4.2.1-3, respectively
119	SD-5.3.5.5	Revised in its entirety
121	SD-5.5.2	Added
122	SD-5.5.4	Added
122	SD-5.5.5	Revised in its entirety
123	SD-5.5.6	Added

<i>Page</i>	<i>Location</i>	<i>Change</i>
123	SD-5.5.7	Added
134	SD-6.2.4.7	Revised
135	SD-6.3.3.3	Revised
137	SD-6.3.4.2	Revised in its entirety
140	SD-6.3.5.1	Revised in its entirety
140	SD-6.3.5.2.1	Subparagraph (c) revised
140	SD-6.3.5.2.2	(1) Subparagraphs (b) and (d) revised (2) Subparagraph (c) deleted and subsequent subparagraphs redesignated
141	SD-6.3.5.3	Added
141	SD-6.3.5.4	Added
141	SD-6.3.6	Revised in its entirety
141	SD-6.3.7	Revised in its entirety
153	SD-7.1	Last paragraph revised
155	DT-2	Revised
155	DT-4	Cross-reference to GR-6 updated to GR-9
156	DT-7.2	Revised
158	Table DT-2-1	General Notes revised
170	Table DT-4.1.2-6	Editorially reformatted
171	Table DT-4.1.2-7	Editorially reformatted
172	Table DT-4.1.2-8	Editorially reformatted
173	Table DT-4.1.2-9	Editorially reformatted
175	Table DT-4.1.2-13	Revised
180	Table DT-4.1.5-1	Revised in its entirety
191	Table DT-7.2-1	Added
204	PI-5	(1) Revised in its entirety (2) Figures PI-5.1.2.1-1 and PI-5.1.3.3-1 redesignated as Figures PI-5.1.5-1 and PI-5.1.1.1-1, respectively
217	PI-8.4	Added
221	MC-2.2.2	Revised
222	Figure MC-2.2.2-1	Revised
222	Figure MC-2.2.2-2	Title revised
231	Figure MC-2.3.1.9-1	Revised in its entirety
234	MC-2.3.2.4	(1) Revised in its entirety (2) Titles of Figures MC-2.3.2.4-1 through MC-2.3.2.4-16 revised (3) Figures MC-2.3.2.4-1 and MC-2.3.2.4-2 revised (4) Figure MC-2.3.2.4-8 redesignated as Figure MC-2.3.2.4-13 and Figures MC-2.3.2.4-9 through MC-2.3.2.4-13 redesignated as Figures MC-2.3.2.4-8 through MC-2.3.2.4-12, respectively
245	MC-4.1	Last paragraph added
245	MC-4.2	Second paragraph and subpara. (b) revised
247	MC-5	Former PM-4.3 redesignated and revised
250	MJ-3.1	Third paragraph added
251	Figure MJ-3.1-1	Added
250	MJ-3.4	Revised
254	MJ-5.4	Revised

<i>Page</i>	<i>Location</i>	<i>Change</i>
267	Figure MJ-8.4-4	Captions for illustrations (b) and (c) and General Note revised
276	SF-2.5	Revised in its entirety
276	SF-2.6	First paragraph revised
276	SF-2.7	Updated
276	SF-2.8	In penultimate paragraph, cross-reference updated
279	SU-3	Revised in its entirety
281	SU-9	Revised in its entirety
281	SU-10	(1) Subparagraphs (a) and (b) revised (2) Subparagraph (c) added
282	SU-12	Added
284	SC-3.1.1	Added
284	SC-3.2.1	Added
284	SC-3.2.2	Added
284	SC-4	Revised
284	SC-5	Added
291	Part SI	Added
293	Mandatory Appendix III	Deleted
296	Nonmandatory Appendix A	Title revised
311	Table E-3.2-1	Revised
311	E-4	E-4.2 deleted
312	E-5.1	Last two paragraphs revised
320	Table F-1-1	(1) First column heading revised (2) ASTM A1084 and ISO 3651-2 added
322	Table F-3-1	S32750 added
324	Nonmandatory Appendix H	Revised in its entirety
341	Nonmandatory Appendix L	L-1 and L-2 updated
346	Nonmandatory Appendix N	Title and subparas. (a), (f), (i), and (j) revised
347	O-1.1	Former PM-2.1.1 redesignated
347	O-1.2	Former PM-2.1.2 redesignated
348	Table O-1.1-1	Former Table PM-2.1.1-1 redesignated
348	Table O-1.2-1	Former Table PM-2.1.2-1 redesignated
349	Table O-1.3-1	Former Table PM-2.1.3-1 redesignated
348	O-1.3	Former PM-2.1.3 redesignated
348	O-1.4	Former O-1.1 redesignated
350	P-1	Updated
367	Z-1	Revised
368	Z-3.4	Subparagraph (c) added
368	Z-3.5	(1) Second paragraph added by errata (2) Last two paragraphs revised by errata
369	Z-3.8	Subparagraph (b)(2)(-e) revised
369	Z-3.9	Subparagraph (a) revised
370	Z-3.10	Subparagraph (b) editorially revised
371	Nonmandatory Appendix AA	Revised in its entirety
377	Nonmandatory Appendix BB	Deleted

<i>Page</i>	<i>Location</i>	<i>Change</i>
393	Nonmandatory Appendix FF	(1) Revised in its entirety (2) Table FF-1 revised and redesignated as Table FF-1-1 (3) Table FF-2 revised and redesignated as Table FF-1-2
401	Nonmandatory Appendix HH	Added
404	Nonmandatory Appendix JJ	Added
405	Table JJ-1	Former Table PM-4.2.1-1 redesignated
406	Index	Updated

CHAPTER 1

INTRODUCTION, SCOPE, AND GENERAL REQUIREMENTS

PART GR

GENERAL REQUIREMENTS

(24) GR-1 INTRODUCTION

The ASME Bioprocessing Equipment (BPE) Standard was developed to aid in the design and construction of new fluid processing equipment used in the manufacture of pharmaceuticals and biopharmaceuticals, where a defined level of purity and bioburden control is required.

The General Requirements Part states the scope of the ASME BPE Standard and provides requirements, references, and definitions that apply throughout the Standard.

When operating under pressure conditions, systems shall be constructed in accordance with the ASME Boiler and Pressure Vessel Code (BPVC), Section VIII, and/or ASME B31.3 Process Piping Code or applicable local, national, or international codes or standards. The owner/user may stipulate additional or alternative specifications and requirements.

This Standard shall govern the design and construction of piping systems for hygienic service. For process piping systems designed and constructed in accordance with ASME B31.3, it is the owner's responsibility to select a fluid service category for each fluid service. Should any fluid service meet the definition of high-purity fluid service (ASME B31.3, Chapter X) it is recommended that such fluid service be selected and the requirements of this Standard and ASME B31.3, Chapter X be met.

When an application is covered by laws or regulations issued by an enforcement authority (e.g., municipal, provincial, state, or federal), the final construction requirements shall conform to those laws.

Items or requirements that are not specifically addressed in this Standard are not prohibited. Engineering judgments must be consistent with the fundamental principles of this Standard. Such judgments shall not be used to override mandatory regulations or specific prohibitions of this Standard.

New editions of the ASME BPE Standard may be used beginning with the date of issuance and become effective 6 months after the date of issuance.

GR-2 SCOPE OF THE ASME BPE STANDARD

(24)

The ASME BPE Standard provides requirements for components, equipment, and systems when there is contact with the product, raw materials, or product intermediates during clinical or commercial manufacturing of molecules intended for human or animal medicinal applications. It also applies to supporting systems that could directly or indirectly affect the clinical or commercial process [e.g., water-for-injection (WFI), clean steam, filtration, and intermediate product storage].

The Standard is intended for clinical and commercial manufacturing of pharmaceutical and biopharmaceutical products used for human and animal medicinal applications. However, some of the principles, practices, and guidance may be used for research and development, scale-up operations, or other products where the control and reduction of microbial, particulate, and endotoxin or pyrogen contamination is considered important.

This Standard provides requirements for components, equipment, and systems designed for multiuse processes that are subject to cleaning [e.g., clean-in-place (CIP), clean-out-of-place (COP)], sanitization and/or sterilization [e.g., steam-in-place (SIP)], and other operations used in the manufacturing of pharmaceuticals and biopharmaceuticals. This Standard also provides requirements for single-use systems and components that are discarded after use in one manufacturing campaign.

This Standard may be used, in whole or in part, for other applications in which bioburden risk is a concern.

This Standard applies to

- (a) new system (and component) design and fabrication
- (b) definition of system boundaries
- (c) specific metallic, polymeric, and elastomeric (e.g., seals and gaskets) materials of construction
- (d) component dimensions and tolerances
- (e) surface finishes
- (f) materials joining
- (g) examinations, inspections, and testing