


ENGINEERING SOCIETIES LIBRARY

JUN 15 1983

LIBRARY



1983
ASME
Boiler And
Pressure Vessel
Code



An American National Standard

Material
Specifications

Part

Nonferrous
Materials

ASME BOILER AND PRESSURE VESSEL CODE
AN AMERICAN NATIONAL STANDARD

SECTION II
Material Specifications
Part B — Nonferrous

1983 EDITION

JULY 1, 1983



ASME BOILER AND PRESSURE VESSEL COMMITTEE
SUBCOMMITTEE ON MATERIALS

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
United Engineering Center 345 East 47th Street New York, N. Y. 10017

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

The footnotes in this document are part of this American National Standard.

Copyright © 1983 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved

Date of Issue — July 1, 1983
(Includes all Addenda dated December 1982 and earlier)

The Specifications published and copyrighted by The American Society for Testing and Materials and the American Welding Society are reproduced with their permission.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914.
Revised 1940, 1941, 1943, 1946, 1949, 1952, 1953, 1956, 1959, 1962, 1965, 1968, 1971, 1974, 1977, 1980, 1983

1983 ASME BOILER AND PRESSURE VESSEL CODE

An American National Standard

SECTIONS*

- I Power Boilers
- II Material Specifications
 - Part A — Ferrous Materials
 - Part B — Nonferrous Materials
 - Part C — Welding Rods, Electrodes and Filler Metals
- III Subsection NCA — General Requirements for Division 1 and Division 2
- III Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Component Supports
 - Subsection NG — Core Support Structures
 - Appendices
- III Division 2 — Code for Concrete Reactor Vessels and Containments
- IV Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for Care and Operation of Heating Boilers
- VII Recommended Rules for Care of Power Boilers
- VIII Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
- IX Welding and Brazing Qualifications
- X Fiberglass-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components

*All Sections, except Section II, Parts A, B, and C, available in a separate SI Edition on October 1, 1983.

ADDENDA

Colored-sheet Addenda, which include additions and revisions to individual Sections of the Code, are published twice a year and will be sent automatically to purchasers of the applicable Sections up to the publication of the 1986 Code. Both Editions of the 1983 Code are available only in the loose-leaf format; accordingly, the Addenda will be issued only in the loose-leaf, replacement-page format.

Interpretations

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code. With the 1983 Edition, the Interpretations for each individual Section will be published separately and will be included with the Addenda service to that Section. Interpretations of Section III, Divisions 1 and 2, will be included with the Addenda service to Subsection NCA. Interpretations are not part of the Addenda to the Code.

CODE CASES

The Boiler and Pressure Vessel Committee meets regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases which have been adopted appear in one or both of the 1983 Code Cases books: (1) Boilers and Pressure Vessels and (2) Nuclear Components. Supplements will be sent automatically to the purchasers of one or both the Code Cases books up to the publication of the 1986 Edition. The Code Cases books are not available in a separate SI Edition.

FOREWORD

The American Society of Mechanical Engineers set up a committee in 1911 for the purpose of formulating standard rules for the construction of steam boilers and other pressure vessels. This committee is now called the Boiler and Pressure Vessel Committee.

The Committee's function is to establish rules of safety governing the design, fabrication, and inspection during construction of boilers and pressure vessels, and to interpret these rules when questions arise regarding their intent. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property and to provide a margin for deterioration in service so as to give a reasonably long safe period of usefulness. Advancements in design and material and the evidence of experience have been recognized.

The Boiler and Pressure Vessel Committee deals with the care and inspection of boilers and pressure vessels in service only to the extent of providing suggested rules of good practice as an aid to owners and their inspectors.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Boiler and Pressure Vessel Committee meets regularly to consider requests for interpretations and revisions of the rules, and to develop new rules as dictated by technological development. Inquiries must be addressed to the Secretary in writing and must give full particulars in order to receive consideration and a written interpretation. Proposed revisions to the Code resulting from inquiries will be presented to the Main Committee for appropriate action. The action of the Main Committee becomes effective only after confirmation by letter ballot of the Committee and approval by the Council of the Society.

Proposed revisions to the Code approved by the Committee are submitted to the American National

Standards Institute and published in *Mechanical Engineering* to invite comments from all interested persons. After the allotted time for public review and final approval by ASME Council, revisions are published semiannually in Addenda to the Code.

Code Cases may be used in the construction of components to be stamped with the ASME Code symbol beginning with the date of their approval by the ASME Council.

After Code revisions are approved by Council they may be used beginning with the date of issuance shown on the Addenda. Revisions become mandatory as minimum requirements six months after such date of issuance, except for boilers or pressure vessels contracted for prior to the end of the six-month period.

Manufacturers and users of components are cautioned against making use of revisions and Cases that are less restrictive than former requirements without having assurance that they have been accepted by the proper authorities in the jurisdiction where the component is to be installed.

Each state and municipality in the United States and each province in the Dominion of Canada that adopts or accepts one or more Sections of the Boiler and Pressure Vessel Code is invited to appoint a representative to act on the Conference Committee to the Boiler and Pressure Vessel Committee. Since the members of the Conference Committee are in active contact with the administration and enforcement of the rules, the requirements for inspection in this Code correspond with those in effect in their respective jurisdictions. The required qualifications for an Authorized Inspector or an Authorized Nuclear Inspector under these rules may be obtained from the administrative authority of any state, municipality, or province which has adopted these rules.

The Boiler and Pressure Vessel Committee in the formulation of its rules and in the establishment of maximum design and operating pressures considers materials, construction, methods of fabrication, inspection, and safety devices. Permission may be granted to regulatory bodies and organizations pub-

lishing safety standards to use a complete Section of the Code by reference. If usage of a Section, such as Section IX, involves exceptions, omissions, or changes in provisions, the intent of the Code might not be attained.

Where a state or other regulatory body, in the printing of any Section of the Boiler and Pressure Vessel Code, makes additions or omissions, it is recommended that such changes be clearly indicated.

The National Board of Boiler and Pressure Vessel Inspectors is composed of chief inspectors of states and municipalities in the United States and of provinces in the Dominion of Canada that have adopted the Boiler and Pressure Vessel Code. This Board, since its organization in 1919, has functioned to uniformly administer and enforce the rules of the Boiler and Pressure Vessel Code. The cooperation of that organization with the Boiler and Pressure Vessel Committee has been extremely helpful.

It should be pointed out that the state or municipality where the Boiler and Pressure Vessel Code has been made effective has definite jurisdiction over any particular installation. Inquiries dealing with problems of local character should be directed to the proper authority of such state or municipality. Such authority may, if there is any question or doubt as to the proper interpretation, refer the question to the Boiler and Pressure Vessel Committee.

The Specifications for base materials given in Section II, Parts A and B, are identical with or similar to those of The American Society for Testing and Materials. The Specifications for welding materials given in Section II, Part C, are identical with or similar to those of the American Welding Society. Use of the materials described in these Specifications is

covered by the rules in one or more Sections of the Boiler and Pressure Vessel Code. All materials allowed by these various Sections and used for construction within the scope of their rules shall be furnished in accordance with ASME Material Specifications contained in Section II except where otherwise provided in Code Cases or in the applicable Section of the Code. Materials covered by these Specifications are acceptable for use in items covered by the Code Sections only to the degree indicated in the applicable Section. Materials for Code use should preferably be ordered, produced, and documented on this basis; however, material produced under an ASTM Specification may be used in lieu of the corresponding ASME Specification, provided that the requirements of the ASTM Specification are identical (excluding editorial differences) or more stringent than the ASME Specification for the Grade, Class, or Type produced and provided that the material is confirmed as complying with the ASTM Specification. Material produced to an ASTM specification with requirements different from the requirements of the corresponding ASME Specification may also be used in accordance with the above, provided the material manufacturer or vessel manufacturer certifies with evidence acceptable to the Authorized Inspector or Authorized Nuclear Inspector that the corresponding ASME Specification requirements have been met. Material produced to an ASME or ASTM Material Specification is not limited as to country of origin.

When required by context in this Section, the singular shall be interpreted as the plural, and vice-versa; and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

The
consi
desire
turer,
or co
mater
ate su
to pr
inform
limited
The
those
behav
The
includ
specia
Comm
applic
Ten
ultima
at roo
a temp
use of
expect
ruptur
are als
time i
2000 l
should
Tou
heat a
preferr
toughn
ment(s
uct. Th
using n
ble sect
be used

GUIDELINE ON THE ADOPTION OF NEW BASE MATERIALS FOR THE ASME BOILER AND PRESSURE VESSEL CODE

The ASME Boiler and Pressure Vessel Committee considers requests for adoption of new materials desired by the owner/user or fabricator, manufacturer, installer, assembler of boilers, pressure vessels, or components constructed to the Code. That the material receive proper consideration by the appropriate subcommittees, information and data are required to properly categorize the material. In general, this information and data include, but are not necessarily limited to, the following information:

The proposed chemical composition should include those elements that establish the characteristics and behavior of the material.

The mechanical properties for the material should include tensile test data, ductility data, and other special mechanical test data which will assist the Committee in its review of the material and its application.

Tensile test data (per ASTM E 21), including both ultimate tensile strength and yield strength, should be at room temperature and at 100°F or 50°C intervals to a temperature at least 100°F higher than the intended use of the material. When creep properties may be expected to limit the allowable stress, creep and creep rupture data at temperature intervals of 100°F or 50°C are also required. Such data should be four or more time intervals, one of which should be longer than 2000 hr, but less than 6000 hr, and one of which should be longer than 6000 hr.

Toughness data on base and weld metal (including heat affected zone) may also be required. It is preferred that these data include temperature-toughness curves of material subjected to heat treatment(s) representative of the finished fabricated product. The toughness testing data should be obtained using methods and procedures outlined in the applicable sections of the Code under which the material is to be used.

If the material is to be used in welded construction, data from actual welding tests made in accordance with Section IX of the Code are recommended. This should also include the welding processes and weld filler metal(s) intended for the fabrication of the material, all-weld-metal tensile test data for temperatures representative of intended service, any special restrictions on the welding of the material, and with the appropriate postweld heat treatment, if any, which will be given the material. If postweld heat treatment results in embrittlement of the material, the significance of such treatments with substantiating data should be forwarded. Toughness data on weld metal and heat affected zone in the as-welded and postweld heat treated conditions, when appropriate, should be submitted.

Where the material is intended for special applications, requires special handling, requires special welding procedures, or has known limitations or susceptibility to failure in certain services, precautionary requirements and information should be included in the submittal of the necessary data for Committee review.

The forms¹ of materials which are needed for construction in accordance with the Code and the Sections of the Code² for which application is to be considered will be required.

The general data recommended should be submitted on a minimum of three heats of material, preferably commercial heats of material. Where the chemical range will have an effect on the mechanical properties, the heats selected must cover both the high and low range of the effective chemical elements to show the effect on the mechanical properties. Any special heat treatment, whether applied by the material suppliers

¹Product forms, such as sheet, strip, plates, bars, shapes, seamless or welded pipe or tube, forging, casting, etc.

²Section I, III, IV, or VIII, Division 1 or 2.

or the fabricator, should be applied to these test pieces in preparation of the data. If the material is presently covered by an ASTM specification, please enclose the specification number(s) and grade(s) involved in your application. If the material is not in ASTM specifications covering the product forms required, it will be necessary to apply to ASTM for specification coverage of this material.

Should there be a need for Code use prior to the inclusion of the material in ASTM Specifications, the Committee will consider the issuance of a Code Case. In addition to the information and data noted above, the Committee should be provided with an indication of user need, the letter to ASTM requesting specification coverage, and sufficient information for the Committee to modify an appropriate existing ASME or ASTM Specification to establish the material specification requirements for the material product form.

The foregoing is a general outline of the data which the Committee may need for appropriate review of new material. The applicable Sections for construction should be reviewed for any additional guidance, such as fatigue data for the requirements of Section III or Section VIII, Division 2. If the intended use of the new material is in elevated temperature nuclear construction, the proposer should request a copy of the special publication titled "Guidelines for Required Data on New Materials for Elevated Temperature Nuclear Construction" (approved January 8, 1976).

When the new material is a minor modification of a Code approved material, the data required may be reduced with the concurrence of the Committee. When the data supplied is insufficient for an adequate evaluation, the Committee will request additional data. Such requests will be forwarded to inquirers, indicating those areas in which additional information is required.

A
qua
acc
and
to p
An
var
of t
liter
C
Syn
hav
with
issu
the
Syn
juris
com
B
beer
facs
tion

Th
vide
vesse
quire
inatio
in ac
Code
Stam
M.
any o
Code

STATEMENT OF POLICY ON THE USE OF CODE SYMBOLS AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use Code Symbols for marking items or constructions which have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Code Symbols for the benefit of the users, the enforcement jurisdictions, and the holders of the symbols who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the symbols, Certificates of Authorization, and reference to Code construction. The Ameri-

can Society of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications which might so indicate. An organization holding a Code Symbol and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code."

The ASME Symbol shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of a Code Symbol who may also use the facsimile in advertising to show that clearly specified items will carry the symbol. General usage is permitted only when all of a manufacturer's items are constructed under the Rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Code Symbol Stamp described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the various Code Symbols shall not be used on any item which is

not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME which tend to imply that all Code requirements have been met when in fact they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

PERSONNEL

ASME Boiler and Pressure Vessel Committee Subcommittees, Subgroups, and Working Groups

As of July 1, 1982

MAIN COMMITTEE

W. L. Harding, <i>Chairman</i>	S. F. Harrison
E. L. Kemmler, <i>Vice Chairman</i>	E. J. Hemzy
G. M. Eisenberg, <i>Secretary</i>	M. H. Jawad
B. W. Bace	G. G. Karcher
R. D. Bonner	E. C. Kistner
R. J. Bosnak	J. LeCoff
M. N. Bressler	J. R. Mackay
V. W. Butler	W. R. Mikesell
R. J. Cepluch	F. N. Moschini
L. J. Chockie	C. C. Neely
J. T. Crosby	T. E. Northup
H. F. Dobel	W. O. Parker
W. Doty	R. F. Reedy
R. M. Gibson	W. R. Smith, Sr.
R. C. Griffin	W. E. Somers

EXECUTIVE COMMITTEE

E. L. Kemmler, <i>Chairman</i>	R. C. Griffin
W. L. Harding, <i>Vice Chairman</i>	S. F. Harrison
G. M. Eisenberg, <i>Secretary</i>	E. J. Hemzy
R. J. Cepluch	R. F. Reedy
L. J. Chockie	W. E. Somers

HONORARY MEMBERS

J. D. Andrew, Jr.	J. E. Lattan
P. M. Brister	J. L. Menson
H. M. Canavan	R. F. Miller
J. S. Clarke	C. E. Rawlins
W. E. Cooper	D. B. Wesstrom
W. B. Hoyt	F. S. G. Williams
J. W. James	E. J. Wiseman
E. M. Kloeblen	L. P. Zick, Jr.

MARINE CONFERENCE GROUP

J. Tiratto, <i>Chairman</i>	J. C. Maxham
V. W. Bugg	E. C. Smith

CONFERENCE COMMITTEE

J. T. Crosby—Arkansas (<i>Chairman</i>)	P. T. Jones—Rhode Island
B. L. Whitley—North Carolina (<i>Vice Chairman</i>)	G. M. Kuetemeyer— Milwaukee
S. F. Harrison—National Board (<i>Secretary</i>)	W. W. Larsen—Iowa
H. Baron—Minnesota	C. C. Mann—New Orleans
S. Bartholomew—Nevada	W. C. Mason—Mississippi
R. K. Blosch—Utah	S. Matthews—Texas
C. A. Brown—Kentucky	H. S. Mauk—Delaware
W. E. Brown—Kansas	J. P. Mickels—Nebraska
R. D. Cather—Alaska	S. J. Mierzwa—Michigan
E. B. Cimino—Colorado	D. M. Milan—Ohio
J. E. Claar—Pennsylvania	W. A. Millerwest—Prince Edward Island, Canada
A. J. Cmeyla—Chicago	J. W. Morvant—Louisiana
B. W. Cole—British Columbia, Canada	R. D. O'Connor—Connecticut
R. V. Curry—Saskatchewan, Canada	L. A. O'Morrow—Manitoba, Canada
A. W. Diamond—New Found- land and Labrador, Canada	N. C. Perron—Arizona
F. Dolen—New Jersey	D. Ross—New Brunswick, Canada
V. E. Doss—Virginia	R. Sauve—Quebec, Canada
J. J. Duffy—Wisconsin	S. Schugar—Detroit
R. Ehli—North Dakota	C. A. Sjolund—Los Angeles
H. L. Farwell—Hawaii	J. L. Smith—Alberta, Canada
D. R. Gallup—Illinois	M. L. Snow—Tennessee
J. A. Glen—California	R. P. Sullivan—Maine
J. T. Grail—Maryland	S. B. Voris—Seattle
J. W. Greenawalt—Oklahoma	C. H. Walters—Oregon
E. M. Hicks—New York	H. J. Wright—Ontario, Canada
R. R. Johnson—Indiana	R. A. Yeo—Nova Scotia, Canada

SUBCOMMITTEE ON POWER BOILERS (SC I)

W. E. Somers, <i>Chairman</i>	R. Leone
J. R. Mackay, <i>Vice Chairman</i>	R. F. Manning
M. E. Sheehan, <i>Secretary</i>	D. J. McDonald
M. D. Bernstein	R. J. Presnak
R. K. Blosch	R. Sanchez P.
J. Bruck	R. D. Schueler, Jr.
D. A. Canonico	A. T. Slatt
A. R. Faulkner	M. J. Telesmanic
D. N. French	R. L. Williams
O. F. Hedden	C. G. Winters
W. T. Higgenbotham	L. W. Yoder
E. C. Kistner	J. Aguilar (Alternate)
D. E. Lemon	

Subgroup on Care of Power Boilers (SC I)

E. C. Kistner, <i>Chairman</i>	D. J. McDonald
C. Berg	J. W. McNees
J. Brock	A. Plauchu
H. F. Dobel	G. J. Raftis
C. R. Hoefs	R. Sanchez P.
E. A. Holden	A. T. Slatt
L. J. Kuhlman	J. E. Stevens
J. A. Lux	

Subgroup on Piping (SC I)

A. T. Slatt, <i>Chairman</i>	W. L. Lowry, Jr.
C. G. Winters, <i>Secretary</i>	T. C. McGough
M. D. Bernstein	W. A. Molvie
A. J. Breugelmanns	L. J. Sas
C. A. Brown	J. A. Werhane
A. R. Faulkner	R. L. Williams
E. C. Kistner	L. W. Yoder

Subgroup on Fire Tube Boilers (SC I)

M. J. Telesmanic, <i>Chairman</i>	L. J. Kuhlman
R. K. Blossch	R. F. Manning
G. L. Kasparian	L. Sanchez G.

Subgroup on Electric Boilers (SC I)

J. R. Mackay, <i>Chairman</i>	R. F. Manning
C. A. Brown	T. H. Milton
M. A. Farrugia	R. G. Reid
R. Leone	

Subgroup on Design (SC I)

R. D. Schueler, Jr., <i>Chairman</i>	W. R. Hankins
C. G. Winters, <i>Secretary</i>	D. E. Lemon
R. K. Blossch	R. F. Manning

Subgroup on Materials (SC I)

R. F. Manning, <i>Chairman</i>	A. R. Faulkner
D. A. Canonico	L. W. Yoder

Subgroup on General Requirements (SC I)

M. D. Bernstein, <i>Chairman</i>	D. J. McDonald
F. R. Gerety	T. C. McGough
O. F. Hedden	R. Sanchez P.
R. Leone	R. L. Williams
W. L. Lowry, Jr.	L. W. Yoder

Subgroup on Fabrication and Examination (SC I)

O. F. Hedden, <i>Chairman</i>	W. T. Higgenbotham
S. G. Bankar	R. D. Schueler, Jr.
D. N. French	J. A. Werhane

SUBCOMMITTEE ON MATERIAL SPECIFICATIONS (SC II)

V. W. Butler, <i>Chairman</i>	R. A. Moen
W. C. Banks, <i>Vice Chairman</i>	E. G. Nisbett
J. Manaskie, <i>Secretary</i>	G. J. Roe
R. M. Brown	R. W. Swayne
R. Dirscherl	W. R. Sylvester
M. Gold	J. W. Tackett
G. C. Hsu	E. O. Woolridge
E. I. Landerman	A. W. Zeuthen
A. S. Melilli	

Subgroup on Steel Plates (SC II)

A. W. Zeuthen, <i>Chairman</i>	R. E. Lorentz, Jr.
R. M. Brown	J. W. McGrew
D. D. Carpenter	A. S. Melilli
W. D. Edsall	G. J. Roe
H. W. Garvin	E. O. Woolridge
J. F. Longenecker	

Subgroup on Steel Tubular Products (SC II)

W. R. Sylvester, <i>Chairman</i>	R. P. Stripay
R. P. Meineke	R. H. Zong
E. J. Rozic, Jr.	

Subgroup on Steel Castings, Forgings, and Boltings (SC II)

E. G. Nisbett, <i>Chairman</i>	A. S. Melilli
W. C. Banks	D. R. Moyer
R. F. Cappelini	J. S. Orlando
B. M. Dingman	C. J. Parmentier
A. F. Gross	D. A. Patience
J. A. Kozub	H. C. Templeton
E. I. Landerman	E. O. Woolridge

Subgroup on Nonferrous Alloys (SC II)

R. Dirscherl, <i>Chairman</i>	G. C. Hsu
J. W. Tackett, <i>Secretary</i>	G. Knapp
R. A. Clemons	R. T. Webster
A. Cohen	M. J. Weiss

SUBCOMMITTEE ON NUCLEAR POWER (SC III)

R. F. Reedy, *Chairman*
W. R. Smith, Sr., *Vice Chairman*
J. Millman, *Secretary*
J. N. Baysden
R. J. Bosnak
E. B. Branch
M. N. Bressler
F. W. Catudal
L. J. Chockie
J. B. Christofferson
R. L. Dick
P. M. Dimitroff
H. F. Dobel
W. Doty
F. R. Drahos

J. J. Duffy
E. F. Gerwin
E. J. Hemzy
R. E. Jagger
W. G. Knecht
D. F. Landers
W. N. McLean
F. N. Moschini
T. E. Northup
C. M. Purdy
E. C. Rodabaugh
D. W. Sher
S. W. Tagart, Jr.
J. E. Vessely

**Working Group on Duties and Responsibilities
(SG-GR) (SC III & 3C)**

W. Schultheis, *Co-Chairman*
R. Shanlever, *Co-Chairman*
W. L. Lowry, Jr., *Secretary*
J. E. Ayotte
J. N. Baysden
E. P. Burke
J. E. Crowe
J. J. Duffy
A. C. Eberhardt
T. E. Hansen
P. J. Herbert

W. F. Johnson
B. C. Larcher
A. S. Laurenson
R. S. Love
J. R. Luke
B. D. Rall
R. T. Rose
D. W. Sher
J. E. Triolo
R. E. Weber
D. R. Young

**Special Working Group on Containment Systems for
Nuclear Spent Fuel and High Level Waste
Transport Packagings (SC III)**

K. Goldmann, *Chairman*
W. H. Brinkman
D. A. Canonico
R. J. Claverie
R. M. Jefferson
C. R. Johnson
R. H. Jones

C. E. MacDonald
J. J. McLellan
F. N. Moschini
R. E. Nickell
W. H. Rogers
R. Sanacore
C. J. Temus

**Working Group on Data Report Forms
(SG-GR) (SC III & 3C)**

R. E. Muise, *Chairman*
C. W. Allison
R. C. Arthurs
J. N. Babcock, Jr.
C. F. Buckley

B. W. Burak
F. Norman
R. Siever
M. F. Sullivan

Subgroup on General Requirements (SC III & 3C)

F. W. Brady, *Co-Chairman*
H. F. Dobel, *Co-Chairman*
J. R. Barbee
J. N. Baysden
R. J. Bosnak
F. W. Catudal
J. J. Duffy
E. F. Gerwin

W. S. Gibbons, Jr.
R. D. Kulchak
M. J. Meyer
F. N. Moschini
R. E. Muise
W. Schultheis
R. Shanlever
G. M. Tolson

Subgroup on Materials (SC III)

W. G. Knecht, *Chairman*
W. H. Borter
M. N. Bressler
B. G. Carlton
F. R. Drahos
F. P. Fetterolf
W. D. Goins
D. R. Haines
J. W. Juppenlatz, Jr.
E. I. Landerman
W. H. Leach
J. F. Longenecker
N. J. Mares

R. D. McKellar
W. N. McLean
R. P. Meineke
R. H. Moeller
C. J. Parmentier
L. M. Petrick
W. J. Sperko
R. W. Swayne
A. Taboada
S. E. Tyson
M. Weiss
H. Yoon
D. E. Young

Working Group on Quality Assurance (SG-GR) (SC III & 3C)

W. S. Gibbons, Jr.,
Co-Chairman
R. D. Kulchak, *Co-Chairman*
R. C. Arthurs
J. N. Babcock, Jr.
J. R. Barbee
J. V. Bosco
A. Breed
R. B. Bremmer
B. W. Burak

R. Davis
J. D. Lenardson
H. A. Manning
J. McLaughlin
M. J. Meyer
R. E. Muise
T. G. Scarbrough
S. N. Sparacino
G. M. Tolson
R. B. Yori

Subgroup on Design (SC III)

D. F. Landers, *Chairman*
E. B. Branch
M. N. Bressler
W. G. Brussalis
N. W. Edwards
W. F. English, Jr.
F. P. Hill, Jr.
E. M. Livingston
W. N. McLean

R. W. Mikitka
C. A. Moore
C. M. Purdy
E. C. Rodabaugh
B. L. Silverblatt
J. D. Stevenson
J. H. Wawrzeniak
W. M. Wepfer
K. R. Wichman

Special Working Group on Dynamic Analysis (SG-D) (SC III)

R. Wray, <i>Chairman</i>	R. P. Kassawara
R. D. Blevins	L. K. Liu
G. F. Bohm	A. E. Meligi
A. P. Cobb, Jr.	T. M. Mulcahy
N. A. Goldstein	J. D. Stevenson
A. H. Hadjian	S. W. Tagart, Jr.

Special Working Group on Faulted Conditions (SG-D) (SC III)

G. F. Bohm, <i>Chairman</i>	M. T. Lau
P. L. Anderson	D. P. Munson
C. W. Bruny	P. R. Olson
G. Bushell	P. P. Raju
W. F. English, Jr.	H. K. Shaw
J. Ferdous	W. A. Von Rieseman
M. Hartzman	

Working Group on Vessels (SG-D) (SC III)

C. A. Moore, <i>Chairman</i>	R. W. Mikitka
R. Broman	P. P. Raju
C. W. Bruny	P. N. Randall
D. R. Denton	R. F. Sammataro
N. W. Edwards	R. E. Tome
J. F. Finn, Jr.	J. C. Tsai
G. T. Haugland	A. Walsenko
F. P. Hill, Jr.	K. R. Wichman
A. Merend	

Working Group on Piping (SG-D) (SC III)

E. B. Branch, <i>Chairman</i>	S. E. Moore
L. E. Alsager	E. D. Mysinger
K. C. Chang	M. H. Pedell
H. W. Dolfi	R. F. Petrokas
G. W. Gartland	E. C. Rodabaugh
S. Gils	E. O. Swain
A. B. Glickstein	E. A. Wais
R. W. Haupt	A. G. Walther
R. S. Hill III	L. E. Wright
D. F. Landers	W. B. Wright
M. V. Malkmus	M. P. Zyne

Working Group on Pumps (SG-D) (SC III)

J. H. Wawrzeaniak, <i>Chairman</i>	D. R. Hyatt
G. G. Anderson	A. N. MacCrum
C. S. Boster	J. C. Major
H. L. Brammer	J. R. McEwan
D. L. Cummings	P. J. Nagengast
R. Dervedde	J. J. Ranft
H. R. Graglia	W. M. Wepfer

Working Group on Valves (SG-D) (SC III)

W. N. McLean, <i>Chairman</i>	L. J. Malandra
P. H. Awtrey	J. J. McGavin
I. L. Beltz	B. J. Milleville
R. R. Brodin	H. R. Sonderegger
B. P. Brooks	J. C. Tsacoyeanes
J. M. Cowley	R. G. Visalli
R. J. Kiessel	R. T. Wolantejus
W. G. Knecht	J. R. Zahorsky
R. Koester	B. Zannini
B. H. Leonard, Jr.	B. M. Zarolia

Working Group on Component Supports (SG-D) (SC III)

M. N. Bressler, <i>Chairman</i>	E. D. Mysinger
G. M. Bove	H. Noreen, Jr.
J. T. Boyd	R. F. Petrokas
B. J. Cheek	L. J. Pierce
E. W. Corner	C. L. Ray, Jr.
R. J. Doelling	E. O. Swain
Z. A. Kravets	K. R. Wichman
R. J. Masterson	R. T. Wolantejus
A. E. Meligi	M. P. Zyne
A. J. Moellenbeck	

Working Group on Core Support Structures (SG-D) (SC III)

B. L. Silverblatt, <i>Chairman</i>	W. F. English, Jr.
T. Vetter, Jr., <i>Secretary</i>	F. T. Grubelich
R. W. Bonsall	J. F. Walker
C. W. Collins	

Working Group on FRP Pipe (SG-D) (SC III)

L. Loziuk, <i>Chairman</i>	J. Newman
R. J. Bailey	L. Porse
A. B. Glickstein	R. A. White
M. E. Greenwood	

Subgroup on Fabrication and Examination (SC III)

F. N. Moschini, <i>Chairman</i>	R. W. Jackson
H. A. Sepp, Jr., <i>Secretary</i>	R. M. Jessee
C. W. Allison	W. G. Knecht
D. C. Bertossa	J. Lang
W. H. Borter	J. R. McGuffey
W. M. Byerley	W. N. McLean
B. G. Carlton	W. A. Molvie
J. B. Christofferson	J. L. Perkins
F. R. Drahos	C. M. Purdy
G. B. Georgiev	J. W. Richardson
E. F. Gerwin	R. E. Schuessler
J. E. Harris	R. E. Tschirch
D. P. Hegglin	

Subgroup on Pressure Relief (SC III)

F. W. Catudal, <i>Chairman</i>	W. D. Greenlaw
R. A. Cedel	S. F. Harrison
F. C. Cherny	D. M. Pattarini
P. M. Dimitroff	K. R. Shaw

Subgroup on Elevated Temperature Construction (SC III)

A. W. Dalcher, <i>Chairman</i>	R. I. Jetter
J. L. McLean, <i>Secretary</i>	F. B. Litton
J. J. Duffy	R. M. Mello
W. D. Goins	R. A. Moen
R. E. Jagger	J. M. Tanzosh

JOINT ACI-ASME COMMITTEE ON CONCRETE PRESSURE COMPONENTS FOR NUCLEAR SERVICE (SC-3C)

J. P. Allen, <i>Chairman</i>	D. Morano
T. E. Northup, <i>Vice Chairman</i>	M. J. Morris
S. D. Weinman, <i>Secretary</i>	R. G. Oesterle
J. F. Artuso	F. S. Ople, Jr.
M. Bender	D. K. Peetz
R. A. Bradshaw, Jr.	R. P. Pizzuti
F. W. Brady	P. Reinhardt
T. M. Brown	F. Rinaldi
B. A. Erler	E. R. Rybarski
G. L. Fisher	M. Schupack
M. M. Forseth	B. B. Scott
A. E. Goldman	R. Shanlever
D. J. Haavik	C. P. Siess
T. E. Johnson	J. D. Stevenson
W. F. Johnson	B. K. Thornley, Jr.
R. D. Kulchak	R. N. White
D. P. Moore	

Working Group on Concrete Inspectors Qualifications (SG-GR) (SC-3C)

F. W. Joyce, <i>Chairman</i>	W. F. Johnson
J. F. Artuso	R. J. Vurpillat
H. W. Gilley	R. E. Wilson
C. E. Jaycox	

Subgroup on Materials, Constructions, and Examinations (SC-3C)

R. A. Bradshaw, Jr., <i>Chairman</i>	J. F. Hildebrand
J. P. Allen	A. W. Isberner
G. L. Fisher	D. P. Moore
M. M. Forseth	P. Reinhardt
D. J. Haavik	R. A. Rohrbacher

Working Group on Concrete (SG-M, C & E) (SC-3C)

D. J. Haavik, <i>Chairman</i>	G. R. Murphy
J. P. Allen	R. W. Narva
J. F. Best	R. P. Pizzuti
R. A. Bradshaw, Jr.	R. A. Rohrbacher
J. Gutierrez	E. R. Rybarski
A. Isberner	

Working Group on Reinforcing and Prestressing Systems (SG-M, C & E) (SC-3C)

D. P. Moore, <i>Chairman</i>	D. K. Peetz
J. E. Barry	P. Reinhardt
J. R. Leclair	B. K. Thornley, Jr.
R. B. Lipinski	G. Valentenyi
D. S. Mehta	

Working Group on Liners (SG-M, C & E) (SC-3C)

G. L. Fisher, <i>Chairman</i>	J. F. Hildebrand
R. M. Attar	J. D. Madden
U. I. Gosts	

Subgroup on Design (SC-3C)

B. B. Scott, <i>Chairman</i>	R. G. Oesterle
L. I. Cheng	F. S. Ople, Jr.
J. A. Curtin	J. A. Raulinaitis
J. F. Fulton	R. E. Shewmaker
M. J. Holley	K. O. Stalter
D. C. Jeng	J. D. Stevenson
T. E. Johnson	A. Walser
R. E. Koppe	R. N. White
R. A. Mattson	

Subgroup on Testing and Protection Against Overpressure (SC-3C)

T. M. Brown, <i>Chairman</i>	R. B. Lipinski
S. Guha-Majumdar	N. J. Tuholski
H. T. Hill	L. F. Wallace

Subgroup on Core Support Structures (SC-3C)

A. E. Goldman, <i>Chairman</i>	F. V. Fair
J. W. Borkowski	P. A. Stancampiano
T. P. Chang	T. Y. P. Tan
A. A. Cline	G. T. Yahr
J. M. Day	Z. Zudans

SUBCOMMITTEE ON HEATING BOILERS (SC IV)

S. F. Harrison, <i>Chairman</i>	D. R. Gallup
M. J. Telesmanic, <i>Vice Chairman</i>	G. L. Kasparian
F. P. Barton	M. Lieblich
G. F. Carlson	Z. R. McCain, Jr.
P. G. Daugirda	T. H. Milton
R. B. Duggan	R. I. Mullican
A. N. Duncan	N. F. Vierson III
G. E. Fratcher	R. H. Weigel
	J. I. Woodworth

Subgroup on Care and Operation of Heating Boilers (SC IV)

Z. R. McCain, Jr., <i>Chairman</i>	M. Lieblich
F. P. Barton	T. H. Milton
V. E. Doss	R. H. Weigel
J. Giambrone	J. I. Woodworth

Subgroup on Water Heaters (SC IV)

G. E. Fratcher, <i>Chairman</i>	W. H. Dormer, Jr.
A. N. Duncan, <i>Secretary</i>	W. L. Garvin
F. P. Barton	G. R. Lewis
P. G. Daugirda	E. Wenczl

Subgroup on Cast Iron Boilers (SC IV)

D. R. Gallup, <i>Chairman</i>	R. H. Weigel
W. L. Garvin	J. I. Woodworth

SUBCOMMITTEE ON NONDESTRUCTIVE EXAMINATION (SC V)

J. R. Mackay, <i>Chairman</i>	P. J. Herbert
R. C. Hudson, <i>Vice Chairman</i>	E. T. Hughes, Jr.
J. Brzuszkiewicz, <i>Secretary</i>	T. F. Luga
A. S. Birks	S. Markowitz
H. G. Bogart	W. C. McGaughey
J. B. Christofferson	E. D. Potter
B. H. Clark	L. Rabago
L. T. Detlor	F. J. Sattler
W. H. Dormer, Jr.	J. C. Spanner
F. T. Duba	J. Sunukjian
H. C. Graber	E. J. Wnek
G. W. Hembree	

Subgroup on General Requirements (SC V)

G. W. Hembree, <i>Chairman</i>	W. H. Dormer, Jr.
J. O. Brown	H. S. Garcha
B. H. Clark	J. Sunukjian
R. J. Claverie	

Subgroup on Radiography (SC V)

E. J. Wnek, <i>Chairman</i>	B. Kovacs
J. J. Callinan, Jr.	T. F. Luga
D. L. Crabtree	S. Markowitz
L. T. Detlor	T. G. McCarty
B. E. Foster	C. N. Sherlock
R. Hardison	B. K. Warren

Subgroup on Ultrasonics (SC V)

P. J. Herbert, <i>Chairman</i>	R. W. McClung
F. C. Berry	W. C. McGaughey
L. J. Chockie	E. E. Potter
N. O. Cross	F. J. Sattler
F. T. Duba	J. C. Spanner
V. S. Goel	F. R. A. Turner
D. A. Gomien	R. E. Vincent (Alternate)
E. T. Hughes, Jr.	

Subgroup on Surface NDE (MT, PT, & ET) (SC V)

H. G. Bogart, <i>Chairman</i>	H. C. Graber
A. S. Birks	R. M. Jessee
J. B. Christofferson	J. B. Morgan
J. I. Dantzer	

Special Working Group on Acoustic Emission (SC V)

D. M. Bertelsman	J. F. Manning
B. H. Clark	E. E. Potter
N. O. Cross	J. C. Spanner
T. J. Fowler	

SUBCOMMITTEE ON PRESSURE VESSELS (SC VIII)

R. J. Cepluch, <i>Chairman</i>	M. H. Jawad
J. LeCoff, <i>Vice Chairman</i>	G. G. Karcher
A. J. Roby, <i>Secretary</i>	P. E. Loveday
B. W. Bace	J. C. Maxham
R. D. Bonner	W. R. Mikesell
V. W. Butler	C. C. Neely
P. Y. Chow	R. F. O'Neill
J. R. Farr	F. O. Parnkopf
H. B. France	R. J. Sinisi
G. E. Fratcher	J. J. Szigety
W. L. Garvin	C. M. Vogrin
R. M. Gibson	B. L. Whitley
R. C. Griffin	

Special Working Group on Heat Transfer Equipment (SC VIII)

G. G. Karcher, <i>Chairman</i>	A. W. Lohmeier
J. H. Kissel, <i>Vice Chairman</i>	U. R. Miller
H. A. Schmidt, Jr., <i>Secretary</i>	H. C. Rauschenplat
D. E. Bolt	A. P. Rochino
G. Borushko	J. E. Soehrens
B. J. Field	A. I. Soler
T. K. Haldas	W. A. Treff
A. M. Impagliazzo	S. Yokell

Subgroup on Design (SC VIII)

J. R. Farr, <i>Chairman</i>	G. G. Karcher
R. E. Knoblock, <i>Secretary</i>	R. W. Mikitka
R. M. Gibson	J. J. Murphy
N. Gilbert	R. F. O'Neill
R. E. Gleason	A. Selz
J. A. Hayward	D. Staskelunas
M. H. Jawad	C. M. Vogrin

Special Working Group on Composite Concrete and Steel High Pressure Vessels (SC VIII)

P. Y. Chow, <i>Chairman</i>	D. J. Naus
R. E. Bachman	F. S. Ople, Jr.
R. D. Ciatto	G. R. Sepelek
T. J. Fowler	A. M. Smolen
R. C. Griffin	J. Stringer
G. G. Karcher	S. Thoman
E. F. Linck	D. L. Wu

Working Group on Non-Circular Vessels (SG-D) (SC VIII)

A. Selz, <i>Chairman</i>	A. M. Smolen
N. Gilbert	E. L. Thomas, Jr.
H. B. Peters	J. L. Urner

Special Working Group on High Pressure Vessels (SC VIII)

W. R. Mikesell, <i>Chairman</i>	D. P. Kendall
M. E. Sheehan, <i>Secretary</i>	G. Mraz
D. J. Burns	C. C. Neely
L. R. Douglas	E. G. Nisbett
R. G. Fasiczka	H. C. Rauschenplat
R. E. Feigel	E. R. Sliwinski
D. M. Fryer	D. A. Swift
R. E. Jagger	F. W. Tatar

Subgroup on Fabrication and Inspection (SC VIII)

J. J. Szigety, <i>Chairman</i>	J. P. Houstrup
R. F. O'Neill, <i>Secretary</i>	J. Lang
W. B. Boyer	F. O. Parnkopf
J. O. Brown	R. E. Schuessler
S. C. Cyr	R. J. Sinisi
H. B. France	R. F. Wagner
M. J. Houle	

Working Group on Layered Vessels (SGFI) (SC VIII)

F. O. Parnkopf, <i>Chairman</i>	R. M. Gibson
A. M. Smolen, <i>Secretary</i>	N. Gilbert
E. A. Becker	J. L. Jacobowitz
S. M. Caldwell	R. E. Pechacek
L. R. Douglas	H. C. Rauschenplat
G. E. Fratcher	B. L. Whitley

Subgroup on General Requirements (SC VIII)

R. D. Bonner, <i>Chairman</i>	C. C. Neely
S. E. Johnson, <i>Secretary</i>	A. J. Palmer
A. P. Ahrendt	A. M. Smolen
M. R. Bauman	J. E. Stevens
D. D. Carpenter	W. J. Stuber
H. F. Colter	W. E. Vogler
W. L. Garvin	B. L. Whitley
J. C. Maxham	

SUBCOMMITTEE ON WELDING (SC IX)

R. C. Griffin, <i>Chairman</i>	G. W. Oyler
B. D. Hackney, <i>Vice Chairman</i>	D. K. Peetz
J. Brzuszkiewicz, <i>Secretary</i>	K. J. Pon
B. L. Alia	S. D. Reynolds
L. J. Christensen	R. K. Sager, Jr.
H. R. Cobb	H. S. Sayre
H. R. Conaway	W. K. Scattergood
W. Doty	N. G. Schreiner
R. L. Harris	J. L. Smith
H. L. Helmbrecht	G. K. Sosnin
H. L. Hime	W. J. Sperko
M. J. Houle	G. W. Spohn III
R. A. LaPointe	K. C. Taber
R. E. Lorentz, Jr.	R. R. Young
A. H. Miller	D. Stull (Alternate)

Subgroup on Materials (SC VIII)

M. H. Jawad, <i>Chairman</i>	J. J. Gaughan
E. D. Narduzzi, <i>Secretary</i>	J. Hainsworth
W. C. Banks	H. L. Hime
V. W. Butler	E. G. Nisbett
D. D. Erickson	J. W. Tackett
H. W. Garvin	

Subgroup on Materials (SC IX)

R. E. Lorentz, Jr., *Chairman* R. K. Sager, Jr.
M. L. Carpenter W. J. Sperko
H. R. Conaway J. W. Tackett
R. M. Jessee R. R. Young
A. S. Melilli H. E. Zielke
A. H. Miller

Subgroup on General Requirements (SC IX)

D. K. Peetz, *Chairman* H. S. Sayre
R. L. Harris N. G. Schreiner
M. J. Houle W. J. Sperko
R. M. Jessee G. W. Spohn III
G. W. Oyler K. C. Taber

Subgroup on Procedure Qualification (SC IX)

M. J. Houle, *Chairman* H. L. Helmbrecht
B. L. Alia S. D. Reynolds
L. J. Christensen W. J. Sperko
H. R. Cobb E. G. Thompson

Subgroup on Performance Qualification (SC IX)

M. J. Houle, *Chairman* W. K. Scattergood
B. D. Hackney H. A. Sosnin
R. A. LaPointe D. L. Tevis
J. J. Meyer E. G. Thompson
P. P. Norris

Subgroup on Brazing (SC IX)

B. D. Hackney, *Chairman* A. H. Miller
M. L. Carpenter K. J. Pon
R. A. LaPointe D. A. J. Stegner

SUBCOMMITTEE ON REINFORCED PLASTIC PRESSURE VESSELS (SC X)

J. Brzuszkiewicz, *Secretary* R. F. Foral
E. E. Bates S. F. Harrison
D. M. Bertelsman J. Hassert
W. L. Bliley W. D. Humphrey
J. W. Carter A. B. Isham
J. J. Duffy E. E. Morgenegg

SUBCOMMITTEE ON NUCLEAR INSERVICE INSPECTION (SC XI)

L. J. Chockie, *Chairman* W. C. Ham
W. O. Parker, *Vice Chairman* P. J. Herbert
K. I. Baron, *Secretary* J. P. Houstrup
C. W. Allison L. R. Katz
W. F. Anderson J. R. Knoke
A. J. Birkle J. J. Lance
R. E. Bullock R. R. Maccary
S. H. Bush M. S. Markowicz
D. D. Davis G. J. Pitzl
F. T. Duba P. C. Riccardella
H. L. Gotschall M. E. Schuster, Jr.
F. E. Gregor C. H. Walters
L. B. Gross F. A. Warner
G. J. Hallinan W. P. Worden

Working Group on Concrete Pressure Components (SC XI)

H. T. Hill, *Chairman* J. F. Fulton
H. Ashar H. L. Gotschall
R. E. Bullock S. Guha-Majumdar
C. A. Byrd A. M. Salley
F. T. Duba G. Valentyeny

Special Working Group on Editing and Review (SC XI)

R. L. Beverly, *Chairman* M. J. Partridge
R. J. Claverie R. F. Sammataro
L. B. Gross R. W. Swayne
V. H. Hight F. A. Warner
R. R. Maccary

Subgroup on General Requirements (SC XI)

L. B. Gross, *Chairman* J. M. Madara
R. J. Claverie, *Secretary* C. V. Moore
C. W. Allison M. J. Partridge
W. E. Cawley S. M. Sullivan
G. Gotch J. H. Uhl
F. A. Hawksley F. A. Warner
J. R. Knoke

Working Group on Regulatory Guides (SG-GR) (SC XI)

J. R. Knoke, *Chairman* E. J. Parent
L. B. Gross

**Working Group on Inspection Duties and Code Application
(SG-GR) (SC XI)**

J. H. Uhl, *Chairman*
R. J. Claverie, *Secretary*
L. Frank
G. Gotch

S. M. Sullivan
C. H. Walters
F. A. Warner
W. P. Worden

Working Group on Component Supports (SG-WCS) (SC XI)

D. D. Davis, *Chairman*
J. T. Boyd
R. F. Brandt
E. D. Delp
F. T. Duba
J. M. Kovacs

C. N. Krishnaswamy
H. K. Shaw
K. A. Stanley
R. J. Tamminga
M. P. Zyne

**Working Group on Inspection of Class 2 Systems
(SG-GR) (SC XI)**

M. J. Partridge, *Chairman*
C. Brader
E. J. Brown
A. R. Carpenter
M. T. Cross
F. Famulari
J. B. Martin

L. Sage
R. E. Scott
W. A. Sims
F. Tehranchi
J. H. Uhl
R. C. VanLear

Subgroup on Repairs and Replacements (SC XI)

W. C. Ham, *Chairman*
F. T. Duba, *Secretary*
D. C. Bertossa
J. Derrico
J. F. Enrietto
W. L. Garvin
W. D. Goins

J. B. Henderson
T. J. Mawson
L. M. McBride
M. E. Schuster, Jr.
J. C. Tobin
R. H. Waskey, Jr.

Subgroup on Water-Cooled Systems (SC XI)

A. J. Birkle, *Chairman*
R. L. Beverly, *Secretary*
A. E. Curtis
D. D. Davis
F. J. Dodd
W. S. Hazelton
L. R. Katz

S. Lefkowitz
R. E. Legate
J. B. Martin
E. J. Parent
R. L. Powers
F. Tehranchi
G. Wasilenko

Working Group on Repair Welding (SG-RR) (SC XI)

W. D. Goins, *Chairman*
B. G. Carlton, *Secretary*
D. C. Bertossa
B. R. Crowley
S. R. Eley
M. J. Houle

H. J. Kaplan
R. D. Kerr
R. A. LaPointe
W. E. Mayott
J. T. Reilly
E. H. Williams

**Working Group on Nondestructive Examination
(SG-WCS) (SC XI)**

E. DeBarba, *Chairman*
J. L. Wood, *Secretary*
D. C. Adamonis
P. S. Barry
F. L. Becker
W. T. Clayton
J. F. Cook
C. D. Cowfer
F. J. Dodd
F. T. Duba

M. G. Hacker
P. J. Herbert
V. H. Hight
M. R. Hum
E. J. Parent
B. R. Rajala
F. J. Sattler
A. E. Smith
R. M. Stone

Working Group on Replacements (SG-RR) (SC XI) (SC-P)

T. J. Mawson, *Chairman*
L. M. McBride, *Secretary*
M. J. Crisler
S. R. Eley
J. B. Henderson

R. E. Legate
G. J. Pitzl
M. E. Schuster, Jr.
R. E. Tschirch

Subgroup on Gas-Cooled Systems (SC XI)

F. A. Warner, *Chairman*
L. M. McBride, *Secretary*
H. L. Gotschall

F. E. Lesko
F. B. Litton
R. W. Peters

**Working Group on Steam Generator Inspection
(SG-WCS) (SC XI)**

A. J. Birkle, *Chairman*
C. J. Denton
P. P. DeRosa
L. Frank

L. B. Gross
E. J. Parent
A. J. Spencer

Subgroup on Liquid-Metal-Cooled Systems (SC XI)

M. S. Markowicz, *Chairman*
H. C. Jung, *Secretary*
R. A. Baker
W. L. Chase
J. Coonan
R. F. Green
G. J. Hallinan

J. Matte III
L. J. Nemeth
G. Seed
R. W. Spear
J. C. Tobin
T. J. Walker

**Working Group on Liquid Metal Reactor Covers
(SGLMCS) (SC XI)**

W. L. Chase, *Chairman* G. Seed
J. Matte III G. J. Snyder
L. J. Nemeth

Subgroup on Containment (SC XI)

F. E. Gregor, *Chairman* B. M. Hinton
R. F. Sammataro, *Secretary* D. R. Pitcairn
W. J. Briggs M. Revett
R. E. Bullock J. E. Staffiera
K. S. Herring J. F. Strunk

Subgroup on Evaluation Standards (SC XI)

S. H. Bush, *Chairman* J. P. Houstrup
P. C. Riccardella, *Secretary* R. R. Maccary
W. H. Bamford T. U. Marston
C. E. Buchalet S. Ranganath
C. Y. Cheng W. A. Vandersluys
E. DeBarba S. Yukawa

Working Group on Flaw Evaluation (SG-ES) (SC XI)

W. H. Bamford, *Chairman* J. P. Houstrup
R. C. Cipolla, *Secretary* M. Kupinski
J. M. Bloom T. U. Marston
C. E. Buchalet J. G. Merkle
C. Y. Cheng S. Ranganath
T. J. Griesbach S. Yukawa

SUBCOMMITTEE ON PROPERTIES OF METALS (SC-P)

D. A. Canonico, *Chairman* W. H. Leach
J. Manaskie, *Secretary* R. H. Moeller
A. P. Ahrendt R. A. Moen
C. C. Clark E. D. Narduzzi
J. F. Copeland W. J. O'Donnell
H. T. Corten A. J. Palmer
W. Doty B. W. Roberts
A. R. Faulkner D. I. Roberts
R. F. Gill G. V. Smith
R. J. Glodowski J. W. Tackett
M. Gold

Subgroup on Strength, Ferrous Alloys (SC-P)

M. Gold, *Chairman* W. H. Leach
A. P. Ahrendt R. A. Moen
V. W. Butler E. D. Narduzzi
D. A. Canonico B. W. Roberts
J. F. Copeland J. E. Rogozenski
D. P. Edmonds G. V. Smith
R. F. Gill C. E. Spaeder
R. J. Glodowski J. Stratton
W. C. Hagel P. F. Wieser
S. O. Hilton

Subgroup on Strength, Nonferrous Alloys (SC-P)

J. W. Tackett, *Chairman* E. E. Mild
R. Dirscherl R. H. Moeller
D. G. Harman E. Shapiro
T. G. McCarty R. T. Webster

**Subgroup on Strength of Weldments (SC-P) (SC IX)
(Joint Subgroup)**

W. Doty, *Chairman* W. H. Leach
H. R. Cobb B. W. Roberts
D. P. Edmonds D. I. Roberts
G. H. Harth R. K. Sager, Jr.

Subgroup on Fatigue Strength (SC-P)

W. J. O'Donnell, *Chairman* M. Katcher
C. R. Brinkman C. W. Lawton
J. A. Hayward M. J. Manjoine
L. A. James G. C. Millman
C. E. Jaske R. R. Seely
D. P. Jones G. H. Weidenhamer

Subgroup on Toughness (SC-P)

H. T. Corten, *Chairman* R. K. Nanstad
D. J. Ayres E. G. Nisbett
R. M. Brown A. Selz
R. F. Cappellini A. K. Shoemaker
R. J. Glodowski R. D. Stout
H. A. Grubb M. F. Wheatcroft
W. S. Hazelton D. E. Young
E. I. Landerman S. Yukawa
F. J. Loss R. Zawierucha

Working Group on Non-Nuclear Application (SG-D) (SC-P)

R. M. Brown	R. D. Stout
R. J. Glodowski	M. F. Wheatcroft
E. G. Nisbett	R. Zawierucha

Working Group on Nuclear Application (SG-T) (SC-P)

E. I. Landerman, <i>Chairman</i>	F. J. Loss
R. F. Cappelini	A. Selz
H. A. Grubb	D. E. Young
W. S. Hazelton	

Working Group on Toughness Criteria (SG-T) (SC-P)

H. T. Corten, <i>Chairman</i>	A. K. Shoemaker
D. J. Ayres	S. Yukawa
R. K. Nanstad	

SUBCOMMITTEE ON SAFETY VALVE REQUIREMENTS (SC-SV)

S. F. Harrison, <i>Chairman</i>	J. T. Grail
W. L. Garvin, <i>Vice Chairman</i>	W. D. Greenlaw
J. Brzuszkiewicz, <i>Secretary</i>	H. I. Gregg
G. C. Batz	F. J. Howes
M. D. Bernstein	E. C. Kistner
G. F. Carlson	D. E. Lemon
R. A. Cedel	Z. R. McCain, Jr.
O. J. Cox, Jr.	A. J. Schmidt
E. C. Cullie	S. M. Sullivan
R. J. Doelling	

SUBCOMMITTEE ON DESIGN (SC-D)

W. R. Mikesell, <i>Chairman</i>	R. J. Glodowski
S. W. Tagart, Jr., <i>Vice Chairman</i>	R. I. Jetter
C. E. Nielsen, <i>Secretary</i>	D. F. Landers
O. B. Abhat	H. W. Marsh
L. Conway	R. D. Schueler, Jr.
J. R. Farr	M. P. Schwartz

Subgroup on Openings (SC-D)

M. P. Schwartz, <i>Chairman</i>	R. W. Mikitka
H. H. Schneider, <i>Secretary</i>	P. P. Raju
F. C. Adamek	E. C. Rodabaugh
M. N. Bressler	R. W. Schneider
J. R. Farr	H. K. Shaw
R. E. Gleason	D. L. Shira
S. C. Lou	E. D. Ssinegurski

Subgroup on External Pressure (SC-D)

H. W. Marsh, <i>Chairman</i>	W. J. Koves
O. B. Abhat	E. M. Livingston
L. Conway	C. D. Miller
C. J. Kelly	E. E. Morgeneegg

Subgroup on Design Analysis (SC-D)

S. W. Tagart, Jr., <i>Chairman</i>	A. W. Lohmeier
E. M. Lawrence, <i>Secretary</i>	S. Palusamy
R. S. Barsoum	E. R. Sliwinski
H. M. Fishman	R. J. Thomas
N. Gilbert	Z. Zudans

Working Group on Shells (SG-DA) (SC-D)

H. M. Fishman, <i>Chairman</i>	R. W. Loomis
R. S. Barsoum	R. Raghavan
C. Chen	R. J. Thomas
A. Kalnins	

Working Group on Inelastic Behavior (SG-DA) (SC-D)

S. Palusamy, <i>Chairman</i>	H.-T. Huang
A. G. Eggers	T. V. Narayanan

Working Group on Special Topics (SG-DA) (SC-D)

E. R. Sliwinski, <i>Chairman</i>	E. M. Lawrence
N. Gilbert	A. W. Lohmeier
G. D. Gupta	

Subgroup on Elevated Temperature Design (SC-D)

R. I. Jetter, <i>Chairman</i>	C. F. Nash
A. W. Dalcher, <i>Secretary</i>	W. J. O'Donnell
R. D. Campbell	D. I. Roberts
J. B. Conway	F. A. Sebring
J. M. Corum	L. K. Severud
J. M. Duke	A. L. Snow
E. P. Esztergar	J. M. Tanzosh
M. T. Jakub	B. C. Wei
C. W. Lawton	

Working Group on Creep Fatigue (SG-ETD) (SC-D)

R. D. Campbell, <i>Chairman</i>	P. J. Langford
C. R. Brinkman, <i>Secretary</i>	C. W. Lawton
J. B. Conway	R. K. Mattu
J. M. Duke	J. E. McConnelee
S. Guha-Majumdar	C. C. Schultz, Jr.
G. R. Halford	L. K. Severud
C. E. Jaske	W. Veljovich

Working Group on Creep Analysis (SG-ETD) (SC-D)

W. J. O'Donnell, <i>Chairman</i>	L. C. S. Nieh
J. M. Corum, <i>Secretary</i>	P. K. Patel
R. S. Barsoum	J. R. Ray
A. W. Dalcher	C. C. Schultz, Jr.
J. M. Duke	F. A. Sebring
D. S. Griffin	L. K. Severud
R. I. Jetter	R. A. Valentin

Working Group on Materials Behavior (SG-ETD) (SC-D)

D. I. Roberts, <i>Chairman</i>	R. I. Jetter
G. E. Korth, <i>Secretary</i>	R. A. Moen
C. R. Brinkman	G. V. Smith
J. B. Conway	J. M. Tanzosh

SUBCOMMITTEE ON BOILER AND PRESSURE VESSEL ACCREDITATION (SC-BPVA)

E. L. Kemmler, <i>Chairman</i>	Alternates
S. F. Harrison, <i>Vice Chairman</i>	S. C. Cyr
C. J. Gomez, <i>Secretary</i>	D. M. Fischer
D. W. Anacki	C. E. Ford
E. A. Becker	D. E. Lemon
R. A. Clemons	D. J. McDonald
D. R. Gallup	R. I. Mullican
J. C. Maxham	R. J. Sinisi
A. T. Slatt	S. M. Sullivan
J. A. Werhane	W. E. Vogler
J. M. Whelan	B. L. Whitley

SUBCOMMITTEE ON NUCLEAR ACCREDITATION (SC-NA)

E. J. Hemzy, <i>Chairman</i>	Alternates
M. N. Bressler, <i>Vice Chairman</i>	C. W. Allison
C. J. Gomez, <i>Secretary</i>	R. B. Bremmer
D. J. Carreira	F. R. Drahos
H. F. Dobel	R. E. Feigel
J. J. Duffy	J. Lang
W. S. Gibbons, Jr.	F. L. Moreadith
S. F. Harrison	U. Potapovs
W. G. Knecht	R. J. Tamminga
J. D. Lenardson	G. M. Tolson
H. A. Manning	A. M. Weiss
G. F. McDonald	B. L. Whitley
F. N. Moschini	
G. W. Reinmuth	
D. R. Young	

Officers of ASTM Committees

(Cooperating in Development of the Specifications Herein)

B-2 Committee on Nonferrous Metals & Alloys

B.W. Gonser, *Honorary Chairman*, Battelle Memorial Institute
M.V. Yokelson, *Chairman*, General Cable Co.
R.J. Cox, *User Vice-Chairman*, Ampco Pittsburgh Corp.
C. Di Martini, *Producer Vice-Chairman*, ASARCO, Inc.
J.W. Tackett, *Secretary*, Cabot Corp.
T.M. O'Toole, *Staff Manager*, ASTM

B-5 Committee on Copper and Copper Alloys

R.J. Hibbeln, *Chairman*, Western Electric Co.
G.M. Kralik, *First Vice-Chairman*, U.S. Naval Facilities Engineering Command
S.L. Patton, *Second Vice-Chairman*, UOP
R. Owen, *Secretary*, Brush Wellman, Inc.
P.A. Scully, *Membership Secretary*, Noranda Metal Industries Ltd.
T.M. O'Toole, *Staff Manager*, ASTM

B-7 Committee on Light Metals and Alloys

T.E. Gregory, *Honorary Chairman*, Western Electric Co., Inc.
D.R. Neruda, *Chairman*, Western Electric Co., Inc.
G.C. Hsu, *Producer Vice-Chairman*, Reynolds Metal Co.
H.L. Libbin, *User Vice-Chairman*, Bell Telephone Laboratories
W.M. Harris, *Secretary*, ALCOA
H.J. Proffitt, *Assistant Secretary*, Haley Industries Ltd.
G.A. Luciw, *Staff Manager*, ASTM

B-10 Committee on Reactive and Refractory Metals and Alloys

W.G. Wood, *Chairman*, Kolene Corp.
E.W. Kleefisch, *First Vice-Chairman*
R.T. Webster, *Second Vice-Chairman*, Teledyne Wah Chang Albany
F. Kubli, *Secretary*, RMI Co.
H.M. Cobb, *Staff Manager*, ASTM

PREFACE

The American Society of Mechanical Engineers (ASME) and the American Society for Testing and Materials (ASTM) have cooperated for more than fifty years in the preparation of material specifications adequate for safety in the field of pressure equipment for ferrous and nonferrous materials, contained in Section II (Part A—Ferrous and Part B—Nonferrous) of the ASME Boiler and Pressure Vessel Code.

The evolution of this cooperative effort is contained in Professor A. M. Greene's "History of the ASME Boiler Code," which was published as a series of articles in *Mechanical Engineering* from July 1952 through August 1953 and is now available from ASME in a special bound edition. The following quotations from this history, which was based upon the minutes of the ASME Boiler and Pressure Vessel Committee, will help focus on the cooperative nature of the specifications found in Section II, Material Specifications.

"General discussion of material specifications comprising Paragraphs 1 to 112 of Part 2 and the advisability of having them agree with ASTM specifications," (1914).

"ASME Subcommittee appointed to confer with ASTM," (1916).

"Because of this cooperation the specifications of the 1918 Edition of the ASME Boiler Code were more nearly in agreement with ASTM specifications. In the 1924 Edition of the Code, 10 specifications were in complete agreement with ASTM specifications, 4 in substantial agreement and 2 covered materials for which ASTM had no corresponding specifications."

"In Section II, Material Specifications, the paragraphs were given new numbers beginning with S-1 and extending to S-213," (1925).

"Section II was brought into agreement with changes made in the latest ASTM specifications since 1921," (1932).

"The Subcommittee on Material Specifications arranged for the introduction of the revisions of many of the specifications so that they would agree with the

latest form of the earlier ASTM specifications. . .," (1935).

From the preceding, it is evident that many of the material specifications were prepared by the Boiler and Pressure Vessel Code Committees, then subsequently, by cooperative action, modified and identified as ASTM specifications. Section II, Parts A and B, currently contain many material specifications which are identical with the corresponding ASTM specifications and some which have been modified for Code usage.

In 1969, the American Welding Society began publication of specifications for welding rods, electrodes, and filler metals, hitherto issued by ASTM. The Boiler and Pressure Vessel Committee has recognized this new arrangement, and is now working with AWS on these specifications. Section II, Part C, contains the welding material specifications approved for Code use.

All identical specifications are indicated by the ASME/ASTM symbols or the ASME/AWS symbols. The ASME Boiler and Pressure Vessel Committee has given careful consideration to each new and revised ASTM or AWS specification, and has made such changes as they deemed necessary to make the specification adaptable for Code usage. In addition, ASME has furnished ASTM with the basic requirements that should govern many proposed new specifications. Joint action will continue an effort to make the ASTM, AWS, and ASME specifications identical.

To assure that there will be a clear understanding on the part of the users of Section II, ASME publishes both the identical specifications and those amended for Code usage in three parts every three years, in the same page size to match the other sections of the Code, and Addenda are issued every six months to provide the latest changes in Section II specifications.

The ASME Boiler and Pressure Vessel Code has been adopted into law by 45 states and many municipalities in the United States and by all of the Canadian Provinces.

CONTENTS

Specifications Listed by Materials — Pages xxix-xxxii

Specifications Listed in Numeric Sequence — Pages xxxiii-xxxv

Specifications

Listed by Materials

Aluminum and Aluminum Alloys

SB-26	Aluminum-Alloy Sand Castings	9
SB-108	Aluminum-Alloy Permanent Mold Castings	51
SB-209	Aluminum and Aluminum-Alloy Sheet and Plate	189
SB-210	Aluminum-Alloy Drawn Seamless Tubes	203
SB-211	Aluminum-Alloy Bars, Rods, and Wire	213
SB-221	Aluminum-Alloy Extruded Bar, Rod, and Shape	219
SB-234	Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers	227
SB-241	Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube	233
SB-247	Aluminum-Alloy Die and Hand Forgings	241
SB-308	Aluminum-Alloy Standard Structural Shapes, Rolled, or Extruded	291

Copper and Copper Alloy Plate, Sheet, Strip and Rolled Bar

SB-11	Copper Plates for Locomotive Fireboxes	1
SB-96	Copper-Silicon Alloy Plate and Sheet for Pressure Vessels	43
SB-152	Copper Sheet, Strip, Plate, and Rolled Bar	95
SB-169	Aluminum Bronze Plate, Sheet, Strip, and Rolled Bar	181
SB-171	Copper-Alloy Condenser Tube Plates	183
SB-248	General Requirements for Wrought Copper and Copper-Alloy Plate, Strip, and Rolled Bar	249
SB-283	Copper and Copper-Alloy Die Forgings (Hot-Pressed)	287
SB-402	Copper-Nickel Alloy Plate and Sheet for Pressure Vessels	361

Copper and Copper Alloy Rod, Bar, and Shapes

SB-12	Copper Rods for Locomotive Staybolts	5
SB-98	Copper-Silicon Alloy Rod, Bar, and Shapes	47
SB-150	Aluminum Bronze Rod, Bar, and Shapes	87
SB-151	Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar	91
SB-249	General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, and Shapes	261

Copper and Copper Alloy Pipe and Tubes

SB-42	Seamless Copper Pipe, Standard Sizes	17
SB-43	Seamless Red Brass Pipe, Standard Sizes	23
SB-75	Seamless Copper Tube	37
SB-111	Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock	59

SB-135	Seamless Brass Tube	81
SB-251	General Requirements for Wrought Seamless Copper and Copper Alloy Tube	269
SB-315	Seamless Copper Alloy Pipe and Tube	295
SB-359	Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes with Integral Fins	331
SB-395	U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes	351
SB-466	Seamless Copper-Nickel Pipe and Tube	477
SB-467	Welded Copper-Nickel Pipe	481
SB-543	Welded Copper and Copper Alloy Heat Exchanger Tube	567

Copper Alloy Castings

SB-61	Steam or Valve Bronze Castings	29
SB-62	Composition Bronze or Ounce Metal Castings	33
SB-148	Aluminum Bronze Sand Castings	83
SB-271	Copper-Base Centrifugal Castings	285
SB-369	Copper-Nickel Alloy Castings	343
SB-505	Copper-Base Alloy Continuous Castings	505
SB-584	Copper Alloy Sand Castings for General Applications	629

Nickel and Nickel Alloy Plate, Sheet, and Strip

SB-127	Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip	69
SB-162	Nickel Plate, Sheet, and Strip	117
SB-168	Nickel-Chromium-Iron Alloy (UNS N06600) Plate, Sheet, and Strip	169
SB-333	Nickel-Molybdenum Alloy Plate and Strip	303
SB-409	Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip	381
SB-424	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825) Plate, Sheet, and Strip	401
SB-434	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Plate, Sheet, and Strip	421
SB-435	Nickel-Chromium-Molybdenum-Iron Alloy (UNS N06002) Plate, Sheet, and Strip	427
SB-443	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Plate, Sheet, and Strip	433
SB-463	Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy Plate, Sheet and Strip	459
SB-509	Supplementary Requirements for Nickel Alloy Plate for Nuclear Applications	511
SB-536	Nickel-Iron-Chromium-Silicon Alloy Plate, Sheet and Strip	557
SB-575	Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip	613
SB-582	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip	623
SB-599	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet and Strip	635
SB-620	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip	651
SB-625	Nickel-Iron-Chromium-Molybdenum-Copper-Low-Carbon Alloy (UNS N08904) Plate, Sheet, and Strip	667

Nickel and Nickel Alloy Rod, Bar, and Wire

SB-160	Nickel Rod and Bar	99
SB-164	Nickel-Copper Alloy Rod and Bar	139

81	SB-166	Nickel-Chromium-Iron Alloy (UNS N06600) Rod and Bar	155
69	SB-335	Nickel-Molybdenum Alloy Rod	309
95	SB-408	Nickel-Iron-Chromium Alloy Rod and Bar	373
	SB-425	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825) Rod and Bar	413
31	SB-446	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Rod and Bar	449
51	SB-473	Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy Bar	495
77			
81	SB-510	Supplementary Requirements for Nickel Alloy Rod and Bar for Nuclear Applications	513
567	SB-511	Nickel-Iron-Chromium-Silicon Alloy Hot Rolled and Cold Finished Bars	515
	SB-564	Nickel Alloy Forgings	597
29	SB-572	Nickel-Chromium-Molybdenum-Iron Alloy (UNS N06002) Rod	601
33	SB-573	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Rod	605
83	SB-574	Low-Carbon Nickel-Molybdenum-Chromium Alloy Rod	609
285	SB-581	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod	619
343	SB-621	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod	657
505	SB-672	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire	695
629			

Nickel and Nickel Alloy Pipe and Tubes

69	SB-161	Nickel Seamless Pipe and Tube	109
117	SB-163	Seamless Nickel and Nickel Alloy Condenser and Heat Exchanger Tubes	129
169	SB-165	Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube	149
303	SB-167	Nickel-Chromium-Iron Alloy (UNS N06600) Seamless Pipe and Tube	161
381	SB-407	Nickel-Iron-Chromium Alloy Seamless Pipe and Tube	365
	SB-423	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825) Seamless Pipe and Tube	393
401	SB-444	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Seamless Pipe and Tube	443
421	SB-462	Forged or Rolled Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy (UNS N08020) Alloy, Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service	455
427			
433	SB-464	Seamless and Welded Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy Pipe	471
459	SB-468	Seamless and Welded Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy Tubes	489
511	SB-513	Supplementary Requirements for Nickel Alloy Seamless Pipe and Tube for Nuclear Applications	521
557			
613	SB-514	Welded Nickel-Iron-Chromium Alloy Pipe	525
623	SB-515	Welded Nickel-Iron-Chromium Alloy Tubes	531
635	SB-516	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Tubes	537
	SB-517	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Pipe	543
651	SB-535	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330) Seamless and Welded Pipe	553
667	SB-619	Welded Nickel Alloy Pipe	645
	SB-622	Seamless Nickel Alloy Pipe and Tube	661
	SB-626	Welded Nickel Alloy Tubes	679
	SB-668	UNS N08028 Seamless Tubes	691
99	SB-673	UNS N08904 Welded Pipe	701
139	SB-674	UNS N08904 Welded Tube	707

SB-675	UNS N08366 Welded Pipe	713
SB-676	UNS N08366 Welded Tube	719
SB-677	UNS N08904 Seamless Pipe and Tube	725

Titanium and Titanium Alloys

SB-265	Titanium and Titanium Alloy Strip, Sheet, and Plate	277
SB-337	Seamless and Welded Titanium and Titanium Alloy Pipe	313
SB-338	Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers	319
SB-348	Titanium and Titanium Alloy Bars and Billets	325
SB-363	Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings	339
SB-381	Titanium and Titanium Alloy Forgings	347

Zirconium and Zirconium Alloys

SB-493	Zirconium and Zirconium Alloy Forgings	501
SB-523	Seamless and Welded Zirconium and Zirconium Alloy Tubes for Condensers and Heat Exchangers	549
SB-550	Zirconium and Zirconium Alloy Bar	585
SB-551	Zirconium and Zirconium Alloy, Strip, Sheet, and Plate	589
SB-658	Seamless and Welded Zirconium and Zirconium Alloy Pipe	687

Methods

SB-548	Standard Method for Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	579
--------	---	-----

Specifications

Listed in Numeric Sequence

SB-11	Copper Plates for Locomotive Fireboxes	1
SB-12	Copper Rods for Locomotive Staybolts	5
SB-26	Aluminum-Alloy Sand Castings	9
SB-42	Seamless Copper Pipe, Standard Sizes	17
SB-43	Seamless Red Brass Pipe, Standard Sizes	23
SB-61	Steam or Valve Bronze Castings	29
SB-62	Composition Bronze or Ounce Metal Castings	33
SB-75	Seamless Copper Tube	37
SB-96	Copper-Silicon Alloy Plate and Sheet for Pressure Vessels	43
SB-98	Copper-Silicon Alloy Rod, Bar, and Shapes	47
SB-108	Aluminum-Alloy Permanent Mold Castings	51
SB-111	Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock	59
SB-127	Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip	69
SB-135	Seamless Brass Tube	81
SB-148	Aluminum Bronze Sand Castings	83
SB-150	Aluminum Bronze Rod, Bar, and Shapes	87
SB-151	Copper-Nickel-Zinc Alloy (Nickel Silver) and Copper-Nickel Rod and Bar	91
SB-152	Copper, Sheet, Strip, Plate, and Rolled Bar	95
SB-160	Nickel Rod and Bar	99
SB-161	Nickel Seamless Pipe and Tube	109
SB-162	Nickel Plate, Sheet, and Strip	117
SB-163	Seamless Nickel and Nickel Alloy Condenser and Heat Exchanger Tubes	129
SB-164	Nickel-Copper Alloy Rod and Bar	139
SB-165	Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube	149
SB-166	Nickel-Chromium-Iron Alloy (UNS N06600) Rod and Bar	155
SB-167	Nickel-Chromium-Iron Alloy (UNS N06600) Seamless Pipe and Tube	161
SB-168	Nickel-Chromium-Iron Alloy (UNS N06600) Plate, Sheet, and Strip	169
SB-169	Aluminum Bronze Plate, Sheet, Strip, and Rolled Bar	181
SB-171	Copper-Alloy Condenser Tube Plates	183
SB-209	Aluminum and Aluminum-Alloy Sheet and Plate	189
SB-210	Aluminum-Alloy Drawn Seamless Tubes	203
SB-211	Aluminum-Alloy Bars, Rods, and Wire	213
SB-221	Aluminum-Alloy Extruded Bar, Rod, and Shape	219
SB-234	Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers	227
SB-241	Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube	233
SB-247	Aluminum-Alloy Die and Hand Forgings	241
SB-248	General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar	249
SB-249	General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, and Shapes	261

SB-251	General Requirements for Wrought Seamless Copper and Copper Alloy Tube	269
SB-265	Titanium and Titanium Alloy Strip, Sheet, and Plate	277
SB-271	Copper-Base Centrifugal Castings	285
SB-283	Copper and Copper-Alloy Die Forgings (Hot-Pressed)	287
SB-308	Aluminum-Alloy Standard Structural Shapes, Rolled or Extruded	291
SB-315	Seamless Copper Alloy Pipe and Tube	295
SB-333	Nickel-Molybdenum Alloy Plate and Strip	303
SB-335	Nickel-Molybdenum Alloy Rod	309
SB-337	Seamless and Welded Titanium and Titanium Alloy Pipe	313
SB-338	Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers	319
SB-348	Titanium and Titanium Alloy Bars and Billets	325
SB-359	Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes with Integral Fins	331
SB-363	Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings	339
SB-369	Copper-Nickel Alloy Castings	343
SB-381	Titanium and Titanium Alloy Forgings	347
SB-395	U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes	351
SB-402	Copper-Nickel Alloy Plate and Sheet for Pressure Vessels	361
SB-407	Nickel-Iron-Chromium Alloy Seamless Pipe and Tube	365
SB-408	Nickel-Iron-Chromium Alloy Rod and Bar	373
SB-409	Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip	381
SB-423	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825) Seamless Pipe and Tube	393
SB-424	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825) Plate, Sheet, and Strip	401
SB-425	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825) Rod and Bar	413
SB-434	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Plate, Sheet, and Strip	421
SB-435	Nickel-Chromium-Molybdenum-Iron Alloy (UNS N06002) Plate, Sheet, and Strip	427
SB-443	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Plate, Sheet, and Strip	433
SB-444	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Seamless Pipe and Tube	443
SB-446	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Rod and Bar	449
SB-462	Forged or Rolled Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy (UNS N08020) Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service	455
SB-463	Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy Plate, Sheet, and Strip	459
SB-464	Seamless and Welded Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy Pipe	471
SB-466	Seamless Copper-Nickel Pipe and Tube	477
SB-467	Welded Copper-Nickel Pipe	481
SB-468	Seamless and Welded Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy Tubes	489
SB-473	Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy (UNS N08020) Bar	495

59	SB-493	Zirconium and Zirconium Alloy Forgings	501
77	SB-505	Copper-Base Alloy Continuous Castings	505
85	SB-509	Supplementary Requirements for Nickel Alloy Plate for Nuclear Applications	511
91	SB-510	Supplementary Requirements for Nickel Alloy Rod and Bar for Nuclear Applications	513
95	SB-511	Nickel-Iron-Chromium-Silicon Alloy Hot Rolled and Cold Finished Bars	515
03	SB-513	Supplementary Requirements for Nickel Alloy Seamless Pipe and Tube for Nuclear Applications	521
09	SB-514	Welded Nickel-Iron-Chromium Alloy Pipe	525
13	SB-515	Welded Nickel-Iron-Chromium Alloy Tubes	531
19	SB-516	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Tubes	537
25	SB-517	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Pipe	543
31	SB-523	Seamless and Welded Zirconium and Zirconium Alloy Tubes for Condensers and Heat Exchangers	549
39	SB-535	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330) Seamless and Welded Pipe	553
43	SB-536	Nickel-Iron-Chromium-Silicon Alloy Plate, Sheet, and Strip	557
47	SB-543	Welded Copper and Copper Alloy Heat Exchanger Tube	567
51	SB-548	Standard Method for Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	579
61	SB-550	Zirconium and Zirconium Alloy Bar	585
65	SB-551	Zirconium and Zirconium Alloy Strip, Sheet, and Plate	589
73	SB-564	Nickel Alloy Forgings	597
81	SB-572	Nickel-Chromium-Molybdenum-Iron Alloy (UNS N06002) Rod	601
93	SB-573	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Rod	605
01	SB-574	Low-Carbon Nickel-Molybdenum-Chromium Alloy Rod	609
07	SB-575	Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip	613
13	SB-581	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod	619
19	SB-582	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip	623
25	SB-584	Copper Alloy Sand Castings for General Applications	629
31	SB-599	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip	635
37	SB-619	Welded Nickel Alloy Pipe	645
43	SB-620	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip	651
49	SB-621	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod	657
55	SB-622	Seamless Nickel Alloy Pipe and Tube	661
61	SB-625	Nickel-Iron-Chromium-Molybdenum-Copper-Low-Carbon Alloy (UNS N08904) Plate, Sheet, and Strip	667
67	SB-626	Welded Nickel Alloy Tubes	679
73	SB-658	Seamless and Welded Zirconium and Zirconium Alloy Pipe	687
79	SB-668	UNS N08028 Seamless Tubes	691
85	SB-672	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire	695
91	SB-673	UNS N08904 Welded Pipe	701
97	SB-674	UNS N08904 Welded Tube	707
03	SB-675	UNS N08366 Welded Pipe	713
09	SB-676	UNS N08366 Welded Tube	719
15	SB-677	UNS N08904 Seamless Pipe and Tube	725

SPECIFICATION FOR COPPER PLATES FOR LOCOMOTIVE FIREBOXES



SB-11

(Identical with ASTM Specification B 11-78 for the alloys covered, Section 19 Certification has been added and editorial changes made. Minimum yield strength requirements are mandatory.)

1. Scope

1.1 This specification covers copper plates for locomotive fire boxes. The following coppers are covered:

Copper No.	Previously Used Designation	Type of Copper
110	ETP	Electrolytic tough pitch
122	DHP	Phosphorized, high residual phosphorus
125	FRTP	Fire-refined, tough pitch
142	DPA	Phosphorized, arsenical

NOTE 1—Tough pitch copper (nonarsenical) may be furnished at the option of the manufacturer as either Copper No. 110 or 125.

NOTE 2—The values stated in U.S. customary units are to be regarded as the standard.

2. Applicable Documents

2.1 The following documents of the issue in effect on date of material purchase form a part of this specification to the extent referenced herein:

2.1.1 ASTM Standards:

- E 8, Tension Testing of Metallic Materials
- E 29, Recommended Practice for Indicating Which Places of Figures Are to Be Considered Significant in Specified Limiting Values
- E 53, Chemical Analysis of Copper (Electrolytic Determination of Copper)
- E 55, Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition
- E 62, Chemical Analysis of Copper and Copper-Base Alloys

3. Definitions

3.1 The following definitions shall apply:

3.1.1 *plate*—a rolled flat product over 0.188 in. (4.78 mm) thick and over 12 in. (305 mm) wide, in straight lengths.

3.1.2 *lengths*—straight pieces of the product.

3.1.2.1 *ends*—straight pieces, shorter than the nominal length, left over after cutting the product into mill lengths, stock lengths, or specific lengths. They are subject to minimum length and maximum weight requirements.

3.1.2.2 *mill*—straight lengths, including ends, that can be conveniently manufactured in the mills. Full length pieces are usually 8, 10, or 12 ft (2.44, 3.05, or 3.66 m) and subject to established length tolerances.

3.1.2.3 *specific*—straight lengths that are uniform in length, as specified, and subject to established length tolerances.

4. Ordering Information

4.1 Orders for material under this specification shall include the following information:

- 4.1.1 Copper No. (Section 1),
- 4.1.2 Dimensions: length, width, thickness (Section 9 and Table 2).
- 4.1.3 Weight: total weight of each size.

NOTE 3—When these plates are to be welded either Copper No. 122 or 142 should be specified.

5. Materials and Manufacture

5.1 The material shall be of such quality and purity that the finished product shall have the properties and characteristics prescribed in this specification.

5.2 The copper shall be hot rolled from suitable cakes which may be either fire refined or electrolytic.

6. Chemical Requirements

6.1 The copper shall conform to the requirements as to chemical composition prescribed in Table 1.

7. Tensile Requirements

7.1 The material shall conform to the requirements in Table 2 as to tensile properties.