

859
ASME BOILER AND PRESSURE VESSEL CODE
AN AMERICAN NATIONAL STANDARD

SECTION II
Material Specifications
Part B — Nonferrous

1989 EDITION

JULY 1, 1989



ASME BOILER AND PRESSURE VESSEL COMMITTEE
SUBCOMMITTEE ON MATERIALS

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
United Engineering Center 345 East 47th Street New York, N.Y. 10017

Date of Issue — July 1, 1989
(Includes all Addenda dated December 1988 and earlier)

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.


Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations issued in accordance with governing ASME procedures and policies which preclude the issuance of interpretations by individual volunteers.

The footnotes in this document are part of this American National Standard.



ASME consensus membership mark



The above ASME symbols are registered in the U.S. Patent Office.
"ASME" is the trademark of the American Society of Mechanical Engineers.

Copyright © 1989 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved

The Specifications published and copyrighted by The American Society for
Testing and Materials are reproduced with the Society's permission.

No part of this document may be reproduced in any form, in an electronic retrieval system or
otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of the American Society of Mechanical Engineers, 1914.
Revised 1940, 1941, 1943, 1946, 1949, 1952, 1953, 1956, 1959, 1962, 1965, 1968, 1971, 1974, 1977, 1980, 1983, 1986, 1989

1989 ASME BOILER AND PRESSURE VESSEL CODE

SECTIONS

- I Power Boilers
- II Material Specifications
 - Part A — Ferrous Materials
 - Part B — Nonferrous Materials
 - Part C — Welding Rods, Electrodes, and Filler Metals
- III Subsection NCA — General Requirements for Division 1 and Division 2
- III Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Component Supports
 - Subsection NG — Core Support Structures
 - Appendices
- III Division 2 — Code for Concrete Reaction Vessels and Containments
- IV Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
- IX Welding and Brazing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components

ADDENDA

Code books Addenda, which include additions and revisions to individual Sections of the Code, are published annually and will be sent automatically to purchasers of the applicable Sections up to the publication of the 1992 Code. The 1989 Code is available only in the loose-leaf format; accordingly, the Addenda will be issued in the loose-leaf, replacement-page format.

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code. The Interpretations for each individual Section will be published separately and will be included as part of the update service to that Section. They will be issued semiannually (July and December) up to the publication of the 1992 Code. Interpretations of Section III, Divisions 1 and 2, will be included with the update service to Subsection NCA. Interpretations are not part of the Code or the Addenda.

CODE CASES

The Boiler and Pressure Vessel Committee meets regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases which have been adopted will appear in the appropriate 1989 Code Cases book: (1) Boilers and Pressure Vessels and (2) Nuclear Components. Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 1992 Code.

FOREWORD

The American Society of Mechanical Engineers set up a committee in 1911 for the purpose of formulating standard rules for the construction of steam boilers and other pressure vessels. This committee is now called the Boiler and Pressure Vessel Committee.

The Committee's function is to establish rules of safety governing the design, fabrication, and inspection during construction of boilers and pressure vessels, and to interpret these rules when questions arise regarding their intent. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property and to provide a margin for deterioration in service so as to give a reasonably long, safe period of usefulness. Advancements in design and material and the evidence of experience have been recognized.

The Boiler and Pressure Vessel Committee deals with the care and inspection of boilers and pressure vessels in service only to the extent of providing suggested rules of good practice as a guide to owners and their inspectors.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Boiler and Pressure Vessel Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Requests for interpretation must be addressed to the Secretary in writing and must give full particulars in order to receive consideration and a written interpretation (see Mandatory Appendix covering preparation of technical inquiries). Proposed revisions to the Code resulting from inquiries will be presented to the Main Committee for appropriate action. The action of the Main Committee becomes effective only after confirmation by letter ballot of the Committee and approval by ASME.

Proposed revisions to the Code approved by the

Committee are submitted to the American National Standards Institute and published in *Mechanical Engineering* to invite comments from all interested persons. After the allotted time for public review and final approval by ASME, revisions are published annually in Addenda to the Code.

Code Cases may be used in the construction of components and stamped with the ASME Code symbol beginning with the date of their approval by ASME.

When Code revisions are approved by ASME, they may be used beginning with the date of issuance shown in the Addenda. Revisions become mandatory as minimum requirements six months after such date of issuance, except for boilers or pressure vessels contracted for prior to the end of the six-month period.

Manufacturers and users of components are cautioned against making use of revisions and Cases that are less restrictive than former requirements without having assurance that they have been accepted by the proper authorities in the jurisdiction where the component is to be installed.

Each state and municipality in the United States and each province in Canada that adopts or accepts one or more Sections of the Boiler and Pressure Vessel Code is invited to appoint a representative to act on the Conference Committee to the Boiler and Pressure Vessel Committee. Since the members of the Conference Committee are in active contact with the administration and enforcement of the rules, the requirements for inspection in this Code correspond with those in effect in their respective jurisdictions. The required qualifications for an Authorized Inspector under these rules may be obtained from the administrative authority of any state, municipality, or province which has adopted these rules.

The Boiler and Pressure Vessel Committee in the formulation of its rules and in the establishment of maximum design and operating pressures considers materials, construction, methods of fabrication, inspection, and safety devices. Permission may be granted to regulatory bodies and organizations publishing safety standards to use a complete Section of the Code

by reference. If usage of a Section, such as Section IX, involves exceptions, omissions, or changes in provisions, the intent of the Code might not be attained.

Where a state or other regulatory body, in the printing of any Section of the Boiler and Pressure Vessel Code, makes additions or omissions, it is recommended that such changes be clearly indicated.

The National Board of Boiler and Pressure Vessel Inspectors is composed of chief inspectors of states and municipalities in the United States and of provinces in Canada that have adopted the Boiler and Pressure Vessel Code. This Board, since its organization in 1919, has functioned to uniformly administer and enforce the rules of the Boiler and Pressure Vessel Code. The cooperation of that organization with the Boiler and Pressure Vessel Committee has been extremely helpful.

It should be pointed out that the state or municipality where the Boiler and Pressure Vessel Code has been made effective has definite jurisdiction over any particular installation. Inquiries dealing with problems of local character should be directed to the proper authority of such state or municipality. States, provinces, municipalities, or other regulatory bodies may, if there is any question or doubt as to the proper interpretation, refer the question to the Boiler and Pressure Vessel Committee.

The Specifications for base materials given in Section II, Parts A and B, are identical with or similar to those of The American Society for Testing and Materials. When reference is made in an ASME Material Specification to an ASTM Specification for which a companion ASME Specification exists, the reference shall be interpreted as applying to the ASME Material Specification. Specifications for welding materials given in Section II, Part C, are identical with or similar to those of the American Welding Society. Not all materials included in the ASME Material Specifications in Section II have been adopted for Code use. Usage is limited to those materials and grades adopted by at least one

of the other Sections of the Code for application under rules of that Section. All materials allowed by these various Sections and used for construction within the scope of their rules shall be furnished in accordance with ASME Material Specifications contained in Section II except where otherwise provided in Code Case or in the applicable Section of the Code. Materials covered by these Specifications are acceptable for use in items covered by the Code Section only to the degree indicated in the applicable Section. Materials for Code use should preferably be ordered, produced, and documented on this basis; however, material produced under an ASTM Specification may be used in lieu of the corresponding ASME Specification, provided the requirements of the ASTM Specification are identical (excluding the usual differences) or more stringent than the ASME Specification for the Grade, Class, or Type produced and provided that the material is confirmed as complying with the ASTM Specification. Material produced to an ASTM specification with requirements different from the requirements of the corresponding ASME Specification may also be used in accordance with the above, provided the material manufacturer or vessel manufacturer certifies with evidence acceptable to the Authorized Inspector that the corresponding ASME Specification requirements have been met. Material produced to an ASME or ASTM Material Specification is not limited as to country of origin.

When required by context in this Section, the singular shall be interpreted as the plural, and vice-versa; and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

Publication of the SI (Metric) Edition of the ASME Boiler and Pressure Vessel Code was discontinued with the 1986 Edition. Effective October 1, 1986, the SI Edition was withdrawn as an ASME Boiler and Pressure Vessel Code document.

STATEMENT OF POLICY ON THE USE OF CODE SYMBOLS AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use Code Symbols for marking items or constructions which have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Code Symbols for the benefit of the users, the enforcement jurisdictions, and the holders of the symbols who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the symbols, Certificates of Authorization, and reference to Code construction. The American Society

of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications which might so indicate. An organization holding a Code Symbol and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code."

The ASME Symbol shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of a Code Symbol who may also use the facsimile in advertising to show that clearly specified items will carry the symbol. General usage is permitted only when all of a manufacturer's items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Code Symbol Stamp described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the various Code Symbols shall not be used on any item which is

not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME which tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

GUIDELINE ON THE ADOPTION OF NEW BASE MATERIALS FOR THE ASME BOILER AND PRESSURE VESSEL CODE

The ASME Boiler and Pressure Vessel Committee considers requests for adoption of new materials desired by the owner/user or fabricator, manufacturer, installer, assembler of boilers, pressure vessels, or components constructed to the Code. In order for the material to receive proper consideration by the appropriate subcommittees, information and data are required to properly categorize the material. In general, this information and data include, but are not necessarily limited to, the following information.

The proposed chemical composition should include those elements that establish the characteristic and behavior of the material.

The mechanical properties for the material should include tensile test data, ductility data, and other special mechanical test data which will assist the Committee in its review of the material and its application.

Tensile test data (per ASTM E 21), including both ultimate tensile strength and yield strength, should be at room temperature and at 100°F or 50°C intervals to a temperature at least 100°F higher than the intended use of the material. When creep properties may be expected to limit the allowable stress, creep and creep rupture data at temperature intervals of 100°F or 50°C are also required. Such data should be four or more time intervals, one of which should be longer than 2000 hr, but less than 6000 hr, and one of which should be longer than 6000 hr.

Toughness data on base and weld metal (including heat affected zone) may also be required. It is preferred that these data include temperature-toughness curves of material subjected to heat treatment(s) representative of the finished fabricated product. The toughness testing data should be obtained using methods and procedures outlined in the applicable sections of the Code under which the material is to be used.

If the material is to be used in welded construction, data from actual welding tests made in accordance with Section IX of the Code are recommended. This should

also include the welding processes and weld filler metal(s) intended for the fabrication of the material, all-weld-metal tensile test data for temperatures representative of intended service, any special restrictions on the welding of the material, and with the appropriate postweld heat treatment, if any, which will be given the material. If postweld heat treatment results in embrittlement of the material, the significance of such treatments with substantiating data should be forwarded. Toughness data on weld metal and heat affected zone in the as-welded and postweld heat treated conditions, when appropriate, should be submitted.

Where the material is intended for special applications, requires special handling or special welding procedures, or has known limitations or susceptibility to failure in certain services, precautionary requirements and information should be included in the submittal of the necessary data for Committee review.

The forms¹ of materials which are needed for construction in accordance with the Code and the Sections of the Code² for which application is to be considered will be required.

The general data recommended should be submitted on a minimum of three heats of material, preferably commercial heats of material. Where the chemical range will have an effect on the mechanical properties, the heats selected must cover both the high and low range of the effective chemical elements to show the effect on the mechanical properties. Any special heat treatment, whether applied by the material suppliers or the fabricator, should be applied to these test pieces in preparation of the data. If the material is presently covered by an ASTM specification, please enclose the specification number(s) and grade(s) involved in your

¹Product forms, such as sheet, strip, plates, bars, shapes, seamless or welded pipe or tube, forging, casting, etc.

²Section I, III, IV, or VIII, Division 1 or 2.

application. If the material is not in ASTM specifications covering the product forms required, it will be necessary to apply to ASTM for specification coverage of this material.

Should there be a need for Code use prior to the inclusion of the material in ASTM specifications, the Committee will consider the issuance of a Code Case. In addition to the information and data noted above, the Committee should be provided with an indication of user need, the letter to ASTM requesting specification coverage, and sufficient information for the Committee to modify an appropriate existing ASME or ASTM specification to establish the material specification requirements for the material product form.

The foregoing is a general outline of the data which the Committee may need for appropriate review of

new material. The applicable Sections for construction should be reviewed for any additional guidance, such as fatigue data for the requirements of Section III and Section VIII, Division 2. If the intended use of the new material is in elevated temperature nuclear construction, the proposer should request a copy of the special publication titled, "Guidelines for Required Data on New Materials for Elevated Temperature Nuclear Construction" (approved Jan. 8, 1976).

When the new material is a minor modification of a Code approved material, the data required may be reduced with the concurrence of the Committee. When the data supplied are sufficient for an adequate evaluation, the Committee will request additional data. Such requests will be forwarded to inquirers, indicating those areas in which additional information is required.

PERSONNEL

ASME Boiler and Pressure Vessel Committee

Subcommittees, Subgroups, and Working Groups

As of December 31, 1988

MAIN COMMITTEE

W. R. Mikesell, <i>Chairman</i>	G. G. Karcher
R. J. Cepluch, <i>Vice Chairman</i>	E. C. Kistner, Jr.
G. M. Eisenberg, <i>Secretary</i>	W. G. Knecht
B. W. Bace	J. R. MacKay
M. D. Bernstein	T. J. Mawson
R. J. Bosnak	T. G. McCarty
M. N. Bressler	D. J. McDonald
D. A. Canonico	U. R. Miller
L. J. Chockie	C. C. Neely
H. F. Dobel	T. E. Northup
W. D. Doty	R. F. O'Neill
J. R. Farr	R. F. Reedy
B. D. Hackney	M. L. Snow, Jr.
W. C. Ham	J. W. Tackett
H. L. Hime	R. E. Feigel, <i>Alternate</i>
M. H. Jawad	

HONORS AND AWARDS COMMITTEE

H. F. Dobel, <i>Chairman</i>	R. C. Hucson
G. M. Eisenberg, <i>Secretary</i>	M. H. Jawad
J. R. Farr	E. C. Kistner, Jr.
C. E. Ford	E. G. Nesbitt
G. E. Fratcher	J. K. Sager, Jr.
W. L. Garvin	J. W. Tackett
O. F. Hedden	

EXECUTIVE COMMITTEE (MAIN COMMITTEE)

R. J. Cepluch, <i>Chairman</i>	C. E. Ford
W. R. Mikesell, <i>Vice Chairman</i>	B. D. Hackney
G. M. Eisenberg, <i>Secretary</i>	E. C. Kistner, Jr.
R. J. Bosnak	H. A. Manning
L. J. Chockie	D. J. McDonald
J. R. Farr	R. F. Reedy

HONORARY MEMBERS (MAIN COMMITTEE)

J. D. Andrew, Jr.	E. L. Kemmler
R. D. Bonner	E. M. Kloebler
P. M. Brister	J. E. Lattan
H. M. Canavan	J. LeCoff
J. S. Clarke	F. N. Moschini
W. E. Cooper	C. E. Rawlins
G. E. Fratcher	W. R. Smith, Sr.
R. M. Gibson	W. E. Somers
R. C. Griffin	D. B. Wesstrom
W. L. Harding	F. S. G. Williams
E. J. Hemzy	L. P. Zick

MARINE CONFERENCE GROUP

J. Tiratto, <i>Chairman</i>	G. C. Johnson
C. F. Banks	E. F. Murphy
V. W. Bugg	

CONFERENCE COMMITTEE

M. L. Snow, Jr. — Tennessee (<i>Chairman</i>)	J. T. Little — Arizona
J. McDonald — National Board of Boiler and Pressure Vessel Inspectors (<i>Secretary</i>)	B. M. Lovelady — Memphis and Shelby County, Tennessee
D. C. Barnett, Jr. — Florida	C. C. Mann — New Orleans, Louisiana
D. E. Beaner — Pennsylvania	R. J. Mannion — New Hampshire
G. Black — Washington	S. M. Matthews — Texas
V. Bogosian — Illinois	I. W. Mault — Manitoba, Canada
E. Brandt — Los Angeles, California	H. T. McEwen — Mississippi
J. E. Brennan — Ohio	A. W. Meiring — Indiana
W. E. Brown — Kansas	E. E. Morgan — Colorado
N. B. Burkheimer — Maryland	J. W. Morvant — Louisiana
R. D. Cather — Alaska	R. F. Mullaney — Vancouver, Canada
A. Colvin, Jr. — Washington, D.C.	D. Newquist — Nebraska
R. A. Coomes — Kentucky	R. D. O'Connor — Connecticut
Z. C. Cordero — Michigan	H. Parker, Jr. — Nevada
J. G. Cvar — Delaware	J. C. Parsell — Utah
A. W. Diamond — Newfoundland, Canada	R. D. Reetz — North Dakota
M. H. Diehl, Jr. — Maryland	R. Sauve — Quebec, Canada
F. G. Dolen — New Jersey	M. Shuff — West Virginia
C. R. Erickson — California	J. L. Smith — Alberta, Canada
E. Everett — Georgia	R. P. Sullivan — Maine
J. J. Fowles — New Brunswick, Canada	N. Surtees — Saskatchewan, Canada
J. W. Greenawalt, Jr. — Oklahoma	C. W. Thompson — Arkansas
S. L. Hall — North Carolina	M. W. A. West — Prince Edward Island, Canada
V. Harding — Hawaii	R. B. West — Iowa
J. Hicks — Virginia	M. J. Wheel — Vermont
C. Hinson — Oregon	R. K. White — New York
J. D. Hoh — Missouri	T. F. Wickham — Rhode Island
W. J. Holmes — Chicago, Illinois	H. J. Wright — Ontario, Canada
R. M. Johnson — California	R. A. Yeo — Nova Scotia, Canada
A. Justin — Minnesota	
V. Kanable — Wisconsin	
G. M. Kuetemeyer — Milwaukee, Wisconsin	

SUBCOMMITTEE ON POWER BOILERS (SC I)

E. C. Kistner, Jr., *Chairman* W. T. Higginbotham
J. R. MacKay, *Vice Chairman* R. Leone
M. E. Sheehan, *Secretary* W. L. Lowry, Jr.
S. G. Bankar R. F. Manning
D. L. Berger M. Mattina
M. D. Bernstein R. G. Presnak
D. A. Canonico R. D. Schueler, Jr.
A. R. Faulkner R. L. Williams
D. N. French R. A. Yeo
F. R. Gerety L. W. Yoder

Subgroup on Care of Power Boilers (SC I)

W. T. Higginbotham, *Chairman* C. R. Hoefs
C. J. Berg E. A. Holden
H. F. Dobel E. C. Kistner, Jr.
D. O. Downey D. J. McDonald
W. Hall R. A. Yeo
R. R. Hess J. R. Zahorsky

Subgroup on Piping (SC I)

R. L. Williams, *Chairman* R. R. Hess
F. R. Gerety, *Secretary* W. L. Lowry, Jr.
D. L. Berger T. C. McGough
M. D. Bernstein R. G. Presnak
A. J. Breugelmanns L. J. Sas
A. R. Faulkner L. W. Yoder
W. Hall

Subgroup on Design (SC I)

R. D. Schueler, Jr., *Chairman* R. Leone
R. F. Manning, *Vice Chairman* W. C. Morrison
R. V. Wielgoszinski, *Secretary* J. N. Moss
M. D. Bernstein D. R. Palmer
M. A. Farrugia C. H. Walters
W. R. Hankins R. A. Yeo
G. L. Kasparian

Subgroup on Materials (SC I)

A. R. Faulkner, *Chairman* D. N. French
S. G. Bankar J. S. Hunter
D. A. Canonico J. M. Tanzosh

Subgroup on General Requirements (SC I)

M. D. Bernstein, *Chairman* J. T. Pillow
F. R. Gerety, *Secretary* W. E. Somers
R. R. Hess C. H. Walters
R. Leone R. L. Williams
W. L. Lowry, Jr. R. A. Yeo
T. C. McGough L. W. Yoder

Subgroup on Fabrication and Examination (SC I)

R. Leone, *Chairman* W. T. Higginbotham
D. L. Berger, *Secretary* J. S. Kandola
S. G. Bankar J. T. Pillow
D. N. French R. D. Schueler, Jr.
J. Hainsworth R. V. Wielgoszinski
W. Hall

SUBCOMMITTEE ON MATERIALS SPECIFICATIONS (SC II)

J. P. Millman, *Secretary* R. A. Moore
A. Cohen E. G. Nisbett
W. D. Edsall W. P. Sylvester
M. Gold J. W. Tackett
G. C. Hsu E. O. Woolridge
E. I. Landerman A. W. Zeuthen
W. A. McRoberts

Subgroup on Steel Plates (SC II)

A. W. Zeuthen, *Chairman* P. R. Slimmon
W. D. Edsall J. M. Tanzosh
J. F. Longenecker E. O. Woolridge

Subgroup on Steel Tubular Products (SC II)

W. R. Sylvester, *Chairman* R. P. Meineke
E. A. Jonas E. J. Rozic, Jr.
W. C. Mack R. H. Zong

Subgroup on Steel Castings, Forgings, and Boltings (SC II)

E. G. Nisbett, *Chairman* E. I. Landerman
R. F. Cappellini W. A. McRoberts
B. M. Dingman E. O. Woolridge
T. Graham

Subgroup on Nonferrous Alloys (SC II)

G. C. Hsu, *Chairman* W. R. Keaney
J. W. Tackett, *Secretary* A. P. Seidler
A. Cohen R. T. Webster
B. B. Hood M. J. Weiss

SUBCOMMITTEE ON NUCLEAR POWER (SC III)

R. F. Reedy, *Chairman* W. C. Ham
E. F. Gerwin, *Vice Chairman* W. G. Knecht
K. Ennis, *Secretary* D. F. Landers
J. R. Barbee J. Lang
R. W. Barnes H. A. Manning
R. J. Bosnak W. N. McLean
E. B. Branch C. A. Moore
M. N. Bressler T. E. Northup
L. J. Chockie W. R. Smith, Sr.
J. B. Christofferson M. F. Sullivan
R. L. Dick R. P. Sullivan
H. F. Dobel S. W. Tagart, Jr.
W. D. Doty R. E. Tome
F. R. Drahos

Subgroup on General Requirements (SC III & 3C)

H. F. Dobel, <i>Co-Chairman</i>	M. J. Meyer
J. R. Barbee	A. J. Moellenbeck
R. B. Bremmer	R. E. Muise
E. F. Gerwin	L. C. Oakes
K. R. Hooks	M. F. Sullivan
R. D. Kulchak	R. P. Sullivan
M. Malloy	G. M. Tolson

Working Group on Quality Assurance (SG-GR) (SC III & 3C)

R. D. Kulchak, <i>Co-Chairman</i>	J. D. Lenardson
R. C. Arthurs	M. J. Meyer
J. N. Babcock, Jr.	R. E. Muise
J. R. Barbee	G. C. Pratt
J. V. Bosco	R. Siever
R. B. Bremmer	S. A. Sparacino
B. W. Burak	J. F. Strunk
J. G. Harkness	M. F. Sullivan
K. R. Hooks	G. M. Tolson

Working Group on Duties and Responsibilities (SG-GR) (SC III & 3C)

A. J. Moellenbeck, <i>Chairman</i>	A. S. Laurenson
J. E. Ayotte	J. R. Luke
J. E. Crowe	B. D. Rall
A. C. Eberhardt	R. T. Rose
R. C. Howard	W. K. Sowder
D. R. Kulla	R. E. Weber

Working Group on Data Report Forms (SG-GR) (SC III & 3C)

R. E. Muise, <i>Chairman</i>	B. W. Burak
C. W. Allison	W. K. Sowder
R. C. Arthurs	M. F. Sullivan
J. N. Babcock, Jr.	

Subgroup on Materials, Fabrication, and Examination (SC III)

W. G. Knecht, <i>Chairman</i>	W. N. McLean
C. W. Allison	W. A. McRoberts
W. H. Borter	R. A. Moen
B. G. Carlton	K. E. Moore
F. R. Drahos	D. A. Olsson
G. B. Georgiev	C. J. Pieper
E. F. Gerwin	R. E. Schuessler
R. M. Hanschka	H. A. Sepp, Jr.
J. E. Harris	N. M. Simpson
R. W. Jackson	W. J. Sperko
R. M. Jessee	A. Taboada
E. I. Landerman	R. E. Tschirch
J. Lang	E. H. Williams
J. F. Longenecker	

Subgroup on Design (SC III)

C. A. Moore, <i>Chairman</i>	D. F. Landers
R. W. Barnes, <i>Secretary</i>	W. N. McLean
E. B. Branch	R. W. Mikitka
M. N. Bressler	E. C. Rodabaugh
W. G. Brussalis, Jr.	B. L. Silverblatt
G. D. Cooper	G. C. Slagis
N. W. Edwards	J. D. Stevenson
W. F. English, Jr.	J. H. Wawrzoniak
F. P. Hill, Jr.	K. R. Wichman

Special Working Group on Dynamic Analysis (SG-D) (SC III)

R. Wray, <i>Chairman</i>	A. E. Meligi
M. K. Au-Yang	B. J. Mitchel
R. D. Blevins	T. M. Mulcahy
G. J. Bohm	S. W. Tagart, Jr.
P.-Y. Chen	J. N. Underwood
A. H. Hadjian	J. Wallach

Special Working Group on Faulted Conditions (SG-D) (SC III)

G. J. Bohm, <i>Chairman</i>	D. P. Munson
P. L. Anderson	P. R. Olson
C. W. Bruny	R. F. Perry
G. Bushnell	W. Pink
M. Hartzman	J. Wallach

Working Group on Vessels (SG-D) (SC III)

G. D. Cooper, <i>Chairman</i>	R. W. Mikitka
C. W. Bruny	C. A. Moore
N. W. Edwards	P. P. Raju
J. F. Finn, Jr.	H. S. Thornton
F. P. Hill, Jr.	R. E. Tome
A. Merend	A. Walsenko

Working Group on Piping (SG-D) (SC III)

G. C. Slagis, <i>Chairman</i>	D. F. Landers
S. Gils	S. E. Moore
A. B. Glickstein	E. D. Mysinger
D. J. Guzy	E. C. Rodabaugh
R. W. Haupt	M. S. Sills
R. S. Hill III	E. O. Swain
R. B. Jenkins	L. E. Wright
M. Z. Khlafallah	M. P. Zyne
G. T. Kitz	

Working Group on Pumps (SG-D) (SC III)

D. B. Nickerson, <i>Chairman</i>	D. R. Hyatt
C. S. Boster	D. M. Kitch
H. L. Brammer	P. J. Nagengast
R. B. Camper	J. J. Ranft
F. P. Colon	H. Tafarrodi
D. L. Cummings	J. H. Wawrzoniak

Working Group on Valves (SG-D) (SC III)

W. N. McLean, <i>Chairman</i>	J. J. McGavin
R. R. Brodin	H. R. Sonderegger
J. M. Cowley	J. C. Tsacoyeanes
R. J. Kiessel	R. G. Visalli
W. G. Knecht	J. R. Zahorsky
R. Koester	

Working Group on Component Supports (SG-D) (SC III)

M. N. Bressler, <i>Chairman</i>	R. J. Masterson
J. M. Benenati	A. E. Meligi
R. D. Ciatto	E. D. Mysinger
J. R. Cole	A. Nguyen
R. P. Deubler	H. Noreen, Jr.
R. W. Haupt	G. M. Quinn
H. T. H. Hui	C. L. Ray, Jr.
T. Karppinen	H. K. Shaw
Z. A. Kravets	E. O. Swain
T. C. LaCroix	M. P. Zyne
A. S. Laurenson	

Working Group on Core Support Structures (SG-D) (SC III)

B. L. Silverblatt, <i>Chairman</i>	J. F. Mullooly
T. Vetter, Jr., <i>Secretary</i>	E. Steinkamp
W. F. English, Jr.	

Working Group on FRP Pipe (SG-D) (SC III)

L. Loziuk, <i>Chairman</i>	A. B. Glickstein
F. R. Gerety	

Subgroup on Pressure Relief (SC III)

F. C. Cherny, <i>Chairman</i>	S. F. Harrison, Jr.
R. A. Cedel	H. Honig
J. J. Chappell	K. Ijzerman
R. J. Doelling	D. Kadakia
W. D. Greenlaw	D. M. Pattarini

Subgroup on Elevated Temperature Construction (SC III)

A. W. Dalcher, <i>Chairman</i>	M. T. Jakub
J. M. Tanzosh, <i>Secretary</i>	R. M. Mello
C. C. Bigelow	V. Regis

Subgroup on Containment Systems for Spent Fuel and High Level Waste Transport Packagings (SC III)

E. F. Gerwin, <i>Chairman</i>	J. V. Massey
K. B. Sorenson, <i>Secretary</i>	R. E. Nickell
W. H. Brinkman	W. H. Rogers, Jr.
H. H. Chung	J. Santucci
K. Goldmann	W. W. Teper
R. T. Haelsig	T. C. Thompson
B. B. Hood	C. H. Walters
R. H. Jones	S. Yukawa
R. W. Lambert	

Working Group on General Requirements (SG-NUPACK) (SC III)

K. Goldmann, <i>Chairman</i>	D. L. Tevis
J. V. Massey	

Working Group on Material (SG-NUPACK) (SC III)

S. Yukawa, <i>Chairman</i>	J. G. Merkle
T. J. Griesbach	M. W. Schwartz
B. B. Hood	F. A. Simonen
J. T. Martin	K. B. Sorenson
P. McConnell	M. P. Walsh

Working Group on Design (SG-NUPACK) (SC III)

D. G. Abbott	W. W. Teper
M. E. Balmert	T. C. Thompson
A. G. Eggers	H. H. Woo
R. E. Nickell	

Working Group on Fabrication and Examination (SG-NUPACK) (SC III)

W. H. Brinkman, *Chairman*

JOINT ACI-ASME COMMITTEE ON CONCRETE COMPONENTS FOR NUCLEAR SERVICE (SC-3C)

J. P. Allen III, <i>Chairman</i>	R. D. Kulchak
J. Karian, <i>Secretary</i>	D. Marano
J. F. Artuso	D. P. Moore
R. M. Attar	R. G. Oesterle
T. M. Brown	F. Rinaldi
B. A. Erler	B. B. Scott
D. J. Haavik	C. P. Siess
T. E. Johnson	J. D. Stevenson
F. W. Joyce	R. N. White

Subgroup on Materials, Construction, and Examination (SC-3C)

D. J. Haavik, <i>Chairman</i>	J. Gutierrez
J. P. Allen III	F. W. Joyce
J. F. Artuso	D. Marano
R. M. Attar	D. P. Moore
J. E. Barry	G. R. Murphy
J. F. Best	H. Nierlich
S. Bhuyan	L. C. Noriega
G. L. Fisher	S. K. Sen
C. L. Grover	

Working Group on Concrete Inspectors Qualifications (SG-M, C, & E) (SC-3C)

F. W. Joyce, <i>Chairman</i>	R. J. Vurpillat
J. F. Artuso	R. E. Wilson
C. E. Jaycox	

Subgroup on Design (SC-3C)

B. B. Scott, <i>Chairman</i>	F. S. Ople, Jr.
T. M. Brown	F. Rinaldi
L. I. Cheng	R. E. Shewmaker
J. F. Fulton	J. D. Stevenson
T. E. Johnson	A. Walser
R. G. Oesterle	M. J. Holley, Jr., Observer

Working Group on Testing and Protection Against Overpressure (SG-D) (SC-3C)

T. M. Brown, <i>Chairman</i>	H. T. Hill
S. Guha-Majumdar	N. J. Tuholski

Subgroup on Core Support Structures (SC-3C)

R. Vollman	G. T. Yahr
------------	------------

SUBCOMMITTEE ON HEATING BOILERS (SC IV)

T. H. Milton, <i>Chairman</i>	M. Mattina
F. P. Barton, <i>Vice Chairman</i>	K. McTague
K. I. Baron, <i>Secretary</i>	R. I. Mullican
J. E. Ayotte	E. A. Nordstrom
R. B. Duggan	S. V. Voorhees
G. E. Fratcher	C. H. Walters
J. W. Greenawalt, Jr.	R. H. Weigel
W. L. Haag	J. I. Woodworth
G. L. Kasparian	

Subgroup on Care and Operation of Heating Boilers (SC IV)

J. I. Woodworth, <i>Chairman</i>	W. D. Hayen
F. P. Barton	K. McTague
W. H. Dormer, Jr.	R. H. Weigel
J. Giambone	

Subgroup on Water Heaters (SC IV)

G. E. Fratcher, <i>Chairman</i>	G. R. Lewis
F. P. Barton	K. McTague
W. L. Garvin	E. A. Nordstrom
J. W. Greenawalt, Jr.	C. W. Staats
W. L. Haag	K. J. Szigety
B. Klinke	E. Wenczl

Subgroup on Cast Iron Boilers (SC IV)

K. McTague, <i>Chairman</i>	R. H. Weigel
R. B. Duggan	J. I. Woodworth
W. L. Garvin	

SUBCOMMITTEE ON NONDESTRUCTIVE EXAMINATION (SC V)

J. R. MacKay, <i>Chairman</i>	G. W. Hembree
R. C. Hudson, <i>Vice Chairman</i>	P. J. Herbert
G. P. Mancini, <i>Secretary</i>	E. T. Hughes
A. S. Birks	B. C. Jersild
J. B. Christofferson	R. M. Jessee
B. H. Clark, Jr.	F. B. Kovacs
J. G. Cvar	S. Markowitz
L. T. Detlor	T. G. McCarty
B. E. Foster	W. C. McGaughey
H. C. Graber	J. P. Sunukjian
O. F. Hedden	D. A. White

Subgroup on Radiography (SC V)

T. G. McCarty, <i>Chairman</i>	B. C. Jersild
W. L. Bierwirth	C. Johnson
L. T. Detlor	F. B. Kovacs
B. E. Foster	S. Markowitz

Subgroup on Ultrasonics (SC V)

P. J. Herbert, <i>Chairman</i>	R. W. McClung
N. O. Cross	W. C. McGaughey
O. F. Hedden	R. Paillaman
W. T. Higginbotham	F. J. Sattler
E. T. Hughes	J. C. Spanner, Sr.
J. F. Manning	F. R. A. Turner

Subgroup on Acoustic Emission (SC V)

D. A. White, <i>Chairman</i>	J. F. Manning
B. H. Clark, Jr.	J. R. Mitchell
N. O. Cross	J. M. Nieters
P. M. Horrigan	J. C. Spanner, Sr.

Subgroup on General Requirements and Surface Examination (SC V)

H. C. Graber, <i>Chairman</i>	B. H. Clark, Jr.
A. S. Birks	J. G. Cvar
W. G. Blankenship	R. M. Jessee
A. S. Britton	L. C. Ludwig
J. O. Brown	R. McGuire
J. B. Christofferson	J. P. Sunukjian

SUBCOMMITTEE ON PRESSURE VESSELS (SC VIII)

J. R. Farr, <i>Chairman</i>	R. W. Mikitka
R. J. Cepluch, <i>Vice Chairman</i>	U. R. Miller
A. J. Roby, <i>Secretary</i>	E. E. Morgenegg
A. P. Ahrendt	C. C. Neely
J. O. Brown	R. F. O'Neill
S. M. Caldwell	F. O. Parnkopf
W. J. Carter	A. Selz
S. C. Cyr	A. M. Smolen
R. E. Feigel	D. A. Staskelunas
G. E. Fratcher	E. A. Steen
W. L. Garvin	J. J. Szigety
B. D. Hackney	J. W. Tackett
H. L. Hime	K. K. Tam
M. H. Jawad	E. L. Thomas, Jr.
G. G. Karcher	J. S. Brzuszkiewicz, Staff Representative
J. LeCoff	
S. M. Matthews	

Special Working Group on Heat Transfer Equipment (SC VIII)

J. H. Kissel, <i>Chairman</i>	G. G. Karcher
U. R. Miller, <i>Vice Chairman</i>	A. Lohmeier
H. A. Schmidt, Jr., <i>Secretary</i>	A. P. Rochino
C. F. Andreone	J. E. Soehrens
D. E. Bolt	A. I. Soler
G. Borushko	W. A. Treff
S. M. Caldwell	S. Yokell
T. K. Haldas	

Special Working Group on High Pressure Vessels (SC VIII)

J. R. Sims, Jr., <i>Chairman</i>	G. J. Mraz
M. E. Sheehan, <i>Secretary</i>	E. G. Nisbett
D. J. Burns	L. Ohlsson
C. M. Elwonger	E. R. Sliwinski
R. G. Fasiczka	A. M. Smolen
R. E. Feigel	J. F. Sullivan
D. M. Fryer	F. W. Tatar
J. F. Harvey	D. A. Wells
D. P. Kendall	

Subgroup on General Requirements (SC VIII)

C. C. Neely, <i>Chairman</i>	P. M. Nightengale
R. E. Tillberg, <i>Secretary</i>	A. S. Olivares
A. P. Ahrendt	A. M. Smolen
W. J. Carter	A. J. Spencer
W. L. Garvin	D. A. Staskelunas
C. R. Good	E. A. Steen
S. M. Matthews	W. J. Stuber

Subgroup on Materials (SC VIII)

J. W. Tackett, <i>Chairman</i>	E. G. Nisbett
H. L. Hime, <i>Secretary</i>	D. W. Rahoi
W. D. Doty	K. K. Tam
J. Hainsworth	D. A. Wells
J. D. McLoughlin	

Subgroup on Design (SC VIII)

R. F. O'Neill, <i>Chairman</i>	R. W. Mikitka
R. E. Knoblock, <i>Secretary</i>	U. R. Miller
M. R. Bauman	K. Mokhtarian
J. R. Farr	A. Selz
J. A. Hayward	J. W. Stokes
J. L. Jacobowitz	K. K. Tam
M. H. Jawad	E. L. Thomas, Jr.
G. G. Karcher	

Working Group on Noncircular Vessels (SG-D) (SC VIII)

A. Selz, <i>Chairman</i>	A. M. Smolen
G. Ganeshan	B. K. Thakur
H. E. Gordon	E. L. Thomas, Jr.
P. M. Nightengale	J. L. Urner
R. K. Rothenbucher	S. V. Voorhees
K. V. Shipes	

Subgroup on Fabrication and Inspection (SC VIII)

J. O. Brown, <i>Chairman</i>	M. J. Houle
R. F. O'Neill, <i>Secretary</i>	H. Lewis, Jr.
G. Bibel	F. O. Parnkopf
R. W. Boyce	H. C. Rauschenplat
S. C. Cyr	R. E. Schuessler
R. E. Feigel	J. J. Szigety
H. B. France	R. F. Wagner

Working Group on Layered Vessels (SGFI) (SC VIII)

F. O. Parnkopf, <i>Chairman</i>	J. L. Jacobowitz
A. M. Smolen, <i>Secretary</i>	H. C. Rauschenplat
S. M. Caldwell	M. A. Tracy
G. E. Fratcher	

SUBCOMMITTEE ON WELDING (SC IX)

B. D. Hackney, <i>Chairman</i>	B. R. Newmark
R. K. Sager, <i>Vice Chairman</i>	P. P. Norris
P. D. Stumpf, <i>Secretary</i>	S. D. Reynolds, Jr.
B. L. Alia	B. S. Russell
M. L. Carpenter	W. K. Scattergood
H. R. W. Cobb	J. L. Smith
H. R. Conaway	W. J. Sperko
W. D. Doty	G. W. Spohn III
J. G. Feldstein	D. J. Stull
P. D. Flenner	K. C. Taber
M. J. Houle	D. L. Tevis
R. A. LaPointe	R. R. Young
R. E. Lorentz, Jr.	J. B. Christofferson, <i>Alternate</i>
R. P. Meineke	W. J. Wagner, <i>Alternate</i>
A. H. Miller	

Subgroup on Materials (SC IX)

R. E. Lorentz, Jr., <i>Chairman</i>	R. K. Sager
M. L. Carpenter	C. E. Spaeder
H. R. Conaway	W. J. Sperko
M. V. Davis	K. C. Taber
P. D. Flenner	J. W. Tackett
R. M. Jessee	R. R. Young
A. H. Miller	

Subgroup on General Requirements (SC IX)

B. R. Newmark, <i>Chairman</i>	J. L. Smith
M. V. Davis	A. J. Spencer
R. M. Jessee	K. C. Taber
R. P. Meineke	C. E. Wainwright
A. S. Olivares	

Subgroup on Procedure Qualification (SC IX)

M. J. Houle, <i>Chairman</i>	A. H. Miller
B. L. Alia	S. D. Reynolds, Jr.
R. K. Brown, Jr.	D. E. Smith
H. R. W. Cobb	W. J. Sperko
J. G. Feldstein	

Subgroup on Performance Qualification (SC IX)

M. J. Houle, <i>Chairman</i>	P. P. Norris
D. A. Bowers, Jr.	W. K. Scattergood
J. B. Christofferson	G. W. Spohn III
P. D. Flenner	D. L. Tevis
R. A. LaPointe	W. J. Wagner

Subgroup on Brazing (SC IX)

M. L. Carpenter, <i>Chairman</i>	A. H. Miller
R. A. LaPointe	J. Serre

SUBCOMMITTEE ON REINFORCED PLASTIC PRESSURE VESSELS (SC X)

D. M. Bertelsman, <i>Chairman</i>	L. E. Hunt
J. Yarmush, <i>Secretary</i>	W. J. Johns
D. H. Barton	J. A. Kidd
J. H. Bouchard	F. R. Pflederer
L. C. Daniels	J. A. Rolston
T. J. Fowler	A. I. Snyder
S. V. Hoa	C. H. Walters

**SUBCOMMITTEE ON NUCLEAR INSERVICE INSPECTION
(SC XI)**

S. H. Bush, <i>Chairman</i>	R. C. Howard
K. I. Baron, <i>Secretary</i>	L. R. Katz
C. W. Allison	R. D. Kerr
W. F. Anderson	J. J. Lance
A. C. Ashton	J. Matte III
W. H. Bamford	T. J. Mawson
R. L. Beverly	G. C. Millman
A. J. Birkle	R. E. Muise
L. J. Chockie	T. G. Parker
D. C. Cowfer	G. J. Pitzl
M. J. Crisler	R. L. Powers
D. D. Davis	P. C. Riccardella
E. A. DeBarba	R. F. Sammataro
A. M. DiBiasio	M. L. Snow, Jr.
F. E. Gregor	R. W. Swayne
L. B. Gross	R. J. Tamminga
R. H. Hansen	J. C. Tobin
O. F. Hedden	S. D. Weinman, Staff Representative
H. T. Hill	
J. P. Houstrup	

Special Working Group on Plant Life Extension (SC XI)

L. R. Katz, <i>Chairman</i>	J. T. McCumber
L. B. Gross, <i>Secretary</i>	H. McShane
T. L. Bailey	E. A. Merrick
A. J. Birkle	D. R. Payne
L. D. Bustard	D. A. Piccione
D. D. Davis	D. Sattar
T. M. Erwin	W. B. Scott
W. L. Garvin	V. N. Shah
F. E. Gregor	E. A. Siegel
B. Gutherman	P. P. Stancavage
D. L. Harrison	A. Taboada
D. R. Hostetler	R. J. Tamminga
J. P. Houstrup	L. B. Tittle
R. C. Howard	S. A. Traiforos
M. E. Lapidis	

Special Working Group on Core Supports (SC XI)

J. C. Tobin, <i>Chairman</i>	J. J. Lance
H. Behnke	R. A. Moen
S. Chandra	J. F. Mullooly
R. M. Gribble	B. L. Silverblatt
E. T. Ishizaka	E. Steinkamp

Special Working Group on Pipe Wall Thinning (SC XI)

S. H. Bush, <i>Chairman</i>	P. C. Riccardella
V. K. Chexal	J. C. Rivers
T. N. Epps III	J. C. Spanner, Jr.
T. L. Gerber	A. Taboada
J. P. Houstrup	R. J. Tamminga
D. S. Kerr	P. C. S. Woo

Special Working Group on Pressure Testing (SC XI)

R. C. Howard, <i>Chairman</i>	C. E. Jensen
M. P. Lintz, <i>Secretary</i>	S. Ranganath
E. D. Crane	F. J. Schaaf, Jr.
R. M. Gamble	J. H. Uhl
S. R. Gosselin	R. A. Yonekawa

Special Working Group on Editing and Review (SC XI)

R. L. Beverly, <i>Chairman</i>	M. P. Lintz
A. L. Bradshaw	J. E. Staffiera
L. B. Gross	R. W. Swayne
V. H. Hight	

Subgroup on Water-Cooled Systems (SC XI)

A. J. Birkle, <i>Chairman</i>	G. C. Millman
T. F. Lentz, <i>Secretary</i>	C. V. Moore
C. W. Allison	R. L. Powers
W. F. Anderson	L. Sage
A. C. Ashton	M. L. Snow, Jr.
D. D. Davis	R. J. Tamminga
L. B. Gross	F. Tehranchi
T. C. Hinkle	D. L. Tevis
C. E. Jensen	J. H. Uhl
L. R. Katz	G. Wasilenko
R. E. Legate	

Working Group on Component Supports (SG-WCS) (SC XI)

D. D. Davis, <i>Chairman</i>	L. F. Lake
E. Beffa	G. C. Millman
G. L. Belew	R. L. Powers
G. A. Delp	R. F. Tegethoff
G. P. Knippel	M. P. Zyne
C. N. Krishnaswamy	

Working Group on General Requirements (SG-WCS) (SC XI)

R. J. Tamminga, <i>Chairman</i>	L. B. Gross
T. M. Zwick, <i>Secretary</i>	R. H. Hansen
W. F. Anderson	C. E. Hartz
R. G. Edl	R. K. Mattu
J. C. Goulart	D. L. Tevis
D. A. Graham	

Working Group on Pumps and Valves (SG-WCS) (SC XI)

C. E. Jensen, <i>Chairman</i>	W. C. Holston
M. P. Lintz, <i>Secretary</i>	R. K. Mattu
A. Cardillo	D. R. Payne
F. C. Cherny	L. Sage
C. E. Hartz	E. V. Werry

**Working Group on Inspection of Systems and Components
(SG-WCS) (SC XI)**

L. Sage, <i>Chairman</i>	A. A. Koehl
J. C. Rivers, <i>Secretary</i>	T. F. Lentz
A. C. Ashton	M. P. Lintz
E. D. Crane	W. B. Scott
D. A. Gallino	F. Tehranchi
T. C. Hinkle	J. H. Uhl
M. R. Hum	R. J. Von Osinski
C. E. Jensen	

Subgroup on Gas-Cooled Systems (SC XI)

R. H. Hansen, *Chairman*

Subgroup on Liquid-Metal Cooled Systems (SC XI)

J. Matte III, <i>Chairman</i>	L. R. Monson
C. G. McCarger, <i>Secretary</i>	L. J. Nemeth
W. L. Chase	W. J. Rowan
S. Hattori	G. Seed
R. Hundal	J. C. Tobin
H. C. Jung	T. J. Walker
E. Larson	

Working Group on Liquid-Metal Reactor Covers (SG-LMCS) (SC XI)

W. L. Chase, <i>Chairman</i>	E. Larson
L. J. Nemeth, <i>Secretary</i>	J. Matte III
S. Hattori	G. Seed
R. Hundal	

Subgroup on Containment (SC XI)

R. F. Sammataro, <i>Chairman</i>	D. R. Pitcairn
J. E. Staffiera, <i>Secretary</i>	C. G. Ranganath
W. J. Briggs	A. J. Spencer
K. K. N. Chao	J. F. Strunk
N. W. Edwards	P. W. Ward
F. E. Gregor	R. N. Watson
H. T. Hill	K. R. Wichman

Working Group on Concrete Pressure Components (SG-C) (SC XI)

H. T. Hill, <i>Chairman</i>	J. F. Fulton
W. J. Briggs, <i>Secretary</i>	S. Guha-Majumdar
H. G. Ashar	C. N. Krishnaswamy
T. L. Bradley	C. G. Ranganath
C. A. Byrd	A. M. Salley
K. K. N. Chao	P. W. Ward

Subgroup on Evaluation Standards (SC XI)

W. H. Bamford, <i>Chairman</i>	D. M. Norris
J. P. Houstrup, <i>Secretary</i>	S. Ranganath
C. Y. Cheng	P. C. Riccardella
R. C. Cipolla	W. L. Server
T. J. Griesbach	W. A. Van Der Sluys
K. Iida	K. K. Yoon
R. E. Johnson	S. Yukawa
M. Kupinski	

Working Group on Operating Plant Criteria (SG-ES) (SC XI)

T. J. Griesbach, <i>Chairman</i>	M. Kupinski
R. M. Gamble, <i>Secretary</i>	S. D. Leshnoff
A. S. Amar	R. M. Pace
W. F. Anderson	A. G. Panagos
W. H. Bamford	J. S. Panesar
H. Behnke	J. H. Phillips
A. F. Billy	S. W. Pullins
J. M. Bloom	P. N. Randall
R. C. Cipolla	S. Ranganath
W. C. Cliff	W. L. Server
E. Friedman	V. N. Shah
R. B. Ganta	E. A. Siegel
S. R. Gosselin	F. A. Simonen
J. P. Houstrup	G. M. Wilkowski
K. Ijzerman	K. K. Yoon
R. E. Johnson	S. Yukawa

Working Group on Flaw Evaluation (SG-ES) (SC XI)

R. C. Cipolla, <i>Chairman</i>	D. M. Norris
J. M. Bloom, <i>Secretary</i>	J. S. Panesar
A. S. Amar	P. C. Paris
W. H. Bamford	P. P. Raju
M. Basol	S. Ranganath
C. Y. Cheng	W. L. Server
N. W. Edwards	F. A. Simonen
E. Friedman	G. M. Wilkowski
T. J. Griesbach	J. E. Wilson
J. P. Houstrup	K. K. Yoon
K. Iida	S. Yukawa
M. Kupinski	V. A. Zilberstein
J. G. Merkle	

Subgroup on Nondestructive Examination (SC XI)

E. A. DeBarba, <i>Chairman</i>	G. J. Dau
J. C. Spanner, Sr., <i>Secretary</i>	F. J. Dodd
D. C. Adamonis	M. R. Hum
R. L. Beverly	J. J. Lance
D. A. Brunner	C. R. Osman
C. B. Cheezem	T. G. Parker
J. F. Cook	R. J. Scott
D. C. Cowfer	J. C. Spanner, Jr.

Working Group on Procedure Qualification and Volumetric Examination (SG-NDE) (SC XI)

D. C. Cowfer, <i>Chairman</i>	O. DeMiranda
N. R. Bentley, <i>Secretary</i>	F. J. Dodd
D. C. Adamonis	R. Kellerhall
D. A. Brunner	J. J. Lance
C. B. Cheezem	J. Muscara
W. T. Clayton	M. J. Saporito
G. J. Dau	J. C. Spanner, Jr.
T. N. Epps III	T. T. Taylor

Working Group on Personnel Qualification and Surface Visual and Eddy Current Examination (SG-NDE) (SC XI)

J. F. Cook, <i>Chairman</i>	C. R. Osman
V. H. Hight, <i>Secretary</i>	J. M. Ray
J. E. Cavender, Jr.	R. J. Scott
D. R. Dadson	M. F. Sherwin
N. Economos	A. L. Smith
D. O. Henry	J. C. Spanner, Sr.
W. C. Koepke	

Special Working Group on Eddy Current Examination (SC XI)

D. O. Henry, <i>Chairman</i>	M. J. Gallagher
B. Curtis, <i>Secretary</i>	R. H. Ingraham
J. M. Benson	J. H. Kang
S. D. Brown	R. J. Kurtz
A. Curtis	R. E. Marlow
C. J. Denton	S. A. Redner
D. R. Dodson	D. D. Weber
R. H. Ferris	

Subgroup on Repairs and Replacements (SC XI)

T. J. Mawson, <i>Chairman</i>	R. D. Kerr
M. J. Crisler, <i>Secretary</i>	W. Kooy
E. T. Baker III	R. S. Lewis
J. D. Boardman	R. E. Muise
B. W. Burak	D. R. Payne
J. Derrico	G. J. Pitzl
A. M. DiBiasio	R. R. Stevenson
W. L. Garvin	R. W. Swayne
R. E. Gimple	S. Tobey
O. F. Hedden	J. C. Tobin
R. C. Howard	A. J. Walcutt
E. T. Ishizaka	S. J. Walmsley
W. R. Johnson	R. A. Yonekawa
W. N. Keisler	

Working Group on Repairs (SG-RR) (SC XI)

J. Derrico, <i>Chairman</i>	W. N. Keisler
J. D. Boardman	R. D. Kerr
R. W. Boyce	D. R. Pitcairn
R. E. Cantrell	F. J. Schaaf, Jr.
R. F. Hollander	R. W. Swayne
E. T. Ishizaka	S. Tobey

Special Working Group on Repairs by Welding (SG-RR) (SC XI)

S. Tobey, <i>Chairman</i>	H. J. Kaplan
M. E. Reese, <i>Secretary</i>	R. A. LaPointe
C. Brookbank	W. E. Mayott
R. E. Cantrell	B. R. Newmark
B. R. Crowley	P. P. Norris
W. V. Gwaltney	D. L. Tevis
M. J. Houle	E. H. Williams
W. R. Johnson	

Working Group on Replacements (SG-RR) (SC XI)

A. M. Di Biasio, <i>Chairman</i>	W. Kooy
R. E. Gimple, <i>Secretary</i>	R. E. Legate
E. T. Baker III	G. J. Pitzl
C. E. Hartz	R. R. Stevenson
O. F. Hedden	A. J. Walcutt
W. C. Holston	R. A. Yonekawa
R. C. Howard	

SUBCOMMITTEE ON PROPERTIES OF METALS (SC-P)

D. A. Canonico, <i>Chairman</i>	F. Masuyama
J. P. Millman, <i>Secretary</i>	R. A. Moen
A. P. Ahrendt	R. K. Nanstad
T. M. Cullen	A. J. Palmer
W. D. Doty	D. W. Rahoi
A. R. Faulkner	B. W. Roberts
M. Gold	D. I. Roberts
D. G. Harman	C. E. Spaeder
S. O. Hilton	J. W. Tackett
E. T. Ishizaka	R. T. Webster

Subgroup on Strength, Ferrous Alloys (SC-P)

M. Gold, <i>Chairman</i>	S. O. Hilton
A. P. Ahrendt	J. F. Longenecker
D. A. Canonico	R. A. Moen
T. M. Cullen	D. W. Rahoi
R. M. Curran	B. W. Roberts
R. J. Diletto	D. I. Roberts
J. J. Heger	C. E. Spaeder

Subgroup on Strength, Nonferrous Alloys (SC-P)

R. T. Webster, <i>Chairman</i>	R. A. Rosenberg
M. H. Gilkey	E. Shapiro
B. B. Hood	L. E. Shoemaker
W. R. Keaney	J. W. Tackett

Subgroup on Strength of Weldments (SC-P) & (SC IX) (Joint Subgroup)

W. D. Doty, <i>Chairman</i>	D. I. Roberts
H. R. W. Cobb	R. K. Sager
B. W. Roberts	C. E. Spaeder

Subgroup on Toughness (SC-P)

R. K. Nanstad, <i>Chairman</i>	E. G. Nisbett
J. M. Barsom	A. Selz
R. F. Cappellini	I. Sprung
H. T. Corten	R. D. Stout
W. Hanzalek	M. F. Wheatcroft
W. S. Hazelton	S. Yukawa
E. I. Landerman	R. Zawierucha

Working Group on Nonnuclear Application (SG-T) (SC-P)

A. Selz, <i>Chairman</i>	M. F. Wheatcroft
E. G. Nisbett	R. Zawierucha
R. D. Stout	

Working Group on Nuclear Application (SG-T) (SC-P)

E. I. Landerman, <i>Chairman</i>	W. S. Hazelton
R. F. Cappellini	A. Selz

Working Group on Toughness Criteria (SG-T) (SC-P)

J. M. Barsom	S. Yukawa
R. K. Nanstad	

SUBCOMMITTEE ON SAFETY VALVE REQUIREMENTS (SC-SVR)

E. C. Kistner, Jr., <i>Chairman</i>	W. D. Greenlaw
W. L. Garvin, <i>Vice Chairman</i>	H. I. Gregg
C. J. Gomez, <i>Secretary</i>	S. F. Harrison, Jr.
G. C. Batz	W. D. Hayen
M. D. Bernstein	F. J. Howes
J. Cahoon, Jr.	M. A. Robinson
R. A. Cedel	A. J. Spencer
O. J. Cox, Jr.	L. L. Thompson
E. C. Cullie	F. W. Weidner
R. J. Doelling	

Subgroup on General Requirements (SC-SVR)

M. D. Bernstein, *Chairman* C. A. Neumann
W. D. Hayen M. A. Robinson
F. J. Howes L. L. Thompson
D. Kadakia

Subgroup on Testing (SC-SVR)

O. J. Cox, Jr., *Chairman* V. M. DeLuca
R. A. Cedel S. F. Harrison, Jr.
E. C. Cullie F. W. Weidner

Subgroup on Design (SC-SVR)

W. D. Greenlaw, *Chairman* R. J. Doelling
G. C. Batz H. I. Gregg
J. Cahoon, Jr. G. W. Neerbasch

SUBCOMMITTEE ON DESIGN (SC-D)

M. H. Jawad, *Chairman* O. F. Hedden
R. I. Jetter, *Vice Chairman* C. A. Moore
J. Yarmush, *Secretary* W. J. O'Donnell
T. K. Burr R. F. O'Neill
W. J. Carter R. D. Schueler, Jr.
J. R. Farr M. P. Schwartz

Subgroup on Openings (SC-D)

M. P. Schwartz, *Chairman* P. P. Raju
R. W. Mikitka, *Secretary* M. D. Rana
S. C. Lou E. C. Rodabaugh
R. B. Luney H. H. Schneider
K. Mokhtarian R. W. Schneider
K. C. Morrison H. K. Shaw
D. R. Palmer G. M. Tunnell, Jr.

Subgroup on External Pressure (SC-D)

W. J. Carter, *Chairman* W. J. Koves
D. J. Green H. W. Marsh
J. S. Kandola C. D. Miller

Subgroup on Design Analysis (SC-D)

T. K. Burr, *Chairman* T.-H. Liu
K. S. Ahluwalia A. Lohmeier
R. S. Barsoum T. V. Narayanan
S. Chattopadhyay S. S. Palusamy
C. Chen T. P. Pastor
A. G. Eggers M. W. Ringer, Jr.
H. M. Fishman E. R. Sliwinski
J. L. Hechmer E. L. Thomas, Jr.
A. Kalnins R. J. Thomas

Subgroup on Elevated Temperature Design (SC-D)

R. I. Jetter, *Chairman* R. K. Mattu
J. M. Corum, *Secretary* L. C. S. Nieh
C. R. Brinkman W. J. O'Donnell
R. D. Campbell D. I. Roberts
J. B. Conway C. C. Schultz, Jr.
A. W. Dalcher L. K. Severud
D. S. Griffin A. L. Snow
M. T. Jakub W. Veljovich
C. W. Lawton B. C. Wei
S. Majumdar

Subgroup on Fatigue Strength (SC-D)

W. J. O'Donnell, *Chairman* D. P. Jones
C. R. Brinkman C. W. Lawton
B. Gowda M. J. Manjoine
J. A. Hayward A. Merend
J. L. Hechmer G. C. Millman
L. A. James

**SUBCOMMITTEE ON BOILER AND PRESSURE VESSEL
ACCREDITATION (SC-BPVA)**

C. E. Ford, *Chairman* R. C. Howard
D. J. McDonald, *Vice* D. S. Korzec
Chairman T. H. Milton
M. Gutierrez, *Secretary* E. F. Murphy
G. P. Mancini, *Assistant* M. L. Snow, Jr.
Secretary J. M. Whelan
S. C. Cyr C. B. Zekas
D. M. Fischer J. R. Farr, *Alternate*
W. D. Greenlaw

SUBCOMMITTEE ON NUCLEAR ACCREDITATION (SC-NA)

H. A. Manning, *Chairman* R. C. Howard
M. N. Bressler, *Vice Chairman* W. G. Knecht
A. Bagner, *Secretary* J. Lang
C. W. Allison J. D. Lenardson
E. T. Baker, III G. F. McDonald, Jr.
R. B. Bremmer R. E. Muise
D. J. Carreira T. E. Quaka
R. E. Feigel M. L. Snow, Jr.
J. E. Harris

Officers of ASTM Committees

(Cooperating in the Development of the Specifications Herein)

B-2 Committee on Nonferrous Metals and Alloys

J. F. Smith, *Chairman*, Lead Industries Association
G. M. Kralik, *User Vice-Chairman*, U.S. Naval Facilities Engineering Command
J. W. Tackett, *Producer Vice-Chairman*, Haynes International Inc.
R. D. Prangaman, *Secretary*, RSR Corp.
R. Dougherty, *Staff Manager*, ASTM

B-5 Committee on Copper and Copper Alloys

G. M. Kralik, *Chairman*, U.S. Naval Facilities Engineering Command
T. J. Luzon, *First Vice-Chairman*, AT&T Bell Laboratories
R. A. Campbell, *Second Vice-Chairman*, Mueller Brass Co.
R. J. Hibbeln, *Secretary*
R. Owen, *Membership Secretary*, Brush Wellman Inc.
G. A. Luciv, *Staff Manager*, ASTM

B-7 Committee on Light Metals and Alloys

G. M. Kralik, *Honorary Chairman*, U.S. Naval Facilities Engineering Command
R. E. Nichols, *Producer Vice-Chairman*, Kaiser Aluminum & Chemical Corp.
H. L. Libbis, *User Vice-Chairman*, AT&T Information Systems
H. H. Buck, *Secretary*, Reynolds Metals Co.
P. F. Baumann, *Assistant Secretary*, General Electric
W. S. Orthey, *Staff Manager*, ASTM

B-10 Committee on Reactive and Refractory Metals and Alloys

D. G. Franklin, *Chairman*, Bettis Atomic Power Laboratory
R. T. Webster, *First Vice-Chairman*, Teledyne Wah Chang Albany
R. S. Humphrey, *Second Vice-Chairman*, Monsanto Co.
F. Kubli, *Secretary*, RMI Co.
R. N. Sansone, *Staff Manager*, ASTM

PREFACE

The American Society of Mechanical Engineers (ASME) and the American Society for Testing and Materials (ASTM) have cooperated for more than fifty years in the preparation of material specifications adequate for safety in the field of pressure equipment for ferrous and nonferrous materials, contained in Section II (Part A — Ferrous and Part B — Nonferrous) of the ASME Boiler and Pressure Vessel Code.

The evolution of this cooperative effort is contained in Professor A. M. Greene's "History of the ASME Boiler Code," which was published as a series of articles in *Mechanical Engineering* from July 1952 through August 1953 and is now available from ASME in a special bound edition. The following quotations from this history, which was based upon the minutes of the ASME Boiler and Pressure Vessel Committee, will help focus on the cooperative nature of the specifications found in Section II, Material Specifications.

"General discussion of material specifications comprising Paragraphs 1 to 112 of Part 2 and the advisability of having them agree with ASTM specifications," (1914).

"ASME Subcommittee appointed to confer with ASTM," (1916).

"Because of this cooperation the specifications of the 1918 Edition of the ASME Boiler Code were more nearly in agreement with ASTM specifications. In the 1924 Edition of the Code, 10 specifications were in complete agreement with ASTM specifications, 4 in substantial agreement and 2 covered materials for which ASTM had no corresponding specifications."

"In Section II, Material Specifications, the paragraphs were given new numbers beginning with S-1 and extending to S-213," (1925).

"Section II was brought into agreement with changes made in the latest ASTM specifications since 1921," (1932).

"The Subcommittee on Material Specifications arranged for the introduction of the revisions of many of the specifications so that they would agree with the latest form of the earlier ASTM specifications. . .," (1935).

From the preceding, it is evident that many of the material specifications were prepared by the Boiler and Pressure Vessel Code Committees, then subsequently, by cooperative action, modified and identified as ASTM specifications. Section II, Parts A and B, currently contain many material specifications which are identical with the corresponding ASTM specifications and some which have been modified for Code usage.

In 1969, the American Welding Society began publication of specifications for welding rods, electrodes, and filler metals, hitherto issued by ASTM. The Boiler and Pressure Vessel Committee has recognized this new arrangement, and is now working with AWS on these specifications. Section II, Part C, contains the welding material specifications approved for Code use.

All identical specifications are indicated by the ASME/ASTM symbols or the ASME/AWS symbols. The specifications prepared and copyrighted by ASTM and AWS are reproduced in the Code with the permission of the respective Society. The ASME Boiler and Pressure Vessel Committee has given careful consideration to each new and revised ASTM or AWS specification, and has made such changes as they deemed necessary to make the specification adaptable for Code usage. In addition, ASME has furnished ASTM with the basic requirements that should govern many proposed new specifications. Joint action will continue an effort to make the ASTM, AWS, and ASME specifications identical.

To assure that there will be a clear understanding on the part of the users of Section II, ASME publishes both the identical specifications and those amended for Code usage in three parts every three years, in the same page size to match the other sections of the Code, and Addenda are issued annually to provide the latest changes in Section II specifications.

The ASME Boiler and Pressure Vessel Code has been adopted into law by 45 states and many municipalities in the United States and by all of the Canadian Provinces.

CONTENTS

Specifications Listed by Materials — Pages xxvii–xxx

Specifications Listed in Numeric Sequence — Pages xxxi–xxxiv

Mandatory Appendix 1 — Page xxxv

SI Units — Pages xxxvii–xxxix

Specifications

Listed by Materials

Aluminum and Aluminum Alloys

SB-26	Aluminum-Alloy Sand Castings	5
SB-108	Aluminum-Alloy Permanent Mold Castings	47
SB-209	Aluminum and Aluminum-Alloy Sheet and Plate	189
SB-210	Aluminum and Aluminum-Alloy Drawn Seamless Tubes	203
SB-211	Aluminum-Alloy Bar, Rod, and Wire	213
SB-221	Aluminum and Aluminum-Alloy Extruded Bar, Rod, and Shape	219
SB-234	Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers	227
SB-241/SB-241M	Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube	235
SB-247	Aluminum-Alloy Die and Hand Forgings	247
SB-308	Aluminum-Alloy 6061-T6 Standard Structural Shapes, Rolled or Extruded	297
SB-548	Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	601

Copper and Copper Alloy Plate, Sheet, Strip, and Rolled Bar

SB-11	Copper Plates for Locomotive Fireboxes	1
SB-96	Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels	39
SB-152	Copper Sheet, Strip, Plate, and Rolled Bar	99
SB-169	Aluminum Bronze Plate, Sheet, Strip, and Rolled Bar	177
SB-171	Copper-Alloy Condenser Tube Plates	181
SB-248	General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar	255
SB-283	Copper and Copper-Alloy Die Forgings (Hot Pressed)	291
SB-402	Copper-Nickel Alloy Plate and Sheet for Pressure Vessels	385

Copper and Copper Alloy Rod, Bar, and Shapes

SB-98	Copper-Silicon Alloy Rod, Bar, and Shapes	43
SB-133	Copper Rod and Bar	79
SB-150	Aluminum Bronze Rod and Bar	91
SB-151	Copper-Nickel Rod and Bar	95
SB-249	General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, and Shapes	265

Copper and Copper Alloy Pipe and Tubes

SB-42	Seamless Copper Pipe, Standard Sizes	13
SB-43	Seamless Red Brass Pipe, Standard Sizes	19

SB-75	Seamless Copper Tube	33
SB-111	Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock	55
SB-135	Seamless Brass Tube	83
SB-251	General Requirements for Wrought Seamless Copper and Copper-Alloy Tube	273
SB-315	Seamless Copper Alloy Pipe and Tube	303
SB-359	Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins	339
SB-395	U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes	373
SB-466	Seamless Copper-Nickel Pipe and Tube	495
SB-467	Welded Copper-Nickel Pipe	501
SB-543	Welded Copper and Copper-Alloy Heat Exchanger Tube	589

Copper Alloy Castings

SB-61	Steam or Valve Bronze Castings	25
SB-62	Composition Bronze or Ounce Metal Castings	29
SB-148	Aluminum Bronze Sand Castings	87
SB-271	Copper-Base Centrifugal Castings	289
SB-369	Copper-Nickel Alloy Castings	363
SB-505	Copper-Base Alloy Continuous Castings	531
SB-584	Copper Alloy Sand Castings for General Applications	655

Nickel and Nickel Alloy Plate, Sheet, and Strip

SB-127	Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip	67
SB-162	Nickel Plate, Sheet, and Strip	115
SB-168	Nickel-Chromium-Iron Alloys (UNS N06600 and N06690) Plate, Sheet, and Strip	165
SB-333	Nickel-Molybdenum Alloy Plate, Sheet, and Strip	311
SB-409	Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip	405
SB-424	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Plate, Sheet, and Strip	423
SB-434	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Plate, Sheet, and Strip	441
SB-435	UNS N06002 and UNS R30556 Plate, Sheet, and Strip	447
SB-443	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Plate, Sheet, and Strip	453
SB-463	UNS N08020, UNS N08026, and UNS N08024 Alloy Plate, Sheet, and Strip	479
SB-536	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330) Plate, Sheet, and Strip	579
SB-575	Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip	637
SB-582	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip	649
SB-599	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip	661
SB-620	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip	679
SB-625	Ni-Fe-Cr-Mo-Cu Low-Carbon Alloy (UNS N08904 and N08925) Plate, Sheet, and Strip	695

SB-688	Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip	771
SB-709	Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip	793

Nickel and Nickel Alloy Rod, Bar, and Wire

SB-160	Nickel Rod and Bar	103
SB-164	Nickel-Copper Alloy Rod, Bar, and Wire	137
SB-166	Nickel-Chromium-Iron Alloy (UNS N06600 and N06690) Rod, Bar, and Wire	151
SB-335	Nickel-Molybdenum Alloy Rod	317
SB-408	Nickel-Iron-Chromium Alloy Rod and Bar	399
SB-425	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Rod and Bar	433
SB-446	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Rod and Bar	469
SB-473	Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy (UNS N08020) Bar	515
SB-511	Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes	537
SB-564	Nickel Alloy Forgings	621
SB-572	UNS N06002 and UNS R30556 Rod	625
SB-573	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Rod	629
SB-574	Low-Carbon Nickel-Molybdenum-Chromium Alloy Rod	633
SB-581	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod	643
SB-621	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod	685
SB-637	Precipitation-Hardening Nickel Alloy Bars, Forgings, and Forging Stock for High-Temperature Service	715
SB-649	Ni-Fe-Cr-Mo-Cu Low-Carbon Alloy (UNS N08904 and N08925) Bar and Wire	721
SB-672	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire	737
SB-691	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire	785

Nickel and Nickel Alloy Pipe and Tubes

SB-161	Nickel Seamless Pipe and Tube	109
SB-163	Seamless Nickel and Nickel Alloy Condenser and Heat Exchanger Tubes	127
SB-165	Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube	145
SB-167	Nickel-Chromium-Iron Alloys (UNS N06600 and N06690) Seamless Pipe and Tube	159
SB-407	Nickel-Iron-Chromium Alloy Seamless Pipe and Tube	389
SB-423	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Seamless Pipe and Tube	417
SB-444	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Pipe and Tube	463
SB-462	Forged or Rolled Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy (UNS N08020) Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service	475
SB-464	Welded UNS N08020, UNS N08026, and UNS N08024 Alloy Pipe	489
SB-468	Welded UNS N08020, UNS N08026, and UNS N08024 Alloy Tubes	509
SB-514	Welded Nickel-Iron-Chromium Alloy Pipe	543

SB-515	Welded Nickel-Iron-Chromium Alloy (UNS NO8800 and UNS NO8810) Tubes	549
SB-516	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Tubes	555
SB-517	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Pipe	561
SB-535	Nickel-Iron-Chromium-Silicon Alloy Seamless Pipe and Tube	573
SB-619	Welded Nickel and Nickel-Cobalt Alloy Pipe	671
SB-622	Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube	689
SB-626	Welded Nickel and Nickel-Cobalt Alloy Tube	707
SB-668	UNS N08028 Seamless Tubes	733
SB-673	UNS N08904 and N08925 Welded Pipe	743
SB-674	UNS N08904 and N08925 Welded Tube	749
SB-675	UNS N08366 and UNS N08367 Welded Pipe	755
SB-676	UNS N08366 and UNS N08367 Welded Tube	761
SB-677	UNS N08904 and UNS N08925 Seamless Pipe and Tube	767
SB-690	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube	779
SB-710	Nickel-Iron-Chromium-Silicon Alloy Welded Pipe	805
SB-729	Seamless Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy (UNS N08020) Pipe and Tube	811
 Nickel Alloy Castings		
SA-494/SA-494M	Castings, Nickel and Nickel Alloy	525
 Nickel and Nickel Alloy Fittings		
SB-366	Factory-Made Wrought Nickel and Nickel Alloy Welding Fittings	353
 Titanium and Titanium Alloys		
SB-265	Titanium and Titanium Alloy Strip, Sheet, and Plate	281
SB-337	Seamless and Welded Titanium and Titanium Alloy Pipe	321
SB-338	Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers	327
SB-348	Titanium and Titanium Alloy Bars and Billets	333
SB-363	Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings	349
SB-367	Titanium and Titanium Alloy Castings	359
SB-381	Titanium and Titanium Alloy Forgings	369
 Zirconium and Zirconium Alloys		
SB-493	Zirconium and Zirconium Alloy Forgings	521
SB-523	Seamless and Welded Zirconium and Zirconium Alloy Tubes for Condensers and Heat Exchangers	567
SB-550	Zirconium and Zirconium Alloy Bar and Wire	607
SB-551	Zirconium and Zirconium Alloy Strip, Sheet, and Plate	613
SB-658	Seamless and Welded Zirconium and Zirconium Alloy Pipe	729

Specifications Listed in Numeric Sequence

SB-11	Copper Plates for Locomotive Fireboxes	1
SB-26	Aluminum-Alloy Sand Castings	5
SB-42	Seamless Copper Pipe, Standard Sizes	13
SB-43	Seamless Red Brass Pipe, Standard Sizes	19
SB-61	Steam or Valve Bronze Castings	25
SB-62	Composition Bronze or Ounce Metal Castings	29
SB-75	Seamless Copper Tube	33
SB-96	Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels	39
SB-98	Copper-Silicon Alloy Rod, Bar, and Shapes	43
SB-108	Aluminum-Alloy Permanent Mold Castings	47
SB-111	Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock	55
SB-127	Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip	67
SB-133	Copper Rod and Bar	79
SB-135	Seamless Brass Tube	83
SB-148	Aluminum Bronze Sand Castings	87
SB-150	Aluminum Bronze Rod and Bar	91
SB-151	Copper-Nickel Rod and Bar	95
SB-152	Copper Sheet, Strip, Plate, and Rolled Bar	99
SB-160	Nickel Rod and Bar	103
SB-161	Nickel Seamless Pipe and Tube	109
SB-162	Nickel Plate, Sheet, and Strip	115
SB-163	Seamless Nickel and Nickel Alloy Condenser and Heat Exchanger Tubes	127
SB-164	Nickel-Copper Alloy Rod, Bar, and Wire	137
SB-165	Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube	145
SB-166	Nickel-Chromium-Iron Alloy (UNS N06600 and N06690) Rod, Bar, and Wire	151
SB-167	Nickel-Chromium-Iron Alloys (UNS N06600 and N06690) Seamless Pipe and Tube	159
SB-168	Nickel-Chromium-Iron Alloys (UNS N06600 and N06690) Plate, Sheet, and Strip	165
SB-169	Aluminum Bronze Plate, Sheet, Strip, and Rolled Bar	177
SB-171	Copper-Alloy Condenser Tube Plates	181
SB-209	Aluminum and Aluminum-Alloy Sheet and Plate	189
SB-210	Aluminum and Aluminum-Alloy Drawn Seamless Tubes	203
SB-211	Aluminum-Alloy Bar, Rod, and Wire	213
SB-221	Aluminum and Aluminum-Alloy Extruded Bar, Rod, and Shape	219
SB-234	Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers	227
SB-241/SB-241M	Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube	235

SB-247	Aluminum-Alloy Die and Hand Forgings	247
SB-248	General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar	255
SB-249	General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, and Shapes	265
SB-251	General Requirements for Wrought Seamless Copper and Copper-Alloy Tube	273
SB-265	Titanium and Titanium Alloy Strip, Sheet, and Plate	281
SB-271	Copper-Base Centrifugal Castings	289
SB-283	Copper and Copper-Alloy Die Forgings (Hot Pressed)	291
SB-308	Aluminum-Alloy 6061-T6 Standard Structural Shapes, Rolled or Extruded	297
SB-315	Seamless Copper Alloy Pipe and Tube	303
SB-333	Nickel-Molybdenum Alloy Plate, Sheet, and Strip	311
SB-335	Nickel-Molybdenum Alloy Rod	317
SB-337	Seamless and Welded Titanium and Titanium Alloy Pipe	321
SB-338	Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers	327
SB-348	Titanium and Titanium Alloy Bars and Billets	333
SB-359	Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins	339
SB-363	Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings	349
SB-366	Factory-Made Wrought Nickel and Nickel Alloy Welding Fittings	353
SB-367	Titanium and Titanium Alloy Castings	359
SB-369	Copper-Nickel Alloy Castings	363
SB-381	Titanium and Titanium Alloy Forgings	369
SB-395	U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes	373
SB-402	Copper-Nickel Alloy Plate and Sheet for Pressure Vessels	385
SB-407	Nickel-Iron-Chromium Alloy Seamless Pipe and Tube	389
SB-408	Nickel-Iron-Chromium Alloy Rod and Bar	399
SB-409	Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip	405
SB-423	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Seamless Pipe and Tube	417
SB-424	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Plate, Sheet, and Strip	423
SB-425	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Rod and Bar	433
SB-434	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Plate, Sheet, and Strip	441
SB-435	UNS N06002 and UNS R30556 Plate, Sheet, and Strip	447
SB-443	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Plate, Sheet, and Strip	453
SB-444	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Pipe and Tube	463
SB-446	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Rod and Bar	469
SB-462	Forged or Rolled Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy (UNS N08020) Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service	475
SB-463	UNS N08020, UNS N08026, and UNS N08024 Alloy Plate, Sheet, and Strip	479

SB-464	Welded UNS N08020, UNS N08026, and UNS N08024 Alloy Pipe	489
SB-466	Seamless Copper-Nickel Pipe and Tube	495
SB-467	Welded Copper-Nickel Pipe	501
SB-468	Welded UNS N08020, UNS N08026, and UNS N08024 Alloy Tubes	509
SB-473	Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy (UNS N08020) Bar	515
SB-493	Zirconium and Zirconium Alloy Forgings	521
SA-494/SA-494M	Castings, Nickel and Nickel Alloy	525
SB-505	Copper-Base Alloy Continuous Castings	531
SB-511	Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes	537
SB-514	Welded Nickel-Iron-Chromium Alloy Pipe	543
SB-515	Welded Nickel-Iron-Chromium Alloy (UNS N08800 and UNS N08810) Tubes	549
SB-516	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Tubes	555
SB-517	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Pipe	561
SB-523	Seamless and Welded Zirconium and Zirconium Alloy Tubes for Condensers and Heat Exchangers	567
SB-535	Nickel-Iron-Chromium-Silicon Alloy Seamless Pipe and Tube	573
SB-536	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330) Plate, Sheet, and Strip	579
SB-543	Welded Copper and Copper-Alloy Heat Exchanger Tube	589
SB-548	Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	601
SB-550	Zirconium and Zirconium Alloy Bar and Wire	607
SB-551	Zirconium and Zirconium Alloy Strip, Sheet, and Plate	613
SB-564	Nickel Alloy Forgings	621
SB-572	UNS N06002 and UNS R30556 Rod	625
SB-573	Nickel-Molybdenum-Chromium-Iron Alloy (UNS000N13) Rod	629
SB-574	Low-Carbon Nickel-Molybdenum-Chromium Alloy Rod	633
SB-575	Low-Carbon Nickel-Molybdenum-Chromium Alloy Plate, Sheet, and Strip	637
SB-581	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod	643
SB-582	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip	649
SB-584	Copper Alloy Sand Castings for General Applications	655
SB-599	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip	661
SB-619	Welded Nickel and Nickel-Cobalt Alloy Pipe	671
SB-620	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip	679
SB-621	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod	685
SB-622	Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube	689
SB-625	Ni-Fe-Cr-Mo-Cu Low-Carbon Alloy (UNS N08904 and N08925) Plate, Sheet, and Strip	695
SB-626	Welded Nickel and Nickel-Cobalt Alloy Tube	707
SB-637	Precipitation-Hardening Nickel Alloy Bars, Forgings, and Forging Stock for High-Temperature Service	715
SB-649	Ni-Fe-Cr-Mo-Cu Low-Carbon Alloy (UNS N08904 and N08925) Bar and Wire	721
SB-658	Seamless and Welded Zirconium and Zirconium Alloy Pipe	729
SB-668	UNS N08028 Seamless Tubes	733
SB-672	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire	737
SB-673	UNS N08904 and N08925 Welded Pipe	743

SB-674	UNS N08904 and N08925 Welded Tube	749
SB-675	UNS N08366 and UNS N08367 Welded Pipe	755
SB-676	UNS N08366 and UNS N08367 Welded Tube	761
SB-677	UNS N08904 and UNS N08925 Seamless Pipe and Tube	767
SB-688	Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip	771
SB-690	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube	779
SB-691	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire	785
SB-709	Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip	793
SB-710	Nickel-Iron-Chromium-Silicon Alloy Welded Pipe	805
SB-729	Seamless Chromium-Nickel-Iron-Molybdenum-Copper-Columbium Stabilized Alloy (UNS N08020) Pipe and Tube	811

APPENDIX 1 — MANDATORY PREPARATION OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL COMMITTEE

1-100 INTRODUCTION

The ASME Boiler and Pressure Vessel Committee meets regularly to consider written requests for interpretations and revisions to the Code rules, and to develop new rules as dictated by technological development. The Committee's activities in this regard are limited strictly to interpretations of the rules or to the consideration of revisions to the present rules on the basis of new data or technology. As a matter of published policy, ASME does not approve, certify, rate, or endorse any item, construction, proprietary device, or activity, and, accordingly, inquiries requiring such consideration will be returned. Moreover, ASME does not act as a consultant on specific engineering problems or on the general application or understanding of the Code rules. If, based on the inquiry information submitted, it is the opinion of the Committee that the inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

All inquiries that do not provide the information needed for the Committee's full understanding will be returned.

1-200 INQUIRY FORMAT

Inquiries shall be limited strictly to interpretations of the rules or to the consideration of revisions to the present rules on the basis of new data or technology. Inquiries shall be submitted in the following format.

(a) *Scope.* Involve a single rule or closely related rules. An inquiry letter concerning unrelated subjects will be returned.

(b) *Background.* State the purpose of the inquiry, which would be either to obtain an interpretation of Code rules, or to propose consideration of a revision to the present rules. Provide concisely the information needed for the Committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda, paragraphs, figures, and tables. If sketches are provided, they shall be limited to the scope of the inquiry.

(c) *Inquiry Structure.* Prepare statements in a condensed and precise question format, omitting superfluous background information, and, where appropriate, composed in such a way that "yes" or "no" (perhaps with provisos) would be an acceptable reply. This inquiry statement should be technically and editorially correct.

(d) *Proposed Reply.* State what it is believed that the Code requires. If in the inquirer's opinion a revision to the Code is needed, recommended wording shall be provided.

1-300 SUBMITTAL

Inquiries shall preferably be submitted in typewritten form; however, legible handwritten inquiries will also be considered. They shall include the name and mailing address of the inquirer, and be mailed to the following address:

Secretary
ASME Boiler and Pressure Vessel Committee
345 East 47th Street
New York, NY 10017

SI UNITS

The 1989 Edition of the Boiler and Pressure Vessel Code is based on U.S. Customary (ft-lb) units of measurement which are to be regarded as the standard. This supplement is provided as a convenience to the Code user and contains SI conversion factors for units contained in the Code.

LIST OF SI UNITS FOR USE WITH ASME BOILER AND PRESSURE VESSEL CODE¹

Quantity	Unit	Symbol	Other Units or Limitations
Space and Time			
plane angle	radian	rad	degree (decimalized)
length	meter	m	
area	square meter	m ²	
volume	cubic meter	m ³	liter (L) for liquid only (use without prefix other than in milliliter, mL)
time	second	s	minute (min), hour (h), day (d), week, and year
Periodic and Related Phenomena			
frequency	hertz	Hz	revolutions per second (r/s)
rotational frequency	revolutions per second	s ⁻¹	revolutions per minute (r/m)
Mechanics			
mass	kilogram	kg	
density	kilogram per cubic meter	kg/m ³	
moment of inertia	kilogram · meter ²	kg · m ²	
force	newton	N	
moment of force (torque)	newton-meter	N · m	
pressure and stress	pascal	Pa	(pascal=newton per square meter)
energy, work	joule	J	kilowatt-hour (kW · h)
power	watt	W	
impact strength	joule	J	
section modulus	meter ³	m ³	
moment of section (second moment of area)	meter ⁴	m ⁴	
fracture toughness	Pa · √m		
Heat			
temperature — thermodynamic [Note (2)]	kelvin	K	degree Celsius (°C)
temperature — other than thermodynamic	degree Celsius	°C	kelvin (K)
linear expansion coefficient	meter per meter-kelvin	K ⁻¹	°C ⁻¹
quantity of heat	joule	J	
heat flow rate	watt	W	
thermal conductivity	watt per meter-kelvin	W/(m · K)	W/(m · °C)
thermal diffusivity	square meter per second	m ² /s	
specific heat capacity	joule per kilogram-kelvin	J/(kg · K)	J/(kg · °C)
Electricity and Magnetism			
electric current	ampere	A	
electric potential	volt	V	
current density	ampere per meter ²	A/m ²	
magnetic field strength	ampere per meter	A/m	

NOTES:

- (1) Conversion factors between SI units and U.S. customary are given in SI-1, "ASME Orientation and Guide for Use of SI (Metric) Units," and ASTM E 380.
- (2) Preferred use for temperature and temperature interval is degrees Celsius (°C), except for thermodynamic and cryogenic work where kelvins may be more suitable. For temperature interval, 1 K = 1°C exactly.

COMMONLY USED CONVERSION FACTORS
(For Others See ASTM E 380) (See Note 1)

Quantity	To Convert From	To	Multiply by [Note (2)]	
plane angle	degree	rad	1.745 329	E-02
length	in	m	2.54*	E-02
	ft	m	3.048*	E-01
	yd	m	9.144*	E-01
area	in ²	m ²	6.451 6*	E-04
	ft ²	m ²	9.290 304*	E-02
	yd ²	m ²	8.361 274	E-01
volume	in ³	m ³	1.638 706	E-05
	ft ³	m ³	2.831 685	E-02
	US gallon	m ³	3.785 412	E-03
	Imperial gallon	m ³	4.546 09	E-03
	liter	m ³	1.0*	E-03
mass	lbm	kg	4.535 924	E-01
	ton (metric) (mass)	kg	1.000 00*	E+03
	ton (short 2000 lbm)	kg	9.071 847	E+02
force	kgf	N	9.806 65*	E+00
	lbf	N	4.448 222	E+00
bending, torque	kgf · m	N · m	9.806 65*	E+00
	lbf · in	N · m	1.129 848	E-01
	lbf · ft	N · m	1.355 818	E+00
pressure, stress	kgf/m ²	Pa	9.806 65*	E+00
	lbf/ft ²	Pa	4.788 026	E+01
	lbf/in ² (psi)	Pa	6.894 757	E+03
	kips/in ²	Pa	6.894 757	E+06
	bar	Pa	1.0*	E+05
energy, work	Btu (IT) [Note (3)]	J	1.055 056	E+03
	ft · lbf	J	1.355 818	E+00
power	hp (550 ft · lbf/s)	W	7.456 999	E+02
fracture toughness	ksi $\sqrt{\text{in}}$	Pa · $\sqrt{\text{m}}$	1.098 843	E+06
temperature	°C	K	$t_K = t_C + 273.15$	
	°F	K	$t_K = (t_F + 459.67)/1.8$	
	°F	°C	$t_C = (t_F - 32)/1.8$	
temperature interval	°C	K	1.0*	E+00
	°F	K or °C	5.555 555	E-01

NOTES:

(1) Care should be taken when converting formulas or equations that contain constant terms or factors. The value of these terms must be understood and may also require conversion.

(2)(a) Relationships that are exact in terms of the base units are followed by a single asterisk.

(b) The factors are written as a number greater than 1 and less than 10 with 6 or less decimal places. The number is followed by the letter E (for exponent), a plus or minus symbol, and two digits which indicate the power of 10 by which the number must be multiplied to obtain the correct value. For example: 3.523 907 E-02 is $3.523\ 907 \times 10^{-2}$ or 0.035 239 07.

(3) International Table

SPECIFICATION FOR COPPER PLATES FOR LOCOMOTIVE FIREBOXES



SB-11

(Identical with ASTM Specification B 11-78 for the alloys covered, Section 19 Certification has been added and editorial changes made. Minimum yield strength requirements are mandatory.)

1. Scope

1.1 This specification covers copper plates for locomotive fire boxes. The following coppers are covered:

Copper No.	Previously Used Designation	Type of Copper
110	ETP	Electrolytic tough pitch
122	DHP	Phosphorized, high residual phosphorus
125	FRTP	Fire-refined, tough pitch
142	DPA	Phosphorized, arsenical

NOTE 1—Tough pitch copper (nonarsenical) may be furnished at the option of the manufacturer as either Copper No. 110 or 125.

NOTE 2—The values stated in U.S. customary units are to be regarded as the standard.

2. Applicable Documents

2.1 The following documents of the issue in effect on date of material purchase form a part of this specification to the extent referenced herein:

2.1.1 ASTM Standards:

- E 8, Tension Testing of Metallic Materials
- E 29, Recommended Practice for Indicating Which Places of Figures Are to Be Considered Significant in Specified Limiting Values
- E 53, Chemical Analysis of Copper (Electrolytic Determination of Copper)
- E 55, Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition
- E 62, Chemical Analysis of Copper and Copper-Base Alloys

3. Definitions

3.1 The following definitions shall apply:

3.1.1 *plate*—a rolled flat product over 0.188 in. (4.78 mm) thick and over 12 in. (305 mm) wide, in straight lengths.

3.1.2 *lengths*—straight pieces of the product.

3.1.2.1 *ends*—straight pieces, shorter than the nominal length, left over after cutting the product into mill lengths, stock lengths, or specific lengths. They are subject to minimum length and maximum weight requirements.

3.1.2.2 *mill*—straight lengths, including ends, that can be conveniently manufactured in the mills. Full length pieces are usually 8, 10, or 12 ft (2.44, 3.05, or 3.66 m) and subject to established length tolerances.

3.1.2.3 *specific*—straight lengths that are uniform in length, as specified, and subject to established length tolerances.

4. Ordering Information

4.1 Orders for material under this specification shall include the following information:

- 4.1.1 Copper No. (Section 1),
- 4.1.2 Dimensions: length, width, thickness (Section 9 and Table 2).
- 4.1.3 Weight: total weight of each size.

NOTE 3—When these plates are to be welded either Copper No. 122 or 142 should be specified.

5. Materials and Manufacture

5.1 The material shall be of such quality and purity that the finished product shall have the properties and characteristics prescribed in this specification.

5.2 The copper shall be hot rolled from suitable cakes which may be either fire refined or electrolytic.

6. Chemical Requirements

6.1 The copper shall conform to the requirements as to chemical composition prescribed in Table 1.

7. Tensile Requirements

7.1 The material shall conform to the requirements in Table 2 as to tensile properties.