


**ASME
BOILER AND
PRESSURE VESSEL
CODE**

**1980
EDITION**



**THE AMERICAN SOCIETY OF
MECHANICAL ENGINEERS**

**SECTION
IV**

**AN AMERICAN
NATIONAL STANDARD**

**ANSI / ASME
BPV-IV**

Heating Boilers

277P

ASME BOILER AND PRESSURE VESSEL CODE
AN AMERICAN NATIONAL STANDARD
ANSI/ASME BPV-IV

SECTION IV
Rules for Construction of
Heating Boilers

1980 EDITION
JULY 1, 1980



ASME BOILER AND PRESSURE VESSEL COMMITTEE
SUBCOMMITTEE ON HEATING BOILERS

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
United Engineering Center 345 East 47th Street New York, N.Y. 10017



Copyright © 1980 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved

Date of Issue — July 1, 1980
(Includes all Addenda dated December 1979 and earlier)

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914.
Revised 1940, 1941, 1943, 1946, 1949, 1952, 1953, 1956, 1959, 1962, 1965, 1968, 1971, 1974, 1977, 1980

1980 ASME
BOILER AND PRESSURE VESSEL CODE
An American National Standard

Sections*

- I Power Boilers
- II Material Specifications
 - Part A — Ferrous Materials
 - Part B — Nonferrous Materials
 - Part C — Welding Rods, Electrodes and Filler Metals
- III Subsection NCA — General Requirements for Division 1 and Division 2
- III Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Component Supports
 - Subsection NG — Core Support Structures
 - Appendices
- III Division 2 — Code for Concrete Reactor Vessels and Components
- IV Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for Care and Operation of Heating Boilers
- VII Recommended Rules for Care of Power Boilers
- VIII Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
- IX Welding and Brazing Qualification
- X Fiberglass-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components — Division 1

*Available in bound and loose-leaf versions. Either version may be used for ASME Certification.

Code Cases

The Boiler and Pressure Vessel Committee meets regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. These Cases which have been adopted appear in one or both of the 1980 Code Cases books—(1) Boilers and Pressure Vessels and (2) Nuclear Components. Supplements will be sent automatically to the purchasers of one or both of the Code Cases books up to the publication of the 1983 Edition.

Interpretations

Each issue of the Interpretations includes all of the written replies issued during successive 6-month intervals by the Secretarial Staff, speaking on behalf of the ASME Boiler and Pressure Vessel Committee, to inquiries concerning interpretations of technical aspects of the Code. The inquiries and replies are presented chronologically in groupings determined by the Code Sections to which they apply. Issues are published twice a year. Purchasers of the Interpretations will receive the six issues (Nos. 6-11) that will be published up to the publication of the 1983 Code.

Addenda

Colored-sheet Addenda, which include additions and revisions to individual Sections of the Code, are published twice a year and will be sent automatically to purchasers of the applicable Sections up to the publication of the 1983 Code. Purchasers of the bound versions of the Sections will receive bound Addenda. Purchasers of the loose-leaf versions of the Sections will receive replacement pages.

FOREWORD

The American Society of Mechanical Engineers set up a committee in 1911 for the purpose of formulating standard rules for the construction of steam boilers and other pressure vessels. This committee is now called the Boiler and Pressure Vessel Committee.

The Committee's function is to establish rules of safety governing the design, fabrication, and inspection during construction of boilers and pressure vessels, and to interpret these rules when questions arise regarding their intent. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property and to provide a margin for deterioration in service so as to give a reasonably long safe period of usefulness. Advancements in design and material and the evidence of experience have been recognized.

The Boiler and Pressure Vessel Committee deals with the care and inspection of boilers and pressure vessels in service only to the extent of providing suggested rules of good practice as an aid to owners and their inspectors.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Boiler and Pressure Vessel Committee meets regularly to consider requests for interpretations and revisions of the rules, and to develop new rules as dictated by technological development. Inquiries must be addressed to the Secretary in writing and must give full particulars in order to receive consideration and a written interpretation. Proposed revisions to the Code resulting from inquiries will be presented to the Main Committee for appropriate action. The action of the Main Committee becomes effective only after confirmation by letter ballot of the Committee and approved by the Council of the Society.

Proposed revisions to the Code approved by the Committee are submitted to the American National

Standards Institute and published in *Mechanical Engineering* to invite comments from all interested persons. After the allotted time for public review and final approval by ASME Council, revisions are published semiannually in Addenda to the Code.

Code Cases may be used in the construction of components to be stamped with the ASME Code symbol beginning with the date of their approval by the ASME Council.

After Code revisions are approved by Council they may be used beginning with the date of issuance shown on the Addenda. Revisions become mandatory as minimum requirements six months after such date of issuance, except for boilers or pressure vessels contracted for prior to the end of the six-month period.

Manufacturers and users of components are cautioned against making use of revisions and Cases that are less restrictive than former requirements without having assurance that they have been accepted by the proper authorities in the jurisdiction where the component is to be installed.

Each state and municipality in the United States and each province in the Dominion of Canada that adopts or accepts one or more Sections of the Boiler and Pressure Vessel Code is invited to appoint a representative to act on the Conference Committee to the Boiler and Pressure Vessel Committee. Since the members of the Conference Committee are in active contact with the administration and enforcement of the rules, the requirements for inspection in this Code correspond with those in effect in their respective jurisdictions. The required qualifications for an Authorized Inspector or an Authorized Nuclear Inspector under these rules may be obtained from the administrative authority of any state, municipality, or province which has adopted these rules.

The Boiler and Pressure Vessel Committee in the formulation of its rules and in the establishment of maximum design and operating pressures considers materials, construction, methods of fabrication, inspection, and safety devices. Permission may be granted to regulatory bodies and organizations pub-

lishing safety standards to use a complete Section of the Code by reference. If usage of a Section, such as Section IX, involves exceptions, omissions, or changes in provisions, the intent of the Code might not be attained.

Where a state or other regulatory body, in the printing of any Section of the Boiler and Pressure Vessel Code, makes additions or omissions, it is recommended that such changes be clearly indicated.

The National Board of Boiler and Pressure Vessel Inspectors is composed of chief inspectors of states and municipalities in the United States and of provinces in the Dominion of Canada that have adopted the Boiler and Pressure Vessel Code. This Board, since its organization in 1919, has functioned to uniformly administer and enforce the rules of the Boiler and Pressure Vessel Code. The cooperation of that organization with the Boiler and Pressure Vessel Committee has been extremely helpful. Its function is clearly recognized and, as a result, inquiries received which bear on the administration or application of the rules are referred directly to the National Board. Such handling of this type of inquiry not only simplifies the work of the Boiler and Pressure Vessel Committee, but action on the problem for the inquirer is thereby expedited. Where an inquiry is neither clearly an interpretation of the rules nor a problem of application or administration, it may be considered both by the Boiler and Pressure Vessel Committee and the National Board.

It should be pointed out that the state or municipality where the Boiler and Pressure Vessel Code has been made effective has definite jurisdiction over a particular installation. Inquiries dealing with problems of local character should be directed to the proper authority of such state or municipality. Such authority may, if there is any question or doubt as to the proper interpretation, refer the question to the Boiler and Pressure Vessel Committee.

The Specifications for base materials given in Section II, Parts A and B, are identical with or similar to those of The American Society for Testing and Materials. The Specifications for welding materials given in Section II, Part C, are identical with or similar to those of the American Welding Society. Use of the materials described in these Specifications is covered by the rules in one or more Sections of the Boiler and Pressure Vessel Code. All materials allowed by these various Sections and used for construction within the scope of their rules shall be furnished in accordance with ASME Material Specifications contained in Section II except where otherwise provided in Code Cases or in the applicable Section of the Code. Materials covered by these Specifications are acceptable for use in items covered by the Code Sections only to the degree indicated in the applicable Section. Materials for Code use should preferably be ordered, produced, and documented on this basis; however, material produced under an ASTM Specification may be used in lieu of the corresponding ASME Specification, provided that the requirements of the ASTM Specification are identical (excluding editorial difference) or more stringent than the ASME Specification for the Grade, Class, or Type produced and provided that the material is confirmed as complying with the ASTM Specification. Material produced to an ASTM specification with requirements different from the requirements of the corresponding ASME Specification may also be used in accordance with the above, provided the material manufacturer or vessel manufacturer certifies with evidence acceptable to the Authorized Inspector or Authorized Nuclear Inspector that the corresponding ASME Specification requirements have been met. Material produced to an ASME or ASTM Material Specification is not limited as to country of origin.

STATEMENT OF POLICY ON THE USE OF CODE SYMBOLS AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use Code Symbols for marking items or constructions which have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Code Symbols for the benefit of the users, the enforcement jurisdictions, and the holders of the symbols who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the symbols, Certificates of Authorization, and reference to Code construction. The American

can Society of Mechanical Engineers does not "prove," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications which might indicate. An organization holding a Code Symbol and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code."

The ASME Symbol shall be used only for stamping and name plates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of a Code Symbol who may also use the facsimile in advertising to show that clearly specified items will carry the symbol. General usage is permitted only when all of a manufacturer's items are constructed under the Rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Code Symbol Stamp described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the various Code Symbols shall not be used on any item which is

not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME which tend to imply that all Code requirements have been met when in fact they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

PERSONNEL

ASME Boiler and Pressure Vessel Committee Subcommittees, Subgroups, and Working Groups

As of July 1, 1979

MAIN COMMITTEE

P. M. Brister, <i>Chairman</i>	W. R. Mikesell
W. L. Harding, <i>Vice Chairman</i>	R. H. Moeller
G. M. Eisenberg, <i>Secretary</i>	F. N. Moschini
B. W. Bace	T. E. Northup
R. D. Bonner	W. O. Parker
R. J. Bosnak	C. E. Rawlins
M. N. Bressler	R. F. Reedy
V. W. Butler	A. T. Slatt
R. J. Cepluch	W. E. Somers
L. J. Chockie	
W. E. Cooper	<i>Assistant Secretaries</i>
W. D. Doty	
B. G. Earnheart	K. Baron
D. R. Gallup	J. Brzuszkiewicz
R. M. Gibson	R. Glazier
R. C. Griffin	J. Ling
S. F. Harrison	J. Millman
E. J. Hemzy	L. Napolitano
E. L. Kemmler	A. J. Roby
J. LeCoff	M. Sheehan
J. R. MacKay	A. A. Spadafino

EXECUTIVE COMMITTEE

W. L. Harding, <i>Chairman</i>	S. F. Harrison
P. M. Brister, <i>Vice Chairman</i>	E. J. Hemzy
G. M. Eisenberg, <i>Secretary</i>	E. L. Kemmler
R. J. Cepluch	W. E. Somers
R. C. Griffin	

MEMBER SECRETARIES

J. S. Andrew	E. M. Kloeben
H. M. Conner	J. L. Menson
J. S. Clark	R. F. Miller
J. M. Guy	D. B. Wesstrom
J. H. Harlow	F. S. G. Williams
W. P. Hoyt	E. J. Eiseman
W. James	L. P. Zick

MARINE CONFERENCE GROUP

J. Tiratto, <i>Chairman</i>	A. E. Henn
V. W. Bugg	E. C. Smith

CONFERENCE COMMITTEE

H. S. Mauk—Delaware (<i>Chairman</i>)	G. M. Kueter—Denver— Milwaukee
D. R. Gallup—Illinois (<i>Vice Chairman</i>)	O. R. Kyte—Memphis
S. F. Harrison—National Board (<i>Secretary</i>)	W. W. Larsen—Iowa
H. Baron—Minnesota	C. G. Mason—New Orleans
R. K. Bloesch—Utah	J. P. Mickels—Nebraska
C. A. Brown—Kentucky	S. J. Merzwa—Michigan
E. H. Cannon—Kansas	W. A. Millerwest—Prince Edward Island, Canada
P. J. Carosella—San Francisco	A. Morgan—West Virginia
R. D. Cather—Alaska	J. W. Morvant—Louisiana
E. B. Cimino—Colorado	L. A. O'Morrow—Manitoba
A. J. Cmey—Chicago	R. E. Peterson—Hawaii
B. W. Cole—British Columbia, Canada	L. C. Prevatt—Rhode Island
J. T. Crosby—Arkansas	A. J. R. Rees—Alberta, Canada
V. E. Doss—Saskatchewan, Canada	B. O. Rohde—Nevada
J. Dannehold—Los Angeles	D. Ross—New Brunswick, Canada
A. W. Diamond—Newfound- land and Labrador, Canada	R. Sauve—Quebec, Canada
W. H. Dormer—Boston	S. Schugar—Detroit
V. E. Doss—Virginia	A. L. Snow—Pennsylvania
J. J. Duffy—Wisconsin	L. E. Stoppelman—St. Louis
J. W. Emerson—Maine	J. L. Sullivan—New Jersey
M. M. Forseth—Washington	S. B. Voris—Seattle
B. Geary—Arizona	C. H. Walters—Oregon
H. J. Gragg—North Dakota	T. M. Wedemeier—Texas
J. T. Grail—Maryland	B. L. Whitley—North Carolina
E. M. Hicks—New York	H. R. Williams—District of Columbia
R. E. Jagger—Ohio	H. J. Wright—Province of Ontario
R. R. Johnson—Indiana	R. A. Yeo—Nova Scotia, Canada

SUBCOMMITTEE ON POWER BOILERS (SC 1)

W. E. Somers, <i>Chairman</i>	R. F. Manning
J. R. MacKay, <i>Vice Chairman</i>	J. J. O'Connor
M. E. Sheehan, <i>Secretary</i>	A. H. Rawdon
J. Aquilar, <i>Alternate</i>	R. P. Sanchez
M. D. Bernstein	R. D. Schueler
B. W. Cole	A. T. Slatt
A. R. Faulkner	M. J. Telesmanic
W. L. Harding	L. E. Triggs
R. H. Jacobs	J. A. Werhane
E. C. Kistner	R. L. Williams
D. J. McDonald	L. W. Yoder

Subgroup on Electric Boilers (SC I)

J. R. MacKay, *Chairman*
 D. R. Bartosch
 R. Beckwith
 B. C. Higgins

R. F. Manning
 J. L. McKenney
 T. H. Milton
 R. F. Reid

Subgroup on Steel Tubular Products (SC II)

W. R. Sylvester, *Chairman*
 R. Cockroft
 D. K. Greenwald
 R. P. Meineke

I. J. Rozic
 R. P. Stripay
 R. H. Zong

Subgroup on Care of Power Boilers (SC I)

J. J. O'Connor, *Chairman*
 J. Brock
 H. F. Dobel
 C. R. Hoefs
 E. C. Kistner
 L. J. Kuhlman
 J. A. Lux
 D. J. McDonald

J. W. McNees
 A. Plauchu
 G. J. Raftis
 P. R. Sanchez
 R. Schweiger
 T. Slatt
 L. E. Triggs

Subgroup on Steel Castings, Forgings, and Boltings (SC II)

E. G. Nisbett, *Chairman*
 W. C. Banks
 R. F. Cappellini
 B. M. Dingman
 A. F. Gross
 J. A. Kozub
 E. Landerman

D. R. Moyer
 J. S. Orlando
 C. J. Parmentier
 D. A. Patience
 H. C. Templeton
 E. O. Woolridge

Subgroup on Piping (SC I)

A. T. Slatt, *Chairman*
 R. Beckwith
 E. C. Kistner
 T. C. McGough

L. J. Sas
 J. L. Sperry
 R. L. Williams
 C. G. Winters

Subgroup on Nonferrous Alloys (SC II)

J. Gadbut, *Chairman*
 A. Cohen
 R. Dirscherl
 G. C. Hsu

J. W. Tackett
 M. J. Weiss
 D. H. Wilson

Subgroup on Fire Tube Boilers (SC I)

M. J. Telesmanic, *Chairman*
 B. W. Cole
 R. H. Jacobs

G. L. Kasparian
 R. F. Manning
 L. Sanchez

SUBCOMMITTEE ON NUCLEAR POWER (SC III)**Subgroup on Design (SC I)**

R. D. Schueler, *Chairman*
 C. G. Winters, *Secretary*
 M. D. Bernstein
 B. W. Cole

W. R. Hankins
 D. E. Lemon
 R. F. Manning
 C. R. Rizzo

F. Coedy, *Chairman*
 R. Smith, *Vice Chairman*
 I. Millman, *Secretary*
 H. Baron
 J. N. Baysden
 R. J. Bosnak
 M. N. Bressler
 F. W. Catudal
 L. J. Chockie
 W. E. Cooper
 R. L. Dick
 P. M. Dimitroff
 H. F. Dobel
 W. D. Doty
 F. R. Drahos
 E. F. Gerwin

J. G. Gillissie
 R. E. Glazier
 B. D. Hackney (Alternate)
 E. J. Hemzy
 J. P. Knight (Alternate)
 W. G. Knecht
 D. F. Landers (Alternate)
 W. N. McLean
 W. R. Mikesell
 W. J. Miller
 F. N. Moschini
 T. E. Northup
 C. M. Purdy
 E. C. Rodabaugh
 D. W. Sher

SUBCOMMITTEE ON MATERIALS SPECIFICATIONS (SC II)

V. W. Butler, *Chairman*
 M. E. Sheehan, *Secretary*
 W. C. Banks
 J. B. Doran
 J. Gadbut
 M. Gold
 G. C. Hsu

E. Landerman
 E. G. Nisbett
 J. W. Swayne
 W. R. Sylvester
 J. W. Tackett
 E. O. Woolridge

Subgroup on Steel Plates (SC II)

A. W. Zentgen, *Chairman*
 I. M. Prown
 D. J. Carpenter
 L. E. Croft
 J. B. Doran

W. D. Edsall
 H. W. Garvin
 H. A. Grubb
 R. E. Lorentz
 E. O. Woolridge

Subgroup on General Requirements (SC III & 3C)

F. W. Brady, *Co-Chairman*
 H. F. Dobel, *Co-Chairman*
 J. N. Baysden
 R. J. Bosnak
 F. W. Catudal
 E. F. Gerwin

W. S. Gibbons, Jr.
 J. G. Gillissie
 F. N. Moschini
 J. C. Quinn
 W. Schultheis
 G. M. Tolson

Working Group on Quality Assurance (SG-GR) (SC III & 3C)

W. S. Gibbons, <i>Co-Chairman</i>	F. W. Joyce
R. E. Keever, <i>Co-Chairman</i>	J. R. Lenardson
R. D. Kolchak, <i>Co-Chairman</i>	H. A. Manning
R. L. Anderson	M. J. Meyer
J. N. Babcock	J. Milhoan
H. Baron	W. J. Miller
A. Breed	R. E. Muise
J. Bosco	S. Sparacino
R. B. Bremmer	M. F. Sullivan
J. E. Crowe	G. M. Tolson
R. Davis	R. B. Yori

Working Group on Piping (SG-D) (SC III)

E. B. Branch, <i>Chairman</i>	R. F. Petrokas
L. E. Alsager	J. E. Richardson
K. C. Chang	E. C. Rodabaugh
H. W. Dolfi	E. F. Sheaffer
G. W. Gartland	G. Slagis
S. Gils	E. O. Swain
A. B. Glickstein	F. E. Vinson
D. F. Landers	E. A. Wais
M. V. Malkmus	A. G. Walther
S. E. Moore	L. E. Wright
E. D. Mysinger	W. B. Wright
M. H. Pedell	M. P. Zyne

**Working Group on Duties and Responsibilities (SG-GR)
(SC III & 3C)**

R. Shanlever, <i>Co-Chairman</i>	B. D. Larcher
W. Schultheis, <i>Co-Chairman</i>	A. S. Laurenson
W. L. Lowry, <i>Secretary</i>	R. S. Love
F. W. Brady	A. J. Moellenbeck
P. J. Herbert	M. J. Morris
N. I. Hyman	B. M. Parks
W. F. Johnson	B. D. Rall
K. T. Kostal	D. W. Sher
F. Kratzinger	D. R. Young

Working Group on Pumps (SG-D) (SC III)

W. M. Wepfer, <i>Chairman</i>	A. J. MacCrum
G. G. Anderson	J. D. Major
C. S. Boster	J. R. McEwan
H. L. Brammer	G. T. Morissy
R. Dervedde	J. Nagengast
H. G. Graglia	R. M. Nelson
D. R. Hyatt	J. H. Wawrzeniak

Working Group on Valves (SG-D) (SC III)

W. J. McLean, <i>Chairman</i>	J. J. McGavin
P. J. Awtrey	L. J. Malandra
L. Beltz	B. J. Milleville
R. R. Brodin	H. R. Sonderegger
B. P. Brooks	J. S. Tsacoyeanes
J. M. Cowley	R. G. Visalli
R. J. Kiessel	R. T. Wolantejus
W. G. Knecht	J. R. Zahorsky
R. Koester	B. Zannini
B. H. Leonard	B. M. Zarolia

Subgroup on Materials (SC III)

W. G. Knecht, <i>Chairman</i>	W. H. Leach
J. R. Barbee	W. N. McLean
M. N. Bressler	R. P. Meineke
B. G. Carlton	R. H. Moeller
F. R. Drahos	L. M. Peacock
S. M. Gaitonde	W. H. Rice
W. D. Goins	W. J. Sierko
D. K. Greenwald	W. Swayne
H. A. Grubb	K. Taboada
J. W. Juppenlatz	E. Tyson
E. Landerman	D. E. Young

Working Group on Component Supports (SG-D) (SC III)

M. N. Bressler, <i>Chairman</i>	E. D. Mysinger
R. E. Vinson, <i>Vice Chairman</i>	J. R. Noreen
G. M. Bove	R. F. Petrokas
J. T. Boyd	L. J. Pierce
B. J. Cheek	W. H. Scheffler
E. W. Corner	E. O. Swain
Z. A. Kravets	K. R. Wichman
R. J. Masterson	R. T. Wolantejus
A. E. Melig	M. P. Zyne
A. J. Moellenbeck	

Subgroup on Design (SC III)

W. J. McKesell, <i>Chairman</i>	W. N. McLean
E. B. Branch	C. A. Moore
M. N. Bressler	C. M. Purdy
W. G. Brussalis	E. C. Rodabaugh
N. W. Edwards	J. D. Stevenson
W. F. English	F. E. Vinson
F. P. Hill	W. M. Wepfer
D. F. Landers	K. R. Wichman
E. M. Livingston	

Working Group on Core Support Structures (SG-D) (SC III)

B. L. Silverblatt, <i>Chairman</i>	W. F. English
T. Vetter, <i>Secretary</i>	F. T. Grubelich
R. W. Bonsall	G. C. Millman
C. W. Collins	

Working Group on Containment (SG-D) (SC III)

N. W. Edwards, <i>Chairman</i>	R. F. Sammataro
R. Broman	J. D. Stevenson
D. R. Denton	J. F. Strunk
K. T. Kostal	J. C. Tsai
J. E. Love	A. Walsenko
M. V. Malkrus	K. R. Wichman
L. C. Noriega	

Subgroup on Elevated Temperature Construction (SC III)

M. T. Jakub, <i>Chairman</i>	H. B. Ketchum
A. W. Dalcher	F. B. Litton
J. G. Gillissie	J. L. McLean
W. D. Goins	R. A. Moen
R. I. Jetter	J. M. Tanzosh

Working Group on FRP Pipe (SG-D) (SC III)

L. Loziuk, <i>Chairman</i>	J. Newman
R. J. Bailey	L. Porse
A. B. Glickstein	R. A. White
M. E. Greenwood	

Joint ACI-ASME Committee on Concrete Pressure Components for Nuclear Service (SC-3C)

D. K. Croneberger, <i>Chairman</i>	R. D. Kulchak
T. E. Northup, <i>Vice Chairman</i>	D. P. Moore
K. I. Baron, <i>Secretary</i>	M. J. Morris
J. P. Allen	R. A. Muenow
J. F. Artuso	L. S. Napolitano
M. Bender	F. S. Ople
W. C. Black	A. L. Parme
F. W. Brady	R. P. Pizzuti
T. M. Brown	P. Reinhardt
B. A. Erler	F. Rinaldi
G. L. Fisher	W. Rockenhauser
M. M. Forseth	E. R. Rybarski
A. E. Goldman	R. Shanlever
A. W. Isberner	C. Siess
T. E. Johnson	J. D. Stevenson
W. F. Johnson	B. K. Thornley
R. E. Keever	

Special Working Group on Dynamic Analysis (SG-D) (SC III)

S. W. Tagart, <i>Chairman</i>	L. D. Liu
G. F. Bohm	A. E. Meligi
A. P. Cobb	D. Tow
N. A. Goldstein	R. Wray
A. H. Hadjian	

Special Working Group on Faulted Conditions (SG-D) (SC III)

G. F. Bohm, <i>Chairman</i>	M. Hartzman
P. L. Anderson	D. P. Munson
R. Broman	P. R. Olson
C. W. Bruny	P. P. Raju
J. Dainora	H. K. Shaw
W. F. English	J. D. Stevenson
J. Ferdous	W. A. Von Riesman
J. A. Freeman	

Working Group on Concrete Inspectors Qualifications (SG-GR) (SC-3C)

F. W. Joyce, <i>Chairman</i>	W. F. Johnson
J. F. Artuso	R. A. Muenow
H. W. Gilley	R. J. Vurpillat
C. E. Jaycox	R. E. Wilson

Subgroup on Fabrication and Examination (SC III)

F. N. Moschini, <i>Chairman</i>	W. G. Knecht
H. A. Sepp, <i>Secretary</i>	J. Lang
C. W. Allison	J. R. McGuffey
D. C. Bertosa	W. M. McLean
W. M. Beyerly	W. A. Molvie
B. G. Carlton	J. L. Perkins
J. B. Christofferson	C. M. Purdy
H. F. Conrad	J. W. Richardson
F. R. Drahos	G. R. Schmidt
E. F. Gerwin	R. E. Schuessler
R. C. Green	R. E. Tschirch
R. W. Jackson	L. R. VanCott
R. M. Jessee	

Subgroup on Materials, Constructions, and Examinations (SC-3C)

J. P. Allen, <i>Chairman</i>	A. W. Isberner
W. C. Black	F. W. Joyce
G. L. Fisher	W. R. Mikesell
M. M. Forseth	P. Reinhardt
J. F. Hildebrand	R. A. Rohrbacher

Subgroup on Pressure Relief (SC III)

F. W. Catudal, <i>Chairman</i>	W. D. Greenlaw
T. R. Bordelon	S. F. Harrison
F. Cherney	H. P. Leonard
P. M. Dimitroff	D. M. Pattarini

Working Group on Concrete (SG-M, C, & E) (SC-3C)

A. W. Isberner, <i>Chairman</i>	F. W. Joyce
J. P. Allen	G. R. Murphy
J. F. Best	R. A. Rohrbacher
R. A. Bradshaw	E. R. Rybarski
M. L. Jones	C. H. Willets

**Working Group on Reinforcing and Prestressing Systems
(SG-M, C, & E) (SC-3C)**

W. C. Black, <i>Chairman</i>	P. Reinhardt
J. R. Leclair	R. J. Stuart
R. E. Lipinski	B. K. Thornley
D. P. Moore	G. Valentenvi
D. K. Peetz	

Working Group on Liners (SG-M, C, & E) (SC-3C)

G. L. Fisher, <i>Chairman</i>	P. J. Kovach
R. M. Attar	J. D. Madden
U. I. Gosts	R. W. Mikitka
F. J. Hildebrand	

Subgroup on Design (SC-3C)

J. D. Stevenson, <i>Chairman</i>	R. E. Koppe
A. K. Banerjee	R. A. Mattson
E. G. Burdette	F. C. Moreadith
J. P. Callahan	F. S. Ople
L. I. Cheng	J. A. Raulinaitis
M. J. Holley	B. B. Scott
D. C. Jeng	R. E. Shewmaker
T. E. Johnson	A. Walser

Subgroup on Core Support Structures (SG-D) (SC-3C)

A. E. Goldway, <i>Chairman</i>	P. A. Stancampiano
J. W. Borkowski	T. Y. P. Tan
T. P. Chang	G. T. Yahr
A. A. Cline	Z. Zudans
F. V. Fair	

**Subgroup on Testing and Protection Against Overpressure
(SC-3C)**

T. M. Brown, <i>Chairman</i>	N. J. Tuholski
S. Guha-Majumdar	L. F. Wallace

SUBCOMMITTEE ON HEATING BOILERS (SC IV)

S. F. Harrison, <i>Chairman</i>	M. Lieblich
J. Brzuszkiewicz, <i>Secretary</i>	T. H. Milton
F. P. Barton	R. Mullican
G. F. Carlson	G. B. Sims
R. B. Duggan	M. J. Telesmanic
G. E. Fratcher	J. R. Thomson
D. R. Gallup	N. F. Vierson
G. L. Kasparian	R. H. Weigel

Subgroup on Care and Operation of Heating Boilers (SC IV)

D. R. Gallup	G. B. Sims
T. H. Milton	J. I. Woodworth

Subgroup on Water Heaters (SC IV)

G. E. Fratcher, <i>Chairman</i>	W. L. Garvin
A. N. Duncan, <i>Secretary</i>	G. R. Lewis
F. P. Barton	G. B. Sims
P. G. Daugirda	J. R. Thomson
D. R. Gallup	E. Wenczl

Subgroup on Cast Iron Boilers (SC IV)

D. R. Gallup, <i>Chairman</i>	R. H. Weigel
W. L. Garvin	J. I. Woodworth

**SUBCOMMITTEE ON NONDESTRUCTIVE EXAMINATION
(SC V)**

J. R. MacKay, <i>Chairman</i>	E. T. Hughes
R. C. Hudson, <i>Vice Chairman</i>	T. Kirk
A. S. Birks (Alternate)	T. F. Luga
H. G. Bogart	S. Markowitz
L. J. Chockie	W. C. McGaughey
D. C. Christofferson	E. E. Potter
B. H. Clark	F. J. Sattler
L. T. Detlor	M. Sheehan
F. T. Duba	J. C. Spanner
R. M. Gibson	J. Sunukjian
P. J. Herbert	M. Trevino
W. C. Herman	B. L. Whitley

Subgroup on General Requirements (SC V)

R. M. Gibson, <i>Chairman</i>	J. E. Miller
J. O. Brown	J. Sunikjian
D. C. Christofferson	B. L. Whitley
B. H. Clark	

Subgroup on Radiography (SC V)

L. T. Detlor, <i>Chairman</i>	S. Markowitz
J. J. Callinan	C. N. Sherlock
G. D. Edwards	B. K. Warren
R. R. Hardison	E. J. Wnek
T. F. Luga	

Subgroup on Ultrasonics and Acoustic Emission (SC V)

P. J. Herbert, <i>Chairman</i>	E. T. Hughes
F. C. Berry	R. W. McClung
L. J. Chockie	W. C. McGaughey
N. O. Cross	E. Potter
F. T. Duba	F. J. Sattler
V. S. Goel	J. C. Spanner
D. A. Gomien	

Subgroup on Surface NDE (MT, PT, & ET) (SC V)

H. G. Bogart, <i>Chairman</i>	T. Kirk
A. S. Birks	J. B. Morgan
R. Dube	F. R. Turner
H. C. Graber	R. B. Yaw

SUBCOMMITTEE ON PRESSURE VESSELS (SC VIII)

R. J. Cepluch, <i>Chairman</i>	W. L. Garvin
J. LeCoff, <i>Vice Chairman</i>	R. M. Gibson
A. J. Roby, <i>Secretary</i>	R. C. Griffin
B. W. Bace	G. G. Karcher
R. K. Blossch	P. E. Loveday
R. D. Bonner	J. C. Maxham
V. W. Butler	R. F. O'Neill
B. G. Earnheart	F. O. Parnkopf
R. A. Ecoff	C. E. Rawlins
J. R. Farr	R. J. Sinisi
H. B. France	J. J. Szigety
G. E. Fratcher	C. M. Vogrin

Special Working Group on Heat Transfer Equipment (SC VIII)

G. G. Karcher, <i>Chairman</i>	A. Lohmeier
J. H. Kissel, <i>Secretary</i>	D. A. Meyer
D. E. Bolt	H. C. Rauschenplat
G. Borushko	A. P. Rochino
B. J. Field	H. A. Schmidt
A. M. Impagliazzo	J. E. Soehrens
J. LeCoff	A. I. Soler

Special Working Group on Layered Vessels (SC VIII)

R. A. Ecoff, <i>Chairman</i>	F. O. Parnkopf
A. M. Smolen, <i>Secretary</i>	R. E. Pechacek
F. Abernathy	H. C. Rauschenplat
E. A. Becker	J. W. Tackett
G. E. Fratcher	C. M. Vogrin
R. M. Gibson	B. L. Whitley
N. Gilbert	

Subgroup on General Requirements (SC VIII)

R. D. Bonner, <i>Chairman</i>	P. E. Loveday
H. S. Lewis, <i>Secretary</i>	J. C. Maxham
A. P. Ahrent	C. C. Neely
R. K. Blossch	H. C. Oakley
D. D. Carpenter	A. J. Palmer
H. F. Colter	A. M. Smolen
W. L. Garvin	W. J. Stuber

Subgroup on Materials (SC VIII)

R. A. Ecoff, <i>Chairman</i>	J. J. Gaughan
M. H. Jawad, <i>Secretary</i>	E. D. Narduzzi
W. C. Banks	C. E. Rawlins
V. W. Butler	L. E. Spry
J. Gadbut	J. W. Tackett
H. W. Garvin	A. H. Weber

Subgroup on Design (SC VIII)

J. R. Farr, <i>Chairman</i>	G. G. Karcher
R. E. Knoblock, <i>Secretary</i>	J. R. Maison
R. M. Gibson	J. J. Murphy
R. E. Gleason	R. F. O'Neill
J. A. Hayward	A. Selz
M. Jawad	C. M. Vogrin

Working Group on Noncircular Vessels (SG-D) (SC VIII)

N. Gilbert, <i>Chairman</i>	E. L. Thomas
H. B. Peters	J. L. Urner
A. M. Smolen	

Subgroup on Fabrication and Inspection (SC VIII)

J. J. Szigety, <i>Chairman</i>	J. Lang
R. F. O'Neill, <i>Secretary</i>	J. R. Maison
J. O. Brown	F. O. Parnkopf
B. G. Earnheart	R. E. Schuessler
H. B. France	R. J. Sinisi
M. J. Houle	R. F. Wagner

SUBCOMMITTEE ON WELDING (SC IX)

R. C. Griffin, <i>Chairman</i>	R. E. Lorentz
J. Brzuszkiewicz, <i>Staff Representative</i>	J. C. Maxham
L. J. Christensen, <i>Secretary</i>	J. Mikulak
B. L. Alia	A. H. Miller
H. R. Cobb	G. W. Oyler
H. R. Conaway	D. K. Peetz
W. Doty	A. W. Pollack
B. D. Hackney	R. K. Sager
R. L. Harris	H. S. Sayre
H. L. Helmbrecht	W. K. Scattergood
M. J. Houle	N. G. Schreiner
R. R. Johnson	G. K. Sosnin
R. A. LaPointe	W. J. Sperko
	G. W. Spohn

Subgroup on Materials (SC IX)

R. E. Lorentz, <i>Chairman</i>	J. E. Rogozenski
M. L. Carpenter	R. K. Sager
H. R. Conaway	W. J. Sperko
A. H. Miller	J. W. Tackett

SUBCOMMITTEE ON REINFORCED PLASTIC PRESSURE VESSELS (SC X)

B. G. Earnheart, <i>Chairman</i>	J. Hassert
J. Brzuszkiewicz, <i>Secretary</i>	W. D. Humphrey
E. E. Bates	A. B. Isham
D. M. Bertelsman	R. A. Johnson
W. L. Bliley	E. M. Kloeblen
J. W. Carter	H. S. Mauk
R. F. Foral	E. E. Morgeneegg
S. F. Harrison	J. R. Vinson

**SUBCOMMITTEE ON NUCLEAR INSERVICE INSPECTION
(SC XI)**

L. J. Chockie, <i>Chairman</i>	O. F. Hedden
W. O. Parker, <i>Vice Chairman</i>	P. J. Herbert
K. Baron, <i>Secretary</i>	R. E. Jagger
C. W. Allison	L. R. Katz
W. F. Anderson	J. J. Lance
A. J. Birkle	M. S. Markowitz
R. E. Bullock	R. R. Maccary
R. T. Duba	P. C. Riccardella
H. L. Gotschall	M. C. Smith
L. B. Gross	F. A. Warner
G. J. Hallinan	W. O. Worden
W. C. Ham	S. A. Zych

Working Group on Concrete Pressure Components (SC XI)

B. A. Erler, <i>Chairman</i>	H. L. Gotschall
H. Ashar	S. Guha-Majumdar
R. E. Bullock	N. J. Tuholski
F. T. Duba	G. Valentenvi

Special Working Group on Editing and Review (SC XI)

O. F. Hedden, <i>Chairman</i>	R. R. Maccary
R. L. Beverly	M. J. Partridge
D. D. Davis	F. A. Warner
L. B. Gross	

Subgroup on General Requirements (SC XI)

A. J. Birkle, <i>Chairman</i>	G. Kayser
C. W. Allison	J. R. Knoke
R. M. Gamble	C. V. Moore
G. Gotch	M. J. Partridge
L. B. Gross	F. A. Warner
S. W. Johnson	

Working Group on Regulatory Guides (SG-GR) (SC XI)

A. J. Birkle, <i>Chairman</i>	L. B. Gross
J. R. Knoke, <i>Chairman</i>	E. J. Parent
W. M. Clarke	

**Working Group on Inspection Duties and Code Application
(SG-GR) (SC XI)**

S. W. Johnson, <i>Chairman</i>	G. Gotch
R. J. Claverie	S. M. Sullivan
L. Frank	R. A. Warner
W. B. Garrett	W. O. Worden

**Working Group on Inspection of Class 2 Systems
(SG-GR) (SC XI)**

M. J. Partridge, <i>Chairman</i>	V. G. Kovacevic
R. Beckwith	J. B. Martin
E. J. Brown	W. A. Sims
M. T. Cross	

Subgroup on Water Cooled Systems (SC XI)

L. R. Katz, <i>Chairman</i>	F. E. Gregor
L. E. Titland, <i>Secretary</i>	O. F. Hedden
S. H. Bush	S. Lefkowitz
C. Y. Cheng	R. E. Legate
A. E. Curtis	R. R. Maccary
D. D. Davis	P. C. Riccardella
F. J. Dodd	M. C. Smith

Working Group on Evaluation (SG-WCS) (SC XI)

S. H. Bush, <i>Chairman</i>	J. P. Houstrup
W. H. Bamford, <i>Secretary</i>	T. U. Marston
J. M. Bloom	J. G. Merkle
C. Y. Cheng	S. Ranganath
R. C. Cipolla	R. Wullaert
E. DeBarba	S. Yukawa
W. C. Ham	

**Working Group on Nondestructive Examination
(SG-WCS) (SC XI)**

O. F. Hedden, <i>Chairman</i>	P. J. Herbert
W. T. Clayton	M. R. Hum
J. F. Cook	L. A. Johnson
C. D. Cowfer	J. J. Lance
F. J. Dodd	B. R. Rajala
F. T. Duba	F. J. Sattler
J. R. Frederick	J. L. Wood
K. J. Hannah	

Working Group on Standards (SG-WCS) (SC XI)

P. C. Riccardella, <i>Chairman</i>	S. Koziol
R. L. Beverly	R. R. Maccary
A. J. Birkle	R. M. Stone
J. A. Breynaert	W. A. Vandersluys
C. Y. Cheng	A. R. Whiting
J. F. Enrietto	S. A. Zych

**Working Group on Steam Generator Inspection
(SG-WCS) (SC XI)**

A. J. Birkle, <i>Chairman</i>	L. B. Gross
C. J. Denton	R. H. Jacobs
P. P. DeRosa	E. J. Parent
L. Frank	

Working Group on Component Supports (SG-WCS) (SC XI)

D. D. Davis, <i>Chairman</i>	J. R. Knoke
J. T. Boyd	C. N. Krishnaswamy
J. A. Breynaert	H. K. Shaw
F. T. Duba	K. A. Stanley
J. R. Hebert	M. P. Zyne

Subgroup on Repairs and Replacements (SC XI)

W. C. Ham, <i>Chairman</i>	J. B. Henderson
F. T. Duba, <i>Secretary</i>	W. Kiesler
D. C. Bertosa	G. J. Pitzl
J. S. Caplan	J. C. Tobin
J. Derrico	S. A. Zych
W. L. Garvin	

Working Group on Repair Welding (SG-RR) (SC XI)

J. S. Caplan, <i>Chairman</i>	H. J. Kaplan
W. D. Goins, <i>Secretary</i>	R. D. Kerr
D. C. Bertosa	R. A. LaPointe
B. G. Carlton	J. W. Walvoord
M. J. Houle	

Subgroup on Strength—Nonferrous Alloys (SC-P)

R. H. Moeller, <i>Chairman</i>	G. Harth
J. W. Tackett, <i>Secretary</i>	W. H. Leach
R. Dirscherl	E. Shapiro
D. P. Edmonds	R. T. Webster
D. G. Herman	D. H. Wilson

Subgroup on Gas Cooled Systems (SC XI)

F. A. Warner, <i>Chairman</i>	F. B. Litton
W. M. Clarke, <i>Secretary</i>	L. M. McBride
J. A. Breynaert	R. W. Peters

**Subgroup on Strength of Weldments (SC-P) (SC-IX)
(Joint Subgroup)**

W. Doty, <i>Chairman</i>	R. K. Sager
R. E. Lorentz	G. V. Smith
D. I. Roberts	

Subgroup on Liquid Metal Cooled Systems (SC XI)

M. S. Markowitz, <i>Chairman</i>	G. J. Hallinan
H. C. Jung, <i>Secretary</i>	A. Kanters
R. A. Baker	J. Matte
W. L. Chase	J. C. Tobin
J. Coonan	T. J. Walker
R. F. Green	

Subgroup on Fatigue Strength (SC-P)

W. J. O'Donnell, <i>Chairman</i>	M. Katcher
C. R. Brinkman	C. W. Lawton
J. A. Hayward	M. J. Manjoine
L. A. James	G. C. Millman
C. E. Jaske	R. R. Seely
D. P. Jones	

Subgroup on Containment (SC XI)

F. E. Gregor, <i>Chairman</i>	D. Pitcairn
R. E. Bullock	M. Revett
S. Guha-Majumdar	R. F. Sammataro
K. S. Herring	J. F. Strunk
R. D. Kerr	R. J. Stuart
P. J. Kovach	

Subgroup on Toughness (SC-P)

H. T. Corten, <i>Chairman</i>	E. G. Nisbett
D. J. Ayres	C. E. Rawlins
R. M. Brown	A. Selz
R. F. Cappelini	A. K. Shoemaker
R. J. Glodowski	R. D. Stout
H. A. Grubb	M. F. Wheatcroft
W. S. Hazelton	D. E. Young
E. I. Landerman	S. Yukawa
F. J. Loss	R. Zawierucha
R. K. Nanstad	

SUBCOMMITTEE ON PROPERTIES OF METALS (SC-P)

W. E. Leyda, <i>Chairman</i>	R. H. Moeller
A. J. Roby, <i>Secretary</i>	R. A. Moen
D. A. Canonico	E. D. Narduzzi
C. C. Clark	W. J. O'Donnell
J. F. Copeland	A. J. Palmer
H. T. Corten	C. E. Rawlins
W. Doty	B. W. Roberts
A. R. Faulkner	D. I. Roberts
R. F. Gill	G. V. Smith
R. J. Glodowski	J. W. Tackett
J. J. Kanter	R. A. Upson

Working Group on Non-Nuclear Application (SG-T) (SC-P)

C. E. Rawlins, <i>Chairman</i>	R. D. Stout
R. M. Brown	M. F. Wheatcroft
R. J. Glodowski	R. Zawierucha
E. G. Nisbett	

Working Group on Nuclear Application (SG-T) (SC-P)

E. I. Landerman, <i>Chairman</i>	F. J. Loss
R. F. Cappelini	A. Selz
H. A. Grubb	D. E. Young
W. S. Hazelton	

Subgroup on Strength—Steel and High Temperature Alloys (SC-P)

D. A. Canonico, <i>Chairman</i>	R. J. Glodowski
M. Gold, <i>Secretary</i>	J. J. Kanter
W. K. Abbott	T. G. McCarty
C. W. Alexander	R. A. Moen
M. N. Bressler	B. W. Roberts
V. W. Butler	J. E. Rogozenski
C. C. Clark	G. V. Smith
J. F. Copeland	C. E. Spaeder
R. F. Gill	F. A. Upson

Working Group on Toughness Criteria (SG-T) (SC-P)

H. T. Corten, <i>Chairman</i>	A. K. Shoemaker
D. J. Ayres	S. Yukawa
R. K. Nanstad	

**SUBCOMMITTEE ON SAFETY VALVE REQUIREMENTS
(SC-SV)**

S. F. Harrison, <i>Chairman</i>	F. J. Howes
J. Brzuszkiewicz, <i>Secretary</i>	E. C. Kistner
W. T. Anderson	J. H. Parent
T. R. Bordelon	A. J. Schmidt
G. F. Carlson	K. R. Shaw
F. W. Catudal	J. L. Strelow
O. J. Cox	C. G. Weber
D. R. Gallup	J. L. Corcoran (Alternate)
W. D. Greenlaw	W. L. Garvin (Alternate)
W. J. Harding	

SUBCOMMITTEE ON CODE SYMBOL STAMPS

E. L. Kemmler, <i>Chairman</i>	<i>Alternates</i>
S. F. Harrison, <i>Vice Chairman</i>	D. W. Anacki
A. A. Spadafino, <i>Secretary</i>	R. Beckwith
E. A. Becker	R. A. Clemons
C. E. Ford	R. R. Johnson
D. R. Gallup	R. C. Sinisi
P. E. Loveday	T. C. Summer
J. H. Parent	
W. J. Stuber	

SUBCOMMITTEE ON NUCLEAR CERTIFICATION (SC-NC)

E. J. Hemzy, <i>Chairman</i>	<i>Alternates</i>
M. N. Bressler, <i>Vice Chairman</i>	C. W. Allison
A. A. Spadafino, <i>Secretary</i>	A. Breed
H. Baron	J. A. Burgess
D. J. Carreira	R. E. Jagger
D. K. Croneberger	K. T. Kostal
H. F. Dobel	J. Lang
F. R. Drahos	J. D. Lenardson
W. S. Gibbons	H. A. Manning
C. H. Harmsen	U. Potapovs
S. F. Harrison	R. J. Tamminga
E. L. Kemmler	G. M. Tolson
W. G. Knecht	D. R. Young
F. N. Moschini	
W. R. Rutherford	

SUBCOMMITTEE ON DESIGN (SC-D)

J. LeCoff, <i>Chairman</i>	H. W. Marsh
W. R. Mikesell, <i>Vice Chairman</i>	E. C. Rodabaugh
A. Roby, <i>Secretary</i>	R. D. Schueler
J. R. Farr	S. W. Tagart
R. I. Jetter	

Subgroup on Openings (SC-D)

E. C. Rodabaugh, <i>Chairman</i>	P. P. Raju
M. P. Schwartz, <i>Secretary</i>	H. H. Schneider
M. N. Bressler	R. W. Schneider
R. T. Brown	H. K. Shaw
J. R. Farr	D. L. Shira
R. E. Gleason	E. D. Ssinigurski
S. C. Lou	E. O. Waters
R. W. Mikitka	

Subgroup on External Pressure (SC-D)

H. W. Marsh, <i>Chairman</i>	E. M. Livingston
O. B. Abhat	E. E. Morgeneegg
L. Conway	N. C. Small
M. H. Jawad	V. Svalbonas
C. J. Kelly	

Subgroup on Design Analysis (SC-D)

S. W. Tagart, <i>Chairman</i>	N. Gilbert
E. M. Lawrence, <i>Secretary</i>	E. R. Siliwinski
R. S. Barsoum	Z. Zudans

Working Group on Shells (SG-DA) (SC-D)

R. S. Barsoum, <i>Chairman</i>	R. Raghavan
C. Chen	W. A. Seagraves
A. Kalnins	Z. Zudans

Working Group on Inelastic Behavior (SG-DA) (SC-D)

S. Palusamy, <i>Chairman</i>	B. D. Liaw
J. T. Gormley	T. V. Narayanan

Working Group on Special Topics (SG-DA) (SC-D)

R. I. Jetter, <i>Chairman</i>	C. F. Nash
M. T. Jakub, <i>Secretary</i>	W. J. O'Donnell
E. J. Brown	F. A. Sebring
R. D. Campbell	L. K. Severud
J. B. Conway	G. V. Smith
J. M. Corum	A. L. Snow
A. W. Dalcher	J. M. Tanzosh
E. P. Esztergar	B. C. Wei
C. W. Lawton	

Working Group on Creep Fatigue (SG-EDT) (SC-D)

R. D. Campbell, <i>Chairman</i>	C. E. Jaske
C. R. Brinkman, <i>Secretary</i>	C. W. Lawton
J. B. Conway	R. K. Mattu
D. R. Diercks	J. E. McConnelee
J. M. Duke	C. C. Schultz
S. Guha-Majumdar	L. K. Severud
G. R. Halford	W. Veljoich

Working Group on Creep Analysis (SG-ETD) (SC-D)

W. J. O'Donnell, <i>Chairman</i>	R. I. Jetter
J. M. Corum, <i>Secretary</i>	L. Nieh
R. S. Barsoum	P. K. Patel
E. J. Brown	J. R. Ray
A. W. Dalcher	C. C. Schultz
J. M. Duke	F. A. Sebring
A. C. Gangadharan	L. K. Severud
D. S. Griffin	R. A. Valentin

Working Group on Materials Behavior (SG-ETD) (SC-D)

G. V. Smith, <i>Chairman</i>	R. I. Jetter
R. A. Moen, <i>Secretary</i>	D. I. Roberts
C. R. Brinkman	J. M. Tanzosh
J. B. Conway	

CONTENTS

A Detailed Contents Precedes Each Part, the Appendices, and the Forms

Foreword	v
Statements of Policy	vii
Personnel	ix
Preamble.....	xxi
Part HG General Requirements for All Materials of Construction	1
Part HF Requirements for Boilers Constructed of Wrought Materials.....	71
Subpart HW — Requirements for Boilers Fabricated by Welding	89
Subpart HB — Requirements for Boilers Fabricated by Brazing.....	107
Part HC Requirements for Boilers Constructed of Cast Iron.....	117
Part HLW Requirements for Lined Potable Water Heaters	135
Appendices	171
Guide to Manufacturers' Data Report Forms	205
Index.....	237

PREAMBLE

The rules of this Section of the Code cover minimum construction requirements for the design, fabrication, installation, and inspection of steam heating, hot water heating, hot water supply boilers which are directly fired with oil, gas, electricity, coal or other solid or liquid fuels and for operation at or below the pressure and temperature limits set forth in this document. Similar rules for lined potable water heaters are also included.

The rules are divided into four major Parts: Part HG, applying to all materials of construction except as provided for in Part HLW; Part HF, applying to assemblies fabricated of wrought material, except as provided for in Part HLW; Part HC, applying to cast iron assemblies; and Part HLW, applying to lined potable water heaters. Part HF is further subdivided into Subpart HW, containing rules for welded construction, and Subpart HB, containing rules for brazed construction.

The Parts and Subparts of this Section are divided into Articles. Each Article is given a number and a title, as for example, Part HG, Article 3, Design. Articles are divided into paragraphs which are given a three-digit number, the first of which corresponds to the Article number, thus, under

Article 3 of Part HG will be found paragraph HG-307. Paragraphs are further subdivided into subparagraphs. Major subdivisions of paragraphs are designated by three- or four-digit numbers followed by a decimal point and a digit or digits. Where necessary, further subdivisions are represented by letters and then by figures in parentheses. Minor subdivisions of the paragraphs are also represented by letters. A reference to one of these paragraphs in the text of the Section includes all of the applicable rules in that paragraph. Thus, reference to HG-307 includes all the rules in HG-307.1 through HG-307.4.

This Section does not contain rules to cover all possible details of design and construction. Where complete details are not given, it is intended that the manufacturer, subject to the approval of the Authorized Inspector, shall provide details of design and construction which will be as safe as otherwise required by these rules.

When the strength of any part cannot be computed with a satisfactory assurance of safety, these rules provide procedures for establishing its maximum allowable working pressure.

PART HG

**GENERAL REQUIREMENTS FOR ALL
MATERIALS OF CONSTRUCTION**

Article 1	Scope and Service Restrictions	
HG-100	Scope.....	7
HG-101	Service Restrictions and Exceptions.....	7
Article 2	Material Requirements	
HG-200	General Material Requirements.....	8
HG-201	Specific Material Requirements.....	8
Article 3	Design	
HG-300	Design Pressure.....	9
HG-301	Shells Under Internal Pressure.....	9
HG-305	Formed Heads, Pressure on Concave Side.....	9
HG-306	Formed Heads, Pressure on Convex Side.....	10
HG-307	Flat Heads.....	10
HG-309	Spherically Dished Covers (Bolted Heads).....	14
HG-312	Cylindrical Parts Under External Pressure.....	16
HG-315	Thickness of Tubes.....	21
HG-320	Openings in Boilers, General Requirements.....	22
HG-321	Reinforcement Required for Openings in Shells and Formed Heads.....	23
HG-323	Flanged-in Openings in Formed Heads.....	25
HG-325	Reinforcement Required for Openings in Flat Heads.....	26
HG-326	Limits of Metal Available for Reinforcement.....	26
HG-327	Strength of Reinforcement.....	28
HG-328	Reinforcement for Multiple Openings.....	28
HG-330	Inspection and Access Openings.....	29
HG-340	Stayed Surfaces.....	30
HG-341	Staybolts.....	31
HG-342	Dimensions of Stays.....	33
HG-343	Dimensions of Diagonal Stays.....	33
HG-345	Staying of Heads.....	34
HG-350	Ligaments.....	37
HG-360	Requirements for Tube Holes and Tube Attachments.....	38
HG-370	External Piping Connections.....	39
Figures		
HG-307	Some Acceptable Types of Unstayed Flat Heads and Covers.....	13
HG-309	Spherically Dished Steel Plate Covers With Bolting Flanges.....	15
HG-312.1	Chart for Determining Wall Thickness of Horizontal Cylindrical Furnaces When Constructed of Carbon Steel.....	17
HG-312.2	Chart for Determining Wall Thickness of Horizontal Cylindrical Furnaces When Constructed of Carbon Steel.....	18
HG-312.3	Acceptable Type of Ring Reinforced Furnace.....	19
HG-312.6	Connection Between Plain and Corrugated Furnace.....	20
HG-312.7	Acceptable Type of Semicircular Furnace Reinforcement.....	21
HG-320	Chart Showing Limits of Sizes of Openings With Inherent Compensation in Cylindrical Shells.....	24
HG-321	Chart for Determining Values of F	25
HG-326	Some Representative Configurations Describing the t_e Reinforcement Dimension.....	27
HG-340.1	Pitch of Staybolts Adjacent to Upper Corners of Fireboxes.....	30
HG-340.2	Acceptable Proportions for Ends of Throughstays.....	31
HG-340.3	Examples of Acceptable Corner Welds for Pressures Not Over 30 psi.....	31

HG-343	Details of Installation of Diagonal Stays.....	34
HG-345.1(a)	Sketch Showing Application of HG-345.1 to the Staying of Boilers.....	35
HG-345.1(b)	Sketch Showing Application of HG-345.1 to the Staying of Boilers.....	36
HG-345.2	Method of Determining Net Area of Irregular Segment of a Head.....	37
HG-350.1	Example of Tube Spacing With Pitch of Holes Equal in Every Row.....	37
HG-350.2	Example of Tube Spacing With Pitch of Holes Unequal in Every Second Row.....	37
HG-350.3	Example of Tube Spacing With Pitch of Holes Varying in Every Second and Third Row.....	38
HG-350.4	Example of Tube Spacing With Tube Holes on Diagonal Lines.....	38
Tables		
HG-315	Ferrous Tubes for Watertube and Firetube Boilers.....	22
HG-321	Values of Spherical Radius Factor K_1	25
HG-340	Allowable Pitch of Stays, in.....	32
HG-370	Minimum Thickness of Material for Threaded Connections to Boilers.....	39
Article 4 Pressure Relieving Devices		
HG-400	Pressure Relieving Valve Requirements.....	40
HG-401	Minimum Requirements for Safety and Safety Relief Valves.....	42
HG-402	Discharge Capacities of Safety and Safety Relief Valves.....	43
HG-403	Heating Surface.....	46
HG-405	Thermal Elements for Pressure-Temperature Relief Valves.....	46
HG-406	Valve Replacement.....	46
Figure		
HG-402	Official Symbol for Stamp to Denote The American Society of Mechanical Engineers' Standard.....	43
Table		
HG-400.1	Minimum Pounds of Steam Per Hour Per Square Foot of Heating Surface.....	41
Article 5 Tests, Inspection, and Stamping		
HG-500	Proof Tests to Establish Design Pressure.....	47
HG-501	General.....	47
HG-502	Procedure.....	48
HG-503	Tests of Parts Subject to Collapse.....	50
HG-504	Tests of Duplicate Parts.....	50
HG-505	Test Gages.....	50
HG-506	Inspection of Proof Tests.....	50
HG-510	Hydrostatic Tests.....	50
HG-512	Safety and Safety Relief Valve Accumulation Tests.....	50
HG-515	Inspection Tests and Certification of Boilers.....	51
HG-520	Master and Partial Data Reports.....	53
HG-530	Stamping of Boilers.....	53
HG-531	Stamping of Parts and Accesories.....	56
HG-532	Stamping of Field Assembled Wrought Boilers.....	56
HG-533	Inspection and Stamping of Field Assembled Boiler Pressure Parts.....	56
HG-540	Authorization to Use Code Symbol Stamps.....	57

Figures

HG-530.1	Official Symbol for Stamp to Denote The American Society of Mechanical Engineers' Standard	53
HG-530.2	Form of Stamping on Completed Boilers or Their Nameplates for Steam and Water Boilers	54
HG-530.3	Form of Stamping on Completed Boilers or Their Nameplates for Boilers Suitable for Water Only	54
HG-530.4	Form of Data Cast on Cast Iron Boiler Sections for Steam and Water Boilers	55
HG-530.5	Form of Data Cast on Cast Iron Boiler Sections for Boilers Suitable for Water Only.....	55
HG-530.6	Form of Stamping on Completed Cast Iron Boilers or Their Nameplates for Steam and Water Boilers	55
HG-530.7	Form of Stamping on Completed Cast Iron Boilers or Their Nameplates for Boilers Suitable for Water Only	55

Article 6

Instruments, Fittings, and Controls

HG-600	For Steam Heating Boilers	59
HG-601	Steam Gages	59
HG-602	Water Gage Glasses	59
HG-603	Water Column and Water Level Control Pipes	60
HG-604	Pressure Control.....	60
HG-605	Automatic Low-Water Fuel Cutoff and/or Water Feeding Device.....	60
HG-610	For Hot Water Boilers.....	61
HG-611	Pressure or Altitude Gages.....	61
HG-612	Thermometers.....	61
HG-613	Temperature Control.....	61
HG-614	Low-Water Fuel Cutoff	61
HG-620	For All Boilers	61
HG-621	Instruments, Fittings, and Controls Mounted Inside Boiler Jackets.....	61
HG-630	Electric Wing	61
HG-631	Electrical Code Compliance.....	61
HG-632	Type Circuitry to Be Used.....	61
HG-633	Limit Controls.....	62
HG-634	Shutdown Switches and Circuit Breakers.....	62
HG-640	Controls and Heat Generating Apparatus.....	62

Article 7

Installation Requirements

HG-700	Installation Requirements, All Boilers	63
HG-701	Mounting Safety and Safety Relief Valves	63
HG-703	Piping	63
HG-705	Feedwater Connections	66
HG-707	Oil Heaters.....	66
HG-709	Provisions for Thermal Expansion in Hot Water Systems.....	66
HG-710	Stop Valves	67
HG-715	Bottom Blowoff or Drain Valve	68
HG-720	Setting.....	68
HG-725	Methods of Support	68

Figures

HG-703.1	An Acceptable Piping Installation for Steam Boilers in Battery.....	64
----------	---	----

HG-703.2	An Acceptable Piping Installation for Hot Water Heating Boilers in Battery.....	65
HG-725(a)	Spacing and Weld Details for Supporting Lugs in Pairs on Horizontal-Return Tubular Boilers	69
HG-725(b)	Welded Bracket Connection for Horizontal-Return Tubular Boiler	69
Tables		
HG-709.1	Expansion Tank Capacities for Gravity Hot Water Systems.....	66
HG-709.2	Expansion Tank Capacities for Forced Hot Water Systems.....	67
HG-715	Size of Bottom Blowoff Piping and Valves	68

ARTICLE 1

SCOPE AND SERVICE RESTRICTIONS

HG-100 SCOPE

The requirements of Part HG apply to steam heating boilers¹ and hot water boilers² and to appurtenances thereto and shall be used in conjunction with the specific requirements in Part HF, Boilers of Wrought Materials, and Part HC, Cast Iron Boilers, whichever is applicable. Part HG is not intended to apply to lined potable water heaters except as provided for in Part HLW.

HG-101 SERVICE RESTRICTIONS AND EXCEPTIONS

HG-101.1 Service Restrictions. The rules of this Section are restricted to the following services:

(a) steam boilers for operation at pressures not exceeding 15 psi (103 kPa);

¹When used for services where periodic make-up is required, the user is cautioned that, normally, water treatment must be considered and usually extra provisions for cleanout are necessary.

²As used in this Section, the term "hot water boilers" includes both hot water heating boilers and hot water supply boilers.

(b) hot water heating boilers for operating at pressures not exceeding 160 psi (1103 kPa) and/or temperatures not exceeding 250°F (121°C), at or near the boiler outlet;

(c) hot water supply boilers for operation at pressures not exceeding 160 psi (1103 kPa) and/or temperatures not exceeding 250°F (121°C), at or near the boiler outlet except as otherwise provided in HG-101.2.

HG-101.2 Exceptions. Hot water supply boilers which are directly fired with oil, gas, or electricity are considered outside the jurisdiction of Section IV when none of the following limitations is exceeded:

(a) heat input of 200,000 Btu/hr (58.6 kW);

(b) water temperature of 210°F (99°C);

(c) nominal water containing capacity of 120 gal (454 l) except that such hot water supply boilers shall be equipped with safety devices in accordance with the requirements of HG-400.2.

HG-101.3 Services in Excess of Those Covered by This Section. For services exceeding the limits specified in HG-101.1, the rules of Section I shall apply.