

II

PART B –
NONFERROUS
MATERIAL
SPECIFICATIONS

**1995 ASME
BOILER &
PRESSURE VESSEL CODE**
AN INTERNATIONALLY RECOGNIZED CODE

MATERIALS



The American Society of
Mechanical Engineers

ASME BOILER AND PRESSURE VESSEL CODE
AN INTERNATIONALLY RECOGNIZED CODE

SECTION II

Materials

Part B — Nonferrous Material Specifications

1995 EDITION

JULY 1, 1995

ASME BOILER AND PRESSURE VESSEL COMMITTEE
SUBCOMMITTEE ON MATERIALS

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
United Engineering Center 345 East 47th Street New York, N.Y. 10017

Date of Issue — July 1, 1995
(Includes all Addenda dated December 1994 and earlier)

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations issued in accordance with governing ASME procedures and policies which preclude the issuance of interpretations by individual volunteers.



ASME collective membership mark



The above ASME symbols are registered in the U.S. Patent Office.
"ASME" is the trademark of the American Society of Mechanical Engineers.

Copyright © 1995 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved

The Specifications published and copyrighted by The American Society for Testing and Materials are reproduced with the Society's permission.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of the American Society of Mechanical Engineers, 1914.
Revised 1940, 1941, 1943, 1946, 1949, 1952, 1953, 1956, 1959, 1962, 1965, 1968, 1971, 1974, 1977, 1980, 1983, 1986, 1989, 1992, 1995

ASME BOILER AND PRESSURE VESSEL CODE
An Internationally Recognized Code

SECTION II
Materials
Part B — Nonferrous Material Specifications

1995 Edition

This new Edition of Section II, Part B, contains the latest version of material specifications as listed in Appendix A of the 1994 Addenda to the 1992 Edition of Section II, Part B.

SUMMARY OF CHANGES

The 1995 Edition of Section II, Part B includes revisions, additions, and deletions, incorporated directly into the affected pages. Changes given below are identified by a margin note, **E95**, placed next to the affected area.

<i>Location</i>	<i>Page</i>	<i>Change</i>
Personnel	xvii–xxvi	Revised in its entirety
Contents	xxxiii–xl	Updated to reflect E95 Edition
Appendix A	xlili–l	Revised in its entirety
SB-26/SB-26M	1–10	Revised in its entirety
SB-42	11–18	Revised in its entirety
SB-75	35–39	Revised in its entirety
SB-96	41–44	Revised in its entirety
SB-108	49–59	Revised in its entirety
SB-111	61–70	Revised in its entirety
SB-127	71–82	Revised in its entirety
SB-133	83–89	Revised in its entirety
SB-148	95–97	Revised in its entirety
SB-160	113–120	Revised in its entirety
SB-161	121–125	Revised in its entirety
SA-162	127–138	Revised in its entirety
SB-163	139–148	Revised in its entirety
SB-164	149–157	Revised in its entirety
SB-165	159–163	Revised in its entirety

<i>Location</i>	<i>Page</i>	<i>Change</i>
SB-171	197–203	Revised in its entirety
SB-209	205–219	Revised in its entirety
SB-210	221–233	Revised in its entirety
SB-211	235–241	Revised in its entirety
SB-221	243–250	Revised in its entirety
SB-234	251–259	Revised in its entirety
SB-241/SB-241M	261–274	Revised in its entirety
SB-247	275–283	Revised in its entirety
SB-251	307–314	Revised in its entirety
SB-265	315–323	Revised in its entirety
SB-308/SB-308M	333–339	Revised in its entirety
SB-333	351–356	Revised in its entirety
SB-338	367–373	Revised in its entirety
SB-367	403–408	Revised in its entirety
SB-395	421–431	Revised in its entirety
SB-409	449–462	Revised in its entirety
SB-424	469–478	Revised in its entirety
SB-425	479–485	Revised in its entirety
SB-435	493–498	Revised in its entirety
SB-443	499–507	Revised in its entirety
SB-444	509–511	Revised in its entirety
SB-446	513–518	Revised in its entirety
SB-462	519–523	Revised in its entirety
SB-463	525–534	Revised in its entirety
SB-464	535–537	Revised in its entirety
SB-468	553–555	Revised in its entirety
SB-473	557–563	Revised in its entirety
SB-493	565–568	Revised in its entirety
SB-511	579–584	Revised in its entirety
SB-514	585–586	Revised in its entirety
SB-516	593–594	Revised in its entirety
SB-517	595–596	Revised in its entirety
SB-523	597–601	Revised in its entirety
SB-536	611–619	Revised in its entirety
SB-550	639–644	Revised in its entirety
SB-551	645–652	Revised in its entirety
SB-574	669–673	Revised in its entirety
SB-575	675–681	Revised in its entirety
SB-581	683–687	Revised in its entirety
SB-582	689–695	Revised in its entirety
SB-599	703–712	Revised in its entirety
SB-620	717–721	Revised in its entirety

<i>Location</i>	<i>Page</i>	<i>Change</i>
SB-658	769-773	Revised in its entirety
SB-673	785-790	Revised in its entirety
SB-674	791-796	Revised in its entirety
SB-677	809-814	Revised in its entirety
SB-688	815-821	Revised in its entirety
SB-690	823-828	Revised in its entirety
SB-691	829-836	Revised in its entirety
SB-709	849-858	Revised in its entirety
SB-729	865-871	Revised in its entirety

1995 ASME BOILER AND PRESSURE VESSEL CODE

SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties
- III Subsection NCA — General Requirements for Division 1 and Division 2
- III Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Appendices
- III Division 2 — Code for Concrete Reactor Vessels and Containments
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
- IX Welding and Brazing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components

ADDENDA

Colored-sheet Addenda, which include additions and revisions to individual Sections of the Code, are published annually and will be sent automatically to purchasers of the applicable Sections up to the publication of the 1998 Code. The 1995 Code is available only in the loose-leaf format; accordingly, the Addenda will be issued in the loose-leaf, replacement-page format.

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code. The Interpretations for each individual Section will be published separately and will be included as part of the update service to that Section. They will be issued semiannually (July and December) up to the publication of the 1998 Code. Interpretations of Section III, Divisions 1 and 2, will be included with the update service to Subsection NCA. Interpretations are not part of the Code or the Addenda.

CODE CASES

The Boiler and Pressure Vessel Committee meets regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases which have been adopted will appear in the appropriate 1995 Code Cases book: (1) Boilers and Pressure Vessels and (2) Nuclear Components. Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 1998 Code.

FOREWORD

The American Society of Mechanical Engineers set up a committee in 1911 for the purpose of formulating standard rules for the construction of steam boilers and other pressure vessels. This committee is now called the Boiler and Pressure Vessel Committee.

The Committee's function is to establish rules of safety governing the design, fabrication, and inspection during construction of boilers and pressure vessels, and to interpret these rules when questions arise regarding their intent. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property and to provide a margin for deterioration in service so as to give a reasonably long, safe period of usefulness. Advancements in design and material and the evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction¹ activities. The Code does not address all aspects of these activities and those aspects which are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable designers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Code does not fully address tolerances. When dimensions, sizes, or other parameters are not specified with tolerances, the values of these parameters are considered nominal and allowable tolerances or local variances may be considered acceptable when based on engineering judgment and standard practices as determined by the designer.

¹ *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The Boiler and Pressure Vessel Committee deals with the care and inspection of boilers and pressure vessels in service only to the extent of providing suggested rules of good practice as an aid to owners and their inspectors.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Boiler and Pressure Vessel Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Boiler and Pressure Vessel Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Mandatory Appendix covering preparation of technical inquiries). Proposed revisions to the Code resulting from inquiries will be presented to the Main Committee for appropriate action. The action of the Main Committee becomes effective only after confirmation by letter ballot of the Committee and approval by ASME.

Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute and published in *Mechanical Engineering* to invite comments from all interested persons. After the allotted time for public review and final approval by ASME, revisions are published annually in Addenda to the Code.

Code Cases may be used in the construction of components to be stamped with the ASME Code symbol beginning with the date of their approval by ASME.

After Code revisions are approved by ASME, they may be used beginning with the date of issuance shown on the Addenda. Revisions, except for revisions to material specifications in Section II, Parts A and B, become mandatory 6 months after such date of issuance, except for boilers or pressure vessels contracted for

prior to the end of the 6 month period. Revisions to material specifications are originated by the American Society for Testing and Materials (ASTM), and are usually adopted by ASME. However, those revisions may or may not have any effect on the suitability of material, produced to earlier editions of specifications, for use in ASME construction. ASME material specifications approved for use in each construction Code are listed in the Appendices of Section II, Parts A and B. These Appendices list, for each specification, the latest ASTM edition adopted by ASME, and earlier and later editions considered by ASME to be identical for ASME construction.

Manufacturers and users of components are cautioned against making use of revisions and Cases that are less restrictive than former requirements without having assurance that they have been accepted by the proper authorities in the jurisdiction where the component is to be installed.

Each state and municipality in the United States and each province in Canada that adopts or accepts one or more Sections of the Boiler and Pressure Vessel Code is invited to appoint a representative to act on the Conference Committee to the Boiler and Pressure Vessel Committee. Since the members of the Conference Committee are in active contact with the administration and enforcement of the rules, the requirements for inspection in this Code correspond with those in effect in their respective jurisdictions. The required qualifications for an Authorized Inspector under these rules may be obtained from the administrative authority of any state, municipality, or province which has adopted these rules.

The Boiler and Pressure Vessel Committee in the formulation of its rules and in the establishment of maximum design and operating pressures considers materials, construction, methods of fabrication, inspection, and safety devices. Permission may be granted to regulatory bodies and organizations publishing safety standards to use a complete Section of the Code by reference. If usage of a Section, such as Section IX, involves exceptions, omissions, or changes in provisions, the intent of the Code might not be attained.

Where a state or other regulatory body, in the printing of any Section of the Boiler and Pressure Vessel Code, makes additions or omissions, it is recommended that such changes be clearly indicated.

The National Board of Boiler and Pressure Vessel Inspectors is composed of chief inspectors of states and municipalities in the United States and of provinces in Canada that have adopted the Boiler and Pressure Vessel Code. This Board, since its organization in 1919, has functioned to uniformly administer and enforce the rules of the Boiler and Pressure Vessel Code. The

cooperation of that organization with the Boiler and Pressure Vessel Committee has been extremely helpful.

The Code Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The Scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules. Laws or regulations issued by municipality, state, provincial, federal, or other enforcement or regulatory bodies having jurisdiction at the location of an installation establish the mandatory applicability of the Code rules, in whole or in part, within their jurisdiction. Those laws or regulations may require the use of this Code for vessels or components not considered to be within its Scope or may establish additions or deletions in that Scope. Accordingly, inquiries regarding such laws or regulations are to be directed to the issuing enforcement or regulatory body.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the ASME Boiler and Pressure Vessel Committee. ASME is to be notified should questions arise concerning improper use of an ASME Code symbol.

The specifications for base materials given in Section II, Parts A and B are identical with or similar to those of the American Society for Testing and Materials. When reference is made in an ASME material specification to an ASTM specification for which a companion ASME specification exists, the reference shall be interpreted as applying to the ASME material specification. Specifications for welding materials given in Section II, Part C are identical with or similar to those of the American Welding Society. Not all materials included in the material specifications in Section II have been adopted for Code use. Usage is limited to those materials and grades adopted by at least one of the other Sections of the Code for application under rules of that Section. All materials allowed by these various Sections and used for construction within the scope of their rules shall be furnished in accordance with material specifications contained in Section II or referenced in Appendices A of Section II, Parts A and B except where otherwise provided in Code Cases or in the applicable Section of the Code. Materials covered by these specifications are acceptable for use in items covered by the Code Sections only to the degree indicated in the applicable Section. Materials for Code use should preferably be ordered, produced, and documented on this basis; Appendix A to Section II, Part A and Appendix A to Section II, Part B list editions of ASME and year dates

of ASTM specifications that meet ASME requirements and which may be used in Code construction. Material produced to an ASME or ASTM specification with requirements different from the requirements of the corresponding specifications listed in Appendix A of Part A or Part B may also be used in accordance with the above, provided the material manufacturer or vessel manufacturer certifies with evidence acceptable to the Authorized Inspector that the corresponding requirements of specifications listed in Appendix A of Part A or Part B have been met. Material produced to an ASME or ASTM material specification is not limited as to country of origin.

When required by context in this Section, the singular shall be interpreted as the plural, and vice-versa; and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

Publication of the SI (Metric) Edition of the ASME Boiler and Pressure Vessel Code was discontinued with the 1986 Edition. Effective October 1, 1986, the SI Edition was withdrawn as an ASME Boiler and Pressure Vessel Code document.

STATEMENT OF POLICY ON THE USE OF CODE SYMBOLS AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use Code Symbols for marking items or constructions which have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Code Symbols for the benefit of the users, the enforcement jurisdictions, and the holders of the symbols who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the symbols, Certificates of Authorization, and refer-

ence to Code construction. The American Society of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications which might so indicate. An organization holding a Code Symbol and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code."

The ASME Symbol shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of a Code Symbol who may also use the facsimile in advertising to show that clearly specified items will carry the symbol. General usage is permitted only when all of a manufacturer's items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Code Symbol Stamp described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the various

Code Symbols shall not be used on any item which is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME which tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

GUIDELINE ON THE APPROVAL OF NEW MATERIALS UNDER THE ASME BOILER AND PRESSURE VESSEL CODE

Code Policy. It is the policy of the ASME Boiler and Pressure Vessel Committee to adopt for inclusion in Section II, Parts A and B, only such specifications as have been adopted by the American Society for Testing and Materials, and in Section II, Part C, only such specifications as have been adopted by the American Welding Society.

It is expected that requests for Code approval will normally be for materials for which there is an ASTM or AWS specification. For other materials, a request shall be made to ASTM or AWS to develop a specification that can be presented to the Code Committee.

It is the policy of the ASME Boiler and Pressure Vessel Committee to consider requests to adopt new materials only from boiler, pressure vessel, or nuclear power plant component Manufacturers or end users. Further, such requests should be for materials for which there is a reasonable expectation of use in a boiler, pressure vessel, or nuclear power plant component constructed to the rules of one of the Sections of this Code.

Application. The inquirer shall identify to the Committee the Section or Sections and Divisions of the Code in which the new material is to be incorporated, the temperature range of application, whether cyclic service is to be considered, and whether external pressure service is to be considered. The inquirer shall identify all product forms, size ranges, and specifications for which incorporation is desired.

The inquirer shall state whether or not the material is covered by patents, whether or not it is licensed, and if licensed, any limitations on its manufacture.

Mechanical Properties. Together with the specification for the material, the inquirer shall furnish the Committee with adequate data on which to base design values for inclusion in the applicable tables. The data shall include values of ultimate tensile strength, yield strength, reduction of area, and elongation, at 100°F (or 50°C) intervals, from room temperature to 100°F

(or 50°C) above the maximum intended use temperature, unless the maximum intended use temperature does not exceed 100°F. If adoption is desired at temperatures at which time-dependent behavior may be expected to control design values, data on these time-independent properties shall be provided to a temperature 100°F (50°C) above the temperature at which time-dependent behavior becomes significant. Any heat treatment that is required to produce the tensile properties should be fully described.

If coverage is desired at temperatures at which time-dependent behavior may be expected, creep rate and creep rupture strength data of base metal and appropriate weld metals and weldments shall also be provided, at 100°F (or 50°C) intervals to 100°F (or 50°C) above the maximum intended use temperature.

If adoption at temperatures below room temperature is requested, and if it is desired to take design advantage of increased strength at lower temperatures, data on the time-independent properties shall be provided at 100°F (or 50°C) intervals to and including the lowest intended use temperature.

Notch toughness data shall be provided for materials for which Code toughness rules would be expected to apply. The data shall include test results for the intended lowest service metal temperature and for the range of material thicknesses desired. For welded construction, the notch toughness data shall include the results of Code toughness tests for weld metal and heat-affected zone for weldments made by the intended welding processes.

If the material is to be used in components that operate under external pressure, stress-strain curves (tension or compression) shall be furnished, at 100°F (or 50°C) intervals over the range of design temperatures desired. External pressure charts are based on the early portion (up to 1% strain) of the stress-strain curve. The stress-strain curve (not load versus extension) shall be determined using a Class B-2 or better accuracy

extensometer as defined in ASTM E 83. Numerical data, when available, should be submitted. The data should include the original cross-sectional area of the test specimen and stress-strain curves with units marked on them.

If the material is to be used in cyclic service and the construction Code in which adoption is desired requires explicit consideration of cyclic behavior, fatigue data shall also be furnished over the range of design temperatures desired.

In general, for all mechanical properties, data shall be provided from at least three heats of material meeting all of the requirements of a specification for at least one product form for which adoption is desired, for each test at each test temperature. When adoption for both cast and wrought product forms is desired, data from at least three heats each of a wrought and of a cast product form shall be submitted. It is desired that the data represent all product forms for which adoption is desired. For product forms for which the properties may be size dependent, data from products of different sizes, including the largest size for which adoption is desired, shall be provided.

Test methods employed shall be those referenced in or by the material specifications, or shall be appropriate ASTM test methods or recommended practices for the properties tested.

Information describing service experience in the temperature range contemplated will be useful to the Committee.

Other Properties. The inquirer shall furnish to the Committee adequate data necessary to establish values for coefficient of thermal expansion, thermal conductivity and diffusivity, Young's modulus, shear modulus, and Poisson's ratio, when the construction Code in which adoption is desired requires explicit consideration of these properties. Data shall be provided over the range of temperatures for which the material is to be used.

Weldability. The inquirer shall furnish complete data on the weldability of material intended for welding, including data on procedure qualification tests made in accordance with the requirements of Section IX. Welding tests shall be made over the full range of thickness in which the material is to be used. Pertinent information, such as postweld heat treatment required, susceptibility to air hardening, effect of welding procedure and heat-affected zone and weld metal notch toughness,

and the amount of experience in welding the material shall be given.

Physical Changes. For new materials, it is important to know the structural stability characteristics and the degree of retention of properties with exposure at temperature. The influence of fabrication practices, such as forming, welding, and thermal treatment, on the mechanical properties, ductility, and microstructure of the material are important, particularly where degradation in properties may occur. Where particular temperature ranges of exposure or heat treatment, cooling rates, combinations of mechanical working and thermal treatments, fabrication practices, exposure to particular environments, etc., cause significant changes in the mechanical properties, microstructure, resistance to brittle fracture, etc., it is of prime importance to call attention to those conditions that should be avoided in service or in manufacture of parts or vessels from the material.

Requests for Additional Data. The Committee may request additional data, including data on properties or material behavior not explicitly treated in the construction Code in which adoption is desired.

Code Case. The Code Committee will consider the issuance of a Code Case, to be effective for a period of 3 years, permitting the use of a new material, provided that the following conditions are met:

(a) the inquirer provides evidence that a request for coverage of the material in a specification has been made to ASTM;

(b) the material is commercially available and can be purchased within the proposed specification requirements;

(c) the inquirer shows that there will be a reasonable demand for the material by industry and that there exists an urgency for approval by means of a Code Case;

(d) the requests for approval of the material shall clearly describe it in ASTM specification form, including such items as scope, process, manufacture, conditions for delivery, heat treatment, chemical and tensile requirements, forming properties, testing specifications and requirements, workmanship, finish, marking, inspection, and rejection;

(e) all other requirements identified previously under Code Policy and Application apply; and

(f) the inquirer shall furnish the Code Committee with all the data specified in this Appendix.

PERSONNEL

ASME Boiler and Pressure Vessel Committee

Subcommittees, Subgroups, and Working Groups

As of December 31, 1994

MAIN COMMITTEE

D. A. Canonico, <i>Chair</i>	A. J. Justin
G. G. Karcher, <i>Vice Chair</i>	W. G. Knecht
J. S. Brzuszkiewicz, <i>Secretary</i>	D. F. Landers
F. P. Barton	J. R. MacKay
D. L. Berger	T. J. Mawson
M. D. Bernstein	T. G. McCarty
M. N. Bressler	G. C. Millman
W. J. Carter	R. A. Moen
R. J. Cepluch	C. C. Neely
T. M. Cullen	J. C. Parsell
J. R. Farr	R. F. Reedy
R. E. Feigel	B. W. Roberts
J. G. Feldstein	F. J. Schaaf, Jr.
M. Gold	A. Selz
O. F. Hedden	K. K. Tam
H. L. Hime	

HONORS AND AWARDS COMMITTEE

J. R. Farr, <i>Chair</i>	F. E. Gregor
W. G. Knecht, <i>Vice Chair</i>	E. C. Kistner, Jr.
U. D'Urso, <i>Secretary</i>	J. R. MacKay
W. J. Carter	T. G. McCarty
J. G. Feldstein	T. P. Pastor
G. E. Fratcher	R. F. Reedy
M. Gold	A. J. Spencer

EXECUTIVE COMMITTEE (MAIN COMMITTEE)

G. G. Karcher, <i>Chair</i>	W. G. Knecht
D. A. Canonico, <i>Vice Chair</i>	J. R. MacKay
J. S. Brzuszkiewicz, <i>Secretary</i>	T. J. Mawson
R. J. Cepluch	G. C. Millman
J. R. Farr	R. F. Reedy
H. L. Hime	A. J. Spencer
A. J. Justin	

HONORARY MEMBERS (MAIN COMMITTEE)

R. D. Bonner	E. L. Kemmler
R. J. Bosnak	E. C. Kistner, Jr.
P. M. Brister	E. M. Kloeblen
H. M. Canavan	J. E. Lattan
L. J. Chockie	J. LeCoff
J. S. Clarke	J. L. Menson
W. E. Cooper	F. N. Moschini
W. D. Doty	C. E. Rawlins
G. E. Fratcher	W. E. Somers
R. M. Gibson	D. B. Wesstrom
R. C. Griffin	L. P. Zick, Jr.
E. J. Hemzy	

MARINE CONFERENCE GROUP

J. Tiratto, <i>Chair</i>	J. L. Jones
C. F. Banks	G. F. Wright
L. W. Douthwaite	

CONFERENCE COMMITTEE

J. C. Parsell — Utah (<i>Chair</i>)	D. T. Jagger — Ohio
R. D. Reetz — North Dakota (<i>Vice Chair</i>)	V. V. Kanable — Wisconsin
A. J. Justin — National Board of Boiler and Pressure Vessel Inspectors (<i>Secretary</i>)	J. W. Kapherr — North Carolina
R. J. Aben, Jr. — Michigan	M. Kotb — Quebec, Canada
J. S. Aclaro — Los Angeles, California	K. T. Lau — Alberta, Canada
J. Anderson — South Dakota	J. A. Lemire — California
R. Barkdoll — Washington	W. C. Lundine — Oregon
F. P. Barton — Virginia	G. F. Mankel — Alaska
S. E. Brown — New Mexico	I. W. Mault — Manitoba, Canada
W. E. Brown — Kansas	H. T. McEwen — Mississippi
R. R. Cate — Louisiana	A. W. Meiring — Indiana
L. Chase — N.W. Territories, Canada	E. J. Mossa — New Jersey
A. Colvin, Jr. — Washington, D.C.	Y. Nagpaul — Hawaii
R. A. Coomes — Kentucky	J. D. Payton — Pennsylvania
J. Corcoran — Connecticut	D. K. Peetz — Missouri
M. H. Diehl, Jr. — Maryland	R. S. Pucek — Milwaukee, Wisconsin
D. A. Douin — Illinois	T. E. Rennie — Arizona
E. D. Eastman — Newfound- land and Labrador, Canada	D. E. Ross — New Brunswick, Canada
G. Ebeyer, Sr. — New Orleans, Louisiana	C. G. Schaber — Florida
F. Ellis — New Hampshire	M. Shuff — West Virginia
E. Everett — Georgia	M. E. Skarda — Arkansas
F. Gardner — Delaware	D. A. Starr — Nebraska
T. G. Gottsch — Montana	R. P. Sullivan — Maine
J. W. Greenawalt, Jr. — Oklahoma	N. Surtees — Saskatchewan, Canada
H. D. Hanrath — Ontario, Canada	D. E. Tanner — Tennessee
W. J. Holmes — Chicago, Il- linois	R. B. West — Iowa
	K. A. White — Nevada
	T. F. Wickham — Rhode Island
	R. A. Yeo — Nova Scotia, Canada

**Special Working Group on Review of Requirements From
Global Perspectives (Main Committee)**

K. Ennis, <i>Chair</i>	J. J. Meyer
A. C. Ashton	P. A. Molvie
G. G. Karcher	R. F. Reedy
T. G. McCarty	

SUBCOMMITTEE ON POWER BOILERS (SC I)

J. R. MacKay, <i>Chair</i>	W. L. Lowry
M. D. Bernstein, <i>Vice Chair</i>	T. C. McGough
J. Gonzalez, <i>Secretary</i>	P. A. Molvie
S. G. Bankar	D. K. Parrish
D. L. Berger	R. G. Presnak
A. R. Faulkner	R. D. Schueler, Jr.
D. N. French	R. V. Wielgoszinski
F. R. Gerety	R. L. Williams
T. E. Hansen	R. A. Yeo
J. S. Hunter	L. W. Yoder
S. R. Irvin, Sr.	

Subgroup on Care of Power Boilers (SC I)

C. J. Berg	N. Surtees
D. O. Downey	R. A. Yeo
W. H. Hall	J. R. Zahorsky

Subgroup on Piping (SC I)

D. L. Berger, <i>Chair</i>	W. L. Lowry
T. E. Hansen, <i>Secretary</i>	T. C. McGough
M. D. Bernstein	R. G. Presnak
A. J. Breugelmanns	E. Whittle
A. R. Faulkner	L. W. Yoder

Subgroup on Design (SC I)

M. D. Bernstein, <i>Chair</i>	L. R. Meeder
R. D. Schueler, Jr., <i>Vice Chair</i>	P. A. Molvie
R. V. Wielgoszinski, <i>Secretary</i>	K. C. Morrison
M. A. Farrugia	A. Nassif
J. D. Fishburn	D. R. Palmer
S. R. Irvin, Sr.	N. Surtees
C. F. Jeerings	

Subgroup on Materials (SC I)

J. S. Hunter, <i>Secretary</i>	J. T. Parsons
A. R. Faulkner	B. W. Roberts
D. N. French	J. M. Tanzosh
J. F. Henry	

Subgroup on General Requirements (SC I)

T. C. McGough, <i>Chair</i>	D. K. Parrish
M. D. Bernstein, <i>Vice Chair</i>	J. T. Pillow
W. L. Lowry, <i>Secretary</i>	R. F. Slack, Sr.
D. L. Berger	W. E. Somers
F. R. Gerety	R. L. Williams
J. M. Lyons	R. A. Yeo
R. E. McLaughlin	L. W. Yoder

Subgroup on Fabrication and Examination (SC I)

L. W. Yoder, <i>Chair</i>	R. E. McLaughlin
D. L. Berger, <i>Secretary</i>	J. T. Pillow
R. W. Boyce	M. E. Reese
D. N. French	R. D. Schueler, Jr.
J. Hainsworth	R. F. Slack, Sr.
T. E. Hansen	R. V. Wielgoszinski
J. S. Kandola	

SUBCOMMITTEE ON MATERIALS (SC II)

M. Gold, <i>Chair</i>	G. C. Hsu
R. A. Moen, <i>Vice Chair</i>	F. Masuyama
I. R. Rodriguez, <i>Secretary</i>	E. Michalopoulos
A. P. Ahrendt	R. K. Nanstad
M. N. Bressler	E. G. Nisbett
A. Cohen	D. W. Raho
T. M. Cullen	B. W. Roberts
R. Dirscherl	R. R. Seeley
W. D. Doty	A. P. Seidler
W. D. Edsall	C. E. Spaeder, Jr.
A. R. Faulkner	R. W. Swindeman
M. H. Gilkey	B. E. Thurgood
J. J. Heger	R. T. Webster
J. F. Henry	E. O. Woolridge
B. B. Hood	A. W. Zeuthen

**Special Working Group on Non-ASTM Material Specifications
(SC II)**

R. Dirscherl, <i>Chair</i>	R. A. Moen
D. C. Agarwal	A. P. Pivilonis
J. Cameron	B. W. Roberts
W. D. Doty	R. D. Schueler, Jr.
M. Gold	R. R. Seeley
H. Masahisa	E. A. Steen
T. F. Miskell	E. O. Woolridge

Subgroup on Ferrous Specifications (SC II)

A. W. Zeuthen, <i>Chair</i>	W. C. Mack
B. M. Dingman	E. G. Nisbett
W. D. Edsall	J. T. Parsons
T. Graham	E. J. Rozic, Jr.
W. N. Holliday	R. R. Seeley
E. A. Jonas	E. O. Woolridge
D. C. Krouse	R. H. Zong
J. F. Longenecker	

Subgroup on Nonferrous Alloys (SC II)

R. T. Webster, <i>Chair</i>	R. Dirscherl
J. W. Tackett, <i>Secretary</i>	M. H. Gilkey
D. C. Agarwal	B. B. Hood
W. R. Apblett	G. C. Hsu
L. G. Coffee	A. P. Seidler
A. Cohen	E. Shapiro

Subgroup on Strength, Ferrous Alloys (SC II)

B. W. Roberts, <i>Chair</i>	C. L. Hoffmann
J. M. Tanzosh, <i>Secretary</i>	T. Imoto
A. P. Ahrendt	F. Masuyama
W. R. Applett	R. A. Moen
T. M. Cullen	D. W. Raho
R. J. Diletto	C. E. Spaeder, Jr.
M. Gold	R. W. Swindeman
J. J. Heger	B. E. Thurgood

Subgroup on Strength of Weldments (SC II) & (SC IX)

B. E. Thurgood, <i>Chair</i>	C. Robino
W. D. Doty	C. E. Spaeder, Jr.
D. W. Raho	W. J. Sperko
B. W. Roberts	J. M. Tanzosh

Subgroup on Toughness (SC II)

R. K. Nanstad, <i>Chair</i>	A. Selz
J. M. Barsom	R. D. Stout
D. A. Hansen	R. S. Vecchio
W. Hanzalek	S. Yukawa

Subgroup on External Pressure (SC II)

C. E. Spaeder, Jr., <i>Chair</i>	E. Michalopoulos
D. J. Green	R. W. Mikitka
D. S. Griffin	C. H. Sturgeon

SUBCOMMITTEE ON NUCLEAR POWER (SC III)

R. F. Reedy, <i>Chair</i>	E. F. Gerwin
C. J. Pieper, <i>Vice Chair</i>	K.-H. Hsu
C. A. Sanna, <i>Secretary</i>	R. M. Jessee
J. P. Allen III	R. I. Jetter
Y. Asada	J. W. Kapherr
J. R. Barbee	W. G. Knecht
R. W. Barnes	D. F. Landers
J. N. Baysden	W. C. LaRochelle
E. B. Branch	T. J. Mawson
M. N. Bressler	W. N. McLean
F. C. Cherny	R. A. Moen
G. D. Cooper	D. B. Nickerson
W. D. Doty	R. F. Perrin
F. R. Drahos	R. E. Tome
K. Ennis	K. R. Wichman
B. A. Erler	

Special Working Group on Editing and Review (SC III)

M. N. Bressler, <i>Chair</i>	G. D. Cooper
W. H. Borter, <i>Secretary</i>	B. A. Erler
J. R. Barbee	M. W. Smith

Subgroup on General Requirements (SC III & 3C)

J. N. Baysden, <i>Chair</i>	D. R. Kulla
R. E. Kelley, <i>Secretary</i>	W. C. LaRochelle
R. C. Arthurs	A. S. Laurenson
J. R. Barbee	M. J. Meyer
C. G. Beckham	L. C. Oakes
B. H. Berg	R. F. Perrin
B. W. Burak	U. Potapovs
K. Ennis	C. A. Sward
J. W. Kapherr	G. M. Tolson

Working Group on Quality Assurance and Stamping (SG-GR) (SC III)

M. J. Meyer, <i>Chair</i>	R. F. Perrin
R. C. Arthurs	G. M. Tolson
B. H. Berg	

Working Group on Duties and Responsibilities (SG-GR) (SC III)

J. R. Barbee, <i>Chair</i>	M. R. Minick
A. Appleton	L. C. Oakes
J. W. Kapherr	D. V. Walshe

Subgroup on Materials, Fabrication, and Examination (SC III)

R. M. Jessee, <i>Chair</i>	W. G. Knecht
W. H. Borter, <i>Secretary</i>	G. P. Milley
C. W. Allison	R. A. Moen
B. G. Carlton	D. A. Olsson
F. R. Drahos	C. J. Pieper
G. M. Foster	R. R. Seeley
G. B. Georgiev	N. M. Simpson
J. E. Harris	R. C. Soin
C. L. Hoffmann	W. J. Sperko
R. W. Jackson	K. B. Stuckey
C. C. Kim	

Subgroup on Design (SC III)

R. W. Barnes, <i>Chair</i>	B. Jarman
R. S. Hill III, <i>Secretary</i>	D. F. Landers
Y. Asada	L. A. Loziuk
G. J. Bohm	W. N. McLean
E. B. Branch	S. E. Moore
M. N. Bressler	D. B. Nickerson
C. W. Bruny	E. C. Rodabaugh
W. G. Brussalis, Jr.	B. L. Silverblatt
J. R. Cole	G. C. Slagis
G. D. Cooper	J. D. Stevenson
R. P. Deubler	S. W. Tagart, Jr.
N. W. Edwards	J. H. Wawrzeniak
H. D. Hanrath	K. R. Wichman
R. W. Haupt	R. Wray

Special Working Group on Dynamic Analysis (SG-D) (SC III)

M. K. Au-Yang	J. B. Mahoney
R. D. Blevins	A. E. Meligi
G. J. Bohm	F. J. Moody
D. L. Caldwell	S. W. Tagart, Jr.
P.-Y. Chen	J. Wallach
A. Hadjian	

Special Working Group on Faulted Conditions (SG-D) (SC III)

G. J. Bohm, <i>Chair</i>	H. Lockert
P. L. Anderson	P. R. Olson
M. Hartzman	R. F. Perry
W. S. LaPay	J. Wallach

Working Group on Vessels (SG-D) (SC III)

G. D. Cooper, <i>Chair</i>	M. W. Kinnaird
C. W. Bruny	O. Maekawa
T. K. Burr, Sr.	K. A. Manoly
G. A. Deaver	A. Merend
N. W. Edwards	W. Z. Novak
W. J. Heilker	P. K. Shah
F. P. Hill, Jr.	H. S. Thornton
T. M. Khan	R. E. Tome

Working Group on Piping (SG-D) (SC III)

G. C. Slagis, <i>Chair</i>	P.-T. Kuo
T. M. Adams	D. F. Landers
G. A. Antaki	J. C. Minichiello
L. H. Geraets	S. E. Moore
A. B. Glickstein	D. B. Nickerson
R. W. Haupt	O. Oyamada
R. S. Hill III	R. D. Patel
R. D. Hookway	E. C. Rodabaugh
R. B. Jenkins	M. S. Sills
M. Z. Khlafallah	E. A. Wais
G. T. Kitz	

Working Group on Pumps (SG-D) (SC III)

D. B. Nickerson, <i>Chair</i>	M. Higuchi
W. A. Barham	L. P. Kuah
C. S. Boster	J. W. Leavitt
H. L. Brammer	R. A. Schussler
P. Burchett	D. B. Spencer, Jr.
R. B. Camper	H. Tafarrodi
R. Corman	G. K. Vaghasia
R. E. Cornman, Jr.	J. H. Wawrzeniak
J. G. Dudiak	

Working Group on Valves (SG-D) (SC III)

W. N. McLean, <i>Chair</i>	J. J. McGavin
E. A. Bake	S. N. Shields
I. L. Beltz	H. R. Sonderegger
R. R. Brodin	J. C. Tsacoyeanes
R. J. Kiessel	R. G. Visalli
W. G. Knecht	J. R. Zahorsky
R. Koester	

Working Group on Component Supports (SG-D) (SC III)

R. P. Deubler, <i>Chair</i>	T. O. Karppinen
U. S. Bandyopadhyay	T. C. LaCroix
F. J. Birch	A. S. Laurenson
M. N. Bressler	A. Lee
R. D. Ciatto	R. J. Masterson
J. R. Cole	A. E. Meligi
R. M. Dulin, Jr.	A. N. Nguyen
J. C. Finneran, Jr.	H. Noreen, Jr.
L. H. Geraets	G. M. Quinn
R. W. Haupt	J. R. Stinson

Working Group on Core Support Structures (SG-D) (SC III)

J. T. Land, <i>Chair</i>	J. F. Mullooly
R. H. Hansen	B. L. Silverblatt
K. B. Larsen	

Working Group on FRP Pipe (SG-D) (SC III)

L. A. Loziuk, <i>Chair</i>	A. B. Glickstein
F. R. Gerety	

Working Group on Administration (SG-D) (SC III)

E. B. Branch, <i>Chair</i>	R. P. Deubler
R. W. Barnes	W. N. McLean
R. S. Hill III	D. B. Nickerson
G. J. Bohm	R. Wray
G. D. Cooper	

Subgroup on Pressure Relief (SC III)

F. C. Cherny, <i>Chair</i>	D. J. Scallan
R. J. Doelling	C. M. Schroeppfer
S. F. Harrison, Jr.	M. W. Smith
K. Ijzerman	A. L. Szeglin
W. M. Jakubowski	J. R. Zahorsky
E. M. Petrosky	

Subgroup on Elevated Temperature Construction (SC III)

R. I. Jetter, <i>Chair</i>	K.-H. Hsu
C. C. Bigelow	C. C. Schultz, Jr.
C. R. Brinkman	B. E. Thurgood
C. L. Hoffmann	

Subgroup on Containment Systems for Spent Fuel and High Level Waste Transport Packagings (SC III)

E. F. Gerwin, <i>Chair</i>	D. J. Nolan
C. A. Sanna, <i>Secretary</i>	D. T. Raske
H. H. Chung	T. Saegusa
K. Goldmann	H. Smith
R. M. Jessee	K. B. Sorenson
R. H. Jones	J. D. Stevenson
W. H. Lake	W. W. Teper
R. W. Lambert	P. Turula
H. W. Lee	N. Urabe
R. D. McGuire	C. R. Witt
R. E. Nickell	S. Yukawa

Working Group on General Requirements (SG-NUPACK) (SC III)

K. Goldmann, <i>Chair</i>	C. R. Witt
---------------------------	------------

Working Group on Material (SG-NUPACK) (SC III)

S. Yukawa, <i>Chair</i>	P. McConnell
D. J. Green	M. W. Schwartz
H. W. Lee	K. B. Sorenson
J. T. Martin	M. P. Walsh

Working Group on Design (SG-NUPACK) (SC III)

J. D. Stevenson, <i>Chair</i>	R. E. Nickell
A. G. Eggers	W. W. Teper
R. Glass	P. Turula
C. A. Miller	H. H. Woo

Working Group on Fabrication and Examination (SG-NUPACK) (SC III)

R. H. Smith, <i>Chair</i>	D. T. Raske
R. M. Jessee	A. J. Spencer
R. D. McGuire	M. A. Whitney

**JOINT ACI-ASME COMMITTEE ON CONCRETE COMPONENTS
FOR NUCLEAR SERVICE (SC-3C)**

B. A. Erler, <i>Chair</i>	T. E. Johnson
D. Poulis, <i>Secretary</i>	G. R. Murphy
D. G. Adams	R. G. Oesterle
J. P. Allen III	M. B. Parks
J. F. Artuso	S. F. Putman
R. M. Attar	B. B. Scott
A. C. Eberhardt	R. E. Shewmaker
J. Gutierrez	J. D. Stevenson
D. J. Haavik	R. N. White
D. C. Jeng	A. Y. C. Wong

**Subgroup on Materials, Construction, and Examination
(SC-3C)**

D. J. Haavik, <i>Chair</i>	B. A. Erler
J. P. Allen III	J. Gutierrez
J. F. Artuso	D. C. Jeng
R. M. Attar	G. R. Murphy

Subgroup on Design (SC-3C)

B. B. Scott, <i>Chair</i>	M. B. Parks
D. G. Adams	S. F. Putman
A. C. Eberhardt	R. E. Shewmaker
T. E. Johnson	J. D. Stevenson
R. G. Oesterle	A. Y. C. Wong

SUBCOMMITTEE ON HEATING BOILERS (SC IV)

F. P. Barton, <i>Chair</i>	P. A. Molvie
R. B. Duggan, <i>Vice Chair</i>	R. I. Mullican
P. A. Reddington, <i>Secretary</i>	E. A. Nordstrom
G. E. Fratcher	J. L. Seigle
J. W. Greenawalt, Jr.	D. E. Tanner
W. L. Haag, Jr.	S. V. Voorhees
W. M. Hiddleston	R. H. Weigel
J. D. Hoh	R. V. Wielgoszinski
S. R. Irvin, Sr.	J. I. Woodworth
K. M. McTague	T. L. Bedeaux, <i>Alternate</i>

Subgroup on Care and Operation of Heating Boilers (SC IV)

R. I. Mullican, <i>Chair</i>	P. A. Molvie
J. W. Greenawalt, Jr.	D. E. Tanner
S. R. Irvin, Sr.	R. H. Weigel
F. M. Lucas	T. F. Wickham
K. M. McTague	T. L. Bedeaux, <i>Alternate</i>

Subgroup on Water Heaters (SC IV)

G. E. Fratcher, <i>Chair</i>	F. M. Lucas
W. L. Haag, Jr., <i>Vice Chair</i>	K. M. McTague
J. W. Greenawalt, Jr.	R. I. Mullican
D. M. Hanning	D. E. Tanner
W. M. Hiddleston	E. Wenczl
S. R. Irvin, Sr.	E. L. West

Subgroup on Cast Iron Boilers (SC IV)

K. M. McTague, <i>Chair</i>	J. I. Woodworth
R. B. Duggan	T. L. Bedeaux, <i>Alternate</i>
R. H. Weigel	

Subgroup on Welded Boilers (SC IV)

P. A. Molvie, <i>Chair</i>	C. R. Starke
E. A. Nordstrom	R. P. Sullivan
J. L. Seigle	R. V. Wielgoszinski
R. F. Slack, Sr.	

**SUBCOMMITTEE ON NONDESTRUCTIVE EXAMINATION
(SC V)**

T. G. McCarty, <i>Chair</i>	F. B. Kovacs
H. C. Graber, <i>Vice Chair</i>	W. C. McCaughey
U. D'Urso, <i>Secretary</i>	R. D. McGuire
A. S. Birks	R. Paillaman
B. H. Clark, Jr.	C. N. Sherlock
B. E. Foster	D. A. Starr
O. F. Hedden	J. P. Sunukjian
G. W. Hembree	D. A. White

Subgroup on Radiography (SC V)

G. W. Hembree, <i>Chair</i>	B. E. Foster
J. E. Batey	F. B. Kovacs
N. Y. Faransso	C. N. Sherlock

Subgroup on Ultrasonics (SC V)

R. Paillaman, <i>Chair</i>	R. W. McClung
W. T. Clayton	W. C. McCaughey
O. F. Hedden	F. J. Sattler
P. J. Herbert	M. L. Shakinovsky
J. F. Manning	J. C. Spanner, Sr.

Subgroup on Acoustic Emission (SC V)

D. A. White, <i>Chair</i>	J. F. Manning
B. H. Clark, Jr.	J. R. Mitchell
N. O. Cross	J. C. Spanner, Sr.
P. M. Horrigan	

**Subgroup on General Requirements and Surface Examination
(SC V)**

H. C. Graber, <i>Chair</i>	L. C. Ludwig
A. S. Birks	J. R. MacKay
W. G. Blankenship	R. D. McGuire
B. H. Clark, Jr.	J. P. Sunukjian
R. M. Jessee	

SUBCOMMITTEE ON PRESSURE VESSELS (SC VIII)

J. R. Farr, <i>Chair</i>	W. S. Jacobs
T. P. Pastor, <i>Vice Chair</i>	G. G. Karcher
A. J. Roby, <i>Secretary</i>	G. B. Komora
A. P. Ahrendt	K. T. Lau
V. Bogosian	R. W. Mikitka
S. M. Caldwell	U. R. Miller
W. J. Carter	K. Mokhtarian
R. J. Ceppluch	C. C. Neely
S. C. Cyr	K. J. Schneider
R. M. Elliott	A. Selz
R. E. Feigel	J. R. Sims, Jr.
J. G. Feldstein	A. M. Smolen
G. E. Fratcher	A. J. Spencer
J. Hainsworth	E. A. Steen
H. L. Hime	K. K. Tam
M. J. Houle	E. L. Thomas, Jr.

Special Working Group on Heat Transfer Equipment (SC VIII)

U. R. Miller, <i>Chair</i>	J. R. McCutchen
C. F. Andreone	F. Osweiler
D. E. Bolt	R. K. Rothenbucher
S. M. Caldwell	J. E. Soehrens
T. K. Haldas	A. I. Soler
W. G. Jandrasits	W. A. Treff
G. G. Karcher	S. Yokell
R. Mahadeen	R. P. Zoldak

Special Working Group on High Pressure Vessels (SC VIII)

J. R. Sims, Jr., <i>Chair</i>	V. T. Hwang
M. Weinstock, <i>Secretary</i>	M. M. James
L. P. Antalffy	D. P. Kendall
J. E. Baxter	A. K. Khare
R. C. Biel	S. C. Mordre
T. B. Boyd	G. J. Mraz
D. J. Burns	L. K. Ohlsson
P. N. Chaku	E. H. Perez
E. L. Danfelt	E. R. Sliwinski
R. E. Feigel	A. M. Smolen
D. M. Fryer	W. L. Stewart
J. F. Harvey	J. F. Sullivan
J. L. Heck, Jr.	F. W. Tatar
A. H. Honza	D. A. Wells

Special Working Group on Toughness (SC VIII)

A. Selz, <i>Chair</i>	G. B. Komora
W. D. Doty	J. L. Mooney
D. A. Hansen	C. C. Neely
W. S. Jacobs	M. D. Rana
G. G. Karcher	J. W. Stokes

Subgroup on General Requirements (SC VIII)

R. M. Elliott, <i>Chair</i>	D. B. Kadakia
R. E. Tillberg, <i>Secretary</i>	J. C. Keenan
A. P. Ahrendt	A. S. Mann
V. Bogosian	C. C. Neely
W. J. Carter	A. S. Olivares
R. J. Cepluch	K. J. Schneider
W. P. Crow	A. M. Smolen
E. Everett	A. J. Spencer
C. R. Good	

Subgroup on Materials (SC VIII)

J. Hainsworth, <i>Chair</i>	J. T. Parsons
D. C. Agarwal	D. W. Rahoi
A. P. Ahrendt	K. K. Tam
R. Dirscherl	B. K. Thakur
W. D. Doty	W. N. Van Riet
H. L. Hime	T. L. Warner
J. D. McLoughlin	D. A. Wells
E. E. Morgenegg	

Subgroup on Design (SC VIII)

K. Mokhtarian, <i>Chair</i>	R. W. Mikitka
R. E. Knoblock, <i>Secretary</i>	U. R. Miller
M. R. Bauman	T. P. Pastor
N. W. Edwards	M. D. Rana
J. R. Farr	A. Selz
J. A. Hayward	C. Shah
G. L. Hollinger	S. C. Shah
W. S. Jacobs	J. W. Stokes
G. G. Karcher	K. K. Tam
G. B. Komora	E. L. Thomas, Jr.

Subgroup on Fabrication and Inspection (SC VIII)

E. A. Steen, <i>Chair</i>	H. E. Gordon
K. Mokhtarian, <i>Vice Chair</i>	M. J. Houle
W. J. Bees	A. S. Lester III
R. W. Boyce	W. R. Mikesell, Jr.
J. R. Buller	M. J. Rice
S. C. Cyr	W. P. Webb
R. E. Feigel	

Working Group on Layered Vessels (SGFI) (SC VIII)

G. E. Fratcher, <i>Chair</i>	S. C. Shah
G. B. Komora	W. N. Van Riet
C. Shah	

SUBCOMMITTEE ON WELDING (SC IX)

J. G. Feldstein, <i>Chair</i>	A. H. Miller
J. Labrador, <i>Secretary</i>	B. R. Newmark
R. Barkdoll	P. P. Norris
D. A. Bowers	S. D. Reynolds, Jr.
M. L. Carpenter	W. K. Scattergood
W. D. Doty	L. J. Serre, Jr.
P. D. Flenner	W. J. Sperko
M. J. Houle	G. W. Spohn III
R. A. Johnson	M. J. Stanko
W. Lundy	K. C. Taber
R. D. McGuire	J. M. Tanzosh
J. J. Meyer	R. R. Young

Subgroup on Materials (SC IX)

M. L. Carpenter, <i>Chair</i>	C. E. Spaeder, Jr.
L. P. Connor	W. J. Sperko
P. D. Flenner	M. J. Stanko
R. M. Jessee	K. C. Taber
A. H. Miller	R. R. Young
C. E. Sainz	

Subgroup on General Requirements (SC IX)

B. R. Newmark, <i>Chair</i>	A. S. Olivares
R. Barkdoll	C. E. Wainwright
P. C. Filean	R. A. Weiss
R. M. Jessee	K. R. Willens
C. G. May	

Subgroup on Procedure Qualification (SC IX)

J. J. Meyer, <i>Chair</i>	S. D. Reynolds, Jr.
R. K. Brown, Jr.	M. J. Rice
H. L. Helmbrecht	W. K. Scattergood
R. A. Johnson	L. J. Serre, Jr.
A. H. Miller	D. E. Smith
P. P. Norris	W. J. Sperko
A. S. Olivares	T. C. Wiesner
F. C. Ouyang	

Subgroup on Performance Qualification (SC IX)

J. J. Meyer, <i>Chair</i>	W. Lundy
V. A. Bell	R. D. McGuire
D. A. Bowers	S. R. Nordman
L. P. Connor	P. P. Norris
P. D. Flenner	W. K. Scattergood
G. Herrmann	G. W. Spohn III
M. J. Houle	

Subgroup on Brazing (SC IX)

L. J. Serre, Jr., <i>Chair</i>	A. H. Miller
A. Artayet	C. Robino
M. L. Carpenter	K. C. Taber

SUBCOMMITTEE ON FIBER-REINFORCED PLASTIC PRESSURE VESSELS (SC X)

P. J. Conlisk, <i>Chair</i>	T. W. Cowley
D. Eisberg, <i>Vice Chair</i>	T. J. Fowler
A. J. Roby, <i>Secretary</i>	S. V. Hoa
K. M. Agrawal	L. E. Hunt
H. D. Barton	J. C. Murphy
D. M. Bertelsman	A. L. Newberry
F. Brown	K. C. Owen
J. L. Bustillos	J. A. Rolston

SUBCOMMITTEE ON NUCLEAR INSERVICE INSPECTION (SC XI)

O. F. Hedden, <i>Chair</i>	J. J. Lance
T. J. Mawson, <i>Vice Chair</i>	D. F. Landers
S. D. Weinman, <i>Secretary</i>	T. F. Lentz
C. W. Allison	E. Michalopoulos
W. H. Bamford, Jr.	G. C. Millman
R. L. Beverly	C. R. Osman
J. M. Bloom	G. J. Pitzl
R. W. Boyce	P. C. Riccardella
C. D. Cowfer	L. Sage
D. D. Davis	F. J. Schaaf, Jr.
T. N. Epps III	W. J. Shack
R. E. Gimple	J. E. Staffiera
F. Gregor	R. P. Sullivan
L. B. Gross	R. W. Swayne
R. H. Hansen	R. J. Tamminga
K. Iida	J. C. Tobin
R. D. Kerr	D. Poulis, Representative

Special Working Group on Plant Life Extension (SC XI)

F. Gregor, <i>Chair</i>	J. T. McCumber
D. A. Graham	V. V. Miselis
D. A. Jackson	A. K. Moonka
M. P. Lintz	V. N. Shah
H. W. Massie, Jr.	R. J. Tamminga

Special Working Group on Editing and Review (SC XI)

R. W. Swayne, <i>Chair</i>	V. H. Hight
R. L. Beverly	M. P. Lintz
A. L. Bradshaw	J. E. Staffiera
L. B. Gross	C. J. Wirtz

Working Group on General Requirements (SC XI)

R. J. Tamminga, <i>Chair</i>	C. A. Ireland
A. T. Roberts III, <i>Secretary</i>	G. Johnson
R. G. Edl	R. K. Mattu
J. Goodman	B. K. Walker
D. A. Graham	T. M. Zwick
L. B. Gross	

Subgroup on Water-Cooled Systems (SC XI)

T. F. Lentz, <i>Chair</i>	S. D. Kulat
K. Christian, <i>Secretary</i>	M. P. Lintz
C. W. Allison	C. V. Moore
A. J. Birkle	F. J. Schaaf, Jr.
W. J. Briggs	J. E. Staffiera
J. E. Charnley	E. J. Sullivan, Jr.
D. D. Davis	C. Tahnk
A. F. Deardorff	R. J. Tamminga
R. L. Dyle	F. Tehranchi
L. B. Gross	G. Wasilenko
C. E. Jensen	

Working Group on Inspection of Systems and Components (SG-WCS) (SC XI)

R. L. Dyle, <i>Chair</i>	J. T. Lindberg
J. C. Rivers, <i>Secretary</i>	M. P. Lintz
C. L. Belew	C. Pendleton
T. W. Brombach	C. M. Ross
R. Fougerousse	C. W. Tahnk
D. A. Gallino	E. Throckmorton
M. R. Hum	R. A. West
S. D. Kulat	

Special Working Group on Low Temperature Heavy Water Reactors (SG-WCS) (SC XI)

C. D. Cowfer, <i>Chair</i>	K. F. Schmidt
C. A. Ireland	P. Vormelker
J. Morrison	S. H. Zaidi
J. C. Rivers	

Working Group on Pressure Testing (SG-WCS) (SC XI)

F. J. Schaaf, Jr., <i>Chair</i>	C. E. Jensen
G. P. Alexander	W. N. Keisler
T. R. Bugelhoff	G. E. Rhedrick
R. J. Cimoch	E. J. Sullivan
A. C. Gladney	

Working Group on Implementation of Risk Based Examination (SC XI)

J. J. Lance, <i>Chair</i>	E. Michalopoulos
F. A. Simonen, <i>Secretary</i>	J. Muscara
A. F. Deardorff	J. H. Phillips
A. Hiser, Jr.	T. V. Vo
A. McNeill III	R. A. West

Working Group on Concrete Containment (SG-WCS) (SC XI)

W. J. Briggs, <i>Chair</i>	H. T. Hill
B. Talmadge, <i>Secretary</i>	R. D. Hough
H. G. Ashar	C. N. Krishnaswamy
T. L. Bradley	D. Naus
K. K. N. Chao	C. G. Ranganath

Working Group on Metal Containment (SG-WCS) (SC XI)

J. E. Staffiera, <i>Chair</i>	M. J. Ferlisi
R. N. Watson, <i>Secretary</i>	R. W. Hammelmann
W. J. Briggs	W. E. Norris
K. K. N. Chao	C. G. Ranganath
N. W. Edwards	G. W. Robin

Subgroup on Gas-Cooled Systems (SC XI)

R. H. Hansen, <i>Chair</i>	M. P. Lintz
M. Basol	P. O'Brien
J. F. Cook	

Subgroup on Liquid-Metal Cooled Systems (SC XI)

C. G. McCarger, <i>Chair</i>	L. R. Monson
W. L. Chase	W. J. Rowan
S. Hattori	G. Seed
W. Kwant	J. C. Tobin

Working Group on Liquid-Metal Reactor Covers (SG-LMCS) (SC XI)

W. L. Chase, <i>Chair</i>	W. Kwant
S. Hattori	G. Seed
R. Hundal	

Subgroup on Evaluation Standards (SC XI)

W. H. Bamford, Jr., <i>Chair</i>	S. Ranganath
M. Kupinski, <i>Secretary</i>	P. C. Riccardella
J. M. Bloom	D. A. Scarth
R. C. Cipolla	W. L. Server
R. M. Gamble	P. Shewmon
T. J. Griesbach	C. A. Tomes
P. J. Hijek	W. A. Van Der Sluys
K. Iida	K. R. Wichman
Y. Imamura	K. K. Yoon
J. G. Merkle	S. Yukawa

Working Group on Operating Plant Criteria (SG-ES) (SC XI)

T. J. Griesbach, <i>Chair</i>	A. G. Panagos
R. M. Gamble, <i>Secretary</i>	J. S. Panesar
W. H. Bamford, Jr.	W. E. Pennell
H. Behnke	J. H. Phillips
A. F. Billy	S. Ranganath
W. C. Cliff	S. T. Rosinski
S. R. Gosselin	W. L. Server
C. J. Hardin	V. N. Shah
S. A. Henry	E. A. Siegel
P. J. Hijek	F. A. Simonen
M. Kupinski	K. K. Yoon
S. D. Leshnoff	S. Yukawa

Working Group on Flaw Evaluation (SG-ES) (SC XI)

R. C. Cipolla, <i>Chair</i>	J. S. Panesar
J. M. Bloom, <i>Secretary</i>	R. K. Qashu
W. H. Bamford, Jr.	P. P. Raju
M. Basol	S. Ranganath
N. W. Edwards	D. A. Scarth
E. Friedman	W. L. Server
T. J. Griesbach	F. A. Simonen
D. N. Hopkins	K. R. Wichman
K. Iida	G. M. Wilkowski
Y. Imamura	K. K. Yoon
M. Kupinski	S. Yukawa
H. S. Mehta	A. Zahoor
J. G. Merkle	V. A. Zilberstein

Working Group on Pipe Flaw Evaluation (SG-ES) (SC XI)

D. A. Scarth, <i>Chair</i>	K. Iida
G. M. Wilkowski, <i>Secretary</i>	H. S. Mehta
W. H. Bamford, Jr.	J. G. Merkle
J. M. Bloom	J. S. Panesar
R. C. Cipolla	D. F. Quinones
N. G. Cofie	K. K. Yoon
S. K. Daftuar	S. Yukawa
G. H. De Boo	A. Zahoor
E. Friedman	V. A. Zilberstein
D. N. Hopkins	

Subgroup on Nondestructive Examination (SC XI)

R. L. Beverly, <i>Chair</i>	D. O. Henry
N. R. Bentley, <i>Secretary</i>	M. R. Hum
D. C. Adamonis	S.-N. Liu
F. L. Becker	R. D. McGuire
F. T. Carr	M. C. Modes
W. T. Clayton	C. R. Osman
J. F. Cook	J. C. Spanner, Jr.
C. D. Cowfer	J. C. Spanner, Sr.
F. J. Dodd	C. J. Wirtz
T. N. Epps III	

Working Group on Procedure Qualification and Volumetric Examination (SG-NDE) (SC XI)

C. D. Cowfer, <i>Chair</i>	F. J. Dodd
D. C. Adamonis	T. N. Epps III
F. L. Becker	R. A. Kellerhall
F. T. Carr	M. C. Modes
C. B. Cheezem	M. Saporito
W. T. Clayton	T. T. Taylor
R. A. Courtney	

Working Group on Personnel Qualification and Surface Visual and Eddy Current Examination (SG-NDE) (SC XI)

J. F. Cook, <i>Chair</i>	R. D. McGuire
V. H. Hight, <i>Secretary</i>	S. A. Redner
B. L. Curtis	M. F. Sherwin
N. Economos	A. L. Smith
H. B. Garland	D. Spake
D. O. Henry	J. C. Spanner, Jr.
H. E. Houserman	J. C. Spanner, Sr.
J. J. McArdle III	C. J. Wirtz

Subgroup on Repairs, Replacements, and Modifications (SC XI)

R. E. Gimple, <i>Chair</i>	T. J. Mawson
R. S. Lewis, <i>Secretary</i>	M. S. McDonald
R. W. Boyce	G. J. Pitzl
M. N. Bressler	R. R. Stevenson
A. L. Finney	R. P. Sullivan
C. E. Hartz	R. W. Swayne
R. A. Hermann	S. Tobey
W. C. Holston	R. E. Tome
C. A. Ireland	B. K. Walker
R. D. Kerr	R. A. Yonekawa
D. F. Landers	

Working Group on Welding and Special Repair Processes (SG-RR&M) (SC XI)

D. E. Waskey, <i>Chair</i>	R. A. Hermann
R. E. Cantrell, <i>Secretary</i>	R. D. Kerr
D. A. Delsignore	B. R. Newton
J. G. Feldstein	P. P. Norris
A. L. Finney	J. E. O'Sullivan
P. D. Fisher	S. Tobey
A. J. Giannuzzi	K. R. Willens

Working Group on Design Reconciliation (SG-RR&M) (SC XI)

W. C. Holston, <i>Chair</i>	D. N. Irvine, Jr.
R. E. Tome, <i>Secretary</i>	D. F. Landers
R. W. Boyce	G. J. Pitzl
J. Brunozzi	R. W. Swayne
J. E. Charnley	F. Tehranchi
E. V. Imbro	H. J. Thailer

Working Group on Responsibilities and Program Requirements (SG-RR&M) (SC XI)

R. A. Yonekawa, <i>Chair</i>	R. S. Lewis
R. R. Stevenson, <i>Secretary</i>	M. S. McDonald
C. E. Hartz	U. Potapovs
R. T. Huerter	A. J. Walcutt
R. L. Kurtz	C. N. Williams

Subgroup on Inservice Inspection of Core Support Structures (SC XI)

J. T. Lindberg, <i>Chair</i>	J. T. Land
J. F. Mullooly, <i>Secretary</i>	W.-C. Liu
H. Behnke	G. A. Lofthus
M. M. Behravesh	A. L. Smith
S. Chandra	J. C. Tobin
C. L. Child	S. M. Walker

SUBCOMMITTEE ON SAFETY VALVE REQUIREMENTS (SC-SVR)

E. C. Kistner, Jr., <i>Chair</i>	S. R. Irvin, Sr.
M. D. Bernstein, <i>Vice Chair</i>	D. B. Kadakia
U. D'Urso, <i>Secretary</i>	C. A. Neumann
J. F. Ball	M. Robinson
G. C. Batz	A. J. Spencer
W. E. Brown	J. C. Standfast
J. A. Cox	E. A. Steen
R. J. Doelling	L. L. Thompson
R. G. Friend	J. A. West
H. I. Gregg	G. T. Zirps
S. F. Harrison, Jr.	T. J. Ferrigan, <i>Alternate</i>

Subgroup on General Requirements (SC-SVR)

M. D. Bernstein, <i>Chair</i>	J. W. Reynolds
J. F. Ball	M. Robinson
W. E. Brown	J. C. Standfast
C. A. Neumann	L. L. Thompson

Subgroup on Testing (SC-SVR)

S. F. Harrison, Jr., <i>Chair</i>	D. M. Papa
J. A. Cox	D. J. Scallan
V. M. DeLuca	C. M. Schroepfer
W. F. Hart	G. T. Zirps
S. R. Irvin, Sr.	

Subgroup on Design (SC-SVR)

R. C. Friend, <i>Chair</i>	P. R. Sievert
G. C. Batz	A. J. Spencer
J. Cahoon, Jr.	E. A. Steen
R. J. Doelling	T. R. Tarbay
H. I. Gregg	J. A. West
D. B. Kadakia	

SUBCOMMITTEE ON DESIGN (SC-D)

W. J. Carter, <i>Chair</i>	K. Mokhtarian
R. I. Jetter, <i>Vice Chair</i>	R. J. O'Donnell
P. A. Reddington, <i>Secretary</i>	W. J. O'Donnell
R. W. Barnes	R. D. Schueler, Jr.
J. L. Hechmer	M. P. Schwartz
O. F. Hedden	A. Selz
R. W. Mikitka	R. E. Tome

Special Working Group on Bolted Flanged Joints (SC-D)

R. W. Mikitka, <i>Chair</i>	J. R. Payne
G. D. Bibel	R. W. Schneider
G. Kharshafdjian	R. D. Schueler, Jr.
D. L. Kurlle	A. Selz
E. Michalopoulos	

Subgroup on Openings (SC-D)

M. P. Schwartz, <i>Chair</i>	K. C. Morrison
R. W. Mikitka, <i>Secretary</i>	D. R. Palmer
M. R. Breach	M. D. Rana
V. T. Hwang	E. C. Rodabaugh
S. C. Lou	R. W. Schneider
R. B. Luney	G. M. Tunnell, Jr.
K. Mokhtarian	

Subgroup on Design Analysis (SC-D)

J. L. Hechmer, <i>Chair</i>	T.-H. Liu
T. P. Pastor, <i>Secretary</i>	O. Maekawa
P. J. Conlisk	A. Merend
A. G. Eggers	T. V. Narayanan
G. L. Hollinger	E. R. Sliwinski
D. P. Jones	S. A. Swamy
A. Kalnins	E. L. Thomas, Jr.
W. J. Koves	

Subgroup on Elevated Temperature Design (SC-D)

R. I. Jetter, <i>Chair</i>	R. K. Mattu
J. M. Corum, <i>Secretary</i>	L. C. S. Nieh
C. Becht IV	W. J. O'Donnell
C. R. Brinkman	C. C. Schultz, Jr.
R. D. Campbell	L. K. Severud
D. S. Griffin	D. F. Shaw
C. Lawton	A. L. Snow
S. Majumdar	B. E. Thurgood

Subgroup on Fatigue Strength (SC-D)

W. J. O'Donnell, <i>Chair</i>	D. P. Jones
C. R. Brinkman	G. Kharshafdjian
P. R. Donavin	C. Lawton
J. A. Hayward	M. J. Manjoine
J. L. Hechmer	A. Merend
L. A. James	H. H. Ziada

SUBCOMMITTEE ON BOILER AND PRESSURE VESSEL ACCREDITATION (SC-BPVA)

A. J. Spencer, <i>Chair</i>	M. L. Sisk
A. J. Justin, <i>Vice Chair</i>	V. Bogosian, <i>Alternate</i>
J. P. Millman, <i>Secretary</i>	S. C. Cyr, <i>Alternate</i>
D. W. Anacki	D. F. Everett, <i>Alternate</i>
V. A. Bell	J. R. Farr, <i>Alternate</i>
M. B. Doherty	W. D. Greenlaw, <i>Alternate</i>
D. A. Douin	W. F. Hathaway, <i>Alternate</i>
P. D. Edwards	V. V. Kanable, <i>Alternate</i>
R. M. Elliott	W. C. LaRochelle, <i>Alternate</i>
C. E. Ford	A. S. Lester III, <i>Alternate</i>
J. J. Greene	K. M. McTague, <i>Alternate</i>
R. C. Howard	P. G. Scheckermann, <i>Alternate</i>
S. R. Irvin, Sr.	B. C. Turczynski, <i>Alternate</i>

SUBCOMMITTEE ON NUCLEAR ACCREDITATION (SC-NA)

W. G. Knecht, <i>Chair</i>	G. M. Tolson
T. E. Quaka, <i>Vice Chair</i>	R. W. Boyce, <i>Alternate</i>
S. Wunsch, <i>Secretary</i>	W. H. Chamberlain, <i>Alternate</i>
C. W. Allison	F. R. Drahos, <i>Alternate</i>
J. R. Barbee	J. P. Ellenberger, <i>Alternate</i>
M. N. Bressler	H. D. Hanrath, <i>Alternate</i>
S. DasGupta	S. F. Hatch, <i>Alternate</i>
G. Deily	A. J. Justin, <i>Alternate</i>
R. E. Feigel	N. C. Kist, <i>Alternate</i>
R. E. Gimple	W. C. LaRochelle, <i>Alternate</i>
J. E. Harris	L. C. Oakes, <i>Alternate</i>
M. Kotb	H. B. Prasse, <i>Alternate</i>
U. Potapovs	J. M. Salasky, <i>Alternate</i>
A. J. Spencer	D. J. Skoza, <i>Alternate</i>
R. R. Stevenson	R. E. Tilton, <i>Staff Representative</i>

PERSONNEL

Officers of ASTM Committee

(Cooperating in the Development of the Specifications Herein)

As of December 31, 1994

B2 COMMITTEE ON NONFERROUS METALS AND ALLOYS

G. M. Kralik, *Chairman*
R. S. Humphrey, *User Vice Chairman*
S. Belisle, *Producer Vice Chairman*
B. P. Dugan, *Secretary*
R. D. Tomasello, *Staff Manager*

B5 COMMITTEE ON COPPER AND COPPER ALLOYS

T. J. Luzon, *Vice Chairman*
H. Pops, *First Vice Chairman*
L. Acs, *Second Vice Chairman*
J. Schuster, *Secretary*
R. Hirren, *Membership Secretary*
G. A. Luciw, *Staff Manager*

B7 COMMITTEE ON LIGHT METALS AND ALLOYS

P. F. Baumann, *Chairman*
H. H. Buck, Jr. *First Vice Chairman*
D. Raven, *Second Vice Chairman*
T. Crona, *Secretary*
J. L. Kratz, *Membership Secretary*
S. P. Canning, *Staff Manager*

B10 COMMITTEE ON REACTIVE AND REFRACTORY METALS AND ALLOYS

R. S. Humphrey, *Chairman*
G. J. Dormer, *First Vice Chairman*
B. J. Narayan, *Second Vice-Chairman*
B. Heuer, Jr. *Secretary*
S. F. Mawn, *Staff Manager*

PREFACE

The American Society of Mechanical Engineers (ASME) and the American Society for Testing and Materials (ASTM) have cooperated for more than fifty years in the preparation of material specifications adequate for safety in the field of pressure equipment for ferrous and nonferrous materials, contained in Section II (Part A — Ferrous and Part B — Nonferrous) of the ASME Boiler and Pressure Vessel Code.

The evolution of this cooperative effort is contained in Professor A. M. Greene's "History of the ASME Boiler Code," which was published as a series of articles in *Mechanical Engineering* from July 1952 through August 1953 and is now available from ASME in a special bound edition. The following quotations from this history, which was based upon the minutes of the ASME Boiler and Pressure Vessel Committee, will help focus on the cooperative nature of the specifications found in Section II, Material Specifications.

"General discussion of material specifications comprising Paragraphs 1 to 112 of Part 2 and the advisability of having them agree with ASTM specifications," (1914).

"ASME Subcommittee appointed to confer with ASTM," (1916).

"Because of this cooperation the specifications of the 1918 Edition of the ASME Boiler Code were more nearly in agreement with ASTM specifications. In the 1924 Edition of the Code, 10 specifications were in complete agreement with ASTM specifications, 4 in substantial agreement and 2 covered materials for which ASTM had no corresponding specifications."

"In Section II, Material Specifications, the paragraphs were given new numbers beginning with S-1 and extending to S-213," (1925).

"Section II was brought into agreement with changes made in the latest ASTM specifications since 1921," (1932).

"The Subcommittee on Material Specifications arranged for the introduction of the revisions of many

of the specifications so that they would agree with the latest form of the earlier ASTM specifications...," (1935).

From the preceding, it is evident that many of the material specifications were prepared by the Boiler and Pressure Vessel Code Committees, then subsequently, by cooperative action, modified and identified as ASTM specifications. Section II, Parts A and B, currently contain many material specifications which are identical with the corresponding ASTM specifications and some which have been modified for Code usage.

In 1969, the American Welding Society began publication of specifications for welding rods, electrodes, and filler metals, hitherto issued by ASTM. The Boiler and Pressure Vessel Committee has recognized this new arrangement, and is now working with AWS on these specifications. Section II, Part C, contains the welding material specifications approved for Code use.

All identical specifications are indicated by the ASME/ASTM symbols or the ASME/AWS symbols. The specifications prepared and copyrighted by ASTM and AWS are reproduced in the Code with the permission of the respective Society. The ASME Boiler and Pressure Vessel Committee has given careful consideration to each new and revised ASTM or AWS specification, and has made such changes as they deemed necessary to make the specification adaptable for Code usage. In addition, ASME has furnished ASTM with the basic requirements that should govern many proposed new specifications. Joint action will continue an effort to make the ASTM, AWS, and ASME specifications identical.

To assure that there will be a clear understanding on the part of the users of Section II, ASME publishes both the identical specifications and those amended for Code usage in three parts every three years, in the same page size to match the other sections of the Code, and Addenda are issued annually to provide the latest changes in Section II specifications.

The ASME Boiler and Pressure Vessel Code has been adopted into law by 45 states and many municipalities in the United States and by all of the Canadian Provinces.

CONTENTS

Specifications Listed by Materials — Pages xxxiii–xxxvi

Specifications Listed in Numeric Sequence — Pages xxxvii–xl

Mandatory Appendix 1 — Page xli

Appendix A — Pages xliii–l

SI Units — Pages li–liii

Specifications

Listed by Materials

Aluminum and Aluminum Alloys

SB-26/SB-26M	Aluminum-Alloy Sand Castings	1
SB-108	Aluminum-Alloy Permanent Mold Castings	49
SB-209	Aluminum and Aluminum-Alloy Sheet and Plate	205
SB-210	Aluminum and Aluminum-Alloy Drawn Seamless Tubes	221
SB-211	Aluminum-Alloy Bar, Rod, and Wire	235
SB-221	Aluminum and Aluminum-Alloy Extruded Bars, Rods, and Shapes	243
SB-234	Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers	251
SB-241/SB-241M	Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube	261
SB-247	Aluminum-Alloy Die and Hand Forgings	275
SB-308/SB-308M	Aluminum-Alloy 6061-T6 Standard Structural Shapes	333
SB-548	Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	633

Copper and Copper Alloy Plate, Sheet, Strip, and Rolled Bar

SB-96	Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels	41
SB-152	Copper Sheet, Strip, Plate, and Rolled Bar	107
SB-169	Aluminum Bronze Plate, Sheet, Strip, and Rolled Bar	193
SB-171	Copper-Alloy Plate and Sheet for Pressure Vessels Condensers and Heat Exchangers ..	197
SB-248	General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar	285
SB-283	Copper and Copper-Alloy Die Forgings (Hot Pressed)	327

Copper and Copper Alloy Rod, Bar, and Shapes

SB-98	Copper-Silicon Alloy Rod, Bar, and Shapes	45
SB-133	Copper Rod and Bar	83
SB-150	Aluminum Bronze Rod and Bar	99
SB-151	Copper-Nickel Rod and Bar	103
SB-249	General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, and Shapes	297

Copper and Copper Alloy Pipe and Tubes

SB-42	Seamless Copper Pipe, Standard Sizes	11
SB-43	Seamless Red Brass Pipe, Standard Sizes	19
SB-75	Seamless Copper Tube	35
SB-111	Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock	61

SB-135	Seamless Brass Tube	91
SB-251	General Requirements for Wrought Seamless Copper and Copper-Alloy Tube	307
SB-315	Seamless Copper Alloy Pipe and Tube	341
SB-359	Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins	359
SB-395	U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes ...	421
SB-466	Seamless Copper-Nickel Pipe and Tube	539
SB-467	Welded Copper-Nickel Pipe	545
SB-543	Welded Copper and Copper-Alloy Heat Exchanger Tube	621
 Copper Alloy Castings		
SB-61	Steam or Valve Bronze Castings	27
SB-62	Composition Bronze or Ounce Metal Castings	31
SB-148	Aluminum Bronze Sand Castings	95
SB-271	Copper-Base Centrifugal Castings	325
SB-369	Copper-Nickel Alloy Castings	409
SB-505	Copper-Base Alloy Continuous Castings	573
SB-584	Copper Alloy Sand Castings for General Applications	697
SB-824	General Requirements for Copper Alloy Castings	899
 Nickel and Nickel Alloy Plate, Sheet, and Strip		
SB-127	Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip	71
SB-162	Nickel Plate, Sheet, and Strip	127
SB-168	Nickel-Chromium-Iron Alloys (UNS N06600, N06601, and N06690) and Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617) Plate, Sheet, and Strip	181
SB-333	Nickel-Molybdenum Alloy Plate, Sheet, and Strip	351
SB-409	Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip	449
SB-424	Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825 and UNS N08221) Plate, Sheet, and Strip	469
SB-434	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Plate, Sheet, and Strip	487
SB-435	UNS N06002, UNS N06230 and UNS R30556 Plate, Sheet, and Strip	493
SB-443	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Plate, Sheet, and Strip	499
SB-463	UNS N08020, UNS N08026, and UNS N08024 Alloy Plate, Sheet, and Strip	525
SB-536	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330 and N08332) Plate, Sheet, and Strip	611
SB-575	Low-Carbon Nickel-Molybdenum-Chromium and Low-Carbon-Nickel- Chromium-Molybdenum Alloy Plate, Sheet, and Strip	675
SB-582	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip	689
SB-599	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip	703
SB-620	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip	717
SB-625	UNS N08904, UNS N08925, UNS N08031, UNS N08932 and UNS N08926 Plate, Sheet, and Strip	735
SB-688	Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip	815

SB-709	Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip	849
Nickel and Nickel Alloy Rod, Bar, and Wire		
SB-160	Nickel Rod and Bar	113
SB-164	Nickel-Copper Alloy Rod, Bar, and Wire	149
SB-166	Nickel-Chromium-Iron Alloys (UNS N06600, N06601 and N06690) and Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617) Rod, Bar, and Wire	165
SB-335	Nickel-Molybdenum Alloy Rod	357
SB-408	Nickel-Iron-Chromium Alloy Rod and Bar	443
SB-425	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Rod and Bar	479
SB-446	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Rod and Bar	513
SB-473	UNS N08020, UNS N08026, and UNS N08024 Nickel Alloy Bar and Wire	557
SB-511	Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes	579
SB-564	Nickel Alloy Forgings	653
SB-572	UNS N06002, UNS N06230 and UNS R30556 Rod	659
SB-573	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Rod	665
SB-574	Low-Carbon Nickel-Molybdenum-Chromium and Low-Carbon Nickel- Chromium-Molybdenum Alloy Rod	669
SB-581	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod	683
SB-621	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod	723
SB-637	Precipitation-Hardening Nickel Alloy Bars, Forgings, and Forging Stock for High-Temperature Service	755
SB-649	Ni-Fe-Cr-Mo-Cu Low-Carbon Alloy (UNS N08904) and Ni-Fe-Cr-Mo- Cu-N Low-Carbon Alloys (UNS N08925, UNS N08031, and UNS N08926) Bar and Wire	761
SB-672	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire	779
SB-691	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire	829
Nickel and Nickel Alloy Pipe and Tubes		
SB-161	Nickel Seamless Pipe and Tube	121
SB-163	Seamless Nickel and Nickel Alloy Condenser and Heat Exchanger Tubes	139
SB-165	Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube	159
SB-167	Nickel-Chromium-Iron Alloys (UNS N06600, N06601, and N06690) Seamless Pipe and Tube	175
SB-407	Nickel-Iron-Chromium Alloy Seamless Pipe and Tube	433
SB-423	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Seamless Pipe and Tube	463
SB-444	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Pipe and Tube	509
SB-462	Forged or Rolled Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy (UNS N08020) Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service	519
SB-464	Welded UNS N08020, UNS N08024, and UNS N08026 Alloy Pipe	535
SB-468	Welded UNS N08020, UNS N08026, and UNS N08024 Alloy Tubes	553

SB-514	Welded Nickel-Iron-Chromium Alloy Pipe	585
SB-515	Welded Nickel-Iron-Chromium Alloy (UNS N08800 and UNS N008810) Tubes.....	587
SB-516	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Tubes	593
SB-517	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Pipe	595
SB-535	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330) Seamless Pipe	603
SB-619	Welded Nickel and Nickel-Cobalt Alloy Pipe.....	713
SB-622	Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube.....	727
SB-626	Welded Nickel and Nickel-Cobalt Alloy Tube	747
SB-668	UNS N08028 Seamless Tubes	775
SB-673	UNS N08904, N08925 and N08926 Welded Pipe	785
SB-674	UNS N08904 and UNS N08925 and UNS N08925 Welded Tube.....	791
SB-675	UNS N08366 and UNS N08367 Welded Pipe	797
SB-676	UNS N08366 and UNS N08367 Welded Tube.....	803
SB-677	UNS N08904, UNS N08925, and UNS N08926 Seamless Pipe and Tube.....	809
SB-690	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube.....	823
SB-704	Nickel-Alloy (UNS N06625 and N08825) Welded Tube.....	837
SB-705	Nickel-Alloy (UNS N06625 and N08825) Welded Pipe	843
SB-710	Nickel-Iron-Chromium-Silicon Alloy Welded Pipe	859
SB-729	Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube.....	865
SB-751	General Requirements for Nickel and Nickel-Alloy Seamless and Welded Tube	873
SB-775	General Requirements for Nickel and Nickel-Alloy Seamless and Welded Pipe.....	881
SB-804	UNS N08367 Welded Pipe.....	891
SB-829	General Requirements for Nickel and Nickel Alloy Seamless Pipe and Tube	903
 Nickel Alloy Castings		
SA-494/SA-494M	Castings, Nickel and Nickel Alloy	569
 Nickel and Nickel Alloy Fittings		
SB-366	Factory-Made Wrought Nickel and Nickel Alloy Welding Fittings.....	397
 Titanium and Titanium Alloys		
SB-265	Titanium and Titanium Alloy Strip, Sheet, and Plate.....	315
SB-337	Seamless and Welded Titanium and Titanium Alloy Pipe.....	361
SB-338	Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers	367
SB-348	Titanium and Titanium Alloy Bars and Billets	375
SB-363	Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings	393
SB-367	Titanium and Titanium Alloy Castings.....	403
SB-381	Titanium and Titanium Alloy Forgings	415
 Zirconium and Zirconium Alloys		
SB-493	Zirconium and Zirconium Alloy Forgings	565
SB-523	Seamless and Welded Zirconium and Zirconium Alloy Tubes.....	597
SB-550	Zirconium and Zirconium Alloy Bar and Wire.....	639
SB-551	Zirconium and Zirconium Alloy Strip, Sheet, and Plate	645
SB-658	Seamless and Welded Zirconium and Zirconium Alloy Pipe	769

Specifications

Listed in Numeric Sequence

SB-26/SB-26M	Aluminum-Alloy Sand Castings.....	1
SB-42	Seamless Copper Pipe, Standard Sizes.....	11
SB-43	Seamless Red Brass Pipe, Standard Sizes.....	19
SB-61	Steam or Valve Bronze Castings.....	27
SB-62	Composition Bronze or Ounce Metal Castings.....	31
SB-75	Seamless Copper Tube.....	35
SB-96	Copper-Silicon Alloy Plate, Sheet, Strip, and Rolled Bar for General Purposes and Pressure Vessels.....	41
SB-98	Copper-Silicon Alloy Rod, Bar, and Shapes.....	45
SB-108	Aluminum-Alloy Permanent Mold Castings.....	49
SB-111	Copper and Copper-Alloy Seamless Condenser Tubes and Ferrule Stock.....	61
SB-127	Nickel-Copper Alloy (UNS N04400) Plate, Sheet, and Strip.....	71
SB-133	Copper Rod and Bar.....	83
SB-135	Seamless Brass Tube.....	91
SB-148	Aluminum Bronze Sand Castings.....	95
SB-150	Aluminum Bronze Rod and Bar.....	99
SB-151	Copper-Nickel Rod and Bar.....	103
SB-152	Copper Sheet, Strip, Plate, and Rolled Bar.....	107
SB-160	Nickel Rod and Bar.....	113
SB-161	Nickel Seamless Pipe and Tube.....	121
SB-162	Nickel Plate, Sheet, and Strip.....	127
SB-163	Seamless Nickel and Nickel Alloy Condenser and Heat Exchanger Tubes.....	139
SB-164	Nickel-Copper Alloy Rod, Bar, and Wire.....	149
SB-165	Nickel-Copper Alloy (UNS N04400) Seamless Pipe and Tube.....	159
SB-166	Nickel-Chromium-Iron Alloy (UNS N06600, N06601 and N06690) and Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617) Rod, Bar, and Wire...	165
SB-167	Nickel-Chromium-Iron Alloys (UNS N06600, N06601, and N06690) Seamless Pipe and Tube.....	175
SB-168	Nickel-Chromium-Iron Alloys (UNS N06600, N06601 and N06690) and Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617) Plate, Sheet, and Strip.....	181
SB-169	Aluminum Bronze Plate, Sheet, Strip, and Rolled Bar.....	193
SB-171	Copper-Alloy Plate and Sheet for Pressure Vessels, Condensers and Heat Exchangers..	197
SB-209	Aluminum and Aluminum-Alloy Sheet and Plate.....	205
SB-210	Aluminum and Aluminum-Alloy Drawn Seamless Tubes.....	221
SB-211	Aluminum-Alloy Bar, Rod, and Wire.....	235
SB-221	Aluminum and Aluminum-Alloy Extruded Bars, Rods, and Shapes.....	243
SB-234	Aluminum and Aluminum-Alloy Drawn Seamless Tubes for Condensers and Heat Exchangers.....	251
SB-241/SB-241M	Aluminum and Aluminum-Alloy Seamless Pipe and Seamless Extruded Tube.....	261

SB-247	Aluminum-Alloy Die and Hand Forgings	275
SB-248	General Requirements for Wrought Copper and Copper-Alloy Plate, Sheet, Strip, and Rolled Bar	285
SB-249	General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, and Shapes	297
SB-251	General Requirements for Wrought Seamless Copper and Copper-Alloy Tube	307
SB-265	Titanium and Titanium Alloy Strip, Sheet, and Plate	315
SB-271	Copper-Base Centrifugal Castings	325
SB-283	Copper and Copper-Alloy Die Forgings (Hot Pressed)	327
SB-308/SB-308M	Aluminum-Alloy 6061-T6 Standard Structural Shapes	333
SB-315	Seamless Copper Alloy Pipe and Tube	341
SB-333	Nickel-Molybdenum Alloy Plate, Sheet, and Strip	351
SB-335	Nickel-Molybdenum Alloy Rod	357
SB-337	Seamless and Welded Titanium and Titanium Alloy Pipe	361
SB-338	Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers	367
SB-348	Titanium and Titanium Alloy Bars and Billets	375
SB-359	Copper and Copper-Alloy Seamless Condenser and Heat Exchanger Tubes With Integral Fins	383
SB-363	Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings	393
SB-366	Factory-Made Wrought Nickel and Nickel Alloy Welding Fittings	397
SB-367	Titanium and Titanium Alloy Castings	403
SB-369	Copper-Nickel Alloy Castings	409
SB-381	Titanium and Titanium Alloy Forgings	415
SB-395	U-Bend Seamless Copper and Copper Alloy Heat Exchanger and Condenser Tubes	421
SB-407	Nickel-Iron-Chromium Alloy Seamless Pipe and Tube	433
SB-408	Nickel-Iron-Chromium Alloy Rod and Bar	443
SB-409	Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip	449
SB-423	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Seamless Pipe and Tube	463
SB-424	Ni-Fe-Cr-Mo-Cu Alloy (UNS N08825 and UNS N08221) Plate, Sheet, and Strip	469
SB-425	Nickel-Iron-Chromium-Molybdenum-Copper Alloy (UNS N08825 and UNS N08221) Rod and Bar	479
SB-434	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Plate, Sheet, and Strip	487
SB-435	UNS N06002, UNS N06230 and UNS R30556 Plate, Sheet, and Strip	493
SB-443	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Plate, Sheet, and Strip	499
SB-444	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Pipe and Tube	509
SB-446	Nickel-Chromium-Molybdenum-Columbium Alloy (UNS N06625) Rod and Bar	513
SB-462	Forged or Rolled Chromium-Nickel-Iron-Molybdenum-Copper- Columbium Stabilized Alloy (UNS N08020) Pipe Flanges, Forged Fittings, and Valves and Parts for Corrosive High-Temperature Service	519
SB-463	UNS N08020, UNS N08026, and UNS N08024 Alloy Plate, Sheet, and Strip	525
SB-464	Welded UNS N08020, UNS N08024, and UNS N08026 Alloy Pipe	535
SB-466	Seamless Copper-Nickel Pipe and Tube	539
SB-467	Welded Copper-Nickel Pipe	545
SB-468	Welded UNS N08020, UNS N08024, and UNS N08026 Alloy Tubes	553

SB-473	UNS N08020, UNS N08026, and UNS N08024 Nickel Alloy Bar and Wire	557
SB-493	Zirconium and Zirconium Alloy Forgings	565
SA-494/SA-494M	Castings, Nickel and Nickel Alloy	569
SB-505	Copper-Base Alloy Continuous Castings	573
SB-511	Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes	579
SB-514	Welded Nickel-Iron-Chromium Alloy Pipe	585
SB-515	Welded Nickel-Iron-Chromium Alloy (UNS N08800 and UNS N08810) Tubes	587
SB-516	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Tubes	593
SB-517	Welded Nickel-Chromium-Iron Alloy (UNS N06600) Pipe	595
SB-523	Seamless and Welded Zirconium and Zirconium Alloy Tubes	597
SB-535	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330) Seamless Pipe	603
SB-536	Nickel-Iron-Chromium-Silicon Alloy (UNS N08330 and N08332) Plate, Sheet, and Strip	611
SB-543	Welded Copper and Copper-Alloy Heat Exchanger Tube	621
SB-548	Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	633
SB-550	Zirconium and Zirconium Alloy Bar and Wire	639
SB-551	Zirconium and Zirconium Alloy Strip, Sheet, and Plate	645
SB-564	Nickel Alloy Forgings	653
SB-572	UNS N06002, UNS N06230 and UNS R30556 Rod	659
SB-573	Nickel-Molybdenum-Chromium-Iron Alloy (UNS N10003) Rod	665
SB-574	Low-Carbon Nickel-Molybdenum-Chromium and Low-Carbon Nickel- Chromium-Molybdenum Alloy Rod	669
SB-575	Low-Carbon Nickel-Molybdenum-Chromium and Low-Carbon Nickel- Chromium-Molybdenum Alloy Plate, Sheet, and Strip	675
SB-581	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod	683
SB-582	Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip	689
SB-584	Copper Alloy Sand Castings for General Applications	697
SB-599	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Plate, Sheet, and Strip	703
SB-619	Welded Nickel and Nickel-Cobalt Alloy Pipe	713
SB-620	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Plate, Sheet, and Strip	717
SB-621	Nickel-Iron-Chromium-Molybdenum Alloy (UNS N08320) Rod	723
SB-622	Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube	727
SB-625	UNS N08904, UNS N08925, UNS N08031, UNS N08932, and UNS N08926 Plate, Sheet, and Strip	735
SB-626	Welded Nickel and Nickel-Cobalt Alloy Tube	747
SB-637	Precipitation-Hardening Nickel Alloy Bars, Forgings, and Forging Stock for High-Temperature Service	755
SB-649	Ni-Fe-Cr-Mo-Cu Low-Carbon Alloy (UNS N08904) and Ni-Fe-Cr-Mo- Cu-N Low-Carbon Alloy (UNS N08925, UNS N08031 and UNS N08926) Bar and Wire	761
SB-658	Seamless and Welded Zirconium and Zirconium Alloy Pipe	769
SB-668	UNS N08028 Seamless Tubes	775
SB-672	Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy (UNS N08700) Bar and Wire	779
SB-673	UNS N08904, N08925 and N08926 Welded Pipe	785
SB-674	UNS N08904 and UNS N08925 and UNS N08926 Welded Tube	791
SB-675	UNS N08366 and UNS N08367 Welded Pipe	797
SB-676	UNS N08366 and UNS N08367 Welded Tube	803
SB-677	UNS N08904, UNS N08925, and UNS N08926 Seamless Pipe and Tube	809

SB-688	Chromium-Nickel-Molybdenum-Iron (UNS N08366 and UNS N08367) Plate, Sheet, and Strip.....	815
SB-690	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Seamless Pipe and Tube.....	823
SB-691	Iron-Nickel-Chromium-Molybdenum Alloys (UNS N08366 and UNS N08367) Rod, Bar, and Wire.....	829
SB-704	Nickel-Alloy (UNS N06625 and N08825) Welded Tube.....	837
SB-705	Nickel-Alloy (UNS N06625 and N08825) Welded Pipe.....	843
SB-709	Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08028) Plate, Sheet, and Strip.....	849
SB-710	Nickel-Iron-Chromium-Silicon Alloy Welded Pipe.....	859
SB-729	Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube.....	865
SB-751	General Requirements for Nickel and Nickel-Alloy Seamless and Welded Tube.....	873
SB-775	General Requirements for Nickel and Nickel-Alloy Seamless and Welded Pipe.....	881
SB-804	UNS N08367 Welded Pipe.....	891
SB-824	General Requirements for Copper Alloy Castings.....	899
SB-829	General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube.....	903

APPENDIX 1 — MANDATORY PREPARATION OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL COMMITTEE

1-100 INTRODUCTION

The ASME Boiler and Pressure Vessel Committee meets regularly to consider written requests for interpretations and revisions to the Code rules, and to develop new rules as dictated by technological development. The Committee's activities in this regard are limited strictly to interpretations of the rules or to the consideration of revisions to the present rules on the basis of new data or technology. As a matter of published policy, ASME does not approve, certify, rate, or endorse any item, construction, proprietary device, or activity, and, accordingly, inquiries requiring such consideration will be returned. Moreover, ASME does not act as a consultant on specific engineering problems or on the general application or understanding of the Code rules. If, based on the inquiry information submitted, it is the opinion of the Committee that the inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

All inquiries that do not provide the information needed for the Committee's full understanding will be returned.

1-200 INQUIRY FORMAT

Inquiries shall be limited strictly to interpretations of the rules or to the consideration of revisions to the present rules on the basis of new data or technology. Inquiries shall be submitted in the following format.

(a) *Scope.* Involve a single rule or closely related rules. An inquiry letter concerning unrelated subjects will be returned.

(b) *Background.* State the purpose of the inquiry, which would be either to obtain an interpretation of Code rules, or to propose consideration of a revision to the present rules. Provide concisely the information needed for the Committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda, paragraphs, figures, and tables. If sketches are provided, they shall be limited to the scope of the inquiry.

(c) *Inquiry Structure.* Prepare statements in a condensed and precise question format, omitting superfluous background information, and, where appropriate, composed in such a way that "yes" or "no" (perhaps with provisos) would be an acceptable reply. This inquiry statement should be technically and editorially correct.

(d) *Proposed Reply.* State what it is believed that the Code requires. If in the inquirer's opinion a revision to the Code is needed, recommended wording shall be provided.

1-300 SUBMITTAL

Inquiries shall preferably be submitted in typewritten form; however, legible handwritten inquiries will also be considered. They shall include the name and mailing address of the inquirer, and be mailed to the following address:

Secretary
ASME Boiler and Pressure Vessel Committee
345 East 47th Street
New York, NY 10017