

AN INTERNATIONAL CODE

2007 ASME Boiler & Pressure Vessel Code

2008a Addenda

July 1, 2008

VIII

Division 2

Alternative Rules

RULES FOR CONSTRUCTION OF PRESSURE VESSELS

ASME Boiler and Pressure Vessel Committee
Subcommittee on Pressure Vessels



The American Society of
Mechanical Engineers



U082W8

Date of Issuance: July 1, 2008

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any item mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The footnotes in this document are part of this American National Standard.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2008 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

2007 ASME

BOILER AND PRESSURE VESSEL CODE

SECTIONS

- I** Rules for Construction of Power Boilers
- II** Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)
- III** Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Subsection NH — Class 1 Components in Elevated Temperature Service
 - Appendices
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containment for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
- IV** Rules for Construction of Heating Boilers
- V** Nondestructive Examination
- VI** Recommended Rules for the Care and Operation of Heating Boilers
- VII** Recommended Guidelines for the Care of Power Boilers
- VIII** Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels
- IX** Welding and Brazing Qualifications
- X** Fiber-Reinforced Plastic Pressure Vessels
- XI** Rules for Inservice Inspection of Nuclear Power Plant Components
- XII** Rules for Construction and Continued Service of Transport Tanks

ADDENDA

Colored-sheet Addenda, which include additions and revisions to individual Sections of the Code, are published annually and will be sent automatically to purchasers of the applicable Sections up to the publication of the 2010 Code. The 2007 Code is available only in the loose-leaf format; accordingly, the Addenda will be issued in the loose-leaf, replacement-page format.

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code. The Interpretations for each individual Section will be published separately and will be included as part of the update service to that Section. Interpretations of Section III, Divisions 1 and 2, will be included with the update service to Subsection NCA.

Interpretations of the Code are distributed annually in July with the issuance of the edition and subsequent addenda. Interpretations posted in January at www.cstools.asme.org/interpretations are included in the July distribution.

CODE CASES

The Boiler and Pressure Vessel Committee meets regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2007 Code Cases book, "Boilers and Pressure Vessels" and "Nuclear Components." Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2010 Code.

SUMMARY OF CHANGES

Addenda to the 2007 Edition of the Code are issued in the form of replacement pages. Revisions, additions, or deletions are incorporated directly into the affected pages. It is advisable, however, that all replaced pages be retained for reference.

Replace or insert the pages listed. Changes given below are identified on the pages by a vertical line placed next to the affected area.

For the listing below, the *Page* references the affected area. A vertical line placed next to the heading indicates *Location*. Revisions are listed under *Change*.

Record Numbers listed below are explained in more detail in "List of Changes in Record Number Order" following the Summary of Changes.

Page	Location	Change (Record Number)
xxiii–xxxiii	Roster	Updated to reflect 2008 Addenda
1-3	1.2.1.2.b	Removed word Local (07-255)
1-4	1.2.4.1	Removed word Local (07-255)
1-8	Table 1.1	Adopt SNT-TC-1A-2006 and CP-129-2006 (07-1679)
1-8	Table 1.1	Include ASME PCC-1 (07-301)
1-13	1.B.2.7	Removed word Local (07-255)
1-14	1.B.2.13	Added definition of "Specified Design Pressure" (07-246)
1-14	1.B.2.14	Paragraph renumbered (07-246)
2-4	2.2.2.1.d).1	Added reference to paragraph 4.1.5.2.a) (07-246)
2-4	2.2.2.1(f)	Revised paragraph to require the user to evaluate design conditions of 5.5.2.2 (a) through (f). (07-285)
2-5	2.2.2.1.g.3	Revised paragraph by adding consideration of filler material by user (07-318)
2-7	2.3.5	Revised paragraph to require Manufacturer to maintain records for a duration per Annex 2C. (06-1202)
2-8	2.4.2	Remove (07-1572)
2-17	2.C.3	Renumbered paragraphs (06-1202)
2-17	2.C.3.1.d.7	Revise paragraph (08-79)
2-17	2.C.3.2	Revised paragraph 2.C.3 to add new requirement for maintaining radiographic films. (06-1202)
3-1	Parts Content	Page Number Change
3-8	3.2.9.1	Revised paragraph (03-1231)
3-8	3.2.9.1.5	Added definition of Round, Hexagonal and Octagonal Solid Forgings (03-1231)
3-15	3.7.4	Revised Paragraph to provided more specific guidance on the use of washers. (07-301)
3-25	3.11.2.4.b	Add material SA-723 (06-198)
3-32	3.11.7.1.b	Correct paragraph reference (07-1252)
3-34	3.11.8.1	Correct table reference (08-11)
3-39	Table 3.4	Correct Low Alloy Bolting diameter for SA-193 B7 (07-579)
3-53	Notes for Figures 3.3, 3.3M, 3.4, and 3.4M	Update notes regarding the impact test requirements for SA-723 (06-198)
3-55	Figure 3.6 and 3.6M	Revised Figures to incorporate new toughness requirement for materials having UTS > 95 ksi (07-303)

Page	Location	Change (Record Number)
3-60	Material Assignment Table for Figures 3.7, 3.7M, 3.8, 3.8M	Revised table for materials SA-182 Gr. 21 and Gr. 22 to Gr. F21 and F22 to correct the grade designations in Note a). For Materials SA-336 and SA-387 Added "liquid quenched and tempered" in Notes c) and d) for Revised Note h) to clarify the intent of this note to prevent the same material to also be considered as Curve C material. (07-1334)
3-65	Figure 3.12M	Correct punctuation on x axis
3-76	Table 3.A.1	Correct UNS number for material specification SA-728 (08-11)
3-98	Equation 3.D.1	Replace the variable "epsilon sub ts" with "epsilon sub t" (08-109)
3-99	Equation 3.D.15	Replace the variable partial derivative of "sigma" with partial derivative of "sigma sub t" (08-109)
3-100	Equation 3.D.16- 3.D.19	Replace the variable "sigma" with "sigma sub t" (08-109)
3-101	Nomenclature	Add the variable "epsilon sub t" and define as "total true strain". Replace the definitions of "epsilon sub ta" and "epsilon sub tr" with "total true strain amplitude" and "total true strain range", respectively. Delete the definition of "sigma". (08-109)
4-2	Part Contents	Pages renumbered
4-7	4.1.5.2.a	Modified definition of design pressure. (07-246)
4-8	4.1.5.2.b	Inserted the word specified Modified definition of design pressure. (07-246)
4-48	4.3.2.2.a	Added formed head knuckle radius tolerance (07-1368)
4-54	Equation 4.3.36	Move $\cos \theta$ inside outer bracket in numerator (08-11)
4-55	Equation 4.3.40	Remove subscript i from D in denominator (08-11)
4-55	Equation 4.3.43	Revised to be preceded by a negative sign (07-1990)
4-55	Equation 4.3.44	Remove the joint efficiency factor, E (07-1990)
4-57	4.3.11.5.f	Correct reference to 4.4.12.2.h (08-11)
4-87	Equation 4.4.39	Correct constant to 0.063 (08-11)
4-87	Equation 4.4.41	Correct constant to 5.33 (08-11)
4-89	Equation 4.4.50	Correct equation for α (08-11)
4-115	Equation 4.5.4	Revised equation for Lr1 (07-1991)
4-115	Equation 4.5.10	Insert equation for LH2 for nozzle abutting the vessel wall and renumbered subsequent equations (07-1991)
4-115	Equation 4.5.19	Revise equation for λ (07-1991)
4-116	Equation 4.5.20	Clarify limits of applicability for variable thickness openings (07-1991)
4-116	Equation 4.5.21	Clarify limits of applicability for variable thickness openings and uniform thickness openings (07-1991)
4-116	Equation 4.5.28	Insert equation for a5b for nozzle abutting the vessel wall and renumbered subsequent equations (07-1991)
4-116	4.5.5.1.f	Insert word shell (07-1991)
4-117	4.5.5.1.j	Revise equation references and remove definition of allowable stress for vessels under external pressure (07-1991)
4-119	4.5.9.1	Revise paragraph reference to 4.5.8 (07-1991)
4-119	4.5.9.2	Revise paragraph reference to 4.5.8 (07-1991)

Page	Location	Change (Record Number)
4-120	Equation 4.5.73 and 4.5.74	Replace equation for Lh with 2 separate equations, one for nozzles inserted through the vessel wall and one for nozzles abutting the vessel wall and renumber subsequent equations (07-1991)
4-121	4.5.10.1.c	Revise equation references (07-1991)
4-121, 4-122	4.5.10.1.e	Revise equation references (07-1991)
4-121	Equation 4.5.85	Clarify limits of applicability for variable thickness openings (07-1991)
4-121	Equation 4.5.86	Clarify limits of applicability for variable thickness openings and uniform thickness openings (07-1991)
4-122	Equation 4.5.93	Insert equation for a5b for nozzles abutting the vessel wall and renumber subsequent equations (07-1991)
4-123	4.5.10.1.j	Revise equation references (07-1991)
4-125	4.5.12.1.d	Revise equation references (07-1991)
4-127	4.5.14.2.d	Revise equation references (07-1991)
4-128	4.5.14.3.b.1	Revise equation references (07-1991)
4-128	4.5.14.3.b.2	Revise equation references (07-1991)
4-129	4.5.14.3.b.3	Revise equation references (07-1991)
4-135	Figure 4.5.1	Add tw1 and tw2, remove equation for variable definitions (07-1991)
4-136	Figure 4.5.2	Add tw1 (07-1991)
4-312, 4-313	Table 4.16.1	Replace the term "asbestos" with "mineral fiber". (07-1030)
5-3	5.1.1.2	Delete Paragraph 5.1.1.2.a. and renumber paragraphs (08-109)
5-8	5.2.3.2.b	Added an example of a commonly used component, i.e. pipe elbow which can experience a loss of stiffness due to deformation depending on the loading condition. (07-284)
5-15	5.5.2.2	Revised paragraph to indicate fatigue exemption is addressed in the Users Design Specification. (07-285)
5-56	5.A.1	Deleted the incorrect reference to Appendix B1 (07-1709)
5-57	5.A.3.c	deleted the incorrect reference to Appendix B1 (07-1709)
6-5	6.1.2.5.c	Correct reference to Table 6.3 (08-79)
6-7	6.1.3.1.c	Correct word Detail (08-79)
6-9	6.1.6	Deleted word shall (08-79)
6-10	6.2.2.2	Corrected reference to QW-201 (08-79)
6-15	6.3.5.8	Remove phrase owner user or agent (07-318)
6-17	6.4.2.2.e.8	Add P-No. 10C Group 1 (08-79)
6-18	6.4.3.1	Add reference to WRC Bulletin 452, "Recommended Practices for Local Heating of Welds in Pressure Vessels" (07-344)
6-19	6.4.3.5	Add word provided (08-79)
6-20	6.4.3.6	Replace word this with the (08-79)
6-21	6.4.5.2.f.3	Replace word assure with ensure (08-79)
6-22	6.4.6.2	Correct reference to inch (08-79)
6-26	6.6.5.4.b.1	Correct spacing (08-79)
6-32	6.7.7.2.c	Remove words types of (07-354)

Page	Location	Change (Record Number)
6-33	6.7.8.5	Revised paragraph to allow the provisions of 6.7.8.4 for repairs to defects in welds in forgings with a carbon content exceeding 0.35% (07-357)
6-33	6.7.9.2	Correct reference to NPS 8 (08-79)
6-33	6.7.10.1.a	Replace word manufacture with manufacturing (08-79)
6-35	6.8.4.2.b	Delete 0.875 replace with 7/8 (08-79)
6-43	Table 6.5	Delete extra line (08-79)
6-46 - 6-61	Tables 6.8 - 6.15	Corrections to cooling rates, thicknesses, paragraph references (08-79)
6-59	Table 6.15	Added PWHT requirements for P-No 10C Group 1 materials (08-297)
6-62	Table 6.16	Corrections to format (08-79)
6-63	Table 6.17	Corrections to title and cooling rate (08-79)
6-71	Figure 6.6	Correct dimensioning for df (08-79)
7-1,7-2	Part Contents	Added paragraph 7.3.6
7-4	7.3.6	Add paragraph on qualification of NDE personnel (05-1376)
7-12	7.5.3.1.a	Correct reference to paragraph 2.3.5 (06-1102)
7-12	7.5.3.1.b	Revise to be consistent with paragraph 7.3.6 (05-1376)
7-13	7.5.3.2.a.3	new subparagraph iii) to address acceptance criteria for aligned linear indications. (07-259)
7-13	7.5.3.2.b.1.i	Revised to complete the definition of rounded indications. (08-269)
7-14	7.5.4.1.b	Revise to be consistent with paragraph 7.3.6 (05-1376)
7-16	7.5.5.1.g	Revise to be consistent with paragraph 7.3.6 (05-1376)
7-16	7.5.5.1.j.3	Revise to be consistent with paragraph 7.3.6 (05-1376)
7-18	7.5.6.1.b	Revise to be consistent with paragraph 7.3.6 (05-1376)
7-19	7.5.7.1.b	Revise to be consistent with paragraph 7.3.6 (05-1376)
7-19	7.5.8.1.b	Revise to be consistent with paragraph 7.3.6 (05-1376)
7-22	7.5.9.b	Revised paragraph 7.5.9(b) for greater clarity. (07-372)
7-24	Table 7.1	Correct reference to Annex 3.A (08-79)
7-25 - 7-27	Table 7.2	Revised for improved clarity, appearance and readability. Added joint types under Categories C, D and E. (06-1204)
7-45	Figure 7.11	Revised signs in Figure 7.11 sketches (b) and (c) to be consistent with Code Case 2235-9 (07-205)
7-51	7.A.3.1.a.1	Revised paragraph to remove redundancy (06-1207)
7-53,7-54	Table 7.A.3	Revise to be consistent with paragraph 7.3.6 (05-1376)

NOTE:

Volume 5B of the Interpretations to Section VIII, Division 2, of the ASME Boiler and Pressure Vessel Code follows the last page of this Addenda.

LIST OF CHANGES IN RECORD NUMBER ORDER

Record Number	Change
03-1231	Revised paragraph 3.2.9.1 Added to paragraph 3.2.9.1.b.5 definition of Round, Hexagonal and Octagonal Solid Forgings
05-1376	Added new paragraph 7.3.6 on qualification of NDE personnel Revised paragraphs 7.5.3.1, 7.5.4.1, 7.5.5.1, 7.5.6.1, 7.5.7.1, 7.5.8.1, and Table 7.A.1 to be consistent with new paragraph 7.3.6
06-198	Revised paragraph 3.11.2.4.b to add SA-723 Revised Notes for Figure 3.3, Figure 3.3M, Figure 3.4, and Figure 3.4M regarding the impact test requirements for SA-723.
06-1202	Revised paragraph 7.5.3.1a to refer user to paragraph 2.3.5. Revised paragraph 2.3.5 to require Manufacturer to maintain records for a duration per Annex 2C. Revised paragraph 2.C.3 to add new requirement for maintaining radiographic films.
06-1204	Revised Table 7.2 for improved clarity, appearance and readability. Added joint types under Categories C, D and E.
06-1207	Revised paragraph 7.A.3.1.a.1
07-205	Revised signs in Figure 7.1 sketches (b) and (c) to be consistent with Code Case 2235-9
07-246	Paragraph 1.B.2.13 Added definition of "Specified Design Pressure" Renumbered paragraph 1.B.2.14 Paragraph 2.2.2(d.1) Added reference to paragraph 4.1.5.2.a) Paragraph 4.1.5.2.a) Modified definition of design pressure.
07-255	Revised Paragraph 1.2.1.2.1 1.1.4, and Annex 1B by removing the word "local" from "Local Jurisdictional Authority"
07-284	Added an example, in paragraph 5.2.3.2(b), of a commonly used component, i.e. pipe elbow, which can experience a loss of stiffness due to deformation depending on the loading condition.
07-285	Revised paragraph 5.5.2.2 to indicate fatigue exemption is addressed in the Users Design Specification. Revised paragraph 2.2.2.1(f) to require the user to evaluate design conditions of 5.5.2.2 (a) through (f).
07-301	Revised Table 1.1 to include ASME PCC-1 Revised Paragraph 3.7.4 to provided more specific guidance on the use of washers.
07-303	Revised Figure. 3.6 Figure 3.6M to incorporate new toughness requirement for materials having UTS > 95 ksi

Record Number	Change
07-318	Revised paragraph 2.2.2.1(g)(3) by adding consideration of filler material by user Revised paragraph 6.2.5.8 by changing Owner-User to user or agent
07-344	Revised paragraph 6.4.3.1 to add reference to WRC Bulletin 452, "Recommended Practices for Local Heating of Welds in Pressure Vessels"
07-354	Revised paragraph 6.7.7.2.c to remove reference to types of welding.
07-357	Revised paragraph 6.7.8.5 to allow the provisions of 6.7.8.4 for repairs to defects in welds in forgings with a carbon content exceeding 0.35%
07-372	Revised paragraph 7.5.9(b) for greater clarity.
07-579	Revise Low Alloy Bolt Diameter for SA-193 B7 in Table 3.4
07-1030	Revised Table 4.16.1 to replace the term "asbestos" with "mineral fiber".
07-1334	Revised Material Assignment Table for Figures 3.7, 3.7M, 3.8, 3.8M for materials SA-182 Gr. 21 and Gr. 22 to Gr. F21 and F22 to correct the grade designations in Note a). For Materials SA-336 and SA-387 Added "liquid quenched and tempered" in Notes c) and d) for Revised Note h) to clarify the intent of this note to prevent the same material to also be considered as Curve C material.
07-1368	Paragraph 4.3.2.2.a). added formed head knuckle radius tolerance
07-1572	Errata Figure 7.11 correct to $s > a$ Paragraph 2.4.2 Remove ' Paragraph 3.11.7.1.b correct paragraph reference Paragraph 6.1.2.5.c
07-1679	Revised Table 1.1 to adopt SNT-TC-1A-2006 and CP-189-2006.
07-1709	Paragraphs 5.A.1 and 5.A.3(c) deleted the incorrect reference to Appendix B1
07-1990	Equation 4.3.43 was revised to be preceded by a negative sign Equation 4.3.44 the joint efficiency factor, E, was removed
07-1991	Revised equation 4.5.4 for L_1 Insert equation 4.5.10 for L_2 for nozzle abutting the vessel wall and renumbered subsequent equations Revise equation 4.5.19 for L Clarify limits of applicability for variable thickness openings in equation 4.5.20 Clarify limits of applicability for variable thickness openings and uniform thickness openings in equation 4.5.21 Insert equation 4.5.28 for $a5b$ for nozzle abutting the vessel wall and renumbered subsequent equations Insert word shell in paragraph 4.5.5.1.f Revise equation references and remove definition of allowable in paragraph 4.5.5.1.j structure for vessels under external pressure Revise paragraph reference to 4.5.8 in paragraph 4.5.9.1 Revise paragraph reference to 4.5.8 in paragraph 4.5.9.2 Replace equation for L_h with 2 separate equations, 4.5.73 and 4.5.74 one for nozzles inserted through the vessel wall and one for nozzles abutting the vessel wall and renumber subsequent equations Revise equation references in paragraph 4.5.10.1.c Revise equation references in paragraph 4.5.10.1.e Clarify limits of applicability for variable thickness openings in equation 4.5.85 Clarify limits of applicability for variable thickness openings and uniform thickness openings in equation 4.5.86 Insert equation for $a5b$ for nozzles abutting the vessel wall equation 4.5.93 and renumber subsequent equations Revise equation references in paragraph 4.5.10.1.j

Record Number	Change
	Revise equation references in paragraph 4.5.12.1.d Revise equation references in paragraph 4.5.14.2.d Revise equation references in paragraph 4.5.14.3.b.1 Revise equation references in paragraph 4.5.14.3.b.2 Revise equation references in paragraph 4.5.14.3.b.3 Add tw1 and tw2, remove equations for variable definitions in Figure 4.5.1 Add tw1 in Figure 4.5.2
08-11	<i>Correct table reference in paragraph 3.11.8.1</i> <i>Correct UNS number for material specification SA-738 in Table 3.A.1</i> <i>In Equation 4.3.36 Move $\cos \theta$ inside outer bracket in numerator</i> <i>In Equation 4.3.40 Remove subscript i from D in denominator</i> <i>Paragraph 4.3.11.5.f correct reference to 4.4.12.2.h</i> <i>In Equation 4.4.39 Correct constant to 0.063</i> <i>In Equation 4.4.41 Correct constant to 5.33</i> <i>In Equation 4.4.50 Correct equation for α</i>
08-79	Miscellaneous Errata in Paragraph 6.1.2.5.c Correct reference to Table 6.3 Paragraph 6.1.3.1.d.1 Correct word Detail Paragraph 6.1.6.2 Deleted word shall Paragraph 6.2.2.2 Corrected reference to QW-201 Paragraph 6.4.2.2.e.8 Add P-No. 10C Group 1 Paragraph 6.4.3.5 Add word provided Paragraph 6.4.3.6 Replace word this with the Paragraph 6.4.5.f.3 Replace word assure with ensure Paragraph 6.4.6.2 Correct reference to inch Paragraph 6.6.5.4.b.1 Correct spacing Paragraph 6.7.9.2 Correct reference to NPS 8 Paragraph 6.7.10.1.a Replace word manufacture with manufacturing Paragraph 6.8.4.2.b Delete 0.875 replace with 7/8 Table 6.5 Delete extra line Table 6.8 Corrections to cooling rates, thicknesses, paragraph references Table 6.9 Corrections to cooling rates, thicknesses, paragraph references Table 6.10 Corrections to cooling rates, thicknesses, paragraph references Table 6.11 Corrections to cooling rates, thicknesses, paragraph references Table 6.11A Corrections to cooling rates, thicknesses, paragraph references Table 6.12 Corrections to cooling rates, thicknesses, paragraph references Table 6.13 Corrections to cooling rates, thicknesses, paragraph references Table 6.14 Corrections to cooling rates, thicknesses, paragraph references Table 6.15 Corrections to cooling rates, thicknesses, paragraph references Table 6.16 Corrections to format Table 6.17 Corrections to title and cooling rate Figure 6.6 Correct dimensioning for df Paragraph 2.C.3.d.7 Table 7.1 Correct reference to Annex 3.A
08-109	Equation 3.D.1 Replace the variable "epsilon sub ts" with "epsilon sub t" Equation 3.D.15 Replace the variable partial derivative of "sigma" with partial derivative of "sigma sub t" Equations 3.D.16 through 3.D.19 Replace the variable "sigma" with "sigma sub t" Paragraph 3.D.6 Nomenclature, Add the variable "epsilon sub t" and define as "total true strain" . Replace the definitions of "epsilon sub ta" and "epsilon sub tr" with "total true strain amplitude" and "total true strain range", respectively.

Record Number	Change
	Delete the definition of "sigma". Delete Paragraph 5.1.1.2.a.
08-259	Added new subparagraph iii) to paragraph 7.5.3.2.a.2 to address acceptance criteria for aligned linear indications.
08-269	Revised 7.5.3.2.b.1.i to complete the definition of rounded indications.
08-297	Table 6.15. Added PWHT requirements for P-No 10C Group 1 materials

CONTENTS

Foreword	xix
Statements of Policy	xxi
Personnel	xxiii

PART 1 - GENERAL REQUIREMENTS

1.1	General	1-2
1.1.1	Introduction	1-2
1.1.2	Organization	1-2
1.1.3	Definitions	1-2
1.2	Scope	1-3
1.2.1	Overview	1-3
1.2.2	Additional Requirements for Very High Pressure Vessels	1-4
1.2.3	Geometric Scope of This Division.....	1-4
1.2.4	Classifications Outside the Scope of this Division	1-4
1.2.5	Combination Units.....	1-5
1.2.6	Field Assembly of Vessels.....	1-5
1.2.7	Pressure Relief Devices	1-6
1.3	Standards Referenced by This Division	1-6
1.4	Units of Measurement	1-6
1.5	Technical Inquires	1-7
1.6	Tables	1-8

Annex 1.A Submittal Of Technical Inquiries To The Boiler And Pressure Vessel Standards Committee

1.A.1	Introduction	1-10
1.A.2	Inquiry Format.....	1-10
1.A.3	Code Revisions or Additions	1-11
1.A.4	Code Cases	1-11
1.A.5	Code Interpretations	1-11
1.A.6	Submittals	1-12

Annex 1.B Definitions

1.B.1	Introduction	1-13
1.B.2	Definition of Terms	1-13

Annex 1.C Guidance For The Use Of US Customary And SI Units In The ASME Boiler And Pressure Vessel Codes

1.C.1	Use of Units in Equations	1-15
1.C.2	Guidelines Used to Develop SI Equivalents.....	1-15
1.C.3	Soft Conversion Factors	1-16
1.C.4	Tables	1-17

PART 2 - RESPONSIBILITIES AND DUTIES

2.1	General	2-3
2.1.1	Introduction	2-3
2.1.2	Definitions	2-3
2.1.3	Code Reference.....	2-3
2.2	User Responsibilities	2-3
2.2.1	General.....	2-3
2.2.2	User's Design Specification.....	2-3
2.3	Manufacturer's Responsibilities	2-6
2.3.1	Code Compliance.....	2-6
2.3.2	Materials Selection	2-6

2.3.3	Manufacturer's Design Report.....	2-6
2.3.4	Manufacturer's Data Report	2-7
2.3.5	Manufacturer's Construction Records	2-7
2.3.6	Quality Control System	2-7
2.3.7	Certification of Subcontracted Services.....	2-8
2.3.8	Inspection and Examination.....	2-8
2.3.9	Application of Code Stamp.....	2-8
2.4	The Inspector	2-8
2.4.1	Identification of Inspector.....	2-8
2.4.2	Inspector Qualification	2-8
2.4.3	Inspector's Duties	2-9

Annex 2.A Guide For Certifying A User's Design Specification

2.A.1	General	2-10
2.A.2	Certification of the User's Design specification.....	2-10
2.A.3	Tables	2-12

Annex 2.B Guide For Certifying A Manufacturer's Design Report

2.B.1	General	2-13
2.B.2	Certification of Manufacture's Design Report	2-13
2.B.3	Tables	2-15

Annex 2.C Report Forms And Maintenance Of Records

2.C.1	Manufacturer's Data Reports.....	2-16
2.C.2	Partial Data Reports.....	2-17
2.C.3	Maintenance of Records	2-17

Annex 2.D Guide For Preparing Manufacturer's Data Reports

2.D.1	Introduction	2-18
2.D.2	Tables	2-19

Annex 2.E Quality Control System

2.E.1	General	2-28
2.E.2	Outline of Features Included in the Quality Control System.....	2-28
2.E.3	Authority and Responsibility.....	2-28
2.E.4	Organization	2-29
2.E.5	Drawings, Design Calculations, and Specification Control.....	2-29
2.E.6	Material Control	2-29
2.E.7	Examination and Inspection Program.....	2-29
2.E.8	Correction of Nonconformities.....	2-29
2.E.9	Welding	2-29
2.E.10	Nondestructive Examination	2-29
2.E.11	Heat Treatment	2-29
2.E.12	Calibration of Measurement and Test Equipment	2-29
2.E.13	Records Retention	2-30
2.E.14	Sample Forms.....	2-30
2.E.15	Inspection of Vessels and Vessel Parts.....	2-30
2.E.16	Inspection of Pressure Relief Valves.....	2-30

ANNEX 2.F Contents And Method Of Stamping

2.F.1	Required Marking for Vessels.....	2-31
-------	-----------------------------------	------

2.F.2	Methods of Marking Vessels with Two or More Independent Chambers	2-31
2.F.3	Application of Stamp	2-32
2.F.4	Part Marking	2-32
2.F.5	Application of Markings	2-32
2.F.6	Duplicate Nameplate	2-33
2.F.7	Size and Arrangements of Characters for Nameplate and Direct Stamping of Vessels	2-33
2.F.8	Attachment of Nameplate or Tag	2-33
2.F.9	Figures	2-34

Annex 2.G Obtaining And Using Code Stamps

2.G.1	Code Stamps Bearing Official Symbol	2-35
2.G.2	Application for Authorization	2-35
2.G.3	Issuance of Authorization	2-35
2.G.4	Inspection Agreement	2-36
2.G.5	Quality Control System	2-36
2.G.6	Evaluation for Authorization and Reauthorization	2-36
2.G.7	Code Construction Before Receipt of Certificate of Authorization	2-37

Annex 2.H Guide To Information Appearing On The Certificate Of Authorization

2.H.1	Introduction	2-38
2.H.2	Tables	2-39
2.H.3	Figure	2-40

PART 3 - MATERIALS REQUIREMENTS

3.1	General Requirements	3-4
3.2	Materials Permitted For Construction of Vessel Parts	3-4
3.2.1	Materials for Pressure Parts	3-4
3.2.2	Materials for Attachments to Pressure Parts	3-4
3.2.3	Welding Materials	3-5
3.2.4	Dissimilar Materials	3-5
3.2.5	Product Specifications	3-5
3.2.6	Certification	3-6
3.2.7	Product Identification and Traceability	3-6
3.2.8	Prefabricated or Preformed Pressure Parts	3-7
3.2.9	Definition of Product Form Thickness	3-8
3.2.10	Product Form Tolerances	3-8
3.2.11	Purchase Requirements	3-9
3.3	Supplemental Requirements for Ferrous Materials	3-9
3.3.1	General	3-9
3.3.2	Chemistry Requirements	3-9
3.3.3	Ultrasonic Examination of Plates	3-9
3.3.4	Ultrasonic Examination of Forgings	3-9
3.3.5	Magnetic Particle and Liquid Penetrant Examination of Forgings	3-10
3.3.6	Integral and Weld Metal Overlay Clad Base Metal	3-10
3.4	Supplemental Requirements for Cr-Mo Steels	3-11
3.4.1	General	3-11
3.4.2	Postweld Heat Treatment	3-11
3.4.3	Test Specimen Heat Treatment	3-11
3.4.4	Weld Procedure Qualifications and Weld Consumables Testing	3-11
3.4.5	Toughness Requirements	3-12
3.5	Supplemental Requirements for Q&T Steels with Enhanced Tensile Properties	3-12
3.5.1	General	3-12
3.5.2	Parts for Which Q&T Steels May be Used	3-12
3.5.3	Structural Attachments	3-12

3.6	Supplemental Requirements for Nonferrous Materials	3-13
3.6.1	General.....	3-13
3.6.2	Ultrasonic Examination of Plates.....	3-13
3.6.3	Ultrasonic Examination of Forgings.....	3-13
3.6.4	Liquid Penetrant Examination of Forgings.....	3-13
3.6.5	Clad Plate and Products	3-14
3.7	Supplemental Requirements for Bolting	3-14
3.7.1	General.....	3-14
3.7.2	Examination of Bolts, Studs, and Nuts.....	3-14
3.7.3	Threading and Machining of Studs.....	3-15
3.7.4	Use of Washers.....	3-15
3.7.5	Ferrous Bolting.....	3-15
3.7.6	Nonferrous Bolting	3-15
3.7.7	Materials for Ferrous and Nonferrous Nuts of Special Design.....	3-16
3.8	Supplemental Requirements for Castings.....	3-16
3.8.1	General.....	3-16
3.8.2	Requirements for Ferrous Castings.....	3-16
3.8.3	Requirements for Nonferrous Castings.....	3-18
3.9	Supplemental Requirements for Hubs Machined From Plate.....	3-19
3.9.1	General.....	3-19
3.9.2	Material Requirements.....	3-19
3.9.3	Examination Requirements.....	3-19
3.9.4	Data Reports and Marking.....	3-19
3.10	Material Test Requirements	3-20
3.10.1	General.....	3-20
3.10.2	Requirements for Sample Test Coupons.....	3-20
3.10.3	Exemptions from Requirement of Sample Test Coupons.....	3-20
3.10.4	Procedure for Obtaining Test Specimens and Coupons.....	3-20
3.10.5	Procedure for Heat Treating Test Specimens from Ferrous Materials.....	3-22
3.10.6	Test Coupon Heat Treatment for Nonferrous Materials	3-22
3.11	Material Toughness Requirements	3-23
3.11.1	General.....	3-23
3.11.2	Carbon and Low Alloy Steels Except Bolting	3-23
3.11.3	Q&T Ferritic Steels.....	3-28
3.11.4	High Alloy Steels Except Bolting.....	3-29
3.11.5	Non-Ferrous Alloys	3-32
3.11.6	Bolting Materials	3-32
3.11.7	Toughness Testing Procedures	3-32
3.11.8	Impact Testing Of Welding Procedures and Test Plates of Ferrous Materials	3-34
3.12	Allowable Design Stresses	3-36
3.13	Strength Parameters.....	3-36
3.14	Physical Properties	3-36
3.15	Design Fatigue Curves	3-36
3.16	Nomenclature	3-37
3.17	Definitions.....	3-37
3.18	Tables	3-38
3.19	Figures.....	3-48

Annex 3.A Allowable Design Stresses

3.A.1	Allowable Stress Basis – All Materials Except Bolting	3-70
3.A.2	Allowable Stress Basis – Bolting Materials	3-70
3.A.3	Tables	3-72

Annex 3.B Requirements for Material Procurement (Currently Not Used)

Annex 3.C ISO Material Group Numbers (Currently Not Used)

Annex 3.D Strength Parameters

3.D.1	Yield Strength.....	3-98
3.D.2	Ultimate Tensile Strength.....	3-98
3.D.3	Stress Strain Curve.....	3-98
3.D.4	Cyclic Stress Strain Curve.....	3-99
3.D.5	Tangent Modulus.....	3-99
3.D.5.1	Tangent Modulus Based on the Stress-Strain Curve Model.....	3-99
3.D.5.2	Tangent Modulus Based on External Pressure Charts.....	3-100
3.D.6	Nomenclature	3-101
3.D.7	Tables	3-102

Annex 3.E Physical Properties

3.E.1	Young's Modulus	3-107
3.E.2	Thermal Expansion Coefficient.....	3-107
3.E.3	Thermal Conductivity.....	3-107
3.E.4	Thermal Diffusivity.....	3-107

Annex 3.E Design Fatigue Curves

3.F.1	Smooth Bar Design Fatigue Curves	3-108
3.F.2	Welded Joint Design Fatigue Curves	3-109
3.F.3	Nomenclature	3-111
3.F.4	Tables	3-112

PART 4 - DESIGN BY RULE REQUIREMENTS

4.1	General Requirements	4-6
4.1.1	Scope	4-6
4.1.2	Minimum Thickness Requirements.....	4-6
4.1.3	Material Thickness Requirements.....	4-7
4.1.4	Corrosion Allowance in Design Equations.....	4-7
4.1.5	Design Basis	4-7
4.1.6	Design Allowable Stress.....	4-9
4.1.7	Materials in Combination	4-10
4.1.8	Combination Units.....	4-10
4.1.9	Cladding and Weld Overlay	4-11
4.1.10	Internal Linings.....	4-11
4.1.11	Flanges and Pipe Fittings.....	4-11
4.1.12	Nomenclature.....	4-12
4.1.13	Tables.....	4-13
4.2	Design Rules for Welded Joints	4-14
4.2.1	Scope	4-14
4.2.2	Weld Category.....	4-14
4.2.3	Weld Joint Type.....	4-14
4.2.4	Weld Joint Factor.....	4-14
4.2.5	Types of Joints Permitted	4-14
4.2.6	Nomenclature.....	4-22
4.2.7	Tables.....	4-23
4.2.8	Figures	4-44
4.3	Design Rules for Shells Under Pressure.....	4-48
4.3.1	Scope	4-48
4.3.2	Shell Tolerances.....	4-48
4.3.3	Cylindrical Shells.....	4-49
4.3.4	Conical Shells.....	4-49
4.3.5	Spherical Shells and Hemispherical Heads.....	4-49
4.3.6	Torispherical Heads	4-49
4.3.7	Ellipsoidal Heads.....	4-52
4.3.8	Local Thin Areas	4-52
4.3.9	Drilled Holes Not Penetrating Through the Vessel Wall.....	4-53
4.3.10	Combined Loadings and Allowable Stresses.....	4-53

4.3.11	Cylindrical-To-Conical Shell Transition Junctions Without a Knuckle	4-55
4.3.12	Cylindrical-To-Conical Shell Transition Junctions with a Knuckle	4-58
4.3.13	Nomenclature.....	4-60
4.3.14	Tables.....	4-64
4.3.15	Figures	4-74
4.4	Design Rules for Shells Under External Pressure and Allowable Compressive Stresses.....	4-81
4.4.1	Scope	4-81
4.4.2	Design Factors	4-82
4.4.3	Material Properties.....	4-82
4.4.4	Shell Tolerances.....	4-83
4.4.5	Cylindrical Shell	4-84
4.4.6	Conical Shell.....	4-88
4.4.7	Spherical Shell and Hemispherical Head.....	4-89
4.4.8	Torispherical Head.....	4-90
4.4.9	Ellipsoidal Head.....	4-91
4.4.10	Local Thin Areas	4-91
4.4.11	Drilled Holes Not Penetrating Through the Vessel Wall.....	4-91
4.4.12	Combined Loadings and Allowable Compressive Stresses	4-91
4.4.13	Cylindrical-To-Conical Shell Transition Junctions Without A Knuckle	4-100
4.4.14	Cylindrical-To-Conical Shell Transition Junctions With A Knuckle	4-100
4.4.15	Nomenclature.....	4-101
4.4.16	Tables.....	4-105
4.4.17	Figures	4-106
4.5	Design Rules for Shells Openings in Shells and Heads.....	4-113
4.5.1	Scope	4-113
4.5.2	Dimensions and Shape of Nozzles.....	4-113
4.5.3	Method of Nozzle Attachment.....	4-113
4.5.4	Nozzle Neck Minimum Thickness Requirements	4-114
4.5.5	Radial Nozzle in a Cylindrical Shell.....	4-114
4.5.6	Hillside Nozzle in a Cylindrical Shell	4-118
4.5.7	Nozzle in a Cylindrical Shell Oriented at an Angle from the Longitudinal Axis	4-118
4.5.8	Radial Nozzle in a Conical Shell	4-118
4.5.9	Nozzle in a Conical Shell.....	4-119
4.5.10	Radial Nozzle in a Spherical Shell or Formed Head.....	4-119
4.5.11	Hillside or Perpendicular Nozzle in a Formed Head	4-123
4.5.12	Circular Nozzles in a Flat Head	4-123
4.5.13	Spacing Requirements for Nozzles	4-124
4.5.14	Strength of Nozzle Attachment Welds	4-125
4.5.15	Local Stresses in Nozzles in Shells and Formed Heads from External Loads.....	4-128
4.5.16	Inspection Openings	4-129
4.5.17	Reinforcement of Openings Subject to Compressive Stress.....	4-130
4.5.18	Nomenclature.....	4-131
4.5.19	Tables.....	4-134
4.5.20	Figures	4-135
4.6	Design Rules for Flat Heads.....	4-142
4.6.1	Scope	4-142
4.6.2	Flat Unstayed Circular Heads.....	4-142
4.6.3	Flat Unstayed Non-Circular Heads.....	4-143
4.6.4	Integral Flat Head With A Centrally Located Opening	4-143
4.6.5	Nomenclature.....	4-145
4.6.6	Tables.....	4-147
4.6.7	Figures	4-153
4.7	Design Rules for Spherically Dished Bolted Covers.....	4-154
4.7.1	Scope	4-154
4.7.2	Type A Head Thickness Requirements.....	4-154
4.7.3	Type B Head Thickness Requirements.....	4-154
4.7.4	Type C Head Thickness Requirements.....	4-155
4.7.5	Type D Head Thickness Requirements.....	4-156

4.7.6	Nomenclature.....	4-160
4.7.7	Tables.....	4-162
4.7.8	Figures.....	4-163
4.8	Design Rules for Quick Actuating (Quick Opening) Closures.....	4-166
4.8.1	Scope.....	4-166
4.8.2	Definitions.....	4-166
4.8.3	General Design Requirements.....	4-166
4.8.4	Specific Design Requirements.....	4-167
4.8.5	Alternative Designs for Manually Operated Closures.....	4-167
4.8.6	Supplementary Requirements for Quick-Actuating (Quick-Opening) Closures.....	4-167
4.9	Design Rules for Braced and Stayed Surfaces.....	4-168
4.9.1	Scope.....	4-168
4.9.2	Required Thickness of Braced and Stayed Surfaces.....	4-168
4.9.3	Required Dimensions and Layout of Staybolts and Stays.....	4-168
4.9.4	Requirements for Welded-in Staybolts and Welded Stays.....	4-168
4.9.5	Nomenclature.....	4-170
4.9.6	Tables.....	4-171
4.9.7	Figures.....	4-172
4.10	Design Rules for Ligaments.....	4-173
4.10.1	Scope.....	4-173
4.10.2	Ligament Efficiency.....	4-173
4.10.3	Ligament Efficiency and the Weld Joint Factor.....	4-174
4.10.4	Nomenclature.....	4-174
4.10.5	Figures.....	4-175
4.11	Design Rules for Jacketed Vessels.....	4-179
4.11.1	Scope.....	4-179
4.11.2	Design of Jacketed Shells and Jacketed Heads.....	4-179
4.11.3	Design of Closure Member of Jacket to Vessel.....	4-180
4.11.4	Design of Penetrations Through Jackets.....	4-180
4.11.5	Design of Partial Jackets.....	4-181
4.11.6	Design of Half-Pipe Jackets.....	4-181
4.11.7	Nomenclature.....	4-182
4.11.8	Tables.....	4-183
4.11.9	Figures.....	4-194
4.12	Design Rules for NonCircular Vessels.....	4-197
4.12.1	Scope.....	4-197
4.12.2	General Design Requirements.....	4-197
4.12.3	Requirements for Vessels With Reinforcement.....	4-198
4.12.4	Requirements for Vessels With Stays.....	4-200
4.12.5	Requirements for Rectangular Vessels With Small Aspect Ratios.....	4-201
4.12.6	Weld Joint Factors and Ligament Efficiency.....	4-201
4.12.7	Design Procedure.....	4-204
4.12.8	Noncircular Vessels Subject to External Pressure.....	4-205
4.12.9	Rectangular Vessels With Two or More Compartments of Unequal Size.....	4-206
4.12.10	Fabrication.....	4-206
4.12.11	Nomenclature.....	4-207
4.12.12	Tables.....	4-210
4.12.13	Figures.....	4-246
4.13	Design Rules for Layered Vessels.....	4-261
4.13.1	Scope.....	4-261
4.13.2	Definitions.....	4-261
4.13.3	General.....	4-261
4.13.4	Design for Internal Pressure.....	4-261
4.13.5	Design for External Pressure.....	4-262
4.13.6	Design of Welded Joints.....	4-262
4.13.7	Nozzles and Nozzle Reinforcement.....	4-263
4.13.8	Flat Heads.....	4-264
4.13.9	Bolted and Studded Connections.....	4-264

4.13.10	Attachments and Supports	4-264
4.13.11	Vent Holes	4-264
4.13.12	Shell Tolerances.....	4-265
4.13.13	Nomenclature.....	4-267
4.13.14	Figures	4-268
4.14	Evaluation of Vessels Outside of Tolerance.....	4-281
4.14.1	Shell Tolerances.....	4-281
4.14.2	Local Thin Areas	4-281
4.14.3	Marking and Reports	4-281
4.14.4	Figures	4-282
4.15	Design Rules for Supports and Attachments	4-283
4.15.1	Scope	4-283
4.15.2	Design of Supports	4-283
4.15.3	Saddle Supports for Horizontal Vessels	4-283
4.15.4	Skirt Supports for Vertical Vessels.....	4-290
4.15.5	Lug And Leg Supports.....	4-291
4.15.6	Nomenclature.....	4-292
4.15.7	Tables.....	4-293
4.15.8	Figures	4-295
4.16	Design Rules for Flanged Joints.....	4-303
4.16.1	Scope	4-303
4.16.2	Design Considerations	4-303
4.16.3	Flange Types.....	4-304
4.16.4	Flange Materials	4-304
4.16.5	Gasket Materials	4-305
4.16.6	Design Bolt Loads	4-305
4.16.7	Flange Design Procedure.....	4-306
4.16.8	Split Loose Type Flanges	4-308
4.16.9	Noncircular Shaped Flanges with a Circular Bore.....	4-308
4.16.10	Flanges with Nut Stops.....	4-308
4.16.11	Joint Assembly Procedures.....	4-308
4.16.12	Nomenclature.....	4-309
4.16.13	Tables.....	4-312
4.16.14	Figures	4-324
4.17	Design Rules for Clamped Connections.....	4-332
4.17.1	Scope	4-332
4.17.2	Design Considerations	4-332
4.17.3	Flange Materials	4-332
4.17.4	Design Bolt Loads	4-333
4.17.5	Flange and Clamp Design Procedure.....	4-334
4.17.6	Nomenclature.....	4-337
4.17.7	Tables.....	4-340
4.17.8	Figures	4-342
4.18	Design Rules for Shell and Tube Heat Exchangers	4-344
4.18.1	Scope	4-344
4.18.2	Terminology	4-344
4.18.3	General Design Considerations	4-344
4.18.4	General Conditions of Applicability for Tubesheets	4-344
4.18.5	Tubesheet Flanged Extension	4-345
4.18.6	Tubesheet Characteristics	4-345
4.18.7	Rules for the Design of U-Tube Tubesheets.....	4-347
4.18.8	Rules for the Design of Fixed Tubesheets.....	4-352
4.18.9	Rules for the Design of Floating Tubesheets.....	4-365
4.18.10	Tube-to-Tubesheet Welds.....	4-375
4.18.11	Thin-Walled Expansion Joints.....	4-378
4.18.12	Thick-Walled Expansion Joints.....	4-378
4.18.13	Pressure Test Requirements.....	4-379
4.18.14	Heat Exchanger Marking and Reports.....	4-379

4.18.15	Nomenclature.....	4-381
4.18.16	Tables.....	4-386
4.18.17	Figures.....	4-390
4.19	Design Rules for Thin-Wall Expansion Joints	4-404
4.19.1	Scope	4-404
4.19.2	Conditions of Applicability	4-404
4.19.3	Design Considerations	4-404
4.19.4	Materials	4-406
4.19.5	Design of U-Shaped Unreinforced Bellows.....	4-406
4.19.6	Design of U-Shaped Reinforced Bellows	4-409
4.19.7	Design of Toroidal Bellows.....	4-410
4.19.8	Bellows Subject to Axial, Lateral or Angular Displacements	4-411
4.19.9	Fabrication	4-414
4.19.10	Examination.....	4-414
4.19.11	Pressure Test Requirements.....	4-414
4.19.12	Marking and Reports	4-414
4.19.13	Specification Sheet for Expansion Joints.....	4-415
4.19.14	Nomenclature.....	4-416
4.19.15	Tables.....	4-418
4.19.16	Figures	4-428
4.19.17	Specification Sheets.....	4-438

Annex 4.A Currently Not Used

Annex 4.B Guide For The Design And Operation Of Quick-Actuating (Quick-Opening) Closures

4.B.1	Introduction	4-441
4.B.2	Responsibilities	4-441
4.B.3	Design.....	4-441
4.B.4	Installation.....	4-442
4.B.5	Inspection	4-443
4.B.6	Training	4-443
4.B.7	Administrative Controls	4-443

Annex 4.C Basis For Establishing Allowable Loads For Tube-To-Tubesheet Joints

4.C.1	General	4-444
4.C.2	Maximum Axial Loads.....	4-445
4.C.3	Shear Load Test.....	4-445
4.C.4	Acceptance Standards for Joint Efficiency Factor Determined By Test.....	4-447
4.C.5	Acceptance Standards for Proposed Operating Temperatures Determined By Test	4-447
4.C.6	Nomenclature	4-448
4.C.7	Tables	4-450
4.C.8	Figures.....	4-451

PART 5 - DESIGN BY ANALYSIS REQUIREMENTS

5.1	General Requirements	5-3
5.1.1	Scope	5-3
5.1.2	Numerical Analysis	5-3
5.1.3	Loading Conditions	5-4
5.2	Protection Against Plastic Collapse.....	5-5
5.2.1	Overview	5-5
5.2.2	Elastic Stress Analysis Method.....	5-5
5.2.3	Limit-Load Analysis Method.....	5-8
5.2.4	Elastic-Plastic Stress Analysis Method.....	5-9
5.3	Protection Against Local Failure.....	5-11
5.3.1	Overview	5-11
5.3.2	Elastic Analysis	5-11
5.3.3	Elastic-Plastic Analysis.....	5-11

5.4	Protection Against Collapse From Buckling	5-12
5.4.1	Design Factors	5-12
5.4.2	Numerical Analysis	5-13
5.5	Protection Against Failure From Cyclic Loading	5-13
5.5.1	Overview	5-13
5.5.2	Screening Criteria for Fatigue Analysis	5-14
5.5.3	Fatigue Assessment – Elastic Stress Analysis and Equivalent Stresses	5-17
5.5.4	Fatigue Assessment – Elastic-Plastic Stress Analysis and Equivalent Strains	5-20
5.5.5	Fatigue Assessment of Welds – Elastic Analysis and Structural Stress	5-22
5.5.6	Ratcheting Assessment – Elastic Stress Analysis	5-26
5.5.7	Ratcheting Assessment – Elastic-Plastic Stress Analysis	5-28
5.6	Supplemental Requirements for Stress Classification in Nozzle Necks	5-29
5.7	Supplemental Requirements for Bolts	5-30
5.7.1	Design Requirements	5-30
5.7.2	Service Stress Requirements	5-30
5.7.3	Fatigue Assessment Of Bolts	5-30
5.8	Supplemental Requirements for Perforated Plates	5-31
5.9	Supplemental Requirements for Layered Vessels	5-31
5.10	Experimental Stress Analysis	5-31
5.11	Fracture Mechanic Evaluations	5-31
5.12	Definitions	5-32
5.13	Nomenclature	5-34
5.14	Tables	5-40
5.15	Figures	5-53

Annex 5.A Linearization Of Stress Results For Stress Classification

5.A.1	Scope	5-56
5.A.2	General	5-56
5.A.3	Selection of Stress Classification Lines	5-56
5.A.4	Stress Integration Method	5-57
5.A.4.1	Continuum Elements	5-57
5.A.4.2	Shell Elements	5-58
5.A.5	Structural Stress Method Based on Nodal Forces	5-59
5.A.5.1	Overview	5-59
5.A.5.2	Continuum Elements	5-59
5.A.5.3	Shell Elements	5-60
5.A.6	Structural Stress Method Based on Stress Integration	5-60
5.A.7	Nomenclature	5-61
5.A.8	Tables	5-62
5.A.9	Figures	5-64

Annex 5.B Histogram Development And Cycle Counting For Fatigue Analysis

5.B.1	General	5-75
5.B.2	Definitions	5-75
5.B.3	Histogram Development	5-75
5.B.4	Cycle Counting Using the Rainflow Method	5-76
5.B.5	Cycle Counting Using Max-Min Cycle Counting Method	5-76
5.B.6	Nomenclature	5-78

Annex 5.C Alternative Plasticity Adjustment Factors And Effective Alternating Stress For Elastic Fatigue Analysis

5.C.1	General	5-79
5.C.2	Effective Alternating Stress for Elastic Fatigue Analysis	5-79
5.C.3	Nomenclature	5-84

Annex 5.D Stress Indices

5.D.1	General	5-86
5.D.2	Stress Indices for Radial Nozzles	5-86

5.D.3	Stress Indices for Laterals	5-88
5.D.4	Nomenclature	5-89
5.D.5	Tables	5-90
5.D.6	Figures	5-92

Annex 5.E Design Methods For Perforated Plates Based On Elastic Stress Analysis

5.E.1	Overview	5-95
5.E.2	Stress Analysis of the Equivalent Solid Plate.....	5-95
5.E.3	Stiffness Effects of the Tubes	5-96
5.E.4	Effective Material Properties for the Equivalent Solid Plate.....	5-96
5.E.5	Pressure Effects in Tubesheet Perforations	5-98
5.E.6	Protection Against Plastic Collapse.....	5-98
5.E.7	Protection Against Cyclic Loading.....	5-99
5.E.8	Nomenclature	5-103
5.E.9	Tables	5-107
5.E.10	Figures.....	5-132

Annex 5.F Experimental Stress Analysis

5.F.1	Overview	5-137
5.F.2	Strain Measurement Test Procedure for Stress Components.....	5-137
5.F.3	Protection Against Cyclic Loading.....	5-138
5.F.4	Nomenclature	5-142
5.F.5	Figures.....	5-144

PART 6 - FABRICATION REQUIREMENTS

6.1	General Fabrication Requirements	6-3
6.1.1	Materials	6-3
6.1.2	Forming	6-4
6.1.3	Base Metal Preparation.....	6-6
6.1.4	Fitting and Alignment.....	6-7
6.1.5	Cleaning of Surfaces to Be Welded	6-8
6.1.6	Alignment Tolerances for Edges to Be Butt Welded.....	6-8
6.2	Welding Fabrication Requirements	6-9
6.2.1	Welding Processes	6-9
6.2.2	Welding Qualifications and Records	6-9
6.2.3	Precautions to Be Taken Before Welding.....	6-11
6.2.4	Specific Requirements for Welded Joints.....	6-11
6.2.5	Miscellaneous Welding Requirements	6-13
6.2.6	Summary of Joints Permitted and Their Examination	6-15
6.2.7	Repair of Weld Defects.....	6-15
6.2.8	Special Requirements for Welding Test Plates for Titanium Materials.....	6-15
6.3	Special Requirements for Tube-To-Tubesheet Welds.....	6-16
6.3.1	Material Requirements.....	6-16
6.3.2	Holes in Tubesheets.....	6-16
6.3.3	Weld Design and Joint Preparation.....	6-16
6.3.4	Qualification of Welding Procedure	6-16
6.4	Preheating and Heat Treatment of Weldments	6-16
6.4.1	Requirements for Preheating of Welds	6-16
6.4.2	Requirements for Postweld Heat Treatment	6-16
6.4.3	Procedures for Postweld Heat Treatment.....	6-18
6.4.4	Operation of Postweld Heat Treatment.....	6-20
6.4.5	Postweld Heat Treatment after Repairs	6-20
6.4.6	Postweld Heat Treatment of Nonferrous Materials	6-21
6.5	Special Requirements For Clad or Weld Overlay Linings, and Lined Parts	6-22
6.5.1	Materials	6-22
6.5.2	Joints In Corrosion Resistant Clad or Weld Metal Overlay Linings.....	6-23
6.5.3	Welding Procedures.....	6-23

6.5.4	Methods to Be Used In Attaching Applied Linings.....	6-23
6.5.5	Postweld Heat Treatment of Clad and Lined Weldments	6-23
6.5.6	Requirements for Base Material With Corrosion Resistant Integral or Weld Metal	
	Overlay Cladding	6-23
6.5.7	Examination Requirements	6-24
6.5.8	Inspection and Tests	6-24
6.5.9	Stamping and Reports.....	6-24
6.6	Special Requirements for Tensile Property Enhanced Q and T Ferritic Steels	6-24
6.6.1	General.....	6-24
6.6.2	Marking on Plates and Other Materials	6-24
6.6.3	Requirements for Heat Treating After Forming	6-24
6.6.4	Minimum Thickness after Forming	6-24
6.6.5	Welding Requirements	6-25
6.6.6	Postweld Heat Treatment.....	6-27
6.6.7	Heat Treatment Certification Tests	6-28
6.6.8	Examination Requirements	6-29
6.6.9	Inspection and Tests	6-29
6.6.10	Stamping and Reports.....	6-29
6.7	Special Requirements for Forged Fabrication	6-29
6.7.1	General.....	6-29
6.7.2	Ultrasonic Examination	6-29
6.7.3	Toughness Requirements.....	6-29
6.7.4	Tolerances on Cylindrical Forgings.....	6-29
6.7.5	Methods of Forming Forged Heads	6-30
6.7.6	Heat Treatment Requirements for Forged Fabrication	6-30
6.7.7	Welding For Fabrication.....	6-31
6.7.8	Repair of Defects in Material.....	6-32
6.7.9	Threaded Connections to Vessel Walls, Forged Necks, and Heads.....	6-33
6.7.10	Inspection, Examination, and Testing.....	6-33
6.7.11	Stamping and Reports for Forged Vessels.....	6-34
6.7.12	Pressure Relief Devices	6-34
6.8	Special Fabrication Requirements for Layered Vessels	6-34
6.8.1	General.....	6-34
6.8.2	General Fabrication Requirements	6-34
6.8.3	Welding Fabrication Requirements	6-34
6.8.4	Welding Qualification and Records.....	6-34
6.8.5	Specific Requirements for Welded Joints.....	6-35
6.8.6	Nondestructive Examination of Welded Joints.....	6-36
6.8.7	Welded Joint Efficiency.....	6-36
6.8.8	Contact between Layers.....	6-36
6.8.9	Vent Holes	6-37
6.8.10	Heat Treatment of Weldments	6-37
6.9	Nomenclature	6-38
6.10	Tables	6-39
6.11	Figures.....	6-65

PART 7 - INSPECTION AND EXAMINATION REQUIREMENTS

7.1	General	7-3
7.2	Responsibilities and Duties	7-3
7.2.1	Responsibilities and Duties of the Manufacturer and Inspector	7-3
7.2.2	Access for Inspector	7-3
7.2.3	Notification of Work Progress.....	7-3
7.3	Verification and Examination Prior To Welding.....	7-3
7.3.1	Compliance of Material with Requirements and Marking.....	7-3
7.3.2	Dimensional Check of Component Parts	7-3
7.3.3	Verification of Heat Treatment Practice	7-3
7.3.4	Verification of Welding Procedure Specification.....	7-3

7.3.5	Verification of Welder and Welding Operator Performance Qualification	7-4
7.4	Examination of Welded Joints.....	7-4
7.4.1	Nondestructive Examination Requirements.....	7-4
7.4.2	Examination Groups for Pressure Vessels.....	7-4
7.4.3	Extent of Nondestructive Examination.....	7-4
7.4.4	Selection of Examination Method for Internal (Volumetric) Flaws	7-6
7.4.5	Selection of Examination Method for Surface Flaws	7-6
7.4.6	Surface Condition and Preparation	7-6
7.4.7	Supplemental Examination for Cyclic Service.....	7-6
7.4.8	Examination and Inspection of Vessels with Protective Linings and Cladding.....	7-6
7.4.9	Examination and Inspection of Tensile Property Enhanced Q and T Vessels	7-7
7.4.10	Examination and Inspection of Integrally Forged Vessels.....	7-8
7.4.11	Examination and Inspection of Fabricated Layered Vessels	7-9
7.5	Examination Method and Acceptance Criteria.....	7-11
7.5.1	General.....	7-11
7.5.2	Visual Examination	7-11
7.5.3	Radiographic Examination	7-12
7.5.4	Ultrasonic Examination	7-14
7.5.5	Ultrasonic Examination Used in Lieu of Radiographic Examination.....	7-15
7.5.6	Magnetic Particle Examination (MT).....	7-17
7.5.7	Liquid Penetrant Examination (PT).....	7-19
7.5.8	Eddy Current Surface Examination Procedure Requirements (ET).....	7-20
7.5.9	Evaluation and Retest for Partial Examination	7-23
7.6	Final Examination of Vessel.....	7-23
7.6.1	Surface Examination after Hydrotest.....	7-23
7.6.2	Inspection of Lined Vessel Interior after Hydrotest.....	7-23
7.7	Leak Testing	7-23
7.8	Acoustic Emission.....	7-23
7.9	Tables	7-24
7.10	Figures.....	7-36

Annex 7.A Responsibilities And Duties For Inspection And Examination Activities

7.A.1	General	7-50
7.A.2	Manufacturer's Responsibility	7-50
7.A.2.1	The Manufacturer	7-50
7.A.2.2	Inspection and Examination Duties	7-50
7.A.3	Inspector's Responsibility	7-51
7.A.3.1	The Inspector.....	7-51
7.A.3.2	Inspection and Examination Duties	7-51
7.A.4	Tables	7-53

PART 8 - PRESSURE TESTING REQUIREMENTS

8.1	General Requirements	8-2
8.1.1	Selection of Pressure Test Methods.....	8-2
8.1.2	Precautions.....	8-2
8.1.3	Requirements for Vessels of Specific Construction.....	8-3
8.1.4	Pressure Gages.....	8-4
8.2	Hydrostatic Testing	8-5
8.2.1	Test Pressure.....	8-5
8.2.2	Preparation for Testing	8-5
8.2.3	Test Fluid.....	8-5
8.2.4	Test Procedures.....	8-5
8.2.5	Test Examination and Acceptance Criteria.....	8-6
8.3	Pneumatic Testing	8-6
8.3.1	Test Pressure.....	8-6
8.3.2	Preparation for Testing	8-6
8.3.3	Test Fluid.....	8-6

8.3.4	Test Procedures.....	8-7
8.3.5	Test Examination and Acceptance Criteria.....	8-7
8.4	Alternative Pressure Testing.....	8-7
8.4.1	Hydrostatic–Pneumatic Tests	8-7
8.4.2	Leak Tightness Testing.....	8-7
8.5	Documentation	8-8
8.6	Nomenclature	8-8

PART 9 - PRESSURE VESSEL OVERPRESSURE PROTECTION

9.1	General Requirements	9-2
9.1.1	Protection Against Overpressure	9-2
9.1.2	Types of Overpressure Protection.....	9-2
9.1.3	Required Relieving Capacity and Allowable Overpressure.....	9-2
9.1.4	Pressure Setting of Pressure Relief Devices	9-3
9.2	Pressure Relief Valves.....	9-3
9.3	Non-Reclosing Pressure Relief Devices.....	9-3
9.3.1	Rupture Disk Devices	9-3
9.3.2	Breaking Pin Devices	9-3
9.3.3	Spring Loaded Non-Reclosing Pressure Relief Devices.....	9-3
9.4	Calculation Of Rated Capacity For Different Relieving Pressures And/Or Fluids.....	9-3
9.4.1	General.....	9-3
9.4.2	Prorating of Certified Capacity for Different Pressures.....	9-3
9.4.3	Conversion of Certified Capacity for Different In-Service Fluids.....	9-4
9.5	Marking and Stamping	9-4
9.6	Provisions for Installation of Pressure Relieving Devices.....	9-4
9.6.1	General.....	9-4
9.6.2	Inlet Piping for Pressure Relief Devices	9-4
9.6.3	Discharge Lines from Pressure Relief Devices.....	9-4
9.6.4	Pressure Drop, Non-Reclosing Pressure Relief Devices.....	9-4
9.7	Overpressure Protection by Design	9-4
9.7.1	Requirements	9-4
9.7.2	Documentation.....	9-5
9.7.3	Manufacturer’s Data Report	9-5

Annex 9.A Best Practices For The Installation And Operation Of Pressure Relief Devices

9.A.1	Introduction	9-6
9.A.2	Provisions for the Installation of Stop Valves in the Relief Path.....	9-6
9.A.3	Inlet Piping Pressure Drop for Pressure Relief Valves.....	9-9
9.A.4	Discharge Lines from Pressure Relief Devices	9-9
9.A.5	Cautions Regarding Pressure Relief Device Discharge into a Common Header.....	9-10
9.A.6	Pressure Differentials (Operating Margin) for Pressure Relief Valves	9-10
9.A.7	Pressure Relief Valve Orientation	9-10
9.A.8	Reaction Forces and Externally Applied Piping Loads	9-10
9.A.9	Sizing of Pressure Relief Devices for Fire Conditions	9-12
9.A.10	Use of Pressure Indicating Devices to Monitor Pressure Differential	9-12

FOREWORD

The American Society of Mechanical Engineers set up a committee in 1911 for the purpose of formulating standard rules for the construction of steam boilers and other pressure vessels. This committee is now called the Boiler and Pressure Vessel Committee.

The Committee's function is to establish rules of safety, relating only to pressure integrity, governing the construction¹ of boilers, pressure vessels, transport tanks and nuclear components, and inservice inspection for pressure integrity of nuclear components and transport tanks, and to interpret these rules when questions arise regarding their intent. This code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks and nuclear components, and the inservice inspection of nuclear components and transport tanks. The user of the Code should refer to other pertinent codes, standards, laws, regulations, or other relevant documents. With few exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. Recognizing this, the Committee has approved a wide variety of construction rules in this Section to allow the user or his designee to select those which will provide a pressure vessel having a margin for deterioration in service so as to give a reasonably long, safe period of usefulness. Accordingly, it is not intended that this Section be used as a design handbook; rather, engineering judgment must be employed in the selection of those sets of Code rules suitable to any specific service or need.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities. The Code does not address all aspects of these activities and those aspects which are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable designers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

¹ *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and they are responsible for the application of these programs to their design.

The Code does not fully address tolerances. When dimensions, sizes, or other parameters are not specified with tolerances, the values of these parameters are considered nominal and allowable tolerances or local variances may be considered acceptable when based on engineering judgment and standard practices as determined by the designer.

The Boiler and Pressure Vessel Committee deals with the care and inspection of boilers and pressure vessels in service only to the extent of providing suggested rules of good practice as an aid to owners and their inspectors.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Boiler and Pressure Vessel Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Boiler and Pressure Vessel Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Mandatory Appendix covering preparation of technical inquiries). Proposed revisions to the Code resulting from inquiries will be presented to the Main Committee for appropriate action. The action of the Main Committee becomes effective only after confirmation by letter ballot of the Committee and approval by ASME.

Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After the allotted time for public review and final approval by ASME, revisions are published annually in Addenda to the Code.

Code Cases may be used in the construction of components to be stamped with the ASME Code symbol beginning with the date of their approval by ASME.

After Code revisions are approved by ASME, they may be used beginning with the date of issuance shown on the Addenda. Revisions, except for revisions to material specifications in Section II, Parts A and B, become mandatory six months after such date of issuance, except for boilers or pressure vessels contracted for prior to the end of the six-month period. Revisions to material specifications are originated by the American Society for Testing and Materials (ASTM) and other recognized national or international organizations, and are usually adopted by ASME. However, those revisions may or may not have any effect on the suitability of material, produced to earlier editions of specifications, for use in ASME construction. ASME material specifications approved for use in each construction Code are listed in the Guidelines for Acceptable ASTM Editions in Section II, Parts A and B. These Guidelines list, for each specification, the latest edition adopted by ASME, and earlier and later editions considered by ASME to be identical for ASME construction.

The Boiler and Pressure Vessel Committee in the formulation of its rules and in the establishment of maximum design and operating pressures considers materials, construction, methods of fabrication, inspection, and safety devices.

The Code Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The Scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the ASME Boiler and Pressure Vessel Committee.

ASME is to be notified should questions arise concerning improper use of an ASME Code symbol.

The specifications for materials given in Section II are identical with or similar to those of specifications published by ASTM, AWS, and other recognized national or international organizations. When reference is made in an ASME material specification to a non-ASME specification for which a companion ASME specification exists, the reference shall be interpreted as applying to the ASME material specification. Not all materials included in the material specifications in Section II have been adopted for Code use. Usage is limited to those materials and grades adopted by at least one of the other Sections of the Code for application under rules of that Section. All materials allowed by these various Sections and used for construction within the scope of their rules shall be furnished in accordance with material specifications contained in Section II or referenced in the Guidelines for Acceptable ASTM Editions in Section II, Parts A and B, except where otherwise provided in Code Cases or in the applicable Section of the Code. Materials covered by these specifications are acceptable for use in items covered by the Code Sections only to the degree indicated in the applicable Section. Materials for Code use should preferably be ordered, produced, and documented on this basis; Guideline for Acceptable ASTM Editions in Section II, Part A and Guideline for Acceptable ASTM Editions in Section II, Part B list editions of ASME and year dates of specifications that meet ASME requirements and which may be used in Code construction. Material produced to an acceptable specification with requirements different from the requirements of the corresponding specifications listed in the Guideline for Acceptable ASTM Editions in Part A or Part B may also be used in accordance with the above, provided the material manufacturer or vessel manufacturer certifies with evidence acceptable to the Authorized Inspector that the corresponding requirements of specifications listed in the Guideline for Acceptable ASTM Editions in Part A or Part B have been met. Material produced to an acceptable material specification is not limited as to country of origin.

When required by context in this Section, the singular shall be interpreted as the plural, and vice-versa; and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF CODE SYMBOLS AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use Code Symbols for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Code Symbols for the benefit of the users, the enforcement jurisdictions, and the holders of the symbols who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the symbols, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or

“endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding a Code Symbol and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.”

The ASME Symbol shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of a Code Symbol who may also use the facsimile in advertising to show that clearly specified items will carry the symbol. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

The ASME logo, which is the cloverleaf with the letters ASME within, shall not be used by any organization other than ASME.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Code Symbol Stamp described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the various Code

Symbols shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

ACKNOWLEDGEMENTS

The 2007 Edition of Section VIII, Division 2 is the result of an extensive collaborative effort involving ASME Volunteers, ASME Staff, and the following organizations, which without their continued support, vision and understanding of the code development process, publication of this new code would not have been possible.

ABB Lummus Global
BP
Chevron Research & Technology
Chicago Bridge & Iron Co.
COADE Engineering Software
Codeware
Dupont Engineering
ExxonMobil Research & Engineering Co.
Fluor Daniel Inc.
Hartford Steam Boiler Inspection & Insurance Company
Koch Petroleum Group
Petroleum Association of Japan
Praxair, Inc.
Shell Global Solutions
The Equity Engineering Group, Inc.
The Material Properties Council, Inc.
The National Board of Boiler and Pressure Vessel Inspectors
The Pressure Vessel Research Council
UOP, LLC

To ensure that the 2007 edition of Section VIII, Division 2 addresses user requirements, Section VIII, Division 2 Certificate Holders listed below performed a beta test analysis of the new Section VIII, Division 2, by using it to design a vessel previously designed using the 2004 edition of Section VIII, Division 2. The testing process was critical in establishing the final quality of the new code. ASME would like to thank these organizations for performing this analysis.

ATB Riva Calzoni, SpA
CBI Services, Inc.
Hitachi Zosen Mechanical Corp.- Ariake Works
Ishikawajima-Harima Heavy Industries Co., Ltd.- Nuclear Power Division
Kobe Steel, Ltd.
Larsen & Toubro Limited-Heavy Engineering Division
Sumitomo Heavy Industries, Ltd.-Ehime Works
The Japan Steel Works, Ltd.- Muroran Plant

PERSONNEL

ASME Boiler and Pressure Vessel Committee

Subcommittees, Subgroups, and Working Groups

As of January 1, 2008

MAIN COMMITTEE

J. G. Feldstein, <i>Chair</i>	D. F. Landers
T. P. Pastor, <i>Vice Chair</i>	W. M. Lundy
J. S. Brzuszkiewicz, <i>Staff Secretary</i>	J. R. MacKay
R. W. Barnes	U. R. Miller
R. J. Basile	P. A. Molvie
J. E. Batey	C. C. Neely
D. L. Berger	W. E. Norris
M. N. Bressler	G. C. Park
D. A. Canonico	M. D. Rana
R. P. Deubler	B. W. Roberts
D. A. Douin	F. J. Schaaf, Jr.
R. E. Gimple	A. Selz
M. Gold	R. W. Swayne
T. E. Hansen	D. E. Tanner
C. L. Hoffmann	F. B. Kovacs, <i>Alternate</i>
G. G. Karcher	K. Oyamada, <i>Delegate</i>
	T. Tahara, <i>Delegate</i>

EXECUTIVE COMMITTEE (MAIN COMMITTEE)

T. P. Pastor, <i>Chair</i>	P. D. Edwards
J. G. Feldstein, <i>Vice Chair</i>	M. Gold
J. S. Brzuszkiewicz, <i>Staff Secretary</i>	G. G. Karcher
R. W. Barnes	G. C. Park
D. L. Berger	A. Selz
	D. E. Tanner

HONORARY MEMBERS (MAIN COMMITTEE)

F. P. Barton	M. H. Jawad
R. D. Bonner	A. J. Justin
R. J. Bosnak	E. L. Kemmler
R. J. Cepluch	W. G. Knecht
L. J. Chockie	J. LeCoff
T. M. Cullen	T. G. McCarty
W. D. Doty	G. C. Millman
J. R. Farr	R. A. Moen
G. E. Feigel	R. F. Reedy
R. C. Griffin	W. E. Somers
O. F. Hedden	K. K. Tam
E. J. Hemzy	L. P. Zick, Jr.

HONORS AND AWARDS COMMITTEE

M. Gold, <i>Chair</i>	W. L. Haag, Jr.
F. E. Gregor, <i>Vice Chair</i>	S. F. Harrison, Jr.
D. R. Sharp, <i>Staff Secretary</i>	R. M. Jessee
R. J. Basile	W. C. LaRochelle
J. E. Batey	T. P. Pastor
D. L. Berger	A. Selz
J. G. Feldstein	R. R. Stevenson

MARINE CONFERENCE GROUP

H. N. Patel, <i>Chair</i>	P. E. Little
L. W. Douthwaite	R. J. Petow

CONFERENCE COMMITTEE

D. A. Douin — Illinois (<i>Chair</i>)	R. A. Coomes — Kentucky
R. D. Reetz — North Dakota	D. Eastman — Newfoundland and Labrador, Canada
(<i>Vice Chair</i>)	G. L. Ebeyer — Louisiana
D. E. Tanner — Ohio	E. Everett — Georgia
(<i>Secretary</i>)	J. M. Given, Jr. — North Carolina
R. J. Aben, Jr. — Michigan	J. E. Guerra — Arizona
J. S. Aclaro — California	R. J. Handy — Kentucky
A. E. Adkins — West Virginia	J. B. Harlan — Delaware
J. T. Amato — Minnesota	K. Hynes — Prince Edward Island, Canada
E. A. Anderson — Illinois	D. T. Jagger — Ohio
F. R. Andrus — Oregon	D. J. Jenkins — Kansas
B. P. Anthony — Rhode Island	A. P. Jones — Texas
R. D. Austin — Arizona	S. Katz — British Columbia, Canada
E. W. Bachellier — Nunavut, Canada	M. R. Klosterman — Iowa
M. M. Barber — Michigan	M. Kotb — Quebec, Canada
R. W. Bartlett — Arizona	B. Krasium — Saskatchewan, Canada
F. P. Barton — Virginia	K. T. Lau — Alberta, Canada
M. Bishop — British Columbia, Canada	M. A. Malek — Florida
L. Blair — Nebraska	G. F. Mankel — Nevada
W. K. Brigham — New Hampshire	R. D. Marvin II — Washington
D. E. Burns — Nebraska	I. W. Mault — Manitoba, Canada
J. H. Burpee — Maine	H. T. McEwen — Mississippi
C. J. Castle — Nova Scotia, Canada	
D. C. Cook — California	

CONFERENCE COMMITTEE (CONT'D)

T. J. Monroe — Oklahoma	D. E. Ross — New Brunswick, Canada
M. F. Mooney — Massachusetts	K. A. Rudolph — Hawaii
F. Musuta — Ontario, Canada	G. Scribner — Missouri
G. R. Myrick — Arkansas	R. K. Sturm — Utah
Y. Nagpaul — Hawaii	N. Surtees — Saskatchewan, Canada
W. R. Owens — Louisiana	M. R. Toth — Tennessee
T. M. Parks — Ohio	M. J. Verhagen — Wisconsin
R. P. Pate — Alabama	P. L. Vescio, Jr. — New York
J. D. Payton — Pennsylvania	M. Washington — New Jersey
M. R. Peterson — Alaska	K. L. Watson — Mississippi
H. D. Pfaff — South Dakota	R. B. West — Iowa
J. L. Pratt — Missouri	M. J. Wheel — Vermont
D. C. Price — Yukon Territory, Canada	D. J. Willis — Indiana
R. S. Pucek — Wisconsin	E. Zarate — Arizona
M. D. Ramirez — Florida	

BPV PROJECT TEAM ON HYDROGEN TANKS

M. D. Rana, <i>Chair</i>	R. C. Biel, <i>Contributing Member</i>
G. M. Eisenberg, <i>Staff Secretary</i>	J. Birdsall, <i>Contributing Member</i>
F. L. Brown	J. Cameron, <i>Contributing Member</i>
D. A. Canonico	M. Duncan, <i>Contributing Member</i>
D. C. Cook	D. R. Frikken, <i>Contributing Member</i>
J. W. Felbaum	L. E. Hayden, Jr., <i>Contributing Member</i>
B. D. Hawkes	K. T. Lau, <i>Contributing Member</i>
T. Joseph	K. Oyamada, <i>Contributing Member</i>
N. L. Newhouse	C. H. Rivkin, <i>Contributing Member</i>
G. B. Rawls, Jr.	C. San Marchi, <i>Contributing Member</i>
B. F. Shelley	B. Somerday, <i>Contributing Member</i>
J. R. Sims, Jr.	
N. Sirosh	
J. H. Smith	
S. Staniszewski	
T. Tahara	
D. W. Treadwell	
E. Uptis	
C. T. L. Webster	
L. Wolpert	

INTERNATIONAL INTEREST REVIEW GROUP

V. Felix	C. Minu
Y.-G. Kim	Y.-W. Park
W. Lin	R. Reynaga
O. F. Manafa	P. Williamson

SUBCOMMITTEE ON POWER BOILERS (SC I)

D. L. Berger, <i>Chair</i>	W. L. Lowry
B. W. Roberts, <i>Vice Chair</i>	J. R. MacKay
U. D'Urso, <i>Staff Secretary</i>	F. Massi
S. W. Cameron	T. C. McGough
D. A. Canonico	R. E. McLaughlin
K. K. Coleman	P. A. Molvie
P. D. Edwards	Y. Oishi
J. G. Feldstein	J. T. Pillow
J. D. Fishburn	R. D. Schueler, Jr.
T. E. Hansen	J. P. Swezy, Jr.
J. F. Henry	J. M. Tanzosh
J. S. Hunter	R. V. Wielgoszinski
C. F. Jeerings	D. J. Willis
J. P. Libbrecht	G. Ardizzoia, <i>Delegate</i>

Honorary Members (SC I)

D. N. French	R. L. Williams
W. E. Somers	

Subgroup on Design (SC I)

P. A. Molvie, <i>Chair</i>	B. W. Moore
G. L. Hiler, <i>Secretary</i>	R. D. Schueler, Jr.
J. D. Fishburn	J. L. Seigle
J. P. Glaspie	J. P. Swezy, Jr.
C. F. Jeerings	S. V. Torkildson
G. B. Komora	J. Vattappilly
J. P. Libbrecht	G. Ardizzoia, <i>Delegate</i>
J. C. Light	

Subgroup on Fabrication and Examination (SC I)

J. T. Pillow, <i>Chair</i>	C. T. McDaris
G. W. Galanes, <i>Secretary</i>	T. C. McGough
J. L. Arnold	R. E. McLaughlin
D. L. Berger	Y. Oishi
S. W. Cameron	J. P. Swezy, Jr.
J. Hainsworth	R. V. Wielgoszinski
T. E. Hansen	

Subgroup on General Requirements (SC I)

R. E. McLaughlin, <i>Chair</i>	E. M. Ortman
F. Massi, <i>Secretary</i>	J. T. Pillow
G. Cook	D. Tompkins
P. D. Edwards	S. V. Torkildson
T. E. Hansen	R. V. Wielgoszinski
W. L. Lowry	D. J. Willis
T. C. McGough	

Subgroup on Materials (SC I)

B. W. Roberts, <i>Chair</i>	K. L. Hayes
J. S. Hunter, <i>Secretary</i>	J. F. Henry
D. A. Canonico	J. P. Libbrecht
K. K. Coleman	J. R. MacKay
P. Fallouey	F. Masuyama
J. D. Fishburn	J. M. Tanzosh
G. W. Galanes	

Subgroup on Piping (SC I)

T. E. Hansen, <i>Chair</i>	W. L. Lowry
D. Tompkins, <i>Secretary</i>	F. Massi
D. L. Berger	T. C. McGough
P. D. Edwards	E. A. Whittle
G. W. Galanes	

Heat Recovery Steam Generators Task Group (SC I)

T. E. Hansen, <i>Chair</i>	B. W. Moore
E. M. Ortman, <i>Secretary</i>	A. L. Plumley
R. W. Anderson	R. D. Schueler, Jr.
J. P. Bell	J. C. Steverman, Jr.
L. R. Douglas	S. R. Timko
J. D. Fishburn	D. Tompkins
G. B. Komora	S. V. Torkildson
J. P. Libbrecht	B. C. Turczynski
D. L. Marriott	E. A. Turhan

SUBCOMMITTEE ON MATERIALS (SC II)

J. F. Henry, <i>Chair</i>	M. Katcher
M. Gold, <i>Vice Chair</i>	P. A. Larkin
N. Lobo, <i>Staff Secretary</i>	F. Masuyama
F. Abe	R. K. Nanstad
D. C. Agarwal	M. L. Nayyar
W. R. Apblett, Jr.	E. G. Nisbett
A. Appleton	D. W. Rahoi
M. N. Bressler	B. W. Roberts
H. D. Bushfield	E. Shapiro
J. Cameron	M. H. Skillingberg
D. A. Canonico	R. C. Sutherlin
A. Chaudouet	R. W. Swindeman
P. Fallouey	J. M. Tanzosh
D. W. Gandy	B. E. Thurgood
M. H. Gilkey	D. Kwon, <i>Delegate</i>
J. F. Grubb	O. Oldani, <i>Delegate</i>
C. L. Hoffmann	

Honorary Members (SC II)

A. P. Ahrendt	J. J. Heger
T. M. Cullen	G. C. Hsu
R. Dirscherl	R. A. Moen
W. D. Doty	C. E. Spaeder, Jr.
W. D. Edsall	A. W. Zeuthen

Subgroup on External Pressure (SC II & SC-D)

R. W. Mikitka, <i>Chair</i>	M. Katcher
J. A. A. Morrow, <i>Secretary</i>	D. L. Kurle
L. F. Campbell	E. Michalopoulos
D. S. Griffin	D. Nadel
J. F. Grubb	C. H. Sturgeon

Subgroup on Ferrous Specifications (SC II)

E. G. Nisbett, <i>Chair</i>	L. J. Lavezzi
A. Appleton, <i>Vice Chair</i>	W. C. Mack
R. M. Davison	J. K. Mahaney
B. M. Dingman	R. J. Marciniak
M. J. Dosdourian	A. S. Melilli
T. Graham	K. E. Orie
J. F. Grubb	E. Uptis
K. M. Hottle	R. Zawierucha
D. S. Janikowski	A. W. Zeuthen
D. C. Krouse	

Subgroup on International Material Specifications (SC II)

W. M. Lundy, <i>Chair</i>	D. O. Henry
A. Chaudouet, <i>Vice Chair</i>	M. Higuchi
D. Dziubinski, <i>Secretary</i>	H. Lorenz
D. C. Agarwal	A. R. Nywening
H. D. Bushfield	R. D. Schueler, Jr.
D. A. Canonico	E. Uptis
P. Fallouey	D. Kwon, <i>Delegate</i>
A. F. Garbolevsky	O. Oldani, <i>Delegate</i>

Subgroup on Nonferrous Alloys (SC II)

M. Katcher, <i>Chair</i>	P. A. Larkin
R. C. Sutherlin, <i>Secretary</i>	H. Matsuo
D. C. Agarwal	J. A. McMaster
W. R. Apblett, Jr.	D. T. Peters
H. D. Bushfield	D. W. Rahoi
M. H. Gilkey	E. Shapiro
J. F. Grubb	M. H. Skillingberg
A. Heino	D. Tyler
G. C. Hsu	R. Zawierucha
J. Kissell	

Subgroup on Strength, Ferrous Alloys (SC II)

C. L. Hoffmann, <i>Chair</i>	F. Masuyama
J. M. Tanzosh, <i>Secretary</i>	H. Matsuo
F. Abe	H. Murakami
W. R. Apblett, Jr.	D. W. Rahoi
D. A. Canonico	B. W. Roberts
K. K. Coleman	M. S. Shelton
P. Fallouey	J. P. Shingledecker
M. Gold	R. W. Swindeman
J. F. Henry	B. E. Thurgood
K. Kimura	T. P. Vassallo, Jr.

Subgroup on Physical Properties (SC II)

J. F. Grubb, <i>Chair</i>	P. Fallouey
D. C. Agarwal	E. Shapiro
H. D. Bushfield	

Subgroup on Strength of Weldments (SC II & SC IX)

J. M. Tanzosh, <i>Chair</i>	J. F. Henry
W. F. Newell, Jr., <i>Secretary</i>	D. W. Rahoi
K. K. Coleman	B. W. Roberts
P. D. Flenner	J. P. Shingledecker
D. W. Gandy	W. J. Sperko
K. L. Hayes	B. E. Thurgood

Subgroup on Toughness (SC II & SC VIII)

W. S. Jacobs, <i>Chair</i>	C. C. Neely
J. L. Arnold	T. T. Phillips
R. J. Basile	M. D. Rana
J. Cameron	F. L. Richter
H. E. Gordon	D. A. Swanson
D. C. Lamb	E. Uptis
K. Mokhtarian	K. Oyama, <i>Delegate</i>

Special Working Group on Nonmetallic Materials (SC II)

C. W. Rowley, <i>Chair</i>	P. S. Hill
F. L. Brown	M. R. Kessler
S. R. Frost	J. W. Wegner
M. Golliet	F. Worth

SUBCOMMITTEE ON NUCLEAR POWER (SC III)

R. W. Barnes, <i>Chair</i>	D. F. Landers
R. M. Jessee, <i>Vice Chair</i>	W. C. LaRochelle
C. A. Sanna, <i>Staff Secretary</i>	K. A. Manoly
W. H. Borter	E. A. Mayhew
M. N. Bressler	W. N. McLean
T. D. Burchell	M. N. Mitchell
J. R. Cole	D. K. Morton
R. E. Cornman, Jr.	O. O. Oyamada
R. P. Deubler	R. F. Reedy
B. A. Erler	B. B. Scott
G. M. Foster	J. D. Stevenson
R. S. Hill III	K. R. Wichman
C. L. Hoffmann	Y. H. Choi, <i>Delegate</i>
C. C. Kim	T. Ius, <i>Delegate</i>
V. Kostarev	

Honorary Members (SC III)

R. J. Bosnak	F. R. Drahos
E. B. Branch	R. A. Moen
W. D. Doty	C. J. Pieper

Subgroup on Containment Systems for Spent Fuel and High-Level Waste Transport Packagings (SC III)

G. M. Foster, <i>Chair</i>	I. D. McInnes
G. J. Solovey, <i>Vice Chair</i>	A. B. Meichler
D. K. Morton, <i>Secretary</i>	R. E. Nickell
G. Bjorkman	E. L. Pleins
W. H. Borter	T. Saegusa
G. R. Cannell	H. P. Shrivastava
E. L. Farrow	N. M. Simpson
J. L. Gorczyca	R. H. Smith
R. S. Hill III	J. D. Stevenson
D. W. Lewis	C. J. Temus
C. G. May	A. D. Watkins
P. E. McConnell	

Subgroup on Design (SC III)

R. P. Deubler, <i>Chair</i>	D. F. Landers
R. S. Hill III, <i>Vice Chair</i>	K. A. Manoly
A. N. Nguyen, <i>Secretary</i>	R. J. Masterson
T. M. Adams	W. N. McLean
M. N. Bressler	J. C. Minichiello
C. W. Bruny	M. Morishita
D. L. Caldwell	F. F. Naguib
J. R. Cole	T. Nakamura
R. E. Cornman, Jr.	E. L. Pleins
A. A. Dermenjian	I. Saito
P. Hirschberg	G. C. Slagis
R. I. Jetter	J. D. Stevenson
R. B. Keating	J. P. Tucker
J. F. Kielb	K. R. Wichman
H. Kobayashi	T. Ius, <i>Delegate</i>

Working Group on Supports (SG-D) (SC III)

R. J. Masterson, <i>Chair</i>	I. Saito
F. J. Birch, <i>Secretary</i>	J. R. Stinson
U. S. Bandyopadhyay	T. G. Terryah
R. P. Deubler	D. V. Walshe
W. P. Golini	C.-I. Wu
A. N. Nguyen	

Working Group on Core Support Structures (SG-D) (SC III)

J. F. Kielb, <i>Chair</i>	J. T. Land
F. G. Al-Chammas	J. F. Mullooly

Working Group on Design Methodology (SG-D)

R. B. Keating, <i>Chair</i>	D. F. Landers
M. K. Au-Yang	W. S. Lapay
M. Basol	H. Lockert
R. D. Blevins	J. F. McCabe
D. L. Caldwell	A. N. Nguyen
H. T. Harrison III	S. Snow
M. Hartzman	J. D. Stevenson
P. Hirschberg	T. M. Wiger
H. Kobayashi	J. Yang

Working Group on Design of Division 3 Containments (SG-D) (SC III)

E. L. Pleins, <i>Chair</i>	J. C. Minichiello
G. Bjorkman	D. K. Morton
J. L. Gorczyca	R. E. Nickell
D. W. Lewis	H. P. Shrivastava
I. D. McInnes	C. J. Temus

Working Group on Piping (SG-D) (SC III)

P. Hirschberg, <i>Chair</i>	D. F. Landers
R. C. Fung, <i>Secretary</i>	J. F. McCabe
G. A. Antaki	J. C. Minichiello
C. Basavaraju	A. N. Nguyen
J. Catalano	R. D. Patel
J. R. Cole	E. C. Rodabaugh
R. J. Gurdal	N. J. Shah
R. W. Haupt	M. S. Sills
J. Kawahata	G. C. Slagis
R. B. Keating	E. A. Wais
V. Kostarev	C.-I. Wu

Working Group on Probabilistic Methods in Design (SG-D) (SC III)

R. S. Hill III, <i>Chair</i>	S. D. Kulat
T. Asayama	A. McNeill
B. M. Ayyub	P. J. O'Regan
T. A. Bacon	N. A. Palm
C. Basavaraju	I. Saito
A. A. Dermenjian	M. E. Schmidt
M. R. Graybeal	J. P. Tucker
D. O. Henry	R. M. Wilson

Working Group on Pumps (SG-D) (SC III)

R. E. Cornman, Jr., <i>Chair</i>	C. J. Jerz
M. D. Eftychiou	J. W. Leavitt
A. A. Fraser	J. E. Livingston
R. Ghanbari	J. R. Rajan
M. Higuchi	A. G. Washburn

Working Group on Valves (SG-D) (SC III)

J. P. Tucker, <i>Chair</i>	J. D. Page
G. A. Jolly	S. N. Shields
W. N. McLean	H. R. Sonderegger
T. A. McMahon	J. C. Tsacoyeanes

Working Group on Vessels (SG-D) (SC III)

F. F. Naguib, <i>Chair</i>	A. Kalnins
G. K. Miller, <i>Secretary</i>	R. B. Keating
C. W. Bruny	K. Matsunaga
G. D. Cooper	D. E. Matthews
M. Hartzman	M. Nakahira
W. J. Heilker	R. M. Wilson

Special Working Group on Environmental Effects (SG-D) (SC III)

W. Z. Novak, <i>Chair</i>	C. L. Hoffmann
R. S. Hill III	Y. H. Choi, <i>Delegate</i>

Subgroup on General Requirements (SC III & SC 3C)

W. C. LaRochelle, <i>Chair</i>	R. D. Mile
A. Appleton, <i>Secretary</i>	M. R. Minick
J. R. Berry	B. B. Scott
J. V. Gardiner	H. K. Sharma
W. P. Golini	W. K. Sowder, Jr.
G. L. Hollinger	D. M. Vickery
C. A. Lizotte	D. V. Walshe
E. A. Mayhew	H. Michael, <i>Delegate</i>
R. P. McIntyre	

Subgroup on Materials, Fabrication, and Examination (SC III)

C. L. Hoffmann, <i>Chair</i>	H. Murakami
G. P. Milley, <i>Secretary</i>	M. Nakahira
W. H. Borter	N. M. Simpson
D. M. Doyle	W. J. Sperko
G. M. Foster	J. R. Stinson
G. B. Georgiev	K. B. Stuckey
R. M. Jessee	A. D. Watkins
C. C. Kim	H. Michael, <i>Delegate</i>
M. Lau	

Subgroup on Pressure Relief (SC III)

S. F. Harrison, Jr., <i>Chair</i>	A. L. Szeplin
J. F. Ball	D. G. Thibault
E. M. Petrosky	

Subgroup on Strategy and Management (SC III, Divisions 1 and 2)

R. W. Barnes, <i>Chair</i>	J. M. Helmey
C. A. Sanna, <i>Staff Secretary</i>	M. F. Hessheimer
J. R. Cole, <i>Secretary</i>	R. S. Hill III
B. K. Bobo	E. V. Imbro
N. Broom	R. M. Jessee
B. A. Erler	R. F. Reedy
C. M. Faidy	Y. Urabe

Special Working Group on Editing and Review (SC III)

R. F. Reedy, <i>Chair</i>	R. P. Deubler
W. H. Borter	B. A. Erler
M. N. Bressler	W. C. LaRochelle
D. L. Caldwell	J. D. Stevenson

Special Working Group on Polyethylene Pipe (SC III)

D. F. Landers, <i>Chair</i>	P. Krishnaswamy
J. C. Minichiello, <i>Secretary</i>	K. A. Manoly
T. M. Adams	E. W. McElroy
G. A. Antaki	D. P. Munson
C. Basavaraju	L. J. Petroff
D. Burwell	C. W. Rowley
J. M. Craig	F. J. Schaaf, Jr.
R. R. Croft	D. M. Vickery
M. Golliet	

Subgroup on Graphite Core Components (SC III)

T. D. Burchell, <i>Chair</i>	G. O. Hayner
C. A. Sanna, <i>Staff Secretary</i>	M. P. Hindley
R. L. Bratton	M. N. Mitchell
S.-H. Chi	N. N. Nemeth
M. W. Davies	T. Oku
S. W. Doms	T. Shibata
S. F. Duffy	M. Srinivasan
O. Gelineau	

JOINT ACI-ASME COMMITTEE ON CONCRETE COMPONENTS FOR NUCLEAR SERVICE (SC 3C)

T. C. Inman, <i>Chair</i>	G. A. Harstead
A. C. Eberhardt, <i>Vice Chair</i>	M. F. Hessheimer
C. A. Sanna, <i>Staff Secretary</i>	T. E. Johnson
N. Alchaar	O. Jovall
T. D. Al-Shawaf	N.-H. Lee
J. F. Artuso	B. B. Scott
H. G. Ashar	R. E. Shewmaker
B. A. Erler	J. D. Stevenson
F. Farzam	A. Y. C. Wong
P. S. Ghosal	M. R. Senecal, <i>Contributing Member</i>
J. Gutierrez	
J. K. Harrold	

SUBCOMMITTEE ON HEATING BOILERS (SC IV)

P. A. Molvie, <i>Chair</i>	B. W. Moore
G. Moino, <i>Staff Secretary</i>	E. A. Nordstrom
T. L. Bedeaux	T. M. Parks
J. Calland	J. L. Seigle
J. P. Chicoine	R. V. Wielgoszinski
C. M. Dove	F. P. Barton, <i>Honorary Member</i>
W. L. Haag, Jr.	R. H. Weigel, <i>Honorary Member</i>
J. A. Hall	H. Michael, <i>Delegate</i>
D. J. Jenkins	
K. M. McTague	

Subgroup on Care and Operation of Heating Boilers (SC IV)

T. L. Bedeaux	P. A. Molvie
K. M. McTague	

Subgroup on Cast Iron Boilers (SC IV)

K. M. McTague, <i>Chair</i>	A. P. Jones
T. L. Bedeaux	V. G. Kleffis
J. P. Chicoine	J. Kliess
B. G. French	P. A. Larkin
J. A. Hall	E. A. Nordstrom

Subgroup on Materials (SC IV)

P. A. Larkin, <i>Chair</i>	J. Kliess
J. A. Hall	J. L. Seigle
A. Heino	

Subgroup on Water Heaters (SC IV)

W. L. Haag, Jr., <i>Chair</i>	K. M. McTague
J. Calland	O. A. Missoum
B. G. French	F. J. Schreiner
T. D. Gantt	M. A. Taylor
A. P. Jones	T. E. Trant

Subgroup on Welded Boilers (SC IV)

T. L. Bedeaux, <i>Chair</i>	E. A. Nordstrom
J. Calland	J. L. Seigle
C. M. Dove	R. V. Wielgoszinski
B. G. French	H. Michael, <i>Delegate</i>
A. P. Jones	

SUBCOMMITTEE ON NONDESTRUCTIVE EXAMINATION (SC V)

J. E. Batey, <i>Chair</i>	F. J. Sattler
F. B. Kovacs, <i>Vice Chair</i>	B. H. Clark, Jr., <i>Honorary</i>
S. Vasquez, <i>Staff Secretary</i>	<i>Member</i>
S. J. Akrin	H. C. Graber, <i>Honorary</i>
J. E. Aycock	<i>Member</i>
M. M. Barber	O. F. Hedden, <i>Honorary</i>
A. S. Birks	<i>Member</i>
P. L. Brown	J. R. MacKay, <i>Honorary</i>
N. Y. Faransso	<i>Member</i>
A. F. Garbolevsky	T. G. McCarty, <i>Honorary</i>
G. W. Hembree	<i>Member</i>
R. W. Kruzic	G. M. Gatti, <i>Delegate</i>

Subgroup on General Requirements/ Personnel Qualifications and Inquiries (SC V)

F. B. Kovacs, <i>Chair</i>	G. W. Hembree
J. E. Batey	J. W. Houf
A. S. Birks	J. R. MacKay
N. Y. Faransso	J. P. Swezy, Jr.

Subgroup on Surface Examination Methods (SC V)

A. S. Birks, <i>Chair</i>	G. W. Hembree
S. J. Akrin	R. W. Kruzic
P. L. Brown	F. J. Sattler
N. Y. Faransso	G. M. Gatti, <i>Delegate</i>
N. A. Finney	

Subgroup on Volumetric Methods (SC V)

G. W. Hembree, <i>Chair</i>	R. W. Hardy
S. J. Akrin	R. A. Kellerhall
J. E. Aycock	F. B. Kovacs
J. E. Batey	R. W. Kruzic
P. L. Brown	A. B. Nagel
N. Y. Faransso	F. J. Sattler
A. F. Garbolevsky	G. M. Gatti, <i>Delegate</i>

Working Group on Acoustic Emissions (SG-VM) (SC V)

N. Y. Faransso, <i>Chair</i>	J. E. Batey
J. E. Aycock	

Working Group on Radiography (SG-VM) (SC V)

F. B. Kovacs, <i>Chair</i>	R. W. Hardy
S. J. Akrin	G. W. Hembree
J. E. Aycock	R. W. Kruzic
J. E. Batey	R. J. Mills
P. L. Brown	A. B. Nagel
N. Y. Faransso	T. L. Plasek
A. F. Garbolevsky	D. E. Williams

Working Group on Ultrasonics (SG-VM) (SC V)

R. W. Kruzic, <i>Chair</i>	R. A. Kellerhall
J. E. Aycock	M. D. Moles
N. Y. Faransso	A. B. Nagel
N. A. Finney	F. J. Sattler
O. F. Hedden	

SUBCOMMITTEE ON PRESSURE VESSELS (SC VIII)

T. P. Pastor, <i>Chair</i>	C. C. Neely
U. R. Miller, <i>Vice Chair</i>	T. W. Norton
S. J. Rossi, <i>Staff Secretary</i>	D. T. Peters
D. R. Sharp, <i>Staff Secretary</i>	M. J. Pischke
R. J. Basile	M. D. Rana
J. Cameron	G. B. Rawls, Jr.
D. B. Demichael	S. C. Roberts
J. P. Glaspie	C. D. Rodery
M. Gold	A. Selz
W. S. Jacobs	J. R. Sims, Jr.
G. G. Karcher	K. K. Tam
K. T. Lau	E. Uptis
J. S. Lee	E. L. Thomas, Jr., <i>Honorary</i>
R. Mahadeen	<i>Member</i>
S. Malone	H. Michael, <i>Delegate</i>
R. W. Mikitka	K. Oyamada, <i>Delegate</i>
K. Mokhtarian	M. Papponetti, <i>Delegate</i>

Subgroup on Design (SC VIII)

U. R. Miller, <i>Chair</i>	S. C. Roberts
M. D. Lower, <i>Secretary</i>	C. D. Rodery
O. A. Barsky	A. Selz
R. J. Basile	S. C. Shah
M. R. Breach	J. C. Sowinski
F. L. Brown	C. H. Sturgeon
J. R. Farr	D. A. Swanson
C. E. Hinnant	K. K. Tam
W. S. Jacobs	E. L. Thomas, Jr.
R. W. Mikitka	J. Vattappilly
K. Mokhtarian	R. A. Whipple
T. P. Pastor	K. Oyamada, <i>Delegate</i>
M. D. Rana	M. Papponetti, <i>Delegate</i>
G. B. Rawls, Jr.	

Subgroup on Fabrication and Inspection (SC VIII)

C. D. Rodery, <i>Chair</i>	J. S. Lee
J. L. Arnold	B. R. Morelock
L. F. Campbell	M. J. Pischke
H. E. Gordon	M. J. Rice
W. S. Jacobs	B. F. Shelley
D. J. Kreft	J. P. Swezy, Jr.
D. C. Lamb	K. Oyamada, <i>Delegate</i>

Subgroup on General Requirements (SC VIII)

S. C. Roberts, <i>Chair</i>	C. C. Neely
D. B. Demichael, <i>Secretary</i>	A. S. Olivares
R. J. Basile	F. L. Richter
D. T. Davis	D. B. Stewart
J. P. Glaspie	D. A. Swanson
K. T. Lau	K. K. Tam
M. D. Lower	K. Oyamada, <i>Delegate</i>

Subgroup on Heat Transfer Equipment (SC VIII)

R. Mahadeen, <i>Chair</i>	B. J. Lerch
G. Aurioles, <i>Secretary</i>	S. Mayeux
S. R. Babka	U. R. Miller
J. H. Barbee	T. W. Norton
O. A. Barsky	F. Osweiler
I. G. Campbell	R. J. Stastny
M. D. Clark	S. Yokell
J. I. Gordon	S. M. Caldwell, <i>Honorary</i>
M. J. Holtz	<i>Member</i>
F. E. Jehrio	K. Oyamada, <i>Delegate</i>
D. L. Kurle	

Subgroup on High-Pressure Vessels (SC VIII)

J. R. Sims, Jr., <i>Chair</i>	D. P. Kendall
S. Vasquez, <i>Secretary</i>	A. K. Khare
L. P. Antalffy	M. D. Mann
R. C. Biel	S. C. Mordre
D. J. Burns	G. J. Mraz
P. N. Chaku	H. N. Patel
R. D. Dixon	E. H. Perez
D. M. Fryer	D. T. Peters
A. H. Honza	E. D. Roll
M. M. James	F. W. Tatar
P. Jansson	S. Terada
J. A. Kapp	R. Wink
J. Keltjens	K. Oyamada, <i>Delegate</i>

Subgroup on Materials (SC VIII)

J. Cameron, <i>Chair</i>	E. G. Nisbett
E. E. Morgenegg, <i>Secretary</i>	D. W. Raho
D. C. Agarwal	R. C. Sutherlin
J. F. Grubb	E. Uptis
M. Katcher	K. Oyamada, <i>Delegate</i>
W. M. Lundy	

Special Working Group on Graphite Pressure Equipment (SC VIII)

S. Malone, <i>Chair</i>	M. R. Minick
U. D'Urso, <i>Staff Secretary</i>	E. Soltow
F. L. Brown	A. A. Stupica
B. Lukasch	

Special Working Group on High-Pressure Vessels (SC VIII)

S. Vasquez, *Staff Secretary*

Task Group on Impulsively Loaded Vessels (SC VIII)

R. E. Nickell, <i>Chair</i>	J. E. Didlake, Jr.
G. A. Antaki	T. A. Duffey
D. D. Barker	R. Forgan
R. C. Biel	B. L. Haroldsen
D. W. Bowman	H. L. Heaton
D. L. Caldwell	E. A. Rodriguez
A. M. Clayton	J. R. Sims, Jr.

SUBCOMMITTEE ON WELDING (SC IX)

J. G. Feldstein, <i>Chair</i>	B. R. Newmark
W. J. Sperko, <i>Vice Chair</i>	A. S. Olivares
J. D. Wendler, <i>Staff Secretary</i>	M. J. Pischke
D. A. Bowers	S. D. Reynolds, Jr.
R. K. Brown, Jr.	M. J. Rice
M. L. Carpenter	M. B. Sims
L. P. Connor	G. W. Spohn III
P. D. Flenner	M. J. Stanko
R. M. Jessee	P. L. Van Fosson
J. S. Lee	R. R. Young
W. M. Lundy	

Subgroup on Brazing (SC IX)

M. J. Pischke, <i>Chair</i>	A. F. Garbolevsky
E. W. Beckman	C. F. Jeerings
L. F. Campbell	J. P. Swezy, Jr.
M. L. Carpenter	

Subgroup on General Requirements (SC IX)

B. R. Newmark, <i>Chair</i>	H. B. Porter
E. W. Beckman	P. L. Sturgill
P. R. Evans	K. R. Willens
R. M. Jessee	E. Molina, <i>Delegate</i>
A. S. Olivares	

Subgroup on Materials (SC IX)

M. L. Carpenter, <i>Chair</i>	S. D. Reynolds, Jr.
J. L. Arnold	C. E. Sainz
M. Bernasek	W. J. Sperko
L. P. Connor	M. J. Stanko
R. M. Jessee	R. R. Young
C. C. Kim	V. Giunto, <i>Delegate</i>
T. Melfi	

Subgroup on Performance Qualification (SC IX)

D. A. Bowers, <i>Chair</i>	K. L. Hayes
V. A. Bell	J. S. Lee
L. P. Connor	W. M. Lundy
R. B. Corbit	M. B. Sims
P. R. Evans	G. W. Spohn III
P. D. Flenner	

Subgroup on Procedure Qualification (SC IX)

D. A. Bowers, <i>Chair</i>	W. J. Sperko
M. J. Rice, <i>Secretary</i>	S. A. Sprague
M. Bernasek	J. P. Swezy, Jr.
R. K. Brown, Jr.	P. L. Van Fosson
A. S. Olivares	T. C. Wiesner
S. D. Reynolds, Jr.	E. Molina, <i>Delegate</i>
M. B. Sims	

**SUBCOMMITTEE ON
FIBER-REINFORCED PLASTIC PRESSURE VESSELS (SC X)**

D. Eisberg, <i>Chair</i>	B. M. Linnemann
P. J. Conlisk, <i>Vice Chair</i>	D. J. Painter
S. Vasquez, <i>Staff Secretary</i>	D. J. Pinell
F. L. Brown	G. Ramirez
J. L. Bustillos	J. A. Rolston
T. W. Cowley	B. F. Shelley
T. J. Fowler	F. W. Van Name
D. H. Hodgkinson	D. O. Yancey, Jr.
L. E. Hunt	P. H. Ziehl
D. L. Keeler	

**SUBCOMMITTEE ON
NUCLEAR INSERVICE INSPECTION (SC XI)**

G. C. Park, <i>Chair</i>	W. E. Norris
R. W. Swayne, <i>Vice Chair</i>	K. Rhyne
R. L. Crane, <i>Staff Secretary</i>	W. R. Rogers III
W. H. Bamford, Jr.	D. A. Scarth
R. C. Cipolla	F. J. Schaaf, Jr.
D. D. Davis	J. C. Spanner, Jr.
R. L. Dyle	J. E. Staffiera
E. L. Farrow	G. L. Stevens
R. E. Gimple	E. W. Throckmorton III
F. E. Gregor	D. E. Waskey
K. Hasegawa	R. A. West
D. O. Henry	C. J. Wirtz
R. D. Kerr	C. S. Withers
S. D. Kulat	R. A. Yonekawa
G. L. Lagleder	K. K. Yoon
D. W. Lamond	T. Yuhara
J. T. Lindberg	Y.-S. Chang, <i>Delegate</i>
B. R. Newton	

Executive Committee (SC XI)

R. W. Swayne, <i>Chair</i>	C. G. McCargar
G. C. Park, <i>Vice Chair</i>	W. E. Norris
R. L. Crane, <i>Staff Secretary</i>	K. Rhyne
W. H. Bamford, Jr.	F. J. Schaaf, Jr.
D. D. Davis	J. C. Spanner, Jr.
R. L. Dyle	E. W. Throckmorton III
R. E. Gimple	R. A. West
F. E. Gregor	R. A. Yonekawa
O. F. Hedden	

Honorary Members (SC XI)

L. J. Chockie	J. P. Houstrup
C. D. Cowfer	L. R. Katz
O. F. Hedden	P. C. Riccardella

Subgroup on Evaluation Standards (SG-ES) (SC XI)

W. H. Bamford, Jr., <i>Chair</i>	D. R. Lee
G. L. Stevens, <i>Secretary</i>	H. S. Mehta
H.-D. Chung	J. G. Merkle
R. C. Cipolla	K. Miyazaki
G. H. De Boo	S. Ranganath
B. R. Ganta	D. A. Scarth
T. J. Griesbach	T.-L. Sham
K. Hasegawa	K. R. Wichman
D. N. Hopkins	K. K. Yoon
Y. Imamura	Y.-S. Chang, <i>Delegate</i>
K. Koyama	

Working Group on Flaw Evaluation (SG-ES) (SC XI)

R. C. Cipolla, <i>Chair</i>	D. R. Lee
G. H. De Boo, <i>Secretary</i>	H. S. Mehta
W. H. Bamford, Jr.	J. G. Merkle
M. Basol	K. Miyazaki
J. M. Bloom	R. K. Qashu
H.-D. Chung	S. Ranganath
B. R. Ganta	P. J. Rush
T. J. Griesbach	D. A. Scarth
H. L. Gustin	T. S. Schurman
F. D. Hayes	W. L. Server
A. L. Hiser, Jr.	K. R. Wichman
P. H. Hoang	G. M. Wilkowski
D. N. Hopkins	K. K. Yoon
K. Koyama	V. A. Zilberstein

Working Group on Operating Plant Criteria (SG-ES) (SC XI)

T. J. Griesbach, <i>Chair</i>	H. S. Mehta
K. R. Baker	R. Pace
W. H. Bamford, Jr.	S. Ranganath
H. Behnke	W. L. Server
B. A. Bishop	E. A. Siegel
T. L. Dickson	G. L. Stevens
S. R. Gosselin	D. P. Weakland
M. Hayashi	K. K. Yoon
S. N. Malik	

Working Group on Pipe Flaw Evaluation (SG-ES) (SC XI)

D. A. Scarth, <i>Chair</i>	K. Hasegawa
G. M. Wilkowski, <i>Secretary</i>	A. L. Hiser, Jr.
T. A. Bacon	P. H. Hoang
W. H. Bamford, Jr.	D. N. Hopkins
H.-D. Chung	K. Kashima
R. C. Cipolla	R. O. McGill
N. G. Cofie	H. S. Mehta
J. M. Davis	K. Miyazaki
G. H. De Boo	P. J. Rush
B. R. Ganta	T.-L. Sham
L. F. Goyette	K. K. Yoon
	V. A. Zilberstein

Subgroup on Nondestructive Examination (SG-NDE) (SC XI)

J. C. Spanner, Jr., <i>Chair</i>	D. O. Henry
G. A. Lofthus, <i>Secretary</i>	M. R. Hum
T. L. Chan	G. L. Lagleder
C. B. Cheezem	J. T. Lindberg
D. R. Cordes	G. R. Perkins
F. J. Dodd	A. S. Reed
F. E. Dohmen	F. J. Schaaf, Jr.
M. E. Gothard	C. J. Wirtz

**Working Group on Personnel Qualification and Surface,
Visual, and Eddy Current Examination (SG-NDE) (SC XI)**

A. S. Reed, <i>Chair</i>	T. R. Lupold
D. R. Cordes, <i>Secretary</i>	D. R. Quattlebaum, Jr.
B. L. Curtis	D. Spake
N. Farenbaugh	J. C. Spanner, Jr.
D. O. Henry	M. C. Weatherly
J. W. Houf	C. J. Wirtz
J. T. Lindberg	

Working Group on Pressure Testing (SG-WCS) (SC XI)

D. W. Lamond, <i>Chair</i>	R. E. Hall
J. M. Boughman, <i>Secretary</i>	A. McNeill III
J. J. Churchwell	B. L. Montgomery
G. L. Fechter	E. J. Sullivan, Jr.
K. W. Hall	

Working Group on Procedure Qualification and Volumetric Examination (SG-NDE) (SC XI)

M. E. Gothard, <i>Chair</i>	K. J. Hacker
G. R. Perkins, <i>Secretary</i>	R. A. Kellerhall
M. T. Anderson	D. Kurek
C. B. Cheezem	G. L. Lagleder
A. D. Chockie	G. A. Lofthus
S. R. Doctor	C. E. Moyer
F. J. Dodd	S. A. Sabo
F. E. Dohmen	R. V. Swain

Subgroup on Repair/Replacement Activities (SG-RRR) (SC XI)

R. A. Yonekawa, <i>Chair</i>	R. D. Kerr
E. V. Farrell, Jr., <i>Secretary</i>	S. L. McCracken
S. B. Brown	B. R. Newton
R. E. Cantrell	J. E. O'Sullivan
P. D. Fisher	W. R. Rogers III
E. B. Gerlach	R. R. Stevenson
R. E. Gimple	R. W. Swayne
D. R. Graham	D. E. Waskey
R. A. Hermann	J. G. Weicks
K. J. Karwoski	C. S. Withers

Working Group on Design and Programs (SG-RRR) (SC XI)

E. B. Gerlach, <i>Chair</i>	D. R. Graham
S. B. Brown, <i>Secretary</i>	G. F. Harttraft
O. Bhatti	M. A. Pyne
R. R. Croft	R. R. Stevenson
G. G. Elder	R. W. Swayne
E. V. Farrell, Jr.	A. H. Taufique
S. K. Fisher	T. P. Vassallo, Jr.
J. M. Gamber	R. A. Yonekawa

Working Group on Welding and Special Repair Process (SG-RRR) (SC XI)

D. E. Waskey, <i>Chair</i>	M. Lau
R. E. Cantrell, <i>Secretary</i>	S. L. McCracken
S. J. Findlan	B. R. Newton
P. D. Fisher	J. E. O'Sullivan
M. L. Hall	R. E. Smith
R. A. Hermann	D. J. Tilly
K. J. Karwoski	J. G. Weicks
C. C. Kim	K. R. Willens

Subgroup on Water-Cooled Systems (SG-WCS) (SC XI)

E. W. Throckmorton III, <i>Chair</i>	D. W. Lamond
J. M. Agold, <i>Secretary</i>	A. McNeill III
J. M. Boughman	W. E. Norris
M. L. Coats	D. Song
D. D. Davis	J. E. Staffiera
H. Q. Do	H. M. Stephens, Jr.
E. L. Farrow	K. B. Thomas
M. J. Ferlisi	R. A. West
O. F. Hedden	G. E. Whitman
M. L. Herrera	H. L. Graves III, <i>Alternate</i>
S. D. Kulat	

Working Group on Containment (SG-WCS) (SC XI)

J. E. Staffiera, <i>Chair</i>	H. L. Graves III
H. G. Ashar	H. T. Hill
S. G. Brown	R. D. Hough
K. K. N. Chao	C. N. Krishnaswamy
R. C. Cox	D. J. Naus
J. W. Crider	H. M. Stephens, Jr.
M. J. Ferlisi	W. E. Norris, <i>Alternate</i>
D. H. Goche	

Working Group on ISI Optimization (SG-WCS) (SC XI)

E. A. Siegel, <i>Chair</i>	A. H. Mahindrakar
D. R. Cordes, <i>Secretary</i>	D. G. Naujock
W. H. Bamford, Jr.	S. R. Scott
J. M. Boughman	K. B. Thomas
M. E. Gothard	G. E. Whitman
R. E. Hall	Y. Yuguchi

Working Group on Implementation of Risk-Based Examination (SG-WCS) (SC XI)

S. D. Kulat, <i>Chair</i>	K. W. Hall
A. McNeill III, <i>Secretary</i>	A. T. Keim
J. M. Agold	D. W. Lamond
B. A. Bishop	J. T. Lindberg
S. T. Chesworth	R. K. Mattu
C. Cueto-Felgueroso	P. J. O'Regan
H. Q. Do	N. A. Palm
R. Fougrousse	M. A. Pyne
M. R. Graybeal	R. A. West
J. Hakii	J. C. Younger

Working Group on Inspection of Systems and Components (SG-WCS) (SC XI)

K. B. Thomas, <i>Chair</i>	S. D. Kulat
D. Song, <i>Secretary</i>	T. A. Meyer
J. M. Agold	D. G. Naujock
V. L. Armentrout	T. Nomura
C. Cueto-Felgueroso	C. M. Ross
H. Q. Do	R. A. West
R. Fougrousse	G. E. Whitman
M. R. Hum	

Working Group on General Requirements (SC XI)

K. Rhyne, <i>Chair</i>	E. L. Farrow
E. J. Maloney, <i>Secretary</i>	R. K. Mattu
G. P. Alexander	S. R. Scott
T. L. Chan	G. E. Szabatura
M. L. Coats	C. S. Withers

Special Working Group on Editing and Review (SC XI)

R. W. Swayne, <i>Chair</i>	J. E. Staffiera
C. E. Moyer	D. J. Tilly
K. R. Rao	C. J. Wirtz

Special Working Group on Plant Life Extension (SC XI)

T. A. Meyer, <i>Chair</i>	P.-T. Kuo
D. V. Burgess, <i>Secretary</i>	R. E. Nickell
S. Asada	W. L. Server
D. D. Davis	R. L. Turner
F. E. Gregor	G. G. Young

Special Working Group on High-Temperature, Gas-Cooled Reactors (SC XI)

J. Fletcher, <i>Chair</i>	A. B. Hull
M. A. Lockwood, <i>Secretary</i>	W. A. O. Kriel
N. Broom	M. N. Mitchell
C. Cueto-Felgueroso	F. J. Schaaf, Jr.
K. N. Fleming	F. Shahrokhi
S. R. Gosselin	R. W. Swayne
M. R. Graybeal	

SUBCOMMITTEE ON TRANSPORT TANKS (SC XII)

A. Selz, <i>Chair</i>	M. D. Pham
D. R. Sharp, <i>Staff Secretary</i>	M. D. Rana
D. M. Allbritten	T. A. Rogers
A. N. Antoniou	W. K. Smith
C. Becht IV	S. Staniszewski
M. A. Garrett	M. R. Toth
C. H. Hochman	A. P. Varghese
G. G. Karcher	M. R. Ward
G. McRae	L. Wolpert

Subgroup on Design and Materials (SC XII)

M. D. Rana, <i>Chair</i>	M. D. Pham
D. R. Sharp, <i>Staff Secretary</i>	T. A. Rogers
G. G. Karcher	A. P. Varghese
S. L. McWilliams	M. R. Ward
N. J. Paulick	E. A. Whittle

Subgroup on Fabrication and Inspection (SC XII)

G. McRae, <i>Chair</i>	L. D. Holsinger
D. R. Sharp, <i>Staff Secretary</i>	D. J. Kreft
J. A. Byers	A. S. Olivares
B. L. Gehl	L. H. Strouse

Subgroup on General Requirements (SC XII)

C. H. Hochman, <i>Chair</i>	M. A. Garrett
D. R. Sharp, <i>Staff Secretary</i>	K. L. Gilmore
T. W. Alexander	J. L. Rademacher
D. M. Allbritten	T. Rummel
C. A. Betts	W. K. Smith
J. F. Cannon	L. H. Strouse
J. L. Freiler	M. R. Toth
W. L. Garfield	L. Wolpert

Subgroup on Nonmandatory Appendices (SC XII)

T. A. Rogers, <i>Chair</i>	S. L. McWilliams
D. R. Sharp, <i>Staff Secretary</i>	J. L. Rademacher
D. D. Brusewitz	A. Selz
J. L. Conley	S. Staniszewski
T. Eubanks	A. P. Varghese
B. L. Gehl	M. R. Ward
T. Hitchcock	L. Wolpert

SUBCOMMITTEE ON BOILER AND PRESSURE VESSEL ACCREDITATION (SC-BPVA)

W. C. LaRochelle, <i>Chair</i>	D. C. Cook, <i>Alternate</i>
P. D. Edwards, <i>Vice Chair</i>	M. A. DeVries, <i>Alternate</i>
K. I. Baron, <i>Secretary</i>	C. E. Ford, <i>Alternate</i>
W. J. Bees	T. E. Hansen, <i>Alternate</i>
M. B. Doherty	G. L. Hollinger, <i>Alternate</i>
D. J. Jenkins	B. B. MacDonald, <i>Alternate</i>
K. T. Lau	R. D. Mile, <i>Alternate</i>
L. E. McDonald	G. P. Milley, <i>Alternate</i>
K. M. McTague	M. R. Minick, <i>Alternate</i>
D. Miller	T. W. Norton, <i>Alternate</i>
B. R. Morelock	H. R. Staehr, <i>Alternate</i>
J. D. O'Leary	J. A. West, <i>Alternate</i>
D. E. Tanner	R. V. Wielgoszinski, <i>Alternate</i>
B. C. Turczynski	A. J. Spencer, <i>Honorary Member</i>
D. E. Tuttle	O. E. Trapp, <i>Contributing Member</i>
E. A. Whittle	
G. Bynog, <i>Alternate</i>	

SUBCOMMITTEE ON NUCLEAR ACCREDITATION (SC-NA)

R. R. Stevenson, <i>Chair</i>	G. Bynog, <i>Alternate</i>
W. C. LaRochelle, <i>Vice Chair</i>	G. Deily, <i>Alternate</i>
J. Pang, <i>Staff Secretary</i>	P. D. Edwards, <i>Alternate</i>
M. N. Bressler	D. P. Gobbi, <i>Alternate</i>
S. M. Goodwin	J. W. Highlands, <i>Alternate</i>
K. A. Huber	K. M. Hottle, <i>Alternate</i>
M. Kotb	B. G. Kovarik, <i>Alternate</i>
J. C. Krane	P. F. Prescott, <i>Alternate</i>
C. A. Lizotte	S. M. Scott, <i>Alternate</i>
R. P. McIntyre	D. W. Stepp, <i>Alternate</i>
M. R. Minick	E. A. Whittle, <i>Alternate</i>
H. B. Prasse	R. V. Wielgoszinski, <i>Alternate</i>
T. E. Quaka	H. L. Wiger, <i>Alternate</i>
D. E. Tanner	O. E. Trapp, <i>Contributing Member</i>
D. M. Vickery	

SUBCOMMITTEE ON DESIGN (SC-D)

R. J. Basile, <i>Chair</i>	R. I. Jetter
R. W. Barnes	D. P. Jones
M. R. Breach	R. W. Mikitka
R. P. Deubler	U. R. Miller
G. G. Graven	W. J. O'Donnell
G. L. Hollinger	R. D. Schueler, Jr.

Subgroup on Design Analysis (SC-D)

G. L. Hollinger, <i>Chair</i>	K. Matsunaga
M. R. Breach	G. A. Miller
R. G. Brown	W. D. Reinhardt
R. J. Gurdal	D. H. Roarty
C. F. Heberling II	G. Sannazzaro
C. E. Hinnant	T. G. Seipp
P. Hirschberg	D. A. Swanson
D. P. Jones	G. Taxacher
A. Kalnins	E. L. Thomas, Jr.
W. J. Koves	R. A. Whipple

Subgroup on Elevated Temperature Design (SC-D)

R. I. Jetter, <i>Chair</i>	D. L. Marriott
T. Asayama	T. E. McGreevy
C. Becht IV	W. J. O'Donnell
J. F. Cervenka	D. A. Osage
D. S. Griffin	J. S. Porowski
B. F. Hantz	B. Riou
M. H. Jawad	T.-L. Sham
W. J. Koves	M. S. Shelton
S. Majumdar	R. W. Swindeman

Subgroup on Fatigue Strength (SC-D)

W. J. O'Donnell, <i>Chair</i>	G. Kharshafdjian
P. R. Donavin	S. Majumdar
R. J. Gurdal	T. Nakamura
C. F. Heberling II	D. H. Roarty
P. Hirschberg	G. Taxacher
P. Hsu	H. H. Ziada
D. P. Jones	

Subgroup on Openings (SC-D)

M. R. Breach, <i>Chair</i>	J. P. Madden
R. W. Mikitka, <i>Secretary</i>	D. R. Palmer
G. G. Graven	J. A. Pfeifer
V. T. Hwang	M. D. Rana
J. C. Light	E. C. Rodabaugh
R. B. Luney	C. R. Thomas

Special Working Group on Bolted Flanged Joints (SC-D)

R. W. Mikitka, <i>Chair</i>	E. Michalopoulos
G. D. Bibel	J. R. Payne
H. A. Bouzid	P. G. Scheckermann
W. Brown	R. D. Schueler, Jr.
A. Chaudouet	A. Selz
W. J. Koves	M. S. Shelton

**SUBCOMMITTEE ON
SAFETY VALVE REQUIREMENTS (SC-SVR)**

S. F. Harrison, Jr., <i>Chair</i>	J. P. Glaspie
J. A. West, <i>Vice Chair</i>	H. I. Gregg
S. J. Rossi, <i>Staff Secretary</i>	W. F. Hart
J. F. Ball	D. Miller
S. Cammeresi	T. M. Parks
A. Cox	D. K. Parrish
R. D. Danzy	D. J. Scallan
D. B. Demichael	Z. Wang
R. J. Doelling	

Subgroup on Design (SC-SVR)

J. A. West, <i>Chair</i>	H. I. Gregg
C. E. Beair	D. Miller
R. D. Danzy	T. Patel
R. J. Doelling	T. R. Tarbay

Subgroup on General Requirements (SC-SVR)

D. B. Demichael, <i>Chair</i>	D. K. Parrish
J. F. Ball	J. W. Ramsey
G. Brazier	J. W. Richardson
J. P. Glaspie	D. E. Tuttle

Subgroup on Testing (SC-SVR)

A. Cox, <i>Chair</i>	W. F. Hart
J. E. Britt	B. K. Nutter
S. Cammeresi	D. J. Scallan
G. D. Goodson	Z. Wang

**U.S. Technical Advisory Group ISO/TC 185
Safety Relief Valves**

T. J. Bevilacqua, <i>Chair</i>	Y.-S. Lai
S. J. Rossi, <i>Staff Secretary</i>	D. Miller
J. F. Ball	J. A. West
D. B. Demichael	

INTENTIONALLY LEFT BLANK

SUMMARY OF CHANGES

The 2007 Edition of this Code has been revised in its entirety. This edition, as described in the Foreword, becomes mandatory six months after the publication date of the 2007 Edition. To invoke this revision before the mandatory date, use the designation "2007 Edition" in documentation required by this Code. If you choose not to invoke this revision before the mandatory date, use the designation "2004 Edition through the 2006 Addenda" in documentation required by this Code.

NOTE: Volume 57 of the Interpretations to Section VIII-2 of the ASME Boiler and Pressure Vessel Code follows the last page of this Edition.

Page intentionally blank

PART 1

GENERAL REQUIREMENTS

PART CONTENTS

1.1	General	1-2
1.1.1	Introduction	1-2
1.1.2	Organization	1-2
1.1.3	Definitions	1-2
1.2	Scope	1-3
1.2.1	Overview	1-3
1.2.2	Additional Requirements for Very High Pressure Vessels	1-4
1.2.3	Geometric Scope of This Division	1-4
1.2.4	Classifications Outside the Scope of this Division	1-4
1.2.5	Combination Units	1-5
1.2.6	Field Assembly of Vessels	1-5
1.2.7	Pressure Relief Devices	1-6
1.3	Standards Referenced by This Division	1-6
1.4	Units of Measurement	1-6
1.5	Technical Inquires	1-7
1.6	Tables	1-8

Annex 1.A Submittal Of Technical Inquiries To The Boiler And Pressure Vessel Standards Committee

1.A.1	Introduction	1-10
1.A.2	Inquiry Format	1-10
1.A.3	Code Revisions or Additions	1-11
1.A.4	Code Cases	1-11
1.A.5	Code Interpretations	1-11
1.A.6	Submittals	1-12

Annex 1.B Definitions

1.B.1	Introduction	1-13
1.B.2	Definition of Terms	1-13

Annex 1.C Guidance For The Use Of US Customary And SI Units In The ASME Boiler And Pressure Vessel Codes

1.C.1	Use of Units in Equations	1-15
1.C.2	Guidelines Used to Develop SI Equivalents	1-15
1.C.3	Soft Conversion Factors	1-16
1.C.4	Tables	1-17

1.1 General

1.1.1 Introduction

1.1.1.1 This Division contains mandatory requirements, specific prohibitions, and non-mandatory guidance for the design, materials, fabrication, examination, inspection, testing, and certification of pressure vessels and their associated pressure relief devices.

1.1.1.2 The Code does not address all aspects of these activities. Those aspects that are not specifically addressed should not be considered prohibited and shall be addressed by appropriate engineering judgment. Engineering judgment shall be consistent with the philosophy of this Division, and such judgments shall never be used to overrule mandatory requirements or specific prohibitions of this Division.

1.1.2 Organization

1.1.2.1 The requirements of this Division are contained in the nine Parts listed below. Each of these Parts and Annexes is composed of paragraphs that are identified by an alphanumeric numbering system in accordance with the ISO Standard Template for the Preparation of Normative-Type Documents. References to paragraphs are made directly by reference to the paragraph number. For example, the Scope is referenced as paragraph 1.2.

- a) Part 1 – General Requirements, provides the scope of this division and establishes the extent of coverage
- b) Part 2 – Responsibilities and Duties, sets forth the responsibilities of the user and Manufacturer, and the duties of the Inspector
- c) Part 3 – Materials Requirements, provides the permissible materials of construction, applicable material specification and special requirements, physical properties, allowable stresses, and design fatigue curves
- d) Part 4 – Design By Rule Requirements, provides requirements for design of vessels and components using rules
- e) Part 5 – Design By Analysis Requirements, provides requirements for design of vessels and components using analytical methods
- f) Part 6 – Fabrication Requirements, provides requirements governing the fabrication of vessels and parts
- g) Part 7 – Examination and Inspection Requirements, provides requirements governing the examination and inspection of vessels and parts
- h) Part 8 – Pressure Testing Requirements, provides pressure testing requirements
- i) Part 9 – Pressure Vessel Overpressure Protection, provides rules for pressure relief devices

1.1.2.2 Mandatory and non-mandatory requirements are provided as normative and informative annexes, respectively, to the specific Part under consideration. The Normative Annexes address specific subjects not covered elsewhere in this Division and their requirements are mandatory when the subject covered is included in construction under this Division. Informative Annexes provide information and suggested good practices.

1.1.2.3 The materials, design, fabrication, examination, inspection, testing, and certification of pressure vessels and their associated pressure relief devices shall satisfy all applicable Parts and Normative Annexes shown above in order to qualify the construction in accordance with this Division.

1.1.3 Definitions

The definitions for the terminology used in this Part are contained in Annex 1.B.

1.2 Scope

1.2.1 Overview

1.2.1.1 In the scope of this division, pressure vessels are containers for the containment of pressure, either internal or external. This pressure may be obtained from an external source or by the application of heat from a direct or indirect source as a result of a process, or any combination thereof.

1.2.1.2 The rules of this Division may be used for the construction of the following pressure vessels.

- a) Vessels to be installed at a fixed (stationary) location for a specific service where operation and maintenance control is retained during the useful life of the vessel by the user and is in conformance with the User's Design Specification required by Part 2.
- b) Pressure vessels installed in ocean-going ships, barges, and other floating craft or used for motor vehicle or rail freight. For these applications it is necessary that prior written agreement with the jurisdictional authority be established covering operation and maintenance control for a specific service. This operation and maintenance control must be retained during the useful life of the pressure vessel by the user in conformance with the User's Design Specification required in Part 2. Such a pressure vessel as described above may be constructed and stamped within the scope of this Division provided it meets all other requirements as specified with the following additional provisions.
 - 1) Loading conditions imposed by movement of the pressure vessel during operation and by relocation of the pressure vessel between work sites or due to loading and discharge, as applicable, shall be considered in the design.
 - 2) The User's Design Specification shall include the agreements that define those aspects of operation and maintenance control unique to the particular pressure vessel.
- c) Pressure vessels or parts subject to direct firing from the combustion of fuel (solid, liquid, or gaseous), that are not within the scope of Sections I, III, or IV may be constructed in accordance with the rules of this Division.
- d) Unfired steam boilers shall be constructed in accordance with the rules of Section I or Section VIII, Division 1.
- e) The following pressure vessels in which steam is generated shall be constructed in accordance with the rules of Section VIII, Division 1 or this Division:
 - 1) Vessels known as evaporators or heat exchangers;
 - 2) Vessels in which steam is generated by the use of heat resulting from operation of a processing system containing a number of pressure vessels such as used in the manufacture of chemical and petroleum products; and
 - 3) Vessels in which steam is generated but not withdrawn for external use.

1.2.1.3 The scope of this Division has been established to identify components and parameters considered in formulating the rules given in this Division. Laws or regulations issued by municipality, state, provincial, federal, or other enforcement or regulatory bodies having jurisdiction at the location of an installation establish the mandatory applicability of the Code rules, in whole or in part, within the jurisdiction. Those laws or regulations may require the use of this Division of the Code for vessels or components not considered to be within its scope. These laws or regulations should be reviewed to determine size or service limitations of the coverage which may be different or more restrictive than those given here.