


ASME BOILER AND PRESSURE VESSEL CODE
AN AMERICAN NATIONAL STANDARD

SECTION X
Fiber-Reinforced Plastic
Pressure Vessels

1989 EDITION

JULY 1, 1989



ASME BOILER AND PRESSURE VESSEL COMMITTEE
SUBCOMMITTEE ON REINFORCED PLASTIC PRESSURE VESSELS

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
United Engineering Center 345 East 47th Street New York, N.Y. 10017

Date of Issue — July 1, 1989
(Includes all Addenda dated December 1988 and earlier)

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.


Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations issued in accordance with governing ASME procedures and policies which preclude the issuance of interpretations by individual volunteers.

The footnotes in this document are part of this American National Standard.



ASME collective membership mark



The above ASME symbols are registered in the U.S. Patent Office.
"ASME" is the trademark of the American Society of Mechanical Engineers.

Copyright © 1989 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of the American Society of Mechanical Engineers, 1914.
Revised 1940, 1941, 1943, 1946, 1949, 1952, 1953, 1956, 1959, 1962, 1965, 1968, 1971, 1974, 1977, 1980, 1983, 1986, 1989

1989 ASME BOILER AND PRESSURE VESSEL CODE

SECTIONS

- I Power Boilers
- II Material Specifications
 - Part A — Ferrous Materials
 - Part B — Nonferrous Materials
 - Part C — Welding Rods, Electrodes, and Filler Metals
- III Subsection NCA — General Requirements for Division 1 and Division 2
- III Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Component Supports
 - Subsection NG — Core Support Structures
 - Appendices
- III Division 2 — Code for Concrete Reactor Vessels and Containments
- IV Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
- IX Welding and Brazing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components

ADDENDA

Colored-sheet Addenda, which include additions and revisions to individual Sections of the Code, are published annually and will be sent automatically to purchasers of the applicable Sections up to the publication of the 1992 Code. The 1989 Code is available only in the loose-leaf format; accordingly, the Addenda will be issued in the loose-leaf, replacement-page format.

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code. The Interpretations for each individual Section will be published separately and will be included as part of the update service to that Section. They will be issued semiannually (July and December) up to the publication of the 1992 Code. Interpretations of Section III, Divisions 1 and 2, will be included with the update service to Subsection NCA. Interpretations are not part of the Code or the Addenda.

CODE CASES

The Boiler and Pressure Vessel Committee meets regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases which have been adopted will appear in the appropriate 1989 Code Cases book: (1) Boilers and Pressure Vessels and (2) Nuclear Components. Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 1992 Code.

Currently in preview, click buy full version

FOREWORD

The American Society of Mechanical Engineers set up a committee in 1911 for the purpose of formulating standard rules for the construction of steam boilers and other pressure vessels. This committee is now called the Boiler and Pressure Vessel Committee.

The Committee's function is to establish rules of safety governing the design, fabrication, and inspection during construction of boilers and pressure vessels, and to interpret these rules when questions arise regarding their intent. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property and to provide a margin for deterioration in service so as to give a reasonably long, safe period of usefulness. Advancements in design and material and the evidence of experience have been recognized.

The Boiler and Pressure Vessel Committee deals with the care and inspection of boilers and pressure vessels in service only to the extent of providing suggested rules of good practice as an aid to owners and their inspectors.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Boiler and Pressure Vessel Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Requests for interpretation must be addressed to the Secretary in writing and must give full particulars in order to receive consideration and a written interpretation (see Mandatory Appendix covering preparation of technical inquiries). Proposed revisions to the Code resulting from inquiries will be presented to the Main Committee for appropriate action. The action of the Main Committee becomes effective only after confirmation by letter ballot of the Committee and approval by ASME.

Proposed revisions to the Code approved by the

Committee are submitted to the American National Standards Institute and published in *Mechanical Engineering* to invite comments from all interested persons. After the allotted time for public review and final approval by ASME, revisions are published annually in Addenda to the Code.

Code Cases may be used in the construction of components to be stamped with the ASME Code symbol beginning with the date of their approval by ASME.

After Code revisions are approved by ASME, they may be used beginning with the date of issuance shown on the Addenda. Revisions become mandatory as minimum requirements six months after such date of issuance, except for boilers or pressure vessels contracted for prior to the end of the six-month period.

Manufacturers and users of components are cautioned against making use of revisions and Cases that are less restrictive than former requirements without having assurance that they have been accepted by the proper authorities in the jurisdiction where the component is to be installed.

Each state and municipality in the United States and each province in Canada that adopts or accepts one or more Sections of the Boiler and Pressure Vessel Code is invited to appoint a representative to act on the Conference Committee to the Boiler and Pressure Vessel Committee. Since the members of the Conference Committee are in active contact with the administration and enforcement of the rules, the requirements for inspection in this Code correspond with those in effect in their respective jurisdictions. The required qualifications for an Authorized Inspector under these rules may be obtained from the administrative authority of any state, municipality, or province which has adopted these rules.

The Boiler and Pressure Vessel Committee in the formulation of its rules and in the establishment of maximum design and operating pressures considers materials, construction, methods of fabrication, inspection, and safety devices. Permission may be granted to regulatory bodies and organizations publishing safety standards to use a complete Section of the Code

by reference. If usage of a Section, such as Section IX, involves exceptions, omissions, or changes in provisions, the intent of the Code might not be attained.

Where a state or other regulatory body, in the printing of any Section of the Boiler and Pressure Vessel Code, makes additions or omissions, it is recommended that such changes be clearly indicated.

The National Board of Boiler and Pressure Vessel Inspectors is composed of chief inspectors of states and municipalities in the United States and of provinces in Canada that have adopted the Boiler and Pressure Vessel Code. This Board, since its organization in 1919, has functioned to uniformly administer and enforce the rules of the Boiler and Pressure Vessel Code. The cooperation of that organization with the Boiler and Pressure Vessel Committee has been extremely helpful.

It should be pointed out that the state or municipality where the Boiler and Pressure Vessel Code has been made effective has definite jurisdiction over any particular installation. Inquiries dealing with problems of local character should be directed to the proper authority of such state or municipality. States, provinces, municipalities, or other regulatory bodies may, if there is any question or doubt as to the proper interpretation, refer the question to the Boiler and Pressure Vessel Committee.

The Specifications for base materials given in Section II, Parts A and B, are identical with or similar to those of The American Society for Testing and Materials. When reference is made in an ASME Material Specification to an ASTM Specification for which a companion ASME Specification exists, the reference shall be interpreted as applying to the ASME Material Specification. Specifications for welding materials given in Section II, Part C, are identical with or similar to those of the American Welding Society. Not all materials included in the ASME Material Specifications in Section II have been adopted for Code use. Usage is limited to those materials and grades adopted by at least one

of the other Sections of the Code for application under rules of that Section. All materials allowed by these various Sections and used for construction within the scope of their rules shall be furnished in accordance with ASME Material Specifications contained in Section II except where otherwise provided in Code Cases or in the applicable Section of the Code. Materials covered by these Specifications are acceptable for use in items covered by the Code Sections only to the degree indicated in the applicable Section. Materials for Code use should preferably be ordered, produced, and documented on this basis; however, material produced under an ASTM Specification may be used in lieu of the corresponding ASME Specification, provided the requirements of the ASTM Specification are identical (excluding editorial differences) or more stringent than the ASME Specification for the Grade, Class, or Type produced and provided that the material is confirmed as complying with the ASTM Specification. Material produced to an ASTM specification with requirements different from the requirements of the corresponding ASME Specification may also be used in accordance with the above, provided the material manufacturer or vessel manufacturer certifies with evidence acceptable to the Authorized Inspector that the corresponding ASME Specification requirements have been met. Material produced to an ASME or ASTM Material Specification is not limited as to country of origin.

When required by context in this Section, the singular shall be interpreted as the plural, and vice-versa; and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

Publication of the SI (Metric) Edition of the ASME Boiler and Pressure Vessel Code was discontinued with the 1986 Edition. Effective October 1, 1986, the SI Edition was withdrawn as an ASME Boiler and Pressure Vessel Code document.

STATEMENT OF POLICY ON THE USE OF CODE SYMBOLS AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use Code Symbols for marking items or constructions which have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Code Symbols for the benefit of the users, the enforcement jurisdictions, and the holders of the symbols who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the symbols, Certificates of Authorization, and reference to Code construction. The American Society

of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications which might so indicate. An organization holding a Code Symbol and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code."

The ASME Symbol shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of a Code Symbol who may also use the facsimile in advertising to show that clearly specified items will carry the symbol. General usage is permitted only when all of a manufacturer's items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Code Symbol Stamp described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the various Code Symbols shall not be used on any item which is

not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME which tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

Currently in preview, click buy full version

PERSONNEL

ASME Boiler and Pressure Vessel Committee

Subcommittees, Subgroups, and Working Groups

As of December 31, 1988

MAIN COMMITTEE

W. R. Mikesell, <i>Chairman</i>	G. G. Karcher
R. J. Cepluch, <i>Vice Chairman</i>	E. C. Kistner, Jr.
G. M. Eisenberg, <i>Secretary</i>	W. G. Knecht
B. W. Bace	J. R. MacKay
M. D. Bernstein	T. J. Mawson
R. J. Bosnak	T. G. McCarty
M. N. Bressler	D. J. McDonald
D. A. Canonico	U. R. Miller
L. J. Chockie	C. C. Neely
H. F. Dobel	T. E. Northup
W. D. Doty	R. F. O'Neill
J. R. Farr	R. F. Reedy
B. D. Hackney	M. L. Snow, Jr.
W. C. Ham	J. W. Tackett
H. L. Hime	R. E. Feigel, <i>Alternate</i>
M. H. Jawad	

HONORS AND AWARDS COMMITTEE

H. F. Dobel, <i>Chairman</i>	R. C. Hudson
G. M. Eisenberg, <i>Secretary</i>	M. H. Jawad
J. R. Farr	E. C. Kistner, Jr.
C. E. Ford	E. G. Nisbett
G. E. Fratcher	R. K. Sager, Jr.
W. L. Garvin	J. W. Tackett
O. F. Hedden	

EXECUTIVE COMMITTEE (MAIN COMMITTEE)

R. J. Cepluch, <i>Chairman</i>	C. E. Ford
W. R. Mikesell, <i>Vice Chairman</i>	B. D. Hackney
G. M. Eisenberg, <i>Secretary</i>	E. C. Kistner, Jr.
R. J. Bosnak	H. A. Manning
L. J. Chockie	D. J. McDonald
J. R. Farr	R. F. Reedy

HONORARY MEMBERS (MAIN COMMITTEE)

J. D. Andrew, Jr.	E. L. Kemmler
R. D. Bonner	E. M. Kloeblen
P. M. Brister	J. E. Lattan
H. M. Canavan	J. LeCoff
J. S. Clarke	F. N. Moschini
W. E. Cooper	C. E. Rawlins
G. E. Fratcher	W. R. Smith, Sr.
R. M. Gibson	W. E. Somers
R. C. Griffin	D. B. Wesstrom
W. L. Harding	F. S. G. Williams
E. J. Hemzy	L. P. Zick

MARINE CONFERENCE GROUP

J. Tiratto, <i>Chairman</i>	G. C. Johnson
C. F. Banks	E. F. Murphy
V. W. Bugg	

CONFERENCE COMMITTEE

M. L. Snow, Jr. — Tennessee <i>(Chairman)</i>	J. T. Little — Arizona
D. J. McDonald — National Board of Boiler and Pressure Vessel Inspectors <i>(Secretary)</i>	B. M. Lovelady — Memphis and Shelby County, Tennessee
D. C. Barnett, Jr. — Florida	C. C. Mann — New Orleans, Louisiana
D. E. Beaner — Pennsylvania	R. J. Mannion — New Hampshire
G. Black — Washington	S. M. Matthews — Texas
V. Bogosian — Illinois	I. W. Mault — Manitoba, Canada
E. Brandt — Los Angeles, California	H. T. McEwen — Mississippi
J. E. Brennan — Ohio	A. W. Meiring — Indiana
W. E. Brown — Kansas	E. E. Morgan — Colorado
N. B. Burkheimer — Maryland	J. W. Morvant — Louisiana
R. D. Cather — Alaska	R. F. Mullaney — Vancouver, Canada
A. Colvin, Jr. — Washington, D.C.	D. Newquist — Nebraska
R. A. Coomes — Kentucky	R. D. O'Connor — Connecticut
Z. C. Cordero — Michigan	H. Parker, Jr. — Nevada
J. G. Cvar — Delaware	J. C. Parsell — Utah
A. W. Diamond — Newfoundland, Canada	R. D. Reetz — North Dakota
M. H. Diehl, Jr. — Maryland	R. Sauve — Quebec, Canada
F. G. Dolen — New Jersey	M. Shuff — West Virginia
C. R. Erickson — California	J. L. Smith — Alberta, Canada
E. Everett — Georgia	R. P. Sullivan — Maine
J. J. Fowles — New Brunswick, Canada	N. Surtees — Saskatchewan, Canada
J. W. Greenawalt, Jr. — Oklahoma	C. W. Thompson — Arkansas
S. L. Hall — North Carolina	M. W. A. West — Prince Edward Island, Canada
V. Harding — Hawaii	R. B. West — Iowa
J. Hicks — Virginia	M. J. Wheel — Vermont
C. Hinson — Oregon	R. K. White — New York
J. D. Hoh — Missouri	T. F. Wickham — Rhode Island
W. J. Holmes — Chicago, Illinois	H. J. Wright — Ontario, Canada
R. M. Johnson — California	R. A. Yeo — Nova Scotia, Canada
A. Justin — Minnesota	
V. Kanable — Wisconsin	
G. M. Kuetemeyer — Milwaukee, Wisconsin	

SUBCOMMITTEE ON POWER BOILERS (SC I)

E. C. Kistner, Jr., <i>Chairman</i>	W. T. Higginbotham
J. R. MacKay, <i>Vice Chairman</i>	R. Leone
M. E. Sheehan, <i>Secretary</i>	W. L. Lowry, Jr.
S. G. Bankar	R. F. Manning
D. L. Berger	M. Mattina
M. D. Bernstein	R. G. Presnak
D. A. Canonico	R. D. Schueler, Jr.
A. R. Faulkner	R. L. Williams
D. N. French	R. A. Yeo
F. R. Gerety	L. W. Yoder

Subgroup on Care of Power Boilers (SC I)

W. T. Higginbotham, <i>Chairman</i>	C. R. Hoefs
C. J. Berg	E. A. Holden
H. F. Dobel	E. C. Kistner, Jr.
D. O. Downey	D. J. McDonald
W. Hall	R. A. Yeo
R. R. Hess	J. R. Zahorsky

Subgroup on Piping (SC I)

R. L. Williams, <i>Chairman</i>	R. R. Hess
F. R. Gerety, <i>Secretary</i>	W. L. Lowry, Jr.
D. L. Berger	T. C. McGough
M. D. Bernstein	R. G. Presnak
A. J. Breugelmanns	L. J. Sas
A. R. Faulkner	L. W. Yoder
W. Hall	

Subgroup on Design (SC I)

R. D. Schueler, Jr., <i>Chairman</i>	R. Leone
R. F. Manning, <i>Vice Chairman</i>	K. C. Morrison
R. V. Wielgoszinski, <i>Secretary</i>	A. Nassif
M. D. Bernstein	D. R. Palmer
M. A. Farrugia	C. H. Walters
W. R. Hankins	R. A. Yeo
G. L. Kasparian	

Subgroup on Materials (SC I)

A. R. Faulkner, <i>Chairman</i>	D. N. French
S. G. Bankar	J. S. Hunter
D. A. Canonico	J. M. Tanzosh

Subgroup on General Requirements (SC I)

M. D. Bernstein, <i>Chairman</i>	J. T. Pillow
F. R. Gerety, <i>Secretary</i>	W. E. Somers
R. R. Hess	C. H. Walters
R. Leone	R. L. Williams
W. L. Lowry, Jr.	R. A. Yeo
T. C. McGough	L. W. Yoder

Subgroup on Fabrication and Examination (SC I)

R. Leone, <i>Chairman</i>	W. T. Higginbotham
D. L. Berger, <i>Secretary</i>	J. S. Kandola
S. G. Bankar	J. T. Pillow
D. N. French	R. D. Schueler, Jr.
J. Hainsworth	R. V. Wielgoszinski
W. Hall	

SUBCOMMITTEE ON MATERIALS SPECIFICATIONS (SC II)

J. P. Millman, <i>Secretary</i>	R. A. Moen
A. Cohen	E. G. Nisbett
W. D. Edsall	W. R. Sylvester
M. Gold	J. W. Tackett
G. C. Hsu	E. O. Woolridge
E. I. Landerman	A. W. Zeuthen
W. A. McRoberts	

Subgroup on Steel Plates (SC II)

A. W. Zeuthen, <i>Chairman</i>	P. R. Slimmon
W. D. Edsall	J. M. Tanzosh
J. F. Longenecker	E. O. Woolridge

Subgroup on Steel Tubular Products (SC II)

W. R. Sylvester, <i>Chairman</i>	R. P. Meineke
E. A. Jonas	E. J. Rozic, Jr.
W. C. Mack	R. H. Zong

Subgroup on Steel Castings, Forgings, and Boltings (SC II)

E. G. Nisbett, <i>Chairman</i>	E. I. Landerman
R. F. Cappellini	W. A. McRoberts
B. M. Dingman	E. O. Woolridge
T. Graham	

Subgroup on Nonferrous Alloys (SC II)

G. C. Hsu, <i>Chairman</i>	W. R. Keaney
J. W. Tackett, <i>Secretary</i>	A. P. Seidler
A. Cohen	R. T. Webster
B. B. Hood	M. J. Weiss

SUBCOMMITTEE ON NUCLEAR POWER (SC III)

R. F. Reedy, <i>Chairman</i>	W. C. Ham
E. F. Gerwin, <i>Vice Chairman</i>	W. G. Knecht
K. Ennis, <i>Secretary</i>	D. F. Landers
J. R. Barbee	J. Lang
R. W. Barnes	H. A. Manning
R. J. Bosnak	W. N. McLean
E. B. Branch	C. A. Moore
M. N. Bressler	T. E. Northup
L. J. Chockie	W. R. Smith, Sr.
J. B. Christofferson	M. F. Sullivan
R. L. Dick	R. P. Sullivan
H. F. Dobel	S. W. Tagart, Jr.
W. D. Doty	R. E. Tome
F. R. Drahos	

Subgroup on General Requirements (SC III & 3C)

H. F. Dobel, <i>Co-Chairman</i>	M. J. Meyer
J. R. Barbee	A. J. Moellenbeck
R. B. Bremmer	R. E. Muise
E. F. Gerwin	L. C. Oakes
K. R. Hooks	M. F. Sullivan
R. D. Kulchak	R. P. Sullivan
M. Malloy	G. M. Tolson

Working Group on Quality Assurance (SG-GR) (SC III & 3C)

R. D. Kulchak, <i>Co-Chairman</i>	J. D. Lenardson
R. C. Arthurs	M. J. Meyers
J. N. Babcock, Jr.	R. E. Muise
J. R. Barbee	G. C. Pratt
J. V. Bosco	R. Siever
R. B. Bremmer	S. A. Sparacino
B. W. Burak	J. F. Strunk
J. G. Harkness	M. F. Sullivan
K. R. Hooks	G. M. Tolson

Working Group on Duties and Responsibilities (SG-GR) (SC III & 3C)

A. J. Moellenbeck, <i>Chairman</i>	A. S. Laurenson
J. E. Ayotte	J. R. Luke
J. E. Crowe	B. D. Rall
A. C. Eberhardt	R. T. Rose
R. C. Howard	W. K. Sowder
D. R. Kulla	R. E. Weber

Working Group on Data Report Forms (SG-GR) (SC III & 3C)

R. E. Muise, <i>Chairman</i>	B. W. Burak
C. W. Allison	W. K. Sowder
R. C. Arthurs	M. F. Sullivan
J. N. Babcock, Jr.	

Subgroup on Materials, Fabrication, and Examination (SC III)

W. G. Knecht, <i>Chairman</i>	W. N. McLean
C. W. Allison	W. A. McRoberts
W. H. Borter	R. A. Moen
B. G. Carlton	K. E. Moore
F. R. Drahos	D. A. Olsson
G. B. Georgiev	C. J. Pieper
E. F. Gerwin	R. E. Schuessler
R. M. Hanschka	H. A. Sepp, Jr.
J. E. Harris	N. M. Simpson
R. W. Jackson	W. J. Sperko
R. M. Jessee	A. Taboada
E. I. Landerman	R. E. Tschirch
J. Lang	E. H. Williams
J. F. Longenecker	

Subgroup on Design (SC III)

C. A. Moore, <i>Chairman</i>	D. F. Landers
R. W. Barnes, <i>Secretary</i>	W. N. McLean
E. B. Branch	R. W. Mikitka
M. N. Bressler	E. C. Rodabaugh
W. G. Brussalis, Jr.	B. L. Silverblatt
G. D. Cooper	G. C. Slagis
N. W. Edwards	J. D. Stevenson
W. F. English, Jr.	J. H. Wawrzeniak
F. P. Hill, Jr.	K. R. Wichman

Special Working Group on Dynamic Analysis (SG-D) (SC III)

R. Wray, <i>Chairman</i>	A. E. Meligi
M. K. Au-Yang	B. J. Mitchell
R. D. Blevins	T. M. Mulcahy
G. J. Bohm	S. W. Tagart, Jr.
P.-Y. Chen	J. N. Underwood
A. H. Hadjian	J. Wallach

Special Working Group on Faulted Conditions (SG-D) (SC III)

G. J. Bohm, <i>Chairman</i>	D. P. Munson
P. L. Anderson	P. R. Olson
C. W. Bruny	R. F. Perry
G. Bushnell	W. Pink
M. Hartzman	J. Wallach

Working Group on Vessels (SG-D) (SC III)

G. D. Cooper, <i>Chairman</i>	R. W. Mikitka
C. W. Bruny	C. A. Moore
N. W. Edwards	P. P. Raju
J. F. Finn, Jr.	H. S. Thornton
F. P. Hill, Jr.	R. E. Tome
A. Merend	A. Walsenko

Working Group on Piping (SG-D) (SC III)

G. C. Slagis, <i>Chairman</i>	D. F. Landers
S. Gils	S. E. Moore
A. B. Glickstein	E. D. Mysinger
D. J. Guzy	E. C. Rodabaugh
R. W. Haupt	M. S. Sills
R. S. Hill III	E. O. Swain
R. B. Jenkins	L. E. Wright
M. Z. Khlafallah	M. P. Zyne
G. T. Kitz	

Working Group on Pumps (SG-D) (SC III)

D. B. Nickerson, <i>Chairman</i>	D. R. Hyatt
C. S. Boster	D. M. Kitch
H. L. Brammer	P. J. Nagengast
R. B. Camper	J. J. Ranft
F. P. Colon	H. Tafarrodi
D. L. Cummings	J. H. Wawrzeniak

Working Group on Valves (SG-D) (SC III)

W. N. McLean, <i>Chairman</i>	J. J. McGavin
R. R. Brodin	H. R. Sonderegger
J. M. Cowley	J. C. Tsacoyeanes
R. J. Kiessel	R. G. Visalli
W. G. Knecht	J. R. Zahorsky
R. Koester	

Working Group on Component Supports (SG-D) (SC III)

M. N. Bressler, <i>Chairman</i>	R. J. Masterson
J. M. Benenati	A. E. Meligi
R. D. Ciatto	E. D. Mysinger
J. R. Cole	A. Nguyen
R. P. Deubler	H. Noreen, Jr.
R. W. Haupt	G. M. Quinn
H. T. H. Hui	C. L. Ray, Jr.
T. Karppinen	H. K. Shaw
Z. A. Kravets	E. O. Swain
T. C. LaCroix	M. P. Zyne
A. S. Laurenson	

Working Group on Core Support Structures (SG-D) (SC III)

B. L. Silverblatt, <i>Chairman</i>	J. F. Mullooly
T. Vetter, Jr., <i>Secretary</i>	E. Steinkamp
W. F. English, Jr.	

Working Group on FRP Pipe (SG-D) (SC III)

L. Loziuk, <i>Chairman</i>	A. B. Glickstein
F. R. Gerety	

Subgroup on Pressure Relief (SC III)

F. C. Cherny, <i>Chairman</i>	S. F. Harrison, Jr.
R. A. Cedel	H. Honig
J. J. Chappell	K. Ijzerman
R. J. Doelling	D. Kadakia
W. D. Greenlaw	D. M. Pattarini

Subgroup on Elevated Temperature Construction (SC III)

A. W. Dalcher, <i>Chairman</i>	M. T. Jakub
J. M. Tanzosh, <i>Secretary</i>	R. M. Mello
C. C. Bigelow	V. Regis

Subgroup on Containment Systems for Spent Fuel and High Level Waste Transport Packagings (SC III)

E. F. Gerwin, <i>Chairman</i>	J. V. Massey
K. B. Sorenson, <i>Secretary</i>	R. E. Nickell
W. H. Brinkman	W. H. Rogers, Jr.
H. H. Chung	J. Santucci
K. Goldmann	W. W. Teper
R. T. Haelsig	T. C. Thompson
B. B. Hood	C. H. Walters
R. H. Jones	S. Yukawa
R. W. Lambert	

Working Group on General Requirements (SG-NUPACK) (SC III)

K. Goldmann, <i>Chairman</i>	D. L. Tevis
J. V. Massey	

Working Group on Material (SG-NUPACK) (SC III)

S. Yukawa, <i>Chairman</i>	J. G. Merkle
T. J. Griesbach	M. W. Schwartz
B. B. Hood	F. A. Simonen
J. T. Martin	K. B. Sorrenson
P. McConnell	M. P. Walsh

Working Group on Design (SG-NUPACK) (SC III)

D. G. Abbott	W. W. Teper
M. E. Balmert	T. C. Thompson
A. G. Eggers	H. H. Woo
R. E. Nickell	

Working Group on Fabrication and Examination (SG-NUPACK) (SC III)

W. H. Brinkman, *Chairman*

JOINT ACI-ASME COMMITTEE ON CONCRETE COMPONENTS FOR NUCLEAR SERVICE (SC-3C)

J. P. Allen III, <i>Chairman</i>	R. D. Kulchak
J. Karian, <i>Secretary</i>	D. Marano
J. F. Artuso	D. P. Moore
R. M. Attar	R. G. Oesterle
T. M. Brown	F. Rinaldi
B. A. Erler	B. B. Scott
D. J. Haavik	C. P. Siess
T. E. Johnson	J. D. Stevenson
F. W. Joyce	R. N. White

Subgroup on Materials, Construction, and Examination (SC-3C)

D. J. Haavik, <i>Chairman</i>	J. Gutierrez
J. P. Allen III	F. W. Joyce
J. F. Artuso	D. Marano
R. M. Attar	D. P. Moore
J. E. Barry	G. R. Murphy
J. F. Best	H. Nierlich
S. Bhuyan	L. C. Noriega
G. L. Fisher	S. K. Sen
C. L. Grover	

Working Group on Concrete Inspectors Qualifications (SG-M, C, & E) (SC-3C)

F. W. Joyce, <i>Chairman</i>	R. J. Vurpillat
J. F. Artuso	R. E. Wilson
C. E. Jaycox	

Subgroup on Design (SC-3C)

B. B. Scott, <i>Chairman</i>	F. S. Ople, Jr.
T. M. Brown	F. Rinaldi
L. I. Cheng	R. E. Shewmaker
J. F. Fulton	J. D. Stevenson
T. E. Johnson	A. Walsler
R. G. Oesterle	M. J. Holley, Jr., Observer

Working Group on Testing and Protection Against Overpressure (SG-D) (SC-3C)

T. M. Brown, <i>Chairman</i>	H. T. Hill
S. Guha-Majumdar	N. J. Tuholski

Subgroup on Core Support Structures (SC-3C)

R. Vollman	G. T. Yahr
------------	------------

SUBCOMMITTEE ON HEATING BOILERS (SC IV)

T. H. Milton, <i>Chairman</i>	M. Mattina
F. P. Barton, <i>Vice Chairman</i>	K. McTague
K. I. Baron, <i>Secretary</i>	R. I. Mullican
J. E. Ayotte	E. A. Nordstrom
R. B. Duggan	S. V. Voorhees
G. E. Fratcher	C. H. Walters
J. W. Greenawalt, Jr.	R. H. Weigel
W. L. Haag	J. I. Woodworth
G. L. Kasparian	

Subgroup on Care and Operation of Heating Boilers (SC IV)

J. I. Woodworth, <i>Chairman</i>	W. D. Hayen
F. P. Barton	K. McTague
W. H. Dormer, Jr.	R. H. Weigel
J. Giambone	

Subgroup on Water Heaters (SC IV)

G. E. Fratcher, <i>Chairman</i>	G. R. Lewis
F. P. Barton	K. McTague
W. L. Garvin	E. A. Nordstrom
J. W. Greenawalt, Jr.	C. W. Staats
W. L. Haag	K. J. Szigety
B. Klinke	E. Wenczl

Subgroup on Cast Iron Boilers (SC IV)

K. McTague, <i>Chairman</i>	R. H. Weigel
R. B. Duggan	J. I. Woodworth
W. L. Garvin	

SUBCOMMITTEE ON NONDESTRUCTIVE EXAMINATION (SC V)

J. R. MacKay, <i>Chairman</i>	G. W. Hembree
R. C. Hudson, <i>Vice Chairman</i>	P. J. Herbert
G. P. Mancini, <i>Secretary</i>	E. T. Hughes
A. S. Birks	B. C. Jersild
J. B. Christofferson	R. M. Jessee
B. H. Clark, Jr.	F. B. Kovacs
J. G. Cvar	S. Markowitz
L. T. Detlor	T. G. McCarty
B. E. Foster	W. C. McGaughey
H. C. Graber	J. P. Sunukjian
O. F. Hedden	D. A. White

Subgroup on Radiography (SC V)

T. G. McCarty, <i>Chairman</i>	B. C. Jersild
W. L. Bierwirth	C. Johnson
L. T. Detlor	F. B. Kovacs
B. E. Foster	S. Markowitz

Subgroup on Ultrasonics (SC V)

P. J. Herbert, <i>Chairman</i>	R. W. McClung
N. O. Cross	W. C. McGaughey
O. F. Hedden	R. Paillaman
W. T. Higginbotham	F. J. Sattler
E. T. Hughes	J. C. Spanner, Sr.
J. F. Manning	F. R. A. Turner

Subgroup on Acoustic Emission (SC V)

D. A. White, <i>Chairman</i>	J. F. Manning
B. H. Clark, Jr.	J. R. Mitchell
N. O. Cross	J. M. Nieters
P. M. Horrigan	J. C. Spanner, Sr.

Subgroup on General Requirements and Surface Examination (SC V)

H. C. Graber, <i>Chairman</i>	B. H. Clark, Jr.
A. S. Birks	J. G. Cvar
W. G. Blankenship	R. M. Jessee
A. S. Britton	L. C. Ludwig
J. O. Brown	R. McGuire
J. B. Christofferson	J. P. Sunukjian

SUBCOMMITTEE ON PRESSURE VESSELS (SC VIII)

J. R. Farr, <i>Chairman</i>	R. W. Mikitka
R. J. Cepluch, <i>Vice Chairman</i>	U. R. Miller
A. J. Roby, <i>Secretary</i>	E. E. Morgeneegg
A. P. Ahrendt	C. C. Neely
J. O. Brown	R. F. O'Neill
S. M. Caldwell	F. O. Parnkopf
W. J. Carter	A. Selz
S. C. Cyr	A. M. Smolen
R. E. Feigel	D. A. Staskelunas
G. E. Fratcher	E. A. Steen
W. L. Garvin	J. J. Szigety
B. D. Hackney	J. W. Tackett
H. L. Hime	K. K. Tam
M. H. Jawad	E. L. Thomas, Jr.
G. G. Karcher	J. S. Brzuszkiewicz, Staff Representative
J. LeCoff	
S. M. Matthews	

Special Working Group on Heat Transfer Equipment (SC VIII)

J. H. Kissel, <i>Chairman</i>	G. G. Karcher
U. R. Miller, <i>Vice Chairman</i>	A. Lohmeier
H. A. Schmidt, Jr., <i>Secretary</i>	A. P. Rochino
C. F. Andreone	J. E. Soehrens
D. E. Bolt	A. I. Soler
G. Borushko	W. A. Treff
S. M. Caldwell	S. Yokell
T. K. Haldas	

Special Working Group on High Pressure Vessels (SC VIII)

J. R. Sims, Jr., <i>Chairman</i>	G. J. Mraz
M. E. Sheehan, <i>Secretary</i>	E. G. Nisbett
D. J. Burns	L. Ohlsson
C. M. Elwonger	E. R. Sliwinski
R. G. Fasiczka	A. M. Smolen
R. E. Feigel	J. F. Sullivan
D. M. Fryer	F. W. Tatar
J. F. Harvey	D. A. Wells
D. P. Kendall	

Subgroup on General Requirements (SC VIII)

C. C. Neely, <i>Chairman</i>	P. M. Nightengale
R. E. Tillberg, <i>Secretary</i>	A. S. Olivares
A. P. Ahrendt	A. M. Smolen
W. J. Carter	A. J. Spencer
W. L. Garvin	D. A. Staskelunas
C. R. Good	E. A. Steen
S. M. Matthews	W. J. Stuber

Subgroup on Materials (SC VIII)

J. W. Tackett, <i>Chairman</i>	E. G. Nisbett
H. L. Hime, <i>Secretary</i>	D. W. Rahoi
W. D. Doty	K. K. Tam
J. Hainsworth	D. A. Wells
J. D. McLoughlin	

Subgroup on Design (SC VIII)

R. F. O'Neill, <i>Chairman</i>	R. W. Mikitka
R. E. Knoblock, <i>Secretary</i>	U. R. Miller
M. R. Bauman	K. Mokhtarian
J. R. Farr	A. Selz
J. A. Hayward	J. W. Stokes
J. L. Jacobowitz	K. K. Tam
M. H. Jawad	E. L. Thomas, Jr.
G. G. Karcher	

Working Group on Noncircular Vessels (SG-D) (SC VIII)

A. Selz, <i>Chairman</i>	A. M. Smolen
G. Ganeshan	B. K. Thakur
H. E. Gordon	E. L. Thomas, Jr.
P. M. Nightengale	J. L. Urner
R. K. Rothenbucher	S. V. Voorhees
K. V. Shipps	

Subgroup on Fabrication and Inspection (SC VIII)

J. O. Brown, <i>Chairman</i>	M. J. Houle
R. F. O'Neill, <i>Secretary</i>	H. Lewis, Jr.
G. Bibel	F. O. Parnkopf
R. W. Boyce	H. C. Rauschenplat
S. C. Cyr	R. E. Schuessler
R. E. Feigel	J. J. Szigety
H. B. France	R. F. Wagner

Working Group on Layered Vessels (SGFI) (SC VIII)

F. O. Parnkopf, <i>Chairman</i>	J. L. Jacobowitz
A. M. Smolen, <i>Secretary</i>	H. C. Rauschenplat
S. M. Caldwell	M. A. Tracy
G. E. Fratcher	

SUBCOMMITTEE ON WELDING (SC IX)

B. D. Hackney, <i>Chairman</i>	B. R. Newmark
R. K. Sager, <i>Vice Chairman</i>	P. P. Norris
P. D. Stumpf, <i>Secretary</i>	S. D. Reynolds, Jr.
B. L. Alia	B. S. Russell
M. L. Carpenter	W. K. Scattergood
H. R. W. Cobb	J. L. Smith
H. R. Conaway	W. J. Sperko
W. D. Doty	G. W. Spohn III
J. G. Feldstein	D. J. Stull
P. D. Flenner	K. C. Taber
M. J. Houle	D. L. Tevis
R. A. LaPointe	R. R. Young
R. E. Lorentz, Jr.	J. B. Christofferson, <i>Alternate</i>
R. P. Meineke	W. J. Wagner, <i>Alternate</i>
A. H. Miller	

Subgroup on Materials (SC IX)

R. E. Lorentz, Jr., <i>Chairman</i>	R. K. Sager
M. L. Carpenter	C. E. Spaeder
H. R. Conaway	W. J. Sperko
M. V. Davis	K. C. Taber
P. D. Flenner	J. W. Tackett
R. M. Jessee	R. R. Young
A. H. Miller	

Subgroup on General Requirements (SC IX)

B. R. Newmark, <i>Chairman</i>	J. L. Smith
M. V. Davis	A. J. Spencer
R. M. Jessee	K. C. Taber
R. P. Meineke	C. E. Wainwright
A. S. Olivares	

Subgroup on Procedure Qualification (SC IX)

M. J. Houle, <i>Chairman</i>	A. H. Miller
B. L. Alia	S. D. Reynolds, Jr.
R. K. Brown, Jr.	D. E. Smith
H. R. W. Cobb	W. J. Sperko
J. G. Feldstein	

Subgroup on Performance Qualification (SC IX)

M. J. Houle, <i>Chairman</i>	P. P. Norris
D. A. Bowers, Jr.	W. K. Scattergood
J. B. Christofferson	G. W. Spohn III
P. D. Flenner	D. L. Tevis
R. A. LaPointe	W. J. Wagner

Subgroup on Brazing (SC IX)

M. L. Carpenter, <i>Chairman</i>	A. H. Miller
R. A. LaPointe	J. Serre

SUBCOMMITTEE ON REINFORCED PLASTIC PRESSURE VESSELS (SC X)

D. M. Bertelsman, <i>Chairman</i>	L. E. Hunt
J. Yarmush, <i>Secretary</i>	W. J. Johns
D. H. Barton	J. A. Kidd
J. H. Bouchard	F. R. Pflederer
L. C. Daniels	J. A. Rolston
T. J. Fowler	A. I. Snyder
S. V. Hoa	C. H. Walters

**SUBCOMMITTEE ON NUCLEAR INSERVICE INSPECTION
(SC XI)**

S. H. Bush, <i>Chairman</i>	R. C. Howard
K. I. Baron, <i>Secretary</i>	L. R. Katz
C. W. Allison	R. D. Kerr
W. F. Anderson	J. J. Lance
A. C. Ashton	J. Matte III
W. H. Bamford	T. J. Mawson
R. L. Beverly	G. C. Millman
A. J. Birkle	R. E. Muise
L. J. Chockie	T. G. Parker
D. C. Cowfer	G. J. Pitzl
M. J. Crisler	R. L. Powers
D. D. Davis	P. C. Riccardella
E. A. DeBarba	R. F. Sammataro
A. M. DiBiasio	M. L. Snow, Jr.
F. E. Gregor	R. W. Swayne
L. B. Gross	R. J. Tamminga
R. H. Hansen	J. C. Tobin
O. F. Hedden	S. D. Weinman, Staff Representative
H. T. Hill	
J. P. Houstrup	

Special Working Group on Plant Life Extension (SC XI)

L. R. Katz, <i>Chairman</i>	J. T. McCumber
L. B. Gross, <i>Secretary</i>	H. McShane
T. L. Bailey	E. A. Merrick
A. J. Birkle	D. R. Payne
L. D. Bustard	D. A. Piccione
D. D. Davis	D. Sattar
T. M. Erwin	W. B. Scott
W. L. Garvin	V. N. Shah
F. E. Gregor	E. A. Siegel
B. Gutherman	P. P. Stancavage
D. L. Harrison	A. Taboada
D. R. Hostetler	R. J. Tamminga
J. P. Houstrup	L. B. Tittle
R. C. Howard	S. A. Traiforos
M. E. Lapides	

Special Working Group on Core Supports (SC XI)

J. C. Tobin, <i>Chairman</i>	J. J. Lance
H. Behnke	R. A. Moen
S. Chandra	J. F. Mullooly
R. M. Gribble	B. L. Silverblatt
E. T. Ishizaka	E. Steinkamp

Special Working Group on Pipe Wall Thinning (SC XI)

S. H. Bush, <i>Chairman</i>	P. C. Riccardella
V. K. Chexal	J. C. Rivers
T. N. Epps III	J. C. Spanner, Jr.
T. L. Gerber	A. Taboada
J. P. Houstrup	R. J. Tamminga
D. S. Kerr	P. C. S. Woo

Special Working Group on Pressure Testing (SC XI)

R. C. Howard, <i>Chairman</i>	C. E. Jensen
M. P. Lintz, <i>Secretary</i>	S. Ranganath
E. D. Crane	F. J. Schaaf, Jr.
R. M. Gamble	J. H. Uhl
S. R. Gosselin	R. A. Yonekawa

Special Working Group on Editing and Review (SC XI)

R. L. Beverly, <i>Chairman</i>	M. P. Lintz
A. L. Bradshaw	J. E. Staffiera
L. B. Gross	R. W. Swayne
V. H. Hight	

Subgroup on Water-Cooled Systems (SC XI)

A. J. Birkle, <i>Chairman</i>	G. C. Millman
T. F. Lentz, <i>Secretary</i>	C. V. Moore
C. W. Allison	R. L. Powers
W. F. Anderson	L. Sage
A. C. Ashton	M. L. Snow, Jr.
D. D. Davis	R. J. Tamminga
L. B. Gross	F. Tehranchi
T. C. Hinkle	D. L. Tevis
C. E. Jensen	J. H. Uhl
L. R. Katz	G. Wasilenko
R. E. Legate	

Working Group on Component Supports (SG-WCS) (SC XI)

D. D. Davis, <i>Chairman</i>	L. F. Lake
E. Beffa	G. C. Millman
G. L. Belew	R. L. Powers
G. A. Delp	R. F. Tegethoff
G. P. Knippel	M. P. Zyne
C. N. Krishnaswamy	

Working Group on General Requirements (SG-WCS) (SC XI)

R. J. Tamminga, <i>Chairman</i>	L. B. Gross
T. M. Zwick, <i>Secretary</i>	R. H. Hansen
W. F. Anderson	C. E. Hartz
R. G. Edl	R. K. Mattu
J. C. Goulart	D. L. Tevis
D. A. Graham	

Working Group on Pumps and Valves (SG-WCS) (SC XI)

C. E. Jensen, <i>Chairman</i>	W. C. Holston
M. P. Lintz, <i>Secretary</i>	R. K. Mattu
A. Cardillo	D. R. Payne
F. C. Cherny	L. Sage
C. E. Hartz	E. V. Werry

**Working Group on Inspection of Systems and Components
(SG-WCS) (SC XI)**

L. Sage, <i>Chairman</i>	A. A. Koehl
J. C. Rivers, <i>Secretary</i>	T. F. Lentz
A. C. Ashton	M. P. Lintz
E. D. Crane	W. B. Scott
D. A. Gallino	F. Tehranchi
T. C. Hinkle	J. H. Uhl
M. R. Hum	R. J. Von Osinski
C. E. Jensen	

Subgroup on Gas-Cooled Systems (SC XI)

R. H. Hansen, *Chairman*

Subgroup on Liquid-Metal Cooled Systems (SC XI)

J. Matte III, <i>Chairman</i>	L. R. Monson
C. G. McCarger, <i>Secretary</i>	L. J. Nemeth
W. L. Chase	W. J. Rowan
S. Hattori	G. Seed
R. Hundal	J. C. Tobin
H. C. Jung	T. J. Walker
E. Larson	

Working Group on Liquid-Metal Reactor Covers (SG-LMCS) (SC XI)

W. L. Chase, <i>Chairman</i>	E. Larson
L. J. Nemeth, <i>Secretary</i>	J. Matte III
S. Hattori	G. Seed
R. Hundal	

Subgroup on Containment (SC XI)

R. F. Sammataro, <i>Chairman</i>	D. R. Pitcairn
J. E. Staffiera, <i>Secretary</i>	C. G. Ranganath
W. J. Briggs	A. J. Spencer
K. K. N. Chao	J. F. Strunk
N. W. Edwards	P. W. Ward
F. E. Gregor	R. N. Watson
H. T. Hill	K. R. Wichman

Working Group on Concrete Pressure Components (SG-C) (SC XI)

H. T. Hill, <i>Chairman</i>	J. F. Fulton
W. J. Briggs, <i>Secretary</i>	S. Guha-Majumdar
H. G. Ashar	C. N. Krishnaswamy
T. L. Bradley	C. G. Ranganath
C. A. Byrd	A. M. Salley
K. K. N. Chao	P. W. Ward

Subgroup on Evaluation Standards (SC XI)

W. H. Bamford, <i>Chairman</i>	D. M. Norris
J. P. Houstrup, <i>Secretary</i>	S. Ranganath
C. Y. Cheng	P. C. Riccardella
R. C. Cipolla	W. L. Server
T. J. Griesbach	W. A. Van Der Sluys
K. Iida	K. K. Yoon
R. E. Johnson	S. Yukawa
M. Kupinski	

Working Group on Operating Plant Criteria (SG-ES) (SC XI)

T. J. Griesbach, <i>Chairman</i>	M. Kupinski
R. M. Gamble, <i>Secretary</i>	S. D. Leshnoff
A. S. Amar	R. M. Pace
W. F. Anderson	A. G. Panagos
W. H. Bamford	J. S. Panesar
H. Behnke	J. H. Phillips
A. F. Billy	S. W. Pullins
J. M. Bloom	P. N. Randall
R. C. Cipolla	S. Ranganath
W. C. Cliff	W. L. Server
E. Friedman	V. N. Shah
R. B. Ganta	E. A. Siegel
S. R. Gosselin	F. A. Simonen
J. P. Houstrup	G. M. Wilkowski
K. Ijzerman	K. K. Yoon
R. E. Johnson	S. Yukawa

Working Group on Flaw Evaluation (SG-ES) (SC XI)

R. C. Cipolla, <i>Chairman</i>	D. M. Norris
J. M. Bloom, <i>Secretary</i>	J. S. Panesar
A. S. Amar	P. C. Paris
W. H. Bamford	P. P. Raju
M. Basol	S. Ranganath
C. Y. Cheng	W. L. Server
N. W. Edwards	F. A. Simonen
E. Friedman	G. M. Wilkowski
T. J. Griesbach	J. E. Wilson
J. P. Houstrup	K. K. Yoon
K. Iida	S. Yukawa
M. Kupinski	V. A. Zilberstein
J. G. Merkle	

Subgroup on Nondestructive Examination (SC XI)

E. A. DeBarba, <i>Chairman</i>	G. J. Dau
J. C. Spanner, Sr., <i>Secretary</i>	F. J. Dodd
D. C. Adamonis	M. R. Hum
R. L. Beverly	J. J. Lance
D. A. Brunner	C. R. Osman
C. B. Cheezem	T. G. Parker
J. F. Cook	R. J. Scott
D. C. Cowfer	J. C. Spanner, Jr.

Working Group on Procedure Qualification and Volumetric Examination (SG-NDE) (SC XI)

D. C. Cowfer, <i>Chairman</i>	O. DeMiranda
N. R. Bentley, <i>Secretary</i>	F. J. Dodd
D. C. Adamonis	R. Kellerhall
D. A. Brunner	J. J. Lance
C. B. Cheezem	J. Muscara
W. T. Clayton	M. J. Saporito
G. J. Dau	J. C. Spanner, Jr.
T. N. Epps III	T. T. Taylor

Working Group on Personnel Qualification and Surface Visual and Eddy Current Examination (SG-NDE) (SC XI)

J. F. Cook, <i>Chairman</i>	C. R. Osman
V. H. Hight, <i>Secretary</i>	J. M. Ray
J. E. Cavender, Jr.	R. J. Scott
D. R. Dadson	M. F. Sherwin
N. Economos	A. L. Smith
D. O. Henry	J. C. Spanner, Sr.
W. C. Koepke	

Special Working Group on Eddy Current Examination (SC XI)

D. O. Henry, <i>Chairman</i>	M. J. Gallagher
B. Curtis, <i>Secretary</i>	R. H. Ingraham
J. M. Benson	J. H. Kang
S. D. Brown	R. J. Kurtz
A. Curtis	R. E. Marlow
C. J. Denton	S. A. Redner
D. R. Dodson	D. D. Weber
R. H. Ferris	

Subgroup on Repairs and Replacements (SC XI)

T. J. Mawson, <i>Chairman</i>	R. D. Kerr
M. J. Crisler, <i>Secretary</i>	W. Kooy
E. T. Baker III	R. S. Lewis
J. D. Boardman	R. E. Muise
B. W. Burak	D. R. Payne
J. Derrico	G. J. Pitzl
A. M. DiBiasio	R. R. Stevenson
W. L. Garvin	R. W. Swayne
R. E. Gimple	S. Tobey
O. F. Hedden	J. C. Tobin
R. C. Howard	A. J. Walcutt
E. T. Ishizaka	S. J. Walmsley
W. R. Johnson	R. A. Yonekawa
W. N. Keisler	

Subgroup on Strength, Ferrous Alloys (SC-P)

M. Gold, <i>Chairman</i>	S. O. Hilton
A. P. Ahrendt	J. F. Longenecker
D. A. Canonico	R. A. Moen
T. M. Cullen	D. W. Raho
R. M. Curran	B. W. Roberts
R. J. Diletto	D. I. Roberts
J. J. Heger	C. E. Spaeder

Subgroup on Strength, Nonferrous Alloys (SC-P)

R. T. Webster, <i>Chairman</i>	R. A. Rosenberg
M. H. Gilkey	E. Shapiro
B. B. Hood	L. E. Shoemaker
W. R. Keaney	J. W. Tackett

Working Group on Repairs (SG-RR) (SC XI)

J. Derrico, <i>Chairman</i>	W. N. Keisler
J. D. Boardman	R. D. Kerr
R. W. Boyce	D. R. Pitcairn
R. E. Cantrell	F. J. Schaaf, Jr.
R. F. Hollander	R. W. Swayne
E. T. Ishizaka	S. Tobey

**Subgroup on Strength of Weldments (SC-P) & (SC IX)
(Joint Subgroup)**

W. D. Doty, <i>Chairman</i>	D. I. Roberts
H. R. W. Cobb	R. K. Sager
B. W. Roberts	C. E. Spaeder

**Special Working Group on Repairs by Welding (SG-RR)
(SC XI)**

S. Tobey, <i>Chairman</i>	H. J. Kaplan
M. E. Reese, <i>Secretary</i>	R. A. LaPointe
C. Brookbank	W. E. Mayott
R. E. Cantrell	B. R. Newmark
B. R. Crowley	P. P. Norris
W. V. Gwaltney	D. L. Tevis
M. J. Houle	E. H. Williams
W. R. Johnson	

Subgroup on Toughness (SC-P)

R. K. Nanstad, <i>Chairman</i>	E. G. Nisbett
J. M. Barsom	A. Selz
R. F. Cappellini	I. Sprung
H. T. Corten	R. D. Stout
W. Hanzalek	M. F. Wheatcroft
W. S. Hazelton	S. Yukawa
E. I. Landerman	R. Zawierucha

Working Group on Nonnuclear Application (SG-T) (SC-P)

A. Selz, <i>Chairman</i>	M. F. Wheatcroft
E. G. Nisbett	R. Zawierucha
R. D. Stout	

Working Group on Replacements (SG-RR) (SC XI)

A. M. Di Biasio, <i>Chairman</i>	W. Kooy
R. E. Gimple, <i>Secretary</i>	R. E. Legate
E. T. Baker III	G. J. Pitzl
C. E. Hartz	R. R. Stevenson
O. F. Hedden	A. J. Walcutt
W. C. Holston	R. A. Yonekawa
R. C. Howard	

Working Group on Nuclear Application (SG-T) (SC-P)

E. I. Landerman, <i>Chairman</i>	W. S. Hazelton
R. F. Cappellini	A. Selz

Working Group on Toughness Criteria (SG-T) (SC-P)

J. M. Barsom	S. Yukawa
R. K. Nanstad	

SUBCOMMITTEE ON PROPERTIES OF METALS (SC-P)

D. A. Canonico, <i>Chairman</i>	F. Masuyama
J. P. Millman, <i>Secretary</i>	R. A. Moen
A. P. Ahrendt	R. K. Nanstad
T. M. Cullen	A. J. Palmer
W. D. Doty	D. W. Raho
A. R. Faulkner	B. W. Roberts
M. Gold	D. I. Roberts
D. G. Harman	C. E. Spaeder
S. O. Hilton	J. W. Tackett
E. T. Ishizaka	R. T. Webster

**SUBCOMMITTEE ON SAFETY VALVE REQUIREMENTS
(SC-SVR)**

E. C. Kistner, Jr., <i>Chairman</i>	W. D. Greenlaw
W. L. Garvin, <i>Vice Chairman</i>	H. I. Gregg
C. J. Gomez, <i>Secretary</i>	S. F. Harrison, Jr.
G. C. Batz	W. D. Hayen
M. D. Bernstein	F. J. Howes
J. Cahoon, Jr.	M. A. Robinson
R. A. Cedel	A. J. Spencer
O. J. Cox, Jr.	L. L. Thompson
E. C. Cullie	F. W. Weidner
R. J. Doelling	

Subgroup on General Requirements (SC-SVR)

M. D. Bernstein, <i>Chairman</i>	C. A. Neumann
W. D. Hayen	M. A. Robinson
F. J. Howes	L. L. Thompson
D. Kadakia	

Subgroup on Testing (SC-SVR)

O. J. Cox, Jr., <i>Chairman</i>	V. M. DeLuca
R. A. Cedel	S. F. Harrison, Jr.
E. C. Cullie	F. W. Weidner

Subgroup on Design (SC-SVR)

W. D. Greenlaw, <i>Chairman</i>	R. J. Doelling
G. C. Batz	H. I. Gregg
J. Cahoon, Jr.	G. W. Neerbasch

SUBCOMMITTEE ON DESIGN (SC-D)

M. H. Jawad, <i>Chairman</i>	O. F. Hedden
R. I. Jetter, <i>Vice Chairman</i>	C. A. Moore
J. Yarmush, <i>Secretary</i>	W. J. O'Donnell
T. K. Burr	R. F. O'Neill
W. J. Carter	R. D. Schueler, Jr.
J. R. Farr	M. P. Schwartz

Subgroup on Openings (SC-D)

M. P. Schwartz, <i>Chairman</i>	P. P. Raju
R. W. Mikitka, <i>Secretary</i>	M. D. Rana
S. C. Lou	E. C. Rodabaugh
R. B. Luney	H. H. Schneider
K. Mokhtarian	R. W. Schneider
K. C. Morrison	H. K. Shaw
D. R. Palmer	G. M. Tunnell, Jr.

Subgroup on External Pressure (SC-D)

W. J. Carter, <i>Chairman</i>	W. J. Koves
D. J. Green	H. W. Marsh
J. S. Kandola	C. D. Miller

Subgroup on Design Analysis (SC-D)

T. K. Burr, <i>Chairman</i>	T.-H. Liu
K. S. Ahluwalia	A. Lohmeier
R. S. Barsoum	T. V. Narayanan
S. Chattopadhyay	S. S. Palusamy
C. Chen	T. P. Pastor
A. G. Eggers	M. W. Ringer, Jr.
H. M. Fishman	E. R. Sliwinski
J. L. Hechmer	E. L. Thomas, Jr.
A. Kalnins	R. J. Thomas

Subgroup on Elevated Temperature Design (SC-D)

R. I. Jetter, <i>Chairman</i>	R. K. Mattu
J. M. Corum, <i>Secretary</i>	L. C. S. Nieh
C. R. Brinkman	W. J. O'Donnell
R. D. Campbell	D. I. Roberts
J. B. Conway	C. C. Schultz, Jr.
A. W. Dalcher	L. K. Severud
D. S. Griffin	A. L. Snow
M. T. Jakub	W. Veljovich
C. W. Lawton	B. C. Wei
S. Majumdar	

Subgroup on Fatigue Strength (SC-D)

W. J. O'Donnell, <i>Chairman</i>	D. P. Jones
C. R. Brinkman	C. W. Lawton
B. Gowda	M. J. Manjoine
J. A. Hayward	A. Merend
J. L. Hechmer	G. C. Millman
L. A. James	

SUBCOMMITTEE ON BOILER AND PRESSURE VESSEL ACCREDITATION (SC-BPVA)

C. E. Ford, <i>Chairman</i>	R. C. Howard
D. J. McDonald, <i>Vice Chairman</i>	D. S. Korzec
M. Gutierrez, <i>Secretary</i>	T. H. Milton
G. P. Mancini, <i>Assistant Secretary</i>	E. F. Murphy
S. C. Cyr	M. L. Snow, Jr.
D. M. Fischer	J. M. Whelan
W. D. Greenlaw	C. B. Zekas
	J. R. Farr, <i>Alternate</i>


SUBCOMMITTEE ON NUCLEAR ACCREDITATION (SC-NA)

H. A. Manning, <i>Chairman</i>	R. C. Howard
M. N. Bressler, <i>Vice Chairman</i>	W. G. Knecht
A. Bagner, <i>Secretary</i>	J. Lang
C. W. Allison	J. D. Lenardson
E. T. Baker, III	G. F. McDonald, Jr.
R. B. Bremmer	R. E. Muise
D. J. Carreira	T. E. Quaka
R. E. Feigel	M. L. Snow, Jr.
J. E. Harris	

CONTENTS

A Detailed Contents Precedes Each Part, the Appendices, and the Forms

Foreword.....	v
Statements of Policy	vii
Personnel.....	ix
Introduction.....	1
Part RG General Requirements	3
Part RM Material Requirements	13
Part RD Design Requirements	19
Part RF Fabrication Requirements	67
Part RQ Qualification Requirements	81
Part RR Pressure Relief Devices	91
Part RT Rules Governing Testing	95
Part RI Inspection Requirements	111
Part RS Marking, Stamping, and Reports	121
Appendices	127
Forms.....	205
SI Units.....	243



INTRODUCTION

GENERAL

1 The use of fiber-reinforced plastics for the manufacture of pressure vessels presents unique materials considerations in the design, fabrication, and testing of these vessels. Metallic vessels, being made from materials which are normally isotropic and ductile, are designed by using well-established allowable stresses based on measured tensile and ductility properties. In contrast, fiber-reinforced plastics are usually anisotropic and the physical properties are dependent upon the fabrication process, the placement and orientation of the reinforcement, and the resin matrix. It is the purpose of this Introduction to describe in a general way the criteria that were used in preparing Section X, Fiber-Reinforced Plastic Pressure Vessels.

MATERIALS

2 It is not possible to fabricate a reinforced plastic pressure vessel of a single basic material for which there is an ASTM specification. The vessel parts are made up of various basic materials, such as fiber reinforcement and resin, which are joined in the presence of a catalyst to create a composite material that is formed into a vessel or vessel part by a specified process. The composite material will often have directional properties which shall be considered in design. General specifications for the basic materials (fiber reinforcement and resin) are stated, as are requirements for determination of elastic properties for the composite material (laminate) produced. Metallic materials, when used in conjunction with reinforced fiber laminates, are required to meet ASME Boiler and Pressure Vessel Code specifications, Section VIII, Division 1. The Code must be used in its entirety, including design, fabrication, quality control, and inspection. Elastic properties of specific laminates used in vessel fabrication are required when mandatory rules are used for vessel design.

DESIGN

General

3 Adequacy of specific designs shall be qualified by one of two basic methods:¹

(a) Class I Design — qualification of a vessel design through the destructive test of a prototype;

(b) Class II Design — mandatory design rules and acceptance testing by nondestructive methods.

4 Class I designs based on the qualification of a prototype vessel require that the minimum burst pressure of the prototype be at least six² times the design pressure. The maximum design pressure is limited to 150 psi for bag-molded, centrifugally cast, and contact-molded vessels; 1500 psi for filament-wound vessels with cut filaments; and 3000 psi for filament-wound vessels with uncut filaments (ports on axis of rotation only).

5 Class II designs based on mandatory design rules and acceptance testing must comply with Article RD-11 and Article RT-6. The maximum design pressure allowed under this procedure shall be as specified in RD-1120.

Low Modulus Characteristics

6 Fiber-reinforced plastic laminates may have a modulus of elasticity as low as 1.0×10^6 psi, compared with that of ferrous materials which may be of the order of 30×10^6 psi. This low modulus characteristic requires careful consideration of vessel profile in order to minimize bending and avoid buckling. Spherical heads or elliptical heads having an ellipse ratio not greater than 2:1 are suggested. Spherical heads are suggested when the material has isotropic properties. Elliptical heads are preferred when the material has anisotropic properties.

¹ These two methods shall not be intermixed.

² An exception to this six times factor is applicable to vessels per RG-404.2 (Filament Winding — With Uncut Filaments).