

**SECTION II**  
MATERIALS

2021

ASME Boiler and  
Pressure Vessel Code  
An International Code

**Part D**  
Properties (Metric)

Currently in preview, click buy full version

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

# 2021 ASME Boiler & Pressure Vessel Code

2021 Edition

July 1, 2021

## II MATERIALS

### Part D

---

## Properties (Metric)

ASME Boiler and Pressure Vessel Committee  
on Materials



The American Society of  
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2021

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

"ASME" and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934  
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2021.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2021 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved

# TABLE OF CONTENTS

List of Sections .....		xi
Foreword .....		v
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising .....		vi
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items .....		xvii
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees .....		xviii
Personnel .....		xxi
Summary of Changes .....		xlii
List of Changes in Record Number Order .....		xlix
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code .....		1
<b>Subpart 1</b>	<b>Stress Tables .....</b>	<b>1</b>
	Statement of Policy on Information Provided in the Stress Tables .....	1
	Guideline on Locating Materials in Stress Tables, and in Tables of Mechanical and Physical Properties .....	3
<b>Subpart 2</b>	<b>Physical Properties Tables .....</b>	<b>1095</b>
	Introduction .....	1095
<b>Subpart 3</b>	<b>Charts and Tables for Determining Shell Thickness of Components Under External Pressure .....</b>	<b>1136</b>
<b>Mandatory Appendix 1</b>	<b>Basis for Establishing Stress Values in Tables 1A and 1B .....</b>	<b>1266</b>
1-100	Derivation of Allowable Stress Values .....	1266
<b>Mandatory Appendix 2</b>	<b>Basis for Establishing Design Stress Intensity Values for Tables 2A, 2B, and 4, and Allowable Stress Values for Table 3 .....</b>	<b>1268</b>
2-100	Derivation of Stress Intensity Values .....	1268
<b>Mandatory Appendix 3</b>	<b>Basis for Establishing External Pressure Charts .....</b>	<b>1271</b>
3-100	General .....	1271
3-200	Basis of Charts in <a href="#">Subpart 3</a> .....	1271
3-300	Use of Charts in <a href="#">Subpart 3</a> .....	1271
3-400	Background and Development of Theory .....	1271
3-500	Design Basis .....	1271
3-600	Criteria for Allowable Stresses .....	1272
3-700	Procedure and Responsibility for Chart Development .....	1275
3-800	Alternate Procedure for Determining Allowable Compressive Stresses .....	1276
3-900	References .....	1276
<b>Mandatory Appendix 4</b>	<b>Guidelines on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code .....</b>	<b>1278</b>
5-100	Code Policy .....	1278
5-200	Application .....	1278
5-300	Chemical Composition .....	1280
5-400	Metallurgical Structure and Heat Treatment .....	1280
5-500	Mechanical Properties .....	1280
5-600	Definitions for Data Collection Purposes .....	1280
5-700	Required Sampling .....	1280
5-800	Time-Independent Properties .....	1281
5-900	Time-Dependent Properties .....	1281
5-1000	Low-Temperature Properties .....	1283
5-1100	Toughness Data .....	1283

5-1200	Stress–Strain Curves .....	1283
5-1300	Fatigue Data .....	1283
5-1400	Physical Properties .....	1283
5-1500	Data Requirements for Welds, Weldments, and Weldability .....	1284
5-1600	Long-Term Properties Stability .....	1284
5-1700	Requests for Additional Data .....	1284
5-1800	New Materials Checklist .....	1284
5-1900	Requirements for Recognized National or International Specifications .....	1286
5-2000	Publication of Recognized National or International Specifications .....	1286
5-2100	CEN Specifications .....	1286
<b>Mandatory Appendix 6</b>	<b>Basis for Establishing Stress Values in Tables 6A, 6B, 6C, and 6D</b> .....	1288
6-100	Derivation of Allowable Stress Values .....	1288
<b>Mandatory Appendix 7</b>	<b>Guidelines on Multiple Marking of Materials</b> .....	1290
7-100	Background .....	1290
7-200	Guidelines .....	1290
<b>Mandatory Appendix 9</b>	<b>Standard Units for Use in Equations</b> .....	1292
<b>Mandatory Appendix 10</b>	<b>Basis for Establishing Maximum Allowable Stress Values for Tables 5A and 5B</b> .....	1293
10-100	Derivation of Allowable Stress Values .....	1293
<b>Nonmandatory Appendix A</b>	<b>Issues Associated With Materials Used in ASME Code Construction</b> .....	1295
A-100	General .....	1295
A-200	Metallurgical Changes That Can Occur in Service .....	1296
A-300	Uniform Corrosion .....	1303
A-400	Localized Corrosion .....	1306
A-500	Metallurgically Influenced Corrosion .....	1307
A-600	Mechanically Assisted Corrosion .....	1308
A-700	Environmentally Induced Embrittlement and Cracking .....	1309
A-800	Mechanical Damage Mechanisms .....	1313
<b>Nonmandatory Appendix B</b>	<b>Developing Nominal Composition Designations for ASME Code Materials</b> .....	1315
B-100	Background .....	1315
B-200	General Guidelines for All Materials .....	1315
B-300	Guidelines for Developing Nominal Composition Designations for Ferrous Materials .....	1316
B-400	Guidelines for Developing Nominal Composition Designations for Nonferrous Materials .....	1316
B-500	Summary .....	1317
<b>Nonmandatory Appendix C</b>	<b>Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code</b> .....	1318
C-100	Use of Units in Equations .....	1318
C-200	Guidelines Used to Develop SI Equivalents .....	1318
C-300	Soft Conversion Factors .....	1320
<b>Nonmandatory Appendix D</b>	<b>Guidelines for Rounding Minimum Specified Tensile and Yield Strength Values and for Establishing Anchor Points for Tensile and Yield Strength Trend Curves in Tables 1A, 1B, 2A, 2B, 3, 4, 5A, 5B, U, and Y-1</b> .....	1321
D-100	Minimum Tensile Strength and Minimum Yield Strength Columns .....	1321
D-200	Selecting Anchor Point for Tensile and Yield Strength Trend Curves for All Situations in Which the Minimum RT Specified Values in One Unit System Are Not Precise Conversions of the Units in the Other System .....	1321
D-300	Significant Figures in the Allowable Stress, Tensile Strength, and Yield Strength Tables in Section II, Part D and in Code Cases .....	1322

<b>Nonmandatory Appendix E</b>	<b>Material Data for Stress Analysis in the Time-Dependent Regime</b> . . . .	1323
E-100	Introduction . . . . .	1323

**FIGURES**

G	Geometric Chart for Components Under External or Compressive Loadings (for All Materials)	1137
CS-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Carbon or Low Alloy Steels With Specified Minimum Yield Strength Less Than 207 MPa . . . . .	1139
CS-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Carbon or Low Alloy Steels With Specified Minimum Yield Strength 207 MPa and Higher . . . . .	1140
CS-3	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Carbon Steel and Low Alloy Steels With Specified Minimum Yield Strength 260 MPa and Higher for Temperatures 150°C and Less . . . . .	1141
CS-4	Chart for Determining Shell Thickness of Components Under External Pressure Developed for SA-537 Thickness 64 mm and Less . . . . .	1142
CS-5	Chart for Determining Shell Thickness of Components Under External Pressure Developed for SA-508 Class 1, Grades 2 and 3; SA-508 Class 2, Grade 2; SA-533 Class 1, Grades A, B, C, and D; SA-533 Class 2, Grades A, B, C, and D; or SA-541 Grades 2 and 3 . . . . .	1143
CS-6	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Carbon Steel With Specified Minimum Yield Strength of 138 MPa . . . . .	1144
HT-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Quenched and Tempered Low Alloy Steel With Specified Minimum Yield Strength of 689 MPa and Thickness 64 mm and Less . . . . .	1145
HT-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for SA-508 Grade 4N, Class 2 or SA-543 Types B and C, Class 2 With Specified Minimum Yield Strength of 689 MPa . . . . .	1146
HA-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic Steel 18Cr-8Ni, Type 304 . . . . .	1147
HA-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic Steel 16Cr-12Ni-2Mo, Type 31 . . . . .	1148
HA-3	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic Steel 18Cr-8Ni-0.035 Maximum Carbon, Type 304L . . . . .	1149
HA-4	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic Steel 18Cr-8Ni-Mo-0.035 Maximum Carbon, Type 316L . . . . .	1150
HA-5	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic-Ferritic Steel 18Cr-8Ni-3Mo S31500 and Austenitic-Ferritic Steel 25Cr-6Ni-Mo-N S32053 . . . . .	1151
HA-6	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic Steel 25Cr-11Ni-N S30815 . . . . .	1152
HA-7	Chart for Determining Shell Thickness of Components Under External Pressure Developed for SA-564 Type 630 H1150 (17Cr-4Ni-4Cu S17400) . . . . .	1153
HA-8	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic-Ferritic Steel 25Cr-7Ni-3Mo-2W-0.28N S39274 . . . . .	1154
HA-9	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic Steel 25Cr-7.5Ni-3.5Mo-N-Cu-W S32760 . . . . .	1155
HA-10	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Austenitic Stainless Steel 24Cr-17Ni-6Mn-4.5Mo-N S34565 . . . . .	1156
CI-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Cast Iron . . . . .	1157
CD	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Cast Ductile Iron With a Specified Minimum Yield Strength of 275 MPa . . . . .	1158
CD	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Cast Ductile Iron With a Specified Minimum Yield Strength of 200 MPa . . . . .	1159
NFA-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 3003 in O Temper . . . . .	1160
NFA-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 3003 in H14 Temper . . . . .	1161

NFA-3	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 3004 in O Temper	1162
NFA-4	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 3004 in H34 Temper	1163
NFA-5	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 5154 in O Temper	1164
NFA-6	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 5454 in O Temper	1165
NFA-7	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 1060 in O Temper	1166
NFA-8	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 5052 in O Temper	1167
NFA-9	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 5086 in O Temper	1168
NFA-10	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 5456 in O Temper	1169
NFA-11	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Alloy 5083 in O Temper	1170
NFA-12	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Welded Aluminum Alloy 6061-T6	1171
NFA-13	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Welded Aluminum Alloy 6061-T4	1172
NFC-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Copper, Type DHP	1173
NFC-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Copper-Silicon Alloy C65500	1174
NFC-3	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed 90-10 Copper-Nickel Alloy	1175
NFC-4	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed 70-30 Copper-Nickel Alloy	1176
NFC-5	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Welded Copper-Iron Alloy Tube C19000 (SB-443 Welded)	1177
NFC-6	Chart for Determining Shell Thickness of Components Under External Pressure Developed for SB-75 and SB-111 Light Drawn Seamless Copper Tubes, Alloys C10200, C12000, C12200, and C14200	1178
NFC-7	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Copper, SB-75 UNS C12200, Temper O50	1179
NFC-8	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Aluminum Bronze Alloy C61400	1180
NFN-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Low Carbon Nickel N02201	1181
NFN-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Nickel N02200	1182
NFN-3	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Nickel-Copper Alloy N04400	1183
NFN-4	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Nickel-Chromium-Iron Alloy N06600	1184
NFN-5	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel-Molybdenum Alloy N10001	1185
NFN-6	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel-Molybdenum-Chromium-Iron Alloy N10003	1186
NFN-7	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel-Iron-Chromium-Molybdenum-Copper Alloy N08825	1187
NFN-8	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Nickel-Iron-Chromium Alloy N08800	1188

NFN-9	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Nickel–Iron–Chromium Alloy N08810	1189
NFN-10	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Low Carbon Nickel–Molybdenum–Chromium Alloy N10276	1190
NFN-11	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Solution Treated Nickel–Chromium–Iron–Molybdenum–Copper Alloy N06007	1191
NFN-12	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Chromium–Nickel–Iron–Molybdenum–Copper–Columbium Alloy N08020	1192
NFN-13	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel–Iron–Chromium–Silicon Alloy N08330	1193
NFN-14	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel–Chromium–Molybdenum Alloy N06455	1194
NFN-15	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel–Molybdenum Alloy N06002	1195
NFN-16	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel–Molybdenum Alloy N10665	1196
NFN-17	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Annealed Nickel–Chromium–Molybdenum–Columbium Alloy N06625 (SA-44, SB-444, and SB-446)	1197
NFN-18	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel–Molybdenum–Chromium–Iron–Copper Alloy N06985 Having a Minimum Yield Strength of 240 MPa	1198
NFN-19	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel–Molybdenum–Chromium–Iron–Copper Alloy N06987 Having a Minimum Yield Strength of 207 MPa	1199
NFN-20	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Work-Hardened Nickel	1200
NFN-21	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel–Chromium–Iron Alloy N06600 (Specific Minimum Yield Strength 276 MPa)	1201
NFN-22	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Solution Annealed Ni–Cr–Mo–Cb Alloy, Grade 2 N06625	1202
NFN-23	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Cold Worked Nickel–Iron–Chromium Alloy N08800	1203
NFN-24	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Nickel Alloy N06230	1204
NFN-25	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Stress Relieved Nickel Alloy N02200	1205
NFN-26	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Alloy S31277	1206
NFN-27	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Alloy N06005	1207
NFT-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Unalloyed Titanium Grade 3 (UNS R50550)	1208
NFT-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Unalloyed Titanium Grade 2 (UNS R50400)	1209
NFT-3	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Titanium Grade 1 (UNS R50250)	1210
NFT-4	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Titanium Grade 9 Alloy (UNS R56320)	1211
NFT-5	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Titanium Grade 12 Alloy (UNS R53400)	1212
NFT-6	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Titanium Grade 38 (UNS R54250)	1213
NFZ-1	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Zirconium Alloy (UNS R60702)	1214

NFZ-2	Chart for Determining Shell Thickness of Components Under External Pressure Developed for Zirconium Alloy (UNS R60705) .....	1215
3-500.1	Temperature Limits for Application of Section II External Pressure Charts for Cylinder Under External Pressure .....	1273
3-500.2	Temperature Limits for Application of Section II External Pressure Charts for Cylinder Under Axial Compression .....	1274
3-500.3	Temperature Limits for Application of Section II External Pressure Charts for Sphere Under External Pressure .....	1275
3-700.1	Normalization of Test $\sigma$ - $\epsilon$ to $\sigma_{ymin}$ and $E_{code}$ .....	1277
E-100.2-1	Permissible Time/Temperature Conditions for Material That Has Been Cold Worked >5% and <20% and Subjected to Short-Time High Temperature Transients .....	1325
E-100.4-1	$S_{mt}$ — Allowable Stress Intensity Values, MPa, Type 304 SS — 207-YS, 518-UTS (207-YS, 483-UTS) .....	1328
E-100.4-2	$S_{mt}$ — Allowable Stress Intensity Values, MPa, Type 316 SS — 207-YS, 518-UTS (207-YS, 483-UTS) .....	1329
E-100.4-3	$S_{mt}$ — Allowable Stress Intensity Values, MPa, Ni-Fe-Cr (Alloy 800H) .....	1330
E-100.4-4	$S_{mt}$ — Allowable Stress Intensity Values, MPa, 2 $\frac{1}{4}$ Cr-1Mo .....	1332
E-100.4-5	$S_{mt}$ — Allowable Stress Intensity Values, MPa, 9Cr-1Mo-V .....	1333
E-100.5-1	$S_t$ — Allowable Stress Intensity Values, MPa, Type 304 SS .....	1334
E-100.5-2	$S_t$ — Allowable Stress Intensity Values, MPa, Type 316 SS .....	1335
E-100.5-3	$S_t$ — Allowable Stress Intensity Values, MPa, Ni-Fe-Cr (Alloy 800H) .....	1336
E-100.5-4	$S_t$ — Allowable Stress Intensity Values, MPa, 2 $\frac{1}{4}$ Cr-1Mo .....	1337
E-100.5-5	$S_t$ — Allowable Stress Intensity Values, MPa, 9Cr-1Mo-V .....	1338
E-100.7-1	Expected Minimum Stress-to-Rupture Values, MPa, Type 304 SS .....	1340
E-100.7-2	Expected Minimum Stress-to-Rupture Values, MPa, Type 316 SS .....	1341
E-100.7-3	Expected Minimum Stress-to-Rupture Values, MPa, Ni-Fe-Cr (Alloy 800H) .....	1342
E-100.7-4	Expected Minimum Stress-to-Rupture Values, MPa, 2 $\frac{1}{4}$ Cr-1Mo .....	1343
E-100.7-5	Expected Minimum Stress-to-Rupture Values, MPa, Ni-Cr-Fe-Mo-Cb (Alloy 718) .....	1344
E-100.7-6	Expected Minimum Stress-to-Rupture Values, MPa, 9Cr-1Mo-V .....	1345
E-100.15-1	$S_{mt}$ — Allowable Stress Intensity, Type 304 SS, Bolting .....	1350
E-100.15-2	$S_{mt}$ — Allowable Stress Intensity, Type 316 SS, Bolting .....	1351
E-100.15-3	$S_{mt}$ — Allowable Stress Values, MPa, Alloy 718, Bolting .....	1352
E-100.16-1	Design Fatigue Strain Range, $\epsilon_t$ , for 304 SS .....	1353
E-100.16-2	Design Fatigue Strain Range, $\epsilon_t$ , for 316 SS .....	1354
E-100.16-3	Design Fatigue Strain Range, $\epsilon_t$ , for Ni-Fe-Cr Alloy 800H .....	1355
E-100.16-4	Design Fatigue Strain Range, $\epsilon_t$ , for 2 $\frac{1}{4}$ Cr-1Mo Steel .....	1356
E-100.16-5	Design Fatigue Strain Range, $\epsilon_t$ , for 9Cr-1Mo-V Steel .....	1357
E-100.17-1	Time-Temperature Limits for Application of Section II External Pressure Charts for Cylinder Under Axial Compression .....	1358
E-100.17-2	Time-Temperature Limits for Application of Section II External Pressure Charts for Sphere Under External Pressure .....	1359
E-100.17-3	Temperature Limits for Application of Section II External Pressure Charts for Cylinder Under External Pressure .....	1360
E-100.18-1	Average Isochronous Stress-Strain Curves for Type 304 SS at 427°C .....	1361
E-100.18-2	Average Isochronous Stress-Strain Curves for Type 304 SS at 454°C .....	1362
E-100.18-3	Average Isochronous Stress-Strain Curves for Type 304 SS at 482°C .....	1363
E-100.18-4	Average Isochronous Stress-Strain Curves for Type 304 SS at 510°C .....	1364
E-100.18-5	Average Isochronous Stress-Strain Curves for Type 304 SS at 538°C .....	1365
E-100.18-6	Average Isochronous Stress-Strain Curves for Type 304 SS at 566°C .....	1366
E-100.18-7	Average Isochronous Stress-Strain Curves for Type 304 SS at 593°C .....	1367
E-100.18-8	Average Isochronous Stress-Strain Curves for Type 304 SS at 621°C .....	1368
E-100.18-9	Average Isochronous Stress-Strain Curves for Type 304 SS at 649°C .....	1369
E-100.18-10	Average Isochronous Stress-Strain Curves for Type 304 SS at 677°C .....	1370
E-100.18-11	Average Isochronous Stress-Strain Curves for Type 304 SS at 704°C .....	1371
E-100.18-12	Average Isochronous Stress-Strain Curves for Type 304 SS at 732°C .....	1372
E-100.18-13	Average Isochronous Stress-Strain Curves for Type 304 SS at 760°C .....	1373

E-100.18-14	Average Isochronous Stress–Strain Curves for Type 304 SS at 788°C .....	1374
E-100.18-15	Average Isochronous Stress–Strain Curves for Type 304 SS at 816°C .....	1375
E-100.19-1	Average Isochronous Stress–Strain Curves for Type 316 SS at 427°C .....	1376
E-100.19-2	Average Isochronous Stress–Strain Curves for Type 316 SS at 454°C .....	1377
E-100.19-3	Average Isochronous Stress–Strain Curves for Type 316 SS at 482°C .....	1378
E-100.19-4	Average Isochronous Stress–Strain Curves for Type 316 SS at 510°C .....	1379
E-100.19-5	Average Isochronous Stress–Strain Curves for Type 316 SS at 538°C .....	1380
E-100.19-6	Average Isochronous Stress–Strain Curves for Type 316 SS at 566°C .....	1381
E-100.19-7	Average Isochronous Stress–Strain Curves for Type 316 SS at 593°C .....	1382
E-100.19-8	Average Isochronous Stress–Strain Curves for Type 316 SS at 621°C .....	1383
E-100.19-9	Average Isochronous Stress–Strain Curves for Type 316 SS at 649°C .....	1384
E-100.19-10	Average Isochronous Stress–Strain Curves for Type 316 SS at 677°C .....	1385
E-100.19-11	Average Isochronous Stress–Strain Curves for Type 316 SS at 704°C .....	1386
E-100.19-12	Average Isochronous Stress–Strain Curves for Type 316 SS at 732°C .....	1387
E-100.19-13	Average Isochronous Stress–Strain Curves for Type 316 SS at 760°C .....	1388
E-100.19-14	Average Isochronous Stress–Strain Curves for Type 316 SS at 788°C .....	1389
E-100.19-15	Average Isochronous Stress–Strain Curves for Type 316 SS at 816°C .....	1390
E-100.20-1	Average Isochronous Stress–Strain Curves for Alloy 800H at 427°C and 454°C .....	1391
E-100.20-2	Average Isochronous Stress–Strain Curves for Alloy 800H at 482°C .....	1392
E-100.20-3	Average Isochronous Stress–Strain Curves for Alloy 800H at 510°C .....	1393
E-100.20-4	Average Isochronous Stress–Strain Curves for Alloy 800H at 538°C .....	1394
E-100.20-5	Average Isochronous Stress–Strain Curves for Alloy 800H at 566°C .....	1395
E-100.20-6	Average Isochronous Stress–Strain Curves for Alloy 800H at 593°C .....	1396
E-100.20-7	Average Isochronous Stress–Strain Curves for Alloy 800H at 621°C .....	1397
E-100.20-8	Average Isochronous Stress–Strain Curves for Alloy 800H at 649°C .....	1398
E-100.20-9	Average Isochronous Stress–Strain Curves for Alloy 800H at 677°C .....	1399
E-100.20-10	Average Isochronous Stress–Strain Curves for Alloy 800H at 704°C .....	1400
E-100.20-11	Average Isochronous Stress–Strain Curves for Alloy 800H at 732°C .....	1401
E-100.20-12	Average Isochronous Stress–Strain Curves for Alloy 800H at 760°C .....	1402
E-100.21-1	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 371°C .....	1403
E-100.21-2	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 399°C .....	1404
E-100.21-3	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 427°C .....	1405
E-100.21-4	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 454°C .....	1406
E-100.21-5	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 482°C .....	1407
E-100.21-6	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 510°C .....	1408
E-100.21-7	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 538°C .....	1409
E-100.21-8	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 566°C .....	1410
E-100.21-9	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 593°C .....	1411
E-100.21-10	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 621°C .....	1412
E-100.21-11	Average Isochronous Stress–Strain Curves for Annealed 2 <sup>1</sup> / <sub>4</sub> Cr–1Mo at 649°C .....	1413
E-100.22-1	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 371°C .....	1414
E-100.22-2	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 399°C .....	1414
E-100.22-3	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 426°C .....	1415
E-100.22-4	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 454°C .....	1415
E-100.22-5	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 482°C .....	1416
E-100.22-6	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 510°C .....	1416
E-100.22-7	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 538°C .....	1417
E-100.22-8	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 566°C .....	1417
E-100.22-9	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 593°C .....	1418
E-100.22-10	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 621°C .....	1418
E-100.22-11	Average Isochronous Stress–Strain Curves for 9Cr–1Mo–V at 649°C .....	1419

## TABLES

1A	Section I; Section III, Classes 2 and 3; Section VIII, Division 1; and Section XII Maximum Allowable Stress Values, $S$ , for Ferrous Materials	8
1B	Section I; Section III, Classes 2 and 3; Section VIII, Division 1; and Section XII Maximum Allowable Stress Values, $S$ , for Nonferrous Materials	164
2A	Section III, Division 1, Classes 1, MC, and CS; Section III, Division 3; and Section VIII, Division 5 Design Stress Intensity Values, $S_m$ , and Section VIII, Division 2, Class 1 Maximum Allowable Stress Values, $S$ , for Ferrous Materials	296
2B	Section III, Division 1, Classes 1, MC, and CS; Section III, Division 3; and Section VIII, Division 5 Design Stress Intensity Values, $S_m$ , and Section VIII, Division 2, Class 1 Maximum Allowable Stress Values, $S$ , for Nonferrous Materials	382
3	Section III, Division 1, Classes 2 and 3; Section VIII, Divisions 1 and 2; and Section XII Maximum Allowable Stress Values, $S$ , for Bolting Materials	410
4	Section III, Division 1, Classes 1 and MC; Section III, Division 3; and Section III, Division 5 Design Stress Intensity Values, $S_m$ , and Section VIII, Division 2 Maximum Allowable Stress Values, $S$ , for Bolting Materials	440
5A	Section VIII, Division 2, Class 2 Maximum Allowable Stress Values, $S$ , for Ferrous Materials	452
5B	Section VIII, Division 2, Class 2 Maximum Allowable Stress Values, $S$ , for Nonferrous Materials	514
6A	Section IV Maximum Allowable Stress Values, $S$ , for Ferrous Materials	540
6B	Section IV Maximum Allowable Stress Values, $S$ , for Nonferrous Materials	548
6C	Section IV Maximum Allowable Stress Values, $S$ , for Lined Water Heater Materials	556
6D	Section IV Maximum Allowable Stress Values, $S$ , for Unlined Water Heater Materials	562
U	Tensile Strength Values, $S_u$ , for Ferrous and Nonferrous Materials	568
Y-1	Yield Strength Values, $S_y$ , for Ferrous and Nonferrous Materials	776
Y-2	Factors for Limiting Permanent Strain in Austenitic Stainless Steels, High-Nickel Alloy Steels, Nickel, and Nickel Alloys	1094
TE-1	Thermal Expansion for Ferrous Materials	1096
TE-2	Thermal Expansion for Aluminum Alloys	1101
TE-3	Thermal Expansion for Copper Alloys	1102
TE-4	Thermal Expansion for Nickel Alloys	1103
TE-5	Thermal Expansion for Titanium Alloys	1113
TCD	Nominal Coefficients of Thermal Conductivity (TC) and Thermal Diffusivity (TD)	1114
TM-1	Moduli of Elasticity $E$ of Ferrous Materials for Given Temperatures	1128
TM-2	Moduli of Elasticity $E$ of Aluminum and Aluminum Alloys for Given Temperatures	1131
TM-3	Moduli of Elasticity $E$ of Copper and Copper Alloys for Given Temperatures	1132
TM-4	Moduli of Elasticity $E$ of High Nickel Alloys for Given Temperatures	1133
TM-5	Moduli of Elasticity $E$ of Titanium and Zirconium for Given Temperatures	1134
PRD	Poisson's Ratio and Density of Materials	1134
G	Tabular Values for <a href="#">Figure G</a>	1216
CS-1	Tabular Values for <a href="#">Figure CS-1</a>	1218
CS-2	Tabular Values for <a href="#">Figure CS-2</a>	1219
CS-3	Tabular Values for <a href="#">Figure CS-3</a>	1220
CS-4	Tabular Values for <a href="#">Figure CS-4</a>	1221
CS-5	Tabular Values for <a href="#">Figure CS-5</a>	1221
CS-6	Tabular Values for <a href="#">Figure CS-6</a>	1222
HT-1	Tabular Values for <a href="#">Figure HT-1</a>	1222
HT-2	Tabular Values for <a href="#">Figure HT-2</a>	1223
HA-1	Tabular Values for <a href="#">Figure HA-1</a>	1223
HA-2	Tabular Values for <a href="#">Figure HA-2</a>	1224
HA-3	Tabular Values for <a href="#">Figure HA-3</a>	1224
HA-4	Tabular Values for <a href="#">Figure HA-4</a>	1225
HA-5	Tabular Values for <a href="#">Figure HA-5</a>	1225
HA-6	Tabular Values for <a href="#">Figure HA-6</a>	1226
HA-7	Tabular Values for <a href="#">Figure HA-7</a>	1227
HA-8	Tabular Values for <a href="#">Figure HA-8</a>	1227

HA-9	Tabular Values for <a href="#">Figure HA-9</a>	1228
HA-10	Tabular Values for <a href="#">Figure HA-10</a>	1229
CI-1	Tabular Values for <a href="#">Figure CI-1</a>	1230
CD-1	Tabular Values for <a href="#">Figure CD-1</a>	1230
CD-2	Tabular Values for <a href="#">Figure CD-2</a>	1230
NFA-1	Tabular Values for <a href="#">Figure NFA-1</a>	1231
NFA-2	Tabular Values for <a href="#">Figure NFA-2</a>	1232
NFA-3	Tabular Values for <a href="#">Figure NFA-3</a>	1233
NFA-4	Tabular Values for <a href="#">Figure NFA-4</a>	1234
NFA-5	Tabular Values for <a href="#">Figure NFA-5</a>	1234
NFA-6	Tabular Values for <a href="#">Figure NFA-6</a>	1235
NFA-7	Tabular Values for <a href="#">Figure NFA-7</a>	1235
NFA-8	Tabular Values for <a href="#">Figure NFA-8</a>	1236
NFA-9	Tabular Values for <a href="#">Figure NFA-9</a>	1236
NFA-10	Tabular Values for <a href="#">Figure NFA-10</a>	1237
NFA-11	Tabular Values for <a href="#">Figure NFA-11</a>	1237
NFA-12	Tabular Values for <a href="#">Figure NFA-12</a>	1238
NFA-13	Tabular Values for <a href="#">Figure NFA-13</a>	1238
NFC-1	Tabular Values for <a href="#">Figure NFC-1</a>	1238
NFC-2	Tabular Values for <a href="#">Figure NFC-2</a>	1239
NFC-3	Tabular Values for <a href="#">Figure NFC-3</a>	1239
NFC-4	Tabular Values for <a href="#">Figure NFC-4</a>	1240
NFC-5	Tabular Values for <a href="#">Figure NFC-5</a>	1240
NFC-6	Tabular Values for <a href="#">Figure NFC-6</a>	1241
NFC-7	Tabular Values for <a href="#">Figure NFC-7</a>	1241
NFC-8	Tabular Values for <a href="#">Figure NFC-8</a>	1242
NFN-1	Tabular Values for <a href="#">Figure NFN-1</a>	1242
NFN-2	Tabular Values for <a href="#">Figure NFN-2</a>	1243
NFN-3	Tabular Values for <a href="#">Figure NFN-3</a>	1243
NFN-4	Tabular Values for <a href="#">Figure NFN-4</a>	1244
NFN-5	Tabular Values for <a href="#">Figure NFN-5</a>	1244
NFN-6	Tabular Values for <a href="#">Figure NFN-6</a>	1245
NFN-7	Tabular Values for <a href="#">Figure NFN-7</a>	1245
NFN-8	Tabular Values for <a href="#">Figure NFN-8</a>	1246
NFN-9	Tabular Values for <a href="#">Figure NFN-9</a>	1247
NFN-10	Tabular Values for <a href="#">Figure NFN-10</a>	1248
NFN-11	Tabular Values for <a href="#">Figure NFN-11</a>	1248
NFN-12	Tabular Values for <a href="#">Figure NFN-12</a>	1249
NFN-13	Tabular Values for <a href="#">Figure NFN-13</a>	1249
NFN-14	Tabular Values for <a href="#">Figure NFN-14</a>	1250
NFN-15	Tabular Values for <a href="#">Figure NFN-15</a>	1251
NFN-16	Tabular Values for <a href="#">Figure NFN-16</a>	1252
NFN-17	Tabular Values for <a href="#">Figure NFN-17</a>	1253
NFN-18	Tabular Values for <a href="#">Figure NFN-18</a>	1254
NFN-19	Tabular Values for <a href="#">Figure NFN-19</a>	1255
NFN-20	Tabular Values for <a href="#">Figure NFN-20</a>	1256
NFN-22	Tabular Values for <a href="#">Figure NFN-22</a>	1256
NFN-23	Tabular Values for <a href="#">Figure NFN-23</a>	1257
NFN-24	Tabular Values for <a href="#">Figure NFN-24</a>	1257
NFN-25	Tabular Values for <a href="#">Figure NFN-25</a>	1258
NFN-26	Tabular Values for <a href="#">Figure NFN-26</a>	1258
NFN-27	Tabular Values for <a href="#">Figure NFN-27</a>	1259
NFT-1	Tabular Values for <a href="#">Figure NFT-1</a>	1260
NFT-2	Tabular Values for <a href="#">Figure NFT-2</a>	1261
NFT-3	Tabular Values for <a href="#">Figure NFT-3</a>	1261
NFT-4	Tabular Values for <a href="#">Figure NFT-4</a>	1262

NFT-5	Tabular Values for <a href="#">Figure NFT-5</a> .....	1263
NFT-6	Tabular Values for <a href="#">Figure NFT-6</a> .....	1264
NFZ-1	Tabular Values for <a href="#">Figure NFZ-1</a> .....	1265
NFZ-2	Tabular Values for <a href="#">Figure NFZ-2</a> .....	1265
1-100	Criteria for Establishing Allowable Stress Values for Tables 1A and 1B .....	1267
2-100(a)	Criteria for Establishing Design Stress Intensity Values for Tables 2A and 2B .....	1269
2-100(b)	Criteria for Establishing Allowable Stress Values for Table 3 .....	1270
2-100(c)	Criteria for Establishing Allowable Stress or Design Stress Intensity Values for Table 4 .....	1270
5-100	Hot Isostatically Pressed Component Requirements for Austenitic Stainless Steels, Austenitic-Ferritic (Duplex) Stainless Steels, Martensitic Stainless Steels, Ferritic Steels, and Nickel Alloys .....	1279
5-800	ASTM Test Methods and Units for Reporting .....	1282
5-1500	Example of a Comparison of Allowable Stresses of Base Metals With Compositions Similar to Those of Selected Welding Consumables and the Proposed New Base Metal .....	1285
6-100(a)	Criteria for Establishing Allowable Stress Values for Tables 6A and 6B .....	1289
6-100(b)	Criteria for Establishing Allowable Stress Values for Table 6C .....	1289
6-100(c)	Criteria for Establishing Allowable Stress Values for Table 6D .....	1289
9-100	Standard Units for Use in Equations .....	1292
10-100	Criteria for Establishing Allowable Stress Values for Tables 5A and 5B .....	1294
E-100.1-1	Tensile Strength Values, $S_u$ .....	1323
E-100.1-2	Tensile and Yield Strength Reduction Factor Due to Long Time Prior Elevated Temperature Service .....	1324
E-100.1-3	Yield Strength Reduction Factors for 2 <sup>1</sup> / <sub>4</sub> Cr-1Mo .....	1324
E-100.1-4	Tensile Strength Reduction Factors for 2 <sup>1</sup> / <sub>4</sub> Cr-1Mo .....	1324
E-100.1-5	Tensile Strength Reduction Factors for 9Cr-1Mo-V .....	1325
E-100.3-1	Permissible Base Materials for Structures Other Than Bolting .....	1326
E-100.3-2	Permissible Weld Materials .....	1327
E-100.3-3	$S_o$ — Maximum Allowable Stress Intensity, MPa, for Design Condition Calculations .....	1327
E-100.6-1	Yield Strength Values, $S_y$ , Versus Temperature .....	1339
E-100.8-1	Stress Rupture Factors for Type 304 Stainless Steel Welded With SFA-5.22 E308T and E308LT, SFA-5.4 E308 and E308L, and SFA-5.9 ER308 and ER308L .....	1346
E-100.8-2	Stress Rupture Factors for Type 304 Stainless Steel Welded With SFA-5.22 EXXXT-G (16-8-2 Chemistry), SFA-5.4 E16-8-2, and SFA-5.9 ER16-8-2 .....	1346
E-100.8-3	Stress Rupture Factors for Type 304 Stainless Steel Welded With SFA-5.22 E316T and E316LT-1, -2, and -3; SFA-5.4 E316 and E316L; and SFA-5.9 ER316 and ER316L .....	1346
E-100.9-1	Stress Rupture Factors for Type 316 Stainless Steel Welded With SFA-5.22 E308T and E308LT, SFA-5.4 E308 and E308L, and SFA-5.9 ER308 and ER308L .....	1347
E-100.9-2	Stress Rupture Factors for Type 316 Stainless Steel Welded With SFA-5.22 EXXXT-G (16-8-2 Chemistry), SFA-5.4 E16-8-2, and SFA-5.9 ER16-8-2 .....	1347
E-100.9-3	Stress Rupture Factors for Type 316 Stainless Steel Welded With SFA-5.22 E316T and E316LT-1 and -2, SFA-5.4 E316 and E316L, and SFA-5.9 ER316 and ER316L .....	1347
E-100.10-1	Stress Rupture Factors for Alloy 800H Welded With SFA-5.11 ENiCrFe-2 (INCO A) .....	1348
E-100.10-2	Stress Rupture Factors for Alloy 800H Welded With SFA-5.14 ERNiCr-3 (INCO 82) .....	1348
E-100.11-1	Stress Rupture Factors for 2 <sup>1</sup> / <sub>4</sub> Cr-1Mo (415/205) Welded With SFA-5.28 E90C-B3, SFA-5.28 ER90S-B3, SFA-5.5 E90XX-B3 (>0.05C), SFA-5.23 EB3, SFA-5.23 ECB3 (>0.05C), and SFA-5.29 E90T1-B3 (>0.05C) .....	1348
E-100.12-1	Stress Rupture Factors for 9Cr-1Mo-V Welded With SFA-5.28 ER90S-B9, SFA-5.5 E90XX-B9, and SFA-5.23 EB9 .....	1349
E-100.13-1	Permissible Materials for Bolting .....	1349
E-100.14-1	$S_o$ — Maximum Allowable Stress Intensity, MPa, for Design Condition Calculations of Bolting Materials .....	1350
E-100.23-1	Recommended Restrictions .....	1420
E-100.24-1	Cross-Reference Table of Section II, Part D and Section III, Subsection NH 2015 Edition .....	1420
<b>ENDNOTES</b>	.....	1425

# LIST OF SECTIONS

(21)

## SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
  - Part A — Ferrous Material Specifications
  - Part B — Nonferrous Material Specifications
  - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
  - Part D — Properties (Customary)
  - Part D — Properties (Metric)
- III Rules for Construction of Nuclear Facility Components
  - Subsection NCA — General Requirements for Division 1 and Division 2
  - Appendices
  - Division 1
    - Subsection NB — Class 1 Components
    - Subsection NCD — Class 2 and Class 3 Components\*
    - Subsection NE — Class MC Components
    - Subsection NF — Supports
    - Subsection NG — Core Support Structures
  - Division 2 — Code for Concrete Containments
  - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
  - Division 5 — High Temperature Reactors
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
  - Division 1
  - Division 2 — Alternative Rules
  - Division 3 — Alternative Rules for Construction of High Pressure Vessels
- IX Welding, Brazing, and Fusing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components
  - Division 1 — Rules for Inspection and Testing of Components of Light-Water-Cooled Plants
  - Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Power Plants
- XII Rules for Construction and Continued Service of Transport Tanks
- XIII Rules for Overpressure Protection

---

\* In the 2021 Edition, Subsections NC and ND have been incorporated into one publication, Subsection NCD (BPVC.III.1.NCD), Class 2 and Class 3 Components.