

SECTION III
Rules for Construction of
Nuclear Facility Components

2021 ASME Boiler and
Pressure Vessel Code
An International Code

APPENDICES

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

2021 ASME Boiler & Pressure Vessel Code

2021 Edition

July 1, 2021



RULES FOR CONSTRUCTION OF NUCLEAR FACILITY COMPONENTS

Appendices

ASME Boiler and Pressure Vessel Committee
on Construction of Nuclear Facility Components



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2021

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

"ASME" and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2021.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2021 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections		xx
Foreword		xxiv
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising		xxv
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items		xxvi
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees		xxvii
Personnel		xxx
Introduction		li
Organization of Section III		liv
Summary of Changes		lvii
List of Changes in Record Number Order		lxi
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code		lxii
Mandatory Appendices		1
Mandatory Appendix I	Design Fatigue Curves	1
Mandatory Appendix II	Experimental Stress Analysis and Determination of Stress Intensification Factors	26
Article II-1000	Experimental Stress Analysis	26
II-1100	Introduction and Scope	26
II-1200	Permissible Types of Noncyclic Tests and Calculation of Stresses	26
II-1300	Test Procedures	27
II-1400	Interpretation of Results	28
II-1500	Cyclic Tests	30
II-1600	Determination of Fatigue Strength Reduction Factors	31
II-1700	Experimental Stress Analysis of Openings	34
II-1800	Experimental Determination of Stress Indices for Piping	34
II-1900	Experimental Determination of Flexibility Factors	34
Article II-2000	Experimental Determination of Stress Intensification Factors	35
II-2100	Introduction	35
II-2200	Definitions	35
II-2300	Test Procedure	35
II-2400	Stress Intensification Factor	36
II-2500	Variations in Materials and Geometry	37
II-2600	Test Report	37
Mandatory Appendix III	Stress Intensity Values, Allowable Stress Values, Fatigue Strength Values, and Mechanical Properties for Metallic Materials	39
Article III-1000	Determination of Allowable Stresses	39
III-1100	Location of Design Stress Intensity, Allowable Stress, Yield Strength, and Ultimate Tensile Values	39
III-1200	Derivation of the Design Stress Intensity and Allowable Stress Values	39
III-1300	Fatigue Strength Values for All Materials	39
III-1400	Mechanical and Physical Properties	39
Mandatory Appendix IV	Approval of New Materials Under the ASME Boiler and Pressure Vessel Code	40

Mandatory Appendix V	Certificate Holder's Data Report Forms and Instructions	41
Mandatory Appendix VI	Rounded Indications	80
Article VI-1000	Rounded Indications	80
VI-1100	Acceptance Standards for Radiographically Determined Rounded Indications in Welds	80
Mandatory Appendix XI	Rules for Bolted Flange Connections	88
Article XI-1000	Introduction	88
XI-1100	General Requirements	88
Article XI-2000	Materials for Bolted Flange Connections	90
XI-2100	Material Requirements	90
Article XI-3000	Design Requirements	91
XI-3100	General Requirements	91
XI-3200	Class RF Flange Design	95
Mandatory Appendix XII	Design Considerations for Bolted Flange Connections	108
Article XII-1000	Introduction and Scope	108
XII-1100	Introduction and Scope	108
Article XII-2000	Considerations	109
XII-2100	Considerations	109
Mandatory Appendix XIII	Design Based on Stress Analysis	111
Article XIII-1000	General Requirements	111
XIII-1100	Scope	111
XIII-1200	Design Acceptability	111
XIII-1300	Terms Relating to Stress Analysis	111
Article XIII-2000	Stress Analysis	117
XIII-2100	Overview	117
XIII-2200	Design Stress Levels and Material Properties	117
XIII-2300	Derivation of Stress Intensities	119
XIII-2400	Derivation of Stress Differences for Evaluation of Cyclic Operation	119
XIII-2500	Applications of Elastic Analysis for Stresses Beyond the Yield Strength	120
XIII-2600	Classification of Stresses	120
Article XIII-3000	Stress Limits for Other Than Bolts	123
XIII-3100	Primary Stress Intensity Limits	123
XIII-3200	Applications of Plastic Analysis	125
XIII-3300	External Pressure	126
XIII-3400	Primary Plus Secondary Stress Limits	126
XIII-3500	Analysis for Fatigue Due to Cyclic Operation	128
XIII-3600	Testing Limits	130
XIII-3700	Special Stress Limits	131
XIII-3800	Deformation Limits	133
Article XIII-4000	Stress Limits for Bolts	134
XIII-4100	Design Conditions	134
XIII-4200	Level A and Level B Service Limits	134
XIII-4300	Level C Service Limits	135
XIII-4400	Level D Service Limits	135

Mandatory Appendix XIII	Supplements	136
Supplement XIII-I	Cross-Referencing Guide	136
XIII-I-100	Scope	136
XIII-I-200	How to Use the Table	136
Mandatory Appendix XVIII	138
Article XVIII-1000	Capacity Conversions for Pressure Relief Valves	138
XVIII-1100	Procedure for Conversion	138
Mandatory Appendix XIX	147
Article XIX-1000	Integral Flat Head With a Large Opening	147
XIX-1100	General Requirements	147
XIX-1200	Design Procedure	148
Mandatory Appendix XXI	Adhesive Attachment of Nameplates	150
Article XXI-1000	Requirements	150
XXI-1100	Introduction	150
Mandatory Appendix XXII	Rules for Reinforcement of Cone-to-Cylinder Junctions Under External Pressure	151
Article XXII-1000	Reinforcement of Cone-to-Cylinder Junctions Under External Pressure	151
XXII-1100	Introduction and Scope	151
XXII-1200	Nomenclature	151
XXII-1300	Design Pressure	152
Mandatory Appendix XXIII	Qualifications and Duties of Certifying Engineers Performing Certification Activities	155
Article XXIII-1000	Qualifications and Duties	155
XXIII-1100	Scope	155
XXIII-1200	Qualifications	155
XXIII-1300	Duties	157
Mandatory Appendix XXIII	Supplements	160
Supplement 1	Mandatory Requirements for Demonstrating Certifying Engineer Qualifications	160
Supplement 2	Mandatory Requirements for Establishing ASME Code Knowledge	161
Supplement 3	Mandatory Certification Requirements	172
Supplement 4	Nonmandatory Sample Statements	173
Mandatory Appendix XXIV	Standard Units for Use in Equations	176
Mandatory Appendix XXV	ASME-Provided Material Stress-Strain Data	177
Article XXV-1000	Introduction	177
XXV-1100	Stress-Strain Data	177
Mandatory Appendix XXVI	Rules for Construction of Buried Polyethylene Pressure Piping	178
Article XXVI-1000	General Requirements	178
XXVI-1100	Scope	178
XXVI-1200	Qualification of Polyethylene Material Organizations	178
XXVI-1300	Certificate Holder Responsibilities	178

Article XXVI-2000	Materials	179
XXVI-2100	General Requirements for Materials	179
XXVI-2200	Polyethylene Compound and Material Requirements	179
XXVI-2300	Polyethylene Material Fusing Verification Testing	184
XXVI-2400	Repair of Material	185
XXVI-2500	General Requirements for Quality Testing and Documentation ...	185
Article XXVI-3000	Design	190
XXVI-3100	Scope	190
XXVI-3200	Soil and Surcharge Loads	194
XXVI-3300	Temperature Design	195
XXVI-3400	Seismic Design	196
Article XXVI-4000	Fabrication and Installation	205
XXVI-4100	General Requirements	205
XXVI-4200	Forming, Fitting, and Aligning	207
XXVI-4300	Fusing Qualifications	207
XXVI-4400	Rules Governing Making, Examining, and Repairing Fused Joints .	212
XXVI-4500	Mechanical Joints	213
XXVI-4600	Pipe Supports	215
XXVI-4700	Thrust Collars Using Polyethylene Material	215
Article XXVI-5000	Examination	216
XXVI-5100	General Requirements for Examination	216
XXVI-5200	Examinations	217
XXVI-5300	Acceptance Standards	217
XXVI-5400	Qualification and Certification of WDF Personnel	219
XXVI-5500	Records	221
Article XXVI-6000	Testing	222
XXVI-6100	General Requirements	222
XXVI-6200	Hydrostatic Tests	223
XXVI-6300	Pressure Test Gases	223
Article XXVI-7000	Overpressure Protection	225
Article XXVI-8000	Names, Plates, Stamping, and Reports	226
XXVI-8100	General Requirements	226
Article XXVI-9000	Glossary	227
XXVI-9100	Glossary	227
Mandatory Appendix XXVI	Supplements	228
Supplement XXVI-I	Polyethylene Standards and Specifications	228
Supplement XXVI-IIA	Part A: Ultrasonic Examination of High Density Polyethylene .	229
Supplement XXVI-IIB	Part B: Microwave Examination of High Density Polyethylene	231
Supplement XXVI-III	Data Report Form	234
Normative Appendix XXVI	Supplements	235
Supplement XXVI-A	Fusing Machine Operator Qualification Training	235
Supplement XXVI-B	Unacceptable Fusion Bead Configurations	238
Supplement XXVI-C	Alternative Seismic Analysis Method	239
Supplement XXVI-D	Electrofusion Operator Qualification Training	239

Supplement XXVI-E	Nonmandatory Method for Pressure Design of PE Flanged Joints	241
XXVI-E-100	Scope	241
XXVI-E-200	Design	241
XXVI-E-300	Predesigned Joint Configurations	243
Mandatory Appendix XXVII	Design by Analysis for Service Level D	256
Article XXVII-1000	Introduction	256
XXVII-1100	Scope	256
XXVII-1200	Applicability	256
XXVII-1300	Intent of Level D Service Limits	256
XXVII-1400	Terms Related to Analysis	256
Article XXVII-2000	Methods and Requirements for Analyses	257
XXVII-2100	Introduction	257
XXVII-2200	System Analysis	257
XXVII-2300	Component Analysis	257
XXVII-2400	Material Properties	257
Article XXVII-3000	Component Acceptability	259
XXVII-3100	Introduction	259
XXVII-3200	Elastic Analysis	259
XXVII-3300	Inelastic Analyses	259
XXVII-3400	Compressive Stresses	260
XXVII-3500	Bearing and Shear Stresses	260
XXVII-3600	Bolted Joints	260
Nonmandatory Appendices		261
Nonmandatory Appendix A		261
Article A-1000	Stress Analysis Methods	261
A-1100	Introduction	261
Article A-2000	Analysis of Cylindrical Shells	262
A-2100	Introduction	262
A-2200	Stress Intensities, Displacements, Bending Moments, and Limiting Values	263
Article A-3000	Analysis of Spherical Shells	265
A-3100	Introduction	265
A-3200	Stress Intensities, Bending Analysis, Displacements, and Edge Loads	266
Article A-4000	Design Criteria and Equations for Torispherical and Ellipsoidal Heads	271
A-4100	Introduction	271
Article A-5000	Analysis of Flat Circular Heads	273
A-5100	Introduction	273
A-5200	Loads, Displacements, and Geometry Constants	273
Article A-6000	Discontinuity Stresses	277
A-6100	Introduction	277
A-6200	Method of and Procedure for Discontinuity Analysis	277
Article A-7000	Thermal Stresses	284
A-7100	Introduction	284
Article A-8000	Stresses in Perforated Flat Plates	285
A-8100	Introduction	285
Article A-9000	Interaction Method	298
A-9100	Introduction	298

A-9200	Interaction Equations	298
A-9300	Allowable Loads and Stresses	299
A-9400	New Interaction Equations	300
A-9500	Determination of Allowable Bending Strength of Beams by the Apparent Stress Method	301
Nonmandatory Appendix B	Owner's Design Specifications	309
Article B-1000	Introduction and Scope	309
B-1100	Introduction	309
B-1200	Scope of Certified Design Specification	309
Article B-2000	Generic Requirements	310
B-2100	Certified Design Specification Requirements	310
B-2200	Operability	314
B-2300	Regulatory Requirements	314
Article B-3000	Specific Vessel Requirements	315
B-3100	Certified Design Specification Requirements	315
Article B-4000	Specific Pump Requirements	316
B-4100	Certified Design Specification Requirements	316
B-4200	Operability Requirements for Pumps	316
B-4300	Regulatory Requirements	316
Article B-5000	Specific Valve Requirements	317
B-5100	Certified Design Specification Requirements	317
B-5200	Operability Requirements for Valves	317
B-5300	Regulatory Requirements	318
Article B-6000	Specific Piping Requirements	319
B-6100	Certified Design Specification Requirements	319
Article B-7000	Specific Containment Requirements	320
B-7100	Certified Design Specification Requirements	320
Article B-8000	Specific Support Requirements	321
B-8100	Certified Design Specification Requirements	321
B-8300	Regulatory Requirements	321
Article B-9000	Specific Core Support Structures Requirements	322
B-9100	Certified Design Specification Requirements	322
Article B-10000	Specific Parts and Miscellaneous Items Requirements	324
B-10100	Certified Design Specification Requirements	324
Nonmandatory Appendix C	Certificate Holder's Design Report	325
Article C-1000	Introduction	325
C-1100	Introduction	325
C-1200	Thermal Analysis	326
C-1300	Structural Analysis	326
C-1400	Fatigue Evaluation	327
Nonmandatory Appendix D	Preheat Guidelines	328
Article D-1000	Guidelines	328
D-1100	Introduction	328
D-1200	Ferrous Materials	328
Nonmandatory Appendix E	Minimum Bolt Cross-Sectional Area	331
Article E-1000	Introduction and Scope	331
E-1100	Introduction	331
E-1200	Design Cross-Sectional Area	331

Nonmandatory Appendix F	333
Nonmandatory Appendix G	Fracture Toughness Criteria for Protection Against Failure ...	334
Article G-1000	Introduction	334
Article G-2000	Vessels	335
G-2100	General Requirements	335
G-2200	Level A and B Service Limits	335
G-2300	Level C and D Service Limits	343
G-2400	Hydrostatic Test Temperature	343
Article G-3000	Piping, Pumps, and Valves	344
G-3100	General Requirements	344
Article G-4000	Bolting	345
G-4100	General Requirements	345
Nonmandatory Appendix L	Class FF Flange Design	346
Article L-1000	Class FF Flanges — Introduction	346
L-1100	General Requirements	346
Article L-2000	Class FF Flanges — Materials	347
L-2100	Material Requirements	347
Article L-3000	Class FF Flanges — Design	348
L-3100	General Requirements	348
L-3200	Design of Flanges and Bolting	351
Nonmandatory Appendix M	Recommendations for Control of Welding, Postweld Heat Treatment, and Nondestructive Examination of Welds	362
Article M-1000	Recommendations	362
M-1100	Introduction	362
M-1200	Welding Procedure Specifications	362
M-1300	Welding Performance Qualification and Assignment	363
M-1400	Control of Welding	363
M-1500	Nondestructive Examination of Welds	363
M-1600	Postweld Heat Treatment	363
M-1700	Examination and Dimensional Inspection	363
Nonmandatory Appendix N	Dynamic Analysis Methods	364
Article N-1000	General	364
N-1100	Introduction and Scope	364
N-1200	Seismic Analysis	365
N-1300	Flow-Induced Vibration of Tubes and Tube Banks	393
N-1400	Dynamics of Coupled Fluid-Shells	410
N-1500	Fluid Transient Dynamics	417
N-1600	Miscellaneous Impulsive and Impactive Loads	419
N-1700	Combined Responses	419
N-1800	References to Nonmandatory Appendix N	424
Nonmandatory Appendix O	Rules for Design of Safety Valve Installations	431
Article O-1000	Introduction and Scope	431
O-1100	Scope and Definitions	431
O-1200	Method of and Procedure for Load Computation	432
O-1300	Stress Evaluation Open System	433
O-1400	Closed Discharge Systems — Open Discharge Systems With Long Discharge Pipes — Systems With Slug Flow	433
O-1500	Design Considerations	434

Nonmandatory Appendix P	435
Article P-1000	Certified Material Test Reports	435
P-1100	Introduction	435
P-1200	General Required Information	435
P-1300	Information Required Under Specific Circumstances	435
P-1400	Execution	436
Nonmandatory Appendix Q	Design Rules for Clamp Connections	437
Article Q-1000	Rules for Clamp Connections	437
Q-1100	Introduction	437
Nonmandatory Appendix R	Determination of Permissible Lowest Service Metal Temperature From T_{NDT} for Division 1, Classes 2 and MC; and Division 3, Class WC Construction	444
Article R-1000	Permissible Lowest Service Metal Temperature	444
R-1100	Introduction	444
R-1200	Determination of Permissible Lowest Service Metal Temperature .	444
Nonmandatory Appendix S	446
Article S-1000	Pump Shaft Design Methods	446
S-1100	Introduction	446
S-1200	Scope	446
S-1300	Design Requirements	446
S-1400	Responsibility	446
S-1500	Operating Loads	446
S-1600	Shaft Failure Modes	447
Article S-2000	Design Procedure	449
S-2100	Critical Speeds	449
S-2200	Maximum Torsional Load	449
S-2300	Shaft Evaluation	449
S-2400	Other Considerations	449
Nonmandatory Appendix T	Recommended Tolerances for Reconciliation of Piping Systems	451
Article T-1000	Introduction and Scope	451
T-1100	Introduction	451
T-1200	Total Tolerances	452
Nonmandatory Appendix U	Rules for Pump Internals	458
Article U-1000	General	458
U-1100	Introduction	458
U-1200	General Requirements	458
U-1300	Materials	458
U-1400	Fabrication Requirements	471
Nonmandatory Appendix W	475
Article W-1000	Environmental Effects on Components	475
W-1100	Introduction	475
W-1200	Section XI and Plex Applications	477
Article W-2000	Summaries of Corrosion Damage Mechanisms	478
W-2100	Stress Corrosion Cracking	478
W-2200	General Corrosion or Wastage	484
W-2300	Pitting Corrosion	488
W-2400	Crevice Corrosion and Denting	490
W-2500	Intergranular Corrosion Attack	491
W-2600	MIC and Fouling	493

W-2700	Environmental Effects on Fatigue-Life Crack Initiation and Growth	495
W-2800	Flow-Accelerated Corrosion	496
W-2900	Erosion	499
Article W-3000	Summaries of Embrittlement Damage Mechanisms	501
W-3100	Irradiation-Assisted Stress Corrosion Cracking (IASCC)	501
W-3200	Thermal Aging Embrittlement	503
W-3300	Irradiation Embrittlement	505
W-3400	Hydrogen Damage Embrittlement	509
Article W-4000	Summaries of Other Damage Mechanisms	512
W-4100	Fretting and Wear	512
W-4200	Thermal Fatigue	513
W-4300	Dynamic Loading — Vibration, Water Hammer, and Unstable Fluid Flow	516
W-4400	Creep	520
Nonmandatory Appendix Y	Evaluation of the Design of Rectangular and Hollow Circular Cross Section Welded Attachments on Piping	523
Article Y-1000	Introduction and Scope	523
Y-1100	Introduction	523
Article Y-2000	Procedure for Evaluation of the Design of Rectangular Cross Section Attachments on Class 1 Piping	524
Y-2100	Introduction	524
Y-2200	Limitations to Applicability	524
Y-2300	Nomenclature and Definitions (See Figure Y-2300-1)	524
Y-2400	Evaluation Procedure	525
Y-2500	Analysis Documentation	526
Article Y-3000	Procedure for Evaluation of the Design of Rectangular Cross Section Attachments on Class 2 or 3 Piping	527
Y-3100	Introduction	527
Y-3200	Limitations to Applicability	527
Y-3300	Nomenclature and Definitions (See Figure Y-3300-1)	527
Y-3400	Evaluation Procedure	528
Y-3500	Analysis Documentation	529
Article Y-4000	Procedure for Evaluation of the Design of Hollow Circular Cross Section Welded Attachments on Class 1 Piping	530
Y-4100	Introduction	530
Y-4200	Limitations to Applicability	530
Y-4300	Nomenclature and Definitions (See Figure Y-4300-1)	530
Y-4400	Evaluation Procedure	531
Y-4500	Analysis Documentation	532
Article Y-5000	Procedure for Evaluation of the Design of Hollow Circular Cross Section Welded Attachments on Class 2 and 3 Piping	533
Y-5100	Introduction	533
Y-5200	Limitations to Applicability	533
Y-5300	Nomenclature and Definitions (see Figure Y-5300-1)	533
Y-5400	Evaluation Procedure	534
Y-5500	Analysis Documentation	535
Nonmandatory Appendix Z		536
Article Z-1000	Interruption of Code Work	536
Z-1100	Introduction	536
Z-1200	Definitions	536
Z-1300	Documentation	536

Z-1400	Other Considerations	536
Z-1500	Resumption of Code Activities	537
Nonmandatory Appendix AA	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	538
Article AA-1000	Scope	538
AA-1100	Use of Units in Equations	538
AA-1200	Guidelines Used to Develop SI Equivalents	538
AA-1300	Soft Conversion Factors	540
Nonmandatory Appendix BB	Metallic Braided Flexible Hose	541
Article BB-1000	Scope	541
BB-1100	Rules	541
Article BB-2000	Material	542
BB-2100	Sheaths, End Pieces, and Braids	542
Article BB-3000	Design	543
BB-3100	Design Factors	543
BB-3200	General Design Requirements	543
BB-3300	Special Design Requirements	543
Article BB-4000	Fabrication	545
BB-4100	Requirements	545
Article BB-5000	Examination	546
BB-5100	Procedures	546
Article BB-6000	Testing	547
BB-6100	Hydrostatic and Pneumatic Testing	547
Article BB-7000	Certification	548
BB-7100	Provisions	548
Nonmandatory Appendix CC	Alternative Rules for Linear Piping Supports	549
Article CC-1000	Introduction	549
CC-1100	Introduction	549
Article CC-2000	Materials	550
CC-2100	Material Requirements	550
Article CC-3000	Design	551
CC-3100	Design Requirements	551
Article CC-4000	Fabrication	552
CC-4100	Fabrication Requirements	552
Article CC-5000	Examination	553
CC-5100	Examination Requirements	553
Article CC-8000	Nameplates, Stamping With Certification Mark, and Data Reports	554
CC-8100	General Requirements	554
Nonmandatory Appendix DD	Polyethylene Material Organization Responsibilities Diagram	555
Article DD-1000	Introduction	555
DD-1100	Scope	555
Nonmandatory Appendix EE	Strain-Based Acceptance Criteria Definitions and Background Information	557
Article EE-1000	Strain Information	557

EE-1100	Definitions	557
EE-1200	Background Information	560
Nonmandatory Appendix FF	Strain-Based Acceptance Criteria for Energy-Limited Events ..	567
Article FF-1000	Acceptance Criteria	567
FF-1100	Strain-Based Acceptance Criteria	567
Nonmandatory Appendix GG	Minimum Thickness for Pipe Bends	571
Article GG-1000	Minimum Thickness for Pipe Bends	571
GG-1100	Scope	571
Nonmandatory Appendix HH	Rules for Valve Internal and External Items	572
Article HH-1000	Requirements	572
HH-1100	Introduction	572
HH-1200	General Requirements	572
HH-1300	Materials	572
HH-1400	Design Requirements	575
HH-1500	Fabrication Requirements	576
Nonmandatory Appendix JJ	Evaluation of Thermal Stratification in Class 1 Piping Systems	597
Article JJ-1000	Criteria	597
JJ-1100	Scope	597
JJ-1200	Load Definition	597
JJ-1300	Stress Analysis per NB-3600	597
JJ-1400	Stress Analysis per NB-3200	599
Nonmandatory Appendix KK	Division 5 Design Specifications	600
Article KK-1000	Introduction and Scope	600
KK-1100	Introduction	600
KK-1200	Design Specification Format	601
KK-1300	Scope of Design Specification	601
Article KK-2000	Generic Requirements	602
KK-2100	Design Specification Requirements	602
KK-2200	Functionality	607
KK-2300	Regulatory Requirements	607
KK-2400	Additional Elevated Temperature Requirements	607
Article KK-3000	Specific Vessel Requirements	610
KK-3100	Design Specification Requirements	610
Article KK-4000	Specific Pump Requirements	611
KK-4100	Design Specification Requirements	611
KK-4200	Functionality Requirements for Pumps	611
Article KK-5000	Specific Valve Requirements	612
KK-5100	Design Specification Requirements	612
KK-5200	Functionality Requirements for Valves	612
Article KK-6000	Specific Piping Requirements	614
KK-6100	Design Specification Requirements	614
Article KK-7000	Specific Support Requirements	615
KK-7100	Design Specification Requirements	615
Article KK-8000	Specific Core Support Structures Requirements	616
KK-8100	Design Specification Requirements	616
KK-8200	Additional Elevated Temperature Requirements	617

Article KK-9000	Specific Parts and Miscellaneous Items Requirements	618
KK-9100	Design Specification Requirements	618
Article KK-10000	Nonmetallic Core Components and Core Assemblies	619
KK-10100	Design Specification Requirements	619
KK-10200	Additional Nonmetallic Core Component Requirements	624
KK-10300	Nonmetallic Design Specification Requirement Paragraph List	624
Nonmandatory Appendix LL	Division 3 Design Specifications and Fabrication Specifications	626
Article LL-1000	Introduction and Scope	626
LL-1100	Introduction	626
LL-1200	Scope of Design Specification	627
LL-1300	Scope of Fabrication Specification	627
Article LL-2000	Generic Requirements	628
LL-2100	Design Specification Requirements	628
LL-2200	Fabrication Specification Requirements	631
LL-2300	Functionality	631
LL-2400	Regulatory Requirements	632
Article LL-3000	Specific Transportation Containment Requirements	633
LL-3100	Design Specification Requirements	633
Article LL-4000	Specific Storage Containment Requirements	635
LL-4100	Design Specification Requirements	635
Article LL-5000	Specific Internal Support Structures Requirements	637
LL-5100	Design Specification Requirements	637
Article LL-6000	Specific Parts Requirements	638
LL-6100	Design Specification Requirements	638
Nonmandatory Appendix MM	639
Article MM-1000	Linearization of Stress Results for Stress Classification	639
MM-1100	Introduction	639
MM-1200	General	639
MM-1300	Nomenclature	639
MM-1400	Selection of Stress Classification Lines	639
MM-1500	Stress Integration Method	641
MM-1600	References to Nonmandatory Appendix MM	641
Nonmandatory Appendix NN	643
Article NN-1000	Removal of External Surface Defects and Repairs to Stamped Components	643
NN-1100	Introduction	643
Article NN-2000	Elimination of External Surface Defects	644
NN-2100	Defect Elimination	644
NN-2200	Pressure Testing	644
NN-2300	Repair Activities	644
Article NN-3000	Repairs To Stamped Components	645
NN-3100	Requirements	645

FIGURES

I-9.1	Design Fatigue Curves for Carbon, Low Alloy, and High Tensile Steels for Metal Temperatures Not Exceeding 700°F	4
I-9.1M	Design Fatigue Curves for Carbon, Low Alloy, and High Tensile Steels for Metal Temperatures Not Exceeding 370°C	5
I-9.2	Design Fatigue Curves for Austenitic Steels, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 800°F	7
I-9.2M	Design Fatigue Curves for Austenitic Steels, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 425°C	8
I-9.3	Design Fatigue Curves for Wrought 70 Copper–30 Nickel Alloy for Temperatures Not Exceeding 800°F	10
I-9.3M	Design Fatigue Curves for Wrought 70 Copper–30 Nickel Alloy for Temperatures Not Exceeding 425°C	11
I-9.4	Design Fatigue Curves for High Strength Steel Bolting for Temperatures Not Exceeding 700°F	12
I-9.4M	Design Fatigue Curves for High Strength Steel Bolting for Temperatures Not Exceeding 370°C	13
I-9.5	Design Fatigue Curves for Nickel–Chromium–Molybdenum–Iron Alloys (UNS N06003, N06007, N06455, and N10276) for Temperatures Not Exceeding 800°F	14
I-9.5M	Design Fatigue Curves for Nickel–Chromium–Molybdenum–Iron Alloys (UNS N06003, N06007, N06455, and N10276) for Temperatures Not Exceeding 425°C	15
I-9.6	Design Fatigue Curves for Grade 9 Titanium for Temperatures Not Exceeding 600°F	17
I-9.6M	Design Fatigue Curves for Grade 9 Titanium for Temperatures Not Exceeding 315°C	18
I-9.7	Design Fatigue Curves for Nickel–Chromium Alloy 718 (SB-637 UNS N07718) for Design of 2 in. (50 mm) and Smaller Diameter Bolting for Temperatures Not Exceeding 800°F (427°C)	20
I-9.8	Design Fatigue Curves, ksi, for Ductile Cast Iron	22
I-9.8M	Design Fatigue Curves, MPa, for Ductile Cast Iron	23
II-1430-1	Construction for II-1430	29
II-1520(c)-1	Construction of the Testing Parameters Ratio Diagram	32
II-1520(c)-2	Construction of the Testing Parameters Ratio Diagram for Accelerated Tests	33
II-2310-1	Schematic of Test Assembly	35
II-2330-1	Displacement D and Force F Recorded During Loading and Unloading of Test Specimen, With Linear Displacement	36
VI-1134-1	Aligned Rounded Indications	82
VI-1134-2	Groups of Aligned Rounded Indications	83
VI-1136-1	Charts for t Equal to $\frac{1}{8}$ in. to $\frac{1}{4}$ in. (3 mm to 6 mm), Inclusive	84
VI-1136-2	Charts for t Over $\frac{1}{4}$ in. to $\frac{3}{8}$ in. (6 mm to 10 mm), Inclusive	84
VI-1136-3	Charts for t Over $\frac{3}{8}$ in. to $\frac{3}{4}$ in. (10 mm to 19 mm), Inclusive	85
VI-1136-4	Charts for t Over $\frac{3}{4}$ in. to 2 in. (19 mm to 50 mm), Inclusive	85
VI-1136-5	Charts for t Over 2 in. to 4 in. (50 mm to 100 mm), Inclusive	86
VI-1136-6	Charts for t Over 4 in. (100 mm)	87
XI-3120-1	Types of Flanges	92
XI-3240-1	Values of T , U , Y , and Z (Terms Involving K)	102
XI-3240-2	Values of F (Integral Flange Factors)	103
XI-3240-3	Values of V (Integral Flange Factors)	104
XI-3240-4	Values of F_L (Loose Hub Flange Factors)	105
XI-3240-5	Values of V_L (Loose Hub Flange Factors)	105
XI-3240-6	Values of f (Hub Stress Correction Factor)	106
XIII-1300-1	Example of Acceptable Local Primary Membrane Stress Due to Pressure	113
XIII-1300-2	Examples of Reversing and Nonreversing Dynamic Loads	115
XIII-2100-1	Stress Classification Combinations	118
XIII-3770-1	Local Thin Area in a Cylindrical Shell	133
XVIII-1110-1	Constant C for Gas or Vapor Related to Ratio of Specific Heats ($k = c_p/c_v$)	143
XVIII-1110-1M	Constant C for Gas or Vapor Related to Ratio of Specific Heats ($k = c_p/c_v$)	144

XVIII-1140-1	Flow Capacity Curve for Rating Nozzle Type Safety Valves on Saturated Water (Based on 10% Overpressure)	144
XVIII-1140-1M	Flow Capacity Curve for Rating Nozzle Type Safety Valves on Saturated Water (Based on 10% Overpressure)	145
XIX-1110-1	Applicable Configurations of Flat Heads	147
XIX-1110-2	Integral Flat Head With Large Central Opening	148
XXVI-2234-1	Thrust Collars	183
XXVI-3132-1	Nomenclature for Mitered Elbows	198
XXVI-4110-1	Thermal Fusion Butt Joint	205
XXVI-4110-2	Electrofusion Joint	206
XXVI-4230-1	Tapered Transition Joint	208
XXVI-4520-1	Transition Flange Arrangement	214
XXVI-4520-2	Transition Flange Arrangement (HDPE to HDPE)	214
XXVI-5220-1	Fusion Pipe Joint Examination Volume	218
XXVI-5220-2	Electrofusion Joint Examination Volume	218
XXVI-5321-1	Polyethylene Pipe Butt Fusion Joint O.D. Bead (Cross-Section View)	219
XXVI-5330-1	Laminar Flaws	220
XXVI-B-1	Unacceptable Fusion Bead Configurations	238
A-2120-1	262
A-3120-1	267
A-5120-1	273
A-5212-1	274
A-5213-1	274
A-5221-1	274
A-5222-1	275
A-6230-1	278
A-6230-2	279
A-6230-3	280
A-6230-4	280
A-6230-5	280
A-8120-1	286
A-8131-1	287
A-8132.1-1	288
A-8132.2-1	288
A-8132.3-1	288
A-8132.4-1	289
A-8142-1	289
A-8142-2	290
A-8142-3	291
A-8142-4	293
A-8142-5	294
A-8142-6	295
A-8143.2-1	296
A-8153-1	297
A-9210(d)-1	Interaction Curve for Beams Subject to Bending and Shear or to Bending, Shear, and Direct Loads	299
A-9523.1-1	Sign Convention and Nomenclature	302
A-9531-1	Bending and Shear Stresses	303
A-9532(c)(3)-1	Interaction Exponent	304
A-9533(b)-1	Interaction Curve for Bending and Tension	305
A-9541-1	Trapezoidal Stress–Strain Relationship	305
A-9541-2	Ultimate and Yield Trapezoidal Intercept Stresses	306
A-9541-3	Linearized Ultimate and Yield Bending Stresses for Rectangular Section	306
A-9541-4	Proportional Limit as a Function of Yield Stress	307
A-9542-1	Linearized Bending Stress Versus Allowable Stress for SA-672 A50 Material at 600°F (316°C)	308

B-2123-1	Time-Dependent Load Information	312
G-2210-1	336
G-2210-1M	337
G-2214-1	339
G-2214-1M	340
G-2214-2	341
L-3191-1	Bolt Hole Flexibility Factor	352
L-3191-2	Flange Dimensions and Forces	353
L-3230-1	Group 1 Flange Assembly (Identical Flange Pairs)	356
L-3230-2	Group 2 Flange Assembly	356
L-3230-3	Group 3 Flange Assembly	357
N-1211(a)-1	Horizontal Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	366
N-1211(b)-1	Vertical Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	368
N-1211(a)-1M	Horizontal Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	370
N-1211(b)-1M	Vertical Design Response Spectra Scaled to 1g Horizontal Ground Acceleration	371
N-1226-1	Response Spectrum Peak Broadening and Peak Amplitude	382
N-1226-2	Use of Floor Spectra When Several Equipment Frequencies Are Within the Widened Spectral Peak	384
N-1228.3-1	Coefficients for a Component of Shear for a Unit Displacement of a Nondatum Support ..	388
N-1321-1	Vortices Shed From a Circular Cylinder	396
N-1321-2	Some Typical Cross Sections of Bluff Bodies That Can Experience Vortex Shedding	397
N-1323-1	Synchronization of the Vortex Shedding Frequency and the Tube Natural Frequency for a Single, Flexibly-Mounted Circular Cylinder	399
N-1331-1	Response of a Tube Bank to Cross Flow (Ref. [115])	402
N-1331-2	Tube Vibration Patterns at Fluid-Elastic Instability for a Four-Tube Row (Ref. [118]) ...	403
N-1331-3	Tube Arrangements	404
N-1331-4	Stability Diagram	405
N-1343-1	Random Excitation Coefficient for Arrays in Cross Flow (Ref. [100])	409
N-1430-1	Vibration Forms for Circular Cylindrical Shells	412
N-1451-1	Comparison of Fritz and Kiss Solution With Exact Solution	415
N-1470-1	Imaginary Part of Z as a Function of b/a for Selected Value of S (Ref. [146])	418
N-1722.2-1	Definition of Notation	420
N-1723.1-1	422
N-1723.1-2	422
N-1723.1-3	423
N-1723.1-4	423
O-1120(e)-1	Application Point of Venting Force F	432
O-1120(e)-2	Limiting Safety Valve Arrangements and Dimensions	432
Q-1130-1	Typical Hub and Clamp	440
Q-1130-2	Typical Clamp Lug Configurations	441
R-1200-1	Determination of Permissible Lowest Service Metal Temperature	445
S-1600-1	Typical Centrifugal Pump Shaft Failure Locations	448
S-2300-1	Steps in the Design of a Pump Shaft	450
T-1213-1	Illustrations of Angular Dimensions — Pipe Legs, Valves, Supports, Bends	454
T-1213-2	Illustrations of Linear Dimensions	455
U-1500-1	Typical for Type A, C, E, F, and/or Some J (NB-3400) Pumps	460
U-1500-2	Typical for Type B and D Pumps (NCD-3400)	461
U-1500-3	Typical for Type G and H Pumps (NCD-3400)	462
U-1500-4	Typical for Type K Pumps (NCD-3400)	463
U-1500-5	Typical for Type L Pumps (NCD-3400)	464
U-1500-6	Reciprocating Plunger Pump (NCD-3400)	465
U-1500-7	Typical for Type A and C Pumps (NCD-3400)	467
W-2120-1	Environmental Conditions Required for SCC	478
Y-2300-1	Nomenclature Illustration	524
Y-3300-1	Nomenclature Illustration	527
Y-4200-1	Weld Type Illustration	530

Y-4300-1	Nomenclature Illustration	530
Y-5300-1	Nomenclature Illustration	533
BB-3300-1	Bellows Configuration and Wrap Angle, α	544
DD-1100-1	Polyethylene Material Organization Responsibilities per NCA-3970	556
EE-1120-1	Typical Engineering Tensile Stress–Strain Curve (Ref. [1])	558
EE-1120-2	Comparison of Engineering and True Stress–Strain Curves (Ref. [1])	559
EE-1230-1	Quasi-Static Tensile Test Results for 304/304L Base and Welded Material at 300°F (149°C)	563
EE-1230-2	Quasi-Static Tensile Test Results for 316/316L Base and Welded Material at 300°F (149°C)	564
EE-1230-3	Comparison of Base and Welded 304/304L Material to Identical Impact Tests at –20°F (–29°C)	564
EE-1230-4	Comparison of Base and Welded 316/316L Material to Identical Impact Tests at –20°F (–29°C)	565
HH-1120-1	Gate Valve	578
HH-1120-2	Globe Valve	579
HH-1120-3	Swing Check Valve	581
HH-1120-4	Globe Check Valve	582
HH-1120-5	Diaphragm Valve	583
HH-1120-6	Plug Valve	584
HH-1120-7	Globe Check Valve	585
HH-1120-8	Butterfly Valve	586
HH-1120-9	Control Valve	587
HH-1120-10	Ball Valve	589
HH-1120-11	Nozzle Check Valve	590
JJ-1100-1	Sample Thermal Stratification Profiles	597
JJ-1330-1	Decomposition of Stratification Temperature Distribution Range	599
KK-2123.2-1	Time-Dependent Load Information	605
KK-10120-1	Typical Graphite Core Component Design Sequence	621
MM-1200-1	Examples of Stress Classification Lines (SCLs)	640
MM-1520-1	Computation of Membrane and Bending Stresses by the Stress Integration Method Using the Results From a Finite Element Model With Continuum Elements	642

TABLES

1	Section III Appendices Reference Table	lii
I-9.0	Tabulated Values of S_a , ksi, From Figures I-9.1 Through I-9.4	2
I-9.0M	Tabulated Values of S_a , MPa, From Figures I-9.1M Through I-9.4M	3
I-9.1	Tabulated Values of S_a , ksi (MPa), From Figures I-9.1 and I-9.1M	6
I-9.2	Tabulated Values of S_a , ksi (MPa), From Figures I-9.2 and I-9.2M	9
I-9.5	Tabulated Values of S_a , ksi (MPa), From Figures I-9.5 and I-9.5M	16
I-9.6	Tabulated Values of S_a , ksi (MPa), for Grade 9 Titanium From Figures I-9.6 and I-9.6M	19
I-9.7	Tabulated Values of S_a , ksi (MPa), From Figure I-9.7	21
I-9.8	Tabulated Values of S_a , ksi, From Figure I-9.8	24
I-9.8M	Tabulated Values of S_a , MPa, From Figure I-9.8M	25
II-2440-1	Stress Intensification Increase Factor	37
V-1000-1	Guide for Completing Manufacturer's Data Report, Form N-2	47
V-1000	Guide for Preparation of Data Report Forms	76
VI-1132-1	Maximum Size of Nonrelevant Indications and Acceptable Rounded Indications — Examples Only	81
XI-3221.1-1	Gasket Materials and Contact Facings	96
XI-3221.1-2	Effective Gasket Width	98
XI-3230-1	Moment Arms for Flange Loads	99
XI-3240-1	Flange Factors in Formula Form	100
XIII-2600-1	Classification of Stresses in Vessels for Some Typical Cases	121
XIII-2600-2	Classification of Stresses in Piping, Typical Cases	122
XIII-3110-1	Primary Stress Intensity Limits	124

XIII-3200-1	Collapse Load Factors	126
XIII-3450-1	Values of m , n , and T_{max} for Various Classes of Permitted Materials	128
XIII-I-1	Cross-Reference List for NB-3200 and Appendix XIII	137
XVIII-1110-1	Superheat Correction Factor, K_{sh}	139
XVIII-1110-1M	Superheat Correction Factor, K_{sh}	141
XVIII-1110(a)-1	Molecular Weights of Gases and Vapors	143
XXII-1200-1	Values of Δ for Junctions at the Large Cylinder for $\alpha \leq 60$ deg	152
S2-1	Design Specification — Divisions 1 Through 3 and 5	163
S2-2	Design Report — Divisions 1, 3, and 5 (Excluding Nonmetallic CSS)	165
S2-3	Load Capacity Data Sheet or Certified Design Report Summary — Divisions 1 and 5	167
S2-4	Fabrication Specification — Division 3	168
S2-5	Overpressure Protection Report — Divisions 1, 2, and 5	169
S2-6	Construction Specification, Design Drawings, and Design Report — Divisions 2 and 5 (Nonmetallic CSS)	170
XXIV-1000	Standard Units for Use in Equations	176
XXVI-2221-1	Certification Requirements for Polyethylene Compound	180
XXVI-2511-1	Minimum Quality Testing Requirements for Polyethylene Compound Lots	186
XXVI-2512-1	Minimum Quality Testing Requirements for Natural Compound Lots	187
XXVI-2513-1	Testing Requirements for Pigment Concentrate Compound Lots	187
XXVI-2520(a)-1	Minimum Quality Testing Requirements for Polyethylene Source Material	188
XXVI-2520(a)-2	Minimum Quality Testing Requirements for Polyethylene Material — Pipe	188
XXVI-3131-1(a)	Long-Term Allowable Stress, S , for Polyethylene, psi	197
XXVI-3131-1M(a)	Long-Term Allowable Stress, S , for Polyethylene, MPa	197
XXVI-3131-1(b)	Elevated Temperature Allowable Stress, S , for Polyethylene, psi (MPa)	198
XXVI-3132-1	Geometric Shape Ratings (GSR)	198
XXVI-3133-1	S_A , Allowable Secondary Stress Limit, psi	199
XXVI-3133-1M	S_A , Allowable Secondary Stress Limit, MPa	199
XXVI-3210-1	Maximum Allowable Ring Deflection, Ω_{max}	199
XXVI-3210-2	Soil Support Factor, F_S	200
XXVI-3210-3	Modulus of Elasticity of Polyethylene Pipe, E_{pipe} , psi	200
XXVI-3210-3M	Modulus of Elasticity of Polyethylene Pipe, E_{pipe} , MPa	200
XXVI-3220-1	Allowable Sidewall Compression Stress, S_{comp} (psi)	201
XXVI-3220-1M	Allowable Sidewall Compression Stress, S_{comp} (MPa)	201
XXVI-3221.2-1	Ovality Correction Factor, f_o	201
XXVI-3223-1	Design and Service Level Longitudinal Stress Factor, K'	201
XXVI-3223-2	Short Duration (5 min) Allowable Longitudinal Tensile Stress	201
XXVI-3311-1	Stress Indices, Flexibility, and Stress Intensification Factors for PE Piping Components	202
XXVI-4334-1	Butt Fusing Procedure Specification Variables	211
XXVI-4334-2	Electrofusion Procedure Specification Variables	212
XXVI-4521.1-1	Torque Increments for Flanged Joints	215
XXVI-I-100-1	PE Standards and Specifications Referenced in Text	228
XXVI-IIA-421	Requirements of an Ultrasonic Examination Procedure for HDPE Techniques	230
XXVI-IIB-421.1-1	Requirements of a Microwave Examination Procedure for HDPE Techniques	231
XXVI-A-110-1	Fusion Standards and Specifications Referenced in Text	235
XXVI-C-100-1	Seismic Strain Limits	239
XXVI-E-1	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 40/STD Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 25 ksi Allowable Stress	244
XXVI-E-1M	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 40/STD Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 172 MPa Allowable Stress	245
XXVI-E-2	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 80/XS Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 25 ksi Allowable Stress	246

XXVI-E-2M	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 80/XS Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 172 MPa Allowable Stress	247
XXVI-E-3	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 40/STD Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 35 ksi Allowable Stress	248
XXVI-E-3M	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 40/STD Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 241 MPa Allowable Stress	249
XXVI-E-4	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 80/XS Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 35 ksi Allowable Stress	250
XXVI-E-4M	Nominal Bolt Torque Values and Maximum Design Pressure for Schedule 80/XS Class 150 Flat Face Metallic-to-PE Flanged Joints, Bolting Material With 241 MPa Allowable Stress	251
XXVI-E-5	Nominal Bolt Torque Values and Maximum Design Pressure for PE-to-PE Flanged Joints, Bolting Material With 25 ksi Allowable Stress	252
XXVI-E-5M	Nominal Bolt Torque Values and Maximum Design Pressure for PE-to-PE Flanged Joints, Bolting Material With 172 MPa Allowable Stress	253
XXVI-E-6	Nominal Bolt Torque Values and Maximum Design Pressure for PE-to-PE Flanged Joints, Bolting Material With 35 ksi Allowable Stress	254
XXVI-E-6M	Nominal Bolt Torque Values and Maximum Design Pressure for PE-to-PE Flanged Joints, Bolting Material With 241 MPa Allowable Stress	255
A-5240-1	276
A-9210(d)-1	Interaction Equations for Common Beam Shapes	300
A-9521(b)-1	302
D-1210-1	Suggested Minimum Preheat Temperatures	329
L-3212-1	Trial Flange Thickness and Area of Bolting for Various Groups of Assemblies and Flange Categories	354
L-3240-1	Summary of Applicable Equations for Different Groups of Assemblies and Different Categories of Flanges	357
N-1211(a)-1	Horizontal Design Response Spectra Relative Values of Spectrum Amplification Factors for Control Points	367
N-1211(b)-1	Vertical Design Response Spectra Relative Values of Spectrum Amplification Factors for Control Points	369
N-1225.1.1(b)-1	Minimum Support Load Factor	379
N-1226-1	Suggested Frequencies, Hz, for Calculation of Ground and Floor Response Spectra ...	381
N-1230-1	Damping Values	389
N-1311-1	Added Mass for Lateral Acceleration of Structures in a Fluid Reservoir	394
N-1311-2	Guidelines for Damping of Flow-Induced Vibration	396
N-1324.2(a)-1	Semiempirical Correlations for Predicting Resonant Vortex-Induced Vibration Amplitude	400
Q-1180-1	Allowable Design Stress for Clamp Connections	443
T-1222-1	Branch/Run Size Combinations	456
U-1600-1	Summary of Requirements	459
U-1610-1	Materials for Pump Internal Items for Class 1, 2, and 3 Pumps	468
CC-3120-1	Correlation of Service Loadings and Stress Limit Coefficients	551
EE-1150-1	Examples of Triaxiality Factor Calculations	560
EE-1250-1	Factors for Specified Strain Rates	565
FF-1122-1	Permitted Material Specifications and Products	568
GG-1100-1	Minimum Thickness for Pipe Bends	571
HH-1120-1	Summary of Requirements	577
HH-1312-1	Allowable Stress Values, <i>S</i> , for Material for Internal and External Items (U.S. Customary Units)	591
HH-1312-1M	Allowable Stress Values, <i>S</i> , for Material for Internal and External Items (SI Units)	594
KK-2400-1	Additional Metallic Component Requirements	608

KK-8200-1	Additional Core Support Structures Requirements	617
KK-10300-1	Additional Graphite Core Component Requirements	625
LL-2112.3-1	Applicability of Limits for Division 3 Components	629
NN-1000	Guide for Completing Form NR-10	648

FORMS

N-1	Certificate Holder's Data Report for Nuclear Vessels*	42
N-1A	Certificate Holder's Data Report for Nuclear Vessels*	44
N-2	Certificate Holder's Data Report for Identical Nuclear Parts	45
N-2A	Certificate Holder's Data Report for Identical Appurtenances	48
N-3	Owner's Data Report for Nuclear Power Plant Components*	50
N-5	Certificate Holder's Data Report for Installation or Shop Assembly or Nuclear Power Plant Components, Supports, and Appurtenances	52
N-6	Certificate Holders' Data Report for Storage Tanks*	54
NPP-1	Certificate Holder's Data Report for Fabricated Nuclear Piping Subassemblies	56
NPV-1	Certificate Holder's Data Report for Nuclear Pumps or Valves*	58
NV-1	Certificate Holder's Data Report for Pressure or Vacuum Relief Valves*	60
NCS-1	Certificate Holder's Data Report for Core Support Structures*	62
NF-1	Certificate Holder's Data Report for Supports*	63
NM-1	Certificate Holder's Data Report for Tubular Products and Fittings Welded With Filler Metal* .	65
NS-1	Certificate Holder's Certificate of Conformance for Welded Supports*	66
C-1	Certificate Holder's Data Report for Concrete Reactor Vessels and Containments*	68
G-1	GC Certificate Holder's Data Report for Graphite Core Assemblies	70
G-2	GC or Graphite Quality System Certificate Holder's Data Report for Machined Graphite Core Components	72
G-4	GC or Graphite Quality System Certificate Holder's or GQSC Holder's Data Report for Installation of Graphite Core Components	74
S4-1	Design Specification (Div. 1, 2, and 5)	173
S4-2	Design Report	173
S4-3	Overpressure Protection Report (Div. 1, 2, and 5)	174
S4-4	Design Specification (Div. 3)	174
S4-5	Fabrication Specification (Div. 3)	175
S4-6	Construction Specification (Div. 2)	175
NM(PE)-2	Data Report for Nonmetallic Batch-Produced Products Requiring Fusing	234
NR-10	Report For Repairs to Stamped Components	646

ENDNOTES	649
-----------------------	-----

(21)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NCD — Class 2 and Class 3 Components*
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Power Plant Components
 - Division 1 — Rules for Inspection and Testing of Components of Light-Water-Cooled Plants
 - Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Power Plants

- XII Rules for Construction and Continued Service of Transport Tanks

- XIII Rules for Overpressure Protection

* In the 2021 Edition, Subsections NC and ND have been incorporated into one publication, Subsection NCD (BPVC.III.1.NCD), Class 2 and Class 3 Components.