

SECTION V

2025

ASME Boiler and
Pressure Vessel Code
An International Code

**Nondestructive
Examination**

Currently in preview, click buy full version

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

2025 ASME Boiler & Pressure Vessel Code

2025 Edition

July 1, 2025

NONDESTRUCTIVE EXAMINATION

ASME Boiler and Pressure Vessel Committee
on Nondestructive Examination



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2025

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

The ASTM standards included in this ASME publication have been reproduced through a license agreement with ASTM International.

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

Library of Congress Catalog Card Number: 56-3934

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2025.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

TABLE OF CONTENTS

List of Sections		xxi
Foreword		xx
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising		xxvii
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items		xxxii
Personnel		xxxiii
Correspondence With the Committee		lvi
Summary of Changes		lviii
Cross-Referencing in the ASME BPVC		lxii
Subsection A	Nondestructive Methods of Examination	1
Article 1	General Requirements	1
T-110	Scope	1
T-120	General	1
T-130	Equipment	2
T-150	Procedure	3
T-160	Calibration	3
T-170	Examinations and Inspections	3
T-180	Evaluation	4
T-190	Records/Documentation	4
Mandatory Appendix I	Glossary of Terms for Nondestructive Examination	5
I-110	Scope	5
I-120	General Requirements	5
Mandatory Appendix II	Supplemental Personnel Qualification Requirements for NDE	
II-110	Certification	27
II-120	Scope	27
	General Requirements	27
Nonmandatory Appendix A	Imperfection vs. Type of NDE Method	30
A-110	Scope	30
Article 2	Radiographic Examination	32
T-210	Scope	32
T-220	General Requirements	32
T-230	Equipment and Materials	33
T-260	Calibration	34
T-270	Examination	34
T-280	Evaluation	39
T-290	Documentation	40
Mandatory Appendix I	In-Motion Radiography	42
I-210	Scope	42
I-220	General Requirements	42
I-230	Calibration	42
I-270	Examination	42
Mandatory Appendix II	Real-Time Radioscopic Examination	44
II-210	Scope	44
II-220	General Requirements	44
II-230	Equipment and Materials	44

II-260	Calibration	44
II-270	Examination	45
II-280	Evaluation	45
II-290	Documentation	45
Mandatory Appendix III	Digital Image Acquisition, Display, and Storage for Radiography and Radioscopy	46
III-210	Scope	46
III-220	General Requirements	46
III-230	Equipment and Materials	46
III-250	Image Acquisition and Storage	46
III-260	Calibration	46
III-280	Evaluation	46
III-290	Documentation	47
Mandatory Appendix IV	Interpretation, Evaluation, and Disposition of Radiographic and Radioscopic Examination Test Results Produced by the Digital Image Acquisition and Display Process	48
IV-210	Scope	48
IV-220	General Requirements	48
IV-230	Equipment and Materials	48
IV-250	Image Acquisition, Storage, and Interpretation	49
IV-260	Calibration	49
IV-280	Evaluation	49
IV-290	Documentation	49
Mandatory Appendix VI	Acquisition, Display, Interpretation, and Storage of Digital Images of Radiographic Film for Nuclear Applications	50
VI-210	Scope	50
VI-220	General Requirements	50
VI-230	Equipment and Materials	50
VI-240	System Performance Requirements	51
VI-250	Technique	51
VI-260	Demonstration of System Performance	51
VI-270	Examination	52
VI-280	Evaluation	52
VI-290	Documentation	52
Mandatory Appendix VI	Supplement A	53
VI-A-210	Scope	53
VI-A-220	General	53
VI-A-230	Equipment and Materials	53
VI-A-240	Miscellaneous Requirements	53
Mandatory Appendix VII	Radiographic Examination of Metallic Castings	56
VII-210	Scope	56
VII-220	General Requirements	56
VII-270	Examination	56
VII-280	Evaluation	56
VII-290	Documentation	56
Mandatory Appendix VIII	Radiography Using Phosphor Imaging Plate	57
VIII-210	Scope	57
VIII-220	General Requirements	57
VIII-230	Equipment and Materials	57
VIII-260	Calibration	57
VIII-270	Examination	57
VIII-280	Evaluation	58
VIII-290	Documentation	59

Mandatory Appendix VIII	Supplement A	60
VIII-A-210	Scope	60
VIII-A-220	General	60
VIII-A-230	Equipment and Materials	60
VIII-A-240	Miscellaneous Requirements	60
Mandatory Appendix IX	Radiography Using Digital Detector Systems	62
IX-210	Scope	62
IX-220	General Requirements	62
IX-230	Equipment and Materials	62
IX-260	Detector Pixel Correction	62
IX-270	Examination	63
IX-280	Evaluation	64
IX-290	Documentation	65
Mandatory Appendix IX	Supplement A	66
IX-A-210	Scope	66
IX-A-220	General	66
IX-A-230	Equipment and Materials	66
IX-A-240	Miscellaneous Requirements	66
Nonmandatory Appendix A	Recommended Radiographic Technique Schedules for Pipe or Tube Welds	68
A-210	Scope	68
Nonmandatory Appendix C	Hole-Type IQI Placement Schedules for Welds	71
C-210	Scope	71
Nonmandatory Appendix D	Number of IQIs (Special Cases)	76
D-210	Scope	76
Article 3	Full Matrix Capture	79
T-310	Scope	79
T-320	General	79
T-330	Equipment	80
T-340	Miscellaneous Requirements	84
T-350	Techniques	84
T-360	Calibration	84
T-370	Examination	86
T-380	Evaluation	87
T-390	Documentation	88
Mandatory Appendix I	Procedure Qualification Requirements for Flaw Sizing and Categorization	90
I-310	Scope	90
I-320	General	90
I-330	Equipment	90
I-340	Miscellaneous Requirements	90
I-380	Evaluation	90
I-390	Documentation	91
Nonmandatory Appendix A	Examination of Welds Using Full Matrix Capture	92
A-310	Scope	92
A-320	General	92
A-330	Equipment	92
A-340	Miscellaneous	93
A-350	Techniques	93
A-360	Calibration	94
A-370	Examination	96
A-380	Evaluation	97

Article 4	Ultrasonic Examination Methods for Welds	99
T-410	Scope	99
T-420	General	99
T-430	Equipment	99
T-440	Miscellaneous Requirements	107
T-450	Techniques	110
T-460	Calibration	110
T-470	Examination	113
T-480	Evaluation	115
T-490	Documentation	115
Mandatory Appendix I	Screen Height Linearity	117
I-410	Scope	117
I-440	Miscellaneous Requirements	117
Mandatory Appendix II	Amplitude Control Linearity	118
II-410	Scope	118
II-440	Miscellaneous Requirements	118
Mandatory Appendix III	Time-of-Flight Diffraction (TOFD) Technique	119
III-410	Scope	119
III-420	General	119
III-430	Equipment	119
III-460	Calibration	121
III-470	Examination	122
III-480	Evaluation	123
III-490	Documentation	123
Mandatory Appendix IV	Phased Array Manual Ray Examination Techniques Using Linear Arrays	124
IV-410	Scope	124
IV-420	General	124
IV-460	Calibration	124
IV-490	Documentation	124
Mandatory Appendix V	Phased Array B-Scan and S-Scan Linear Scanning Examination Techniques	126
V-410	Scope	126
V-420	General	126
V-460	Calibration	126
V-470	Examination	126
V-490	Documentation	128
Mandatory Appendix VI	Ultrasonic Examination Requirements for Workmanship-Based Acceptance Criteria	129
VII-410	Scope	129
VII-420	General	129
VII-430	Equipment	129
VII-440	Miscellaneous Requirements	129
VII-460	Calibration	130
VII-470	Examination	130
VII-480	Evaluation	130
VII-490	Documentation	130
Mandatory Appendix VIII	Ultrasonic Examination Requirements for Fracture-Mechanics- Based Acceptance Criteria	131
VIII-410	Scope	131
VIII-420	General	131
VIII-430	Equipment	131
VIII-440	Miscellaneous Requirements	132

VIII-460	Calibration	132
VIII-470	Examination	132
VIII-480	Evaluation	132
VIII-490	Documentation	133
Mandatory Appendix IX	Procedure Qualification Requirements for Flaw Sizing and Categorization	134
IX-410	Scope	134
IX-420	General	134
IX-430	Equipment	134
IX-440	Miscellaneous Requirements	134
IX-480	Evaluation	135
IX-490	Documentation	135
Mandatory Appendix X	Ultrasonic Examination of High Density Polyethylene	136
X-410	Scope	136
X-420	General	136
X-430	Equipment	136
X-460	Calibration	137
X-470	Examination	138
X-490	Documentation	138
Nonmandatory Appendix A	Layout of Vessel Reference Points	139
A-410	Scope	139
A-440	Miscellaneous Requirements	139
Nonmandatory Appendix B	General Techniques for Angle Beam Calibrations	140
B-410	Scope	140
B-460	Calibration	140
Nonmandatory Appendix C	General Technique for Straight Beam Calibrations	146
C-410	Scope	146
C-460	Calibration	146
Nonmandatory Appendix D	Examples of Recording Angle Beam Examination Data	148
D-410	Scope	148
D-420	General	148
D-470	Examination Requirements	148
D-490	Documentation	148
Nonmandatory Appendix E	Computerized Imaging Techniques	151
E-410	Scope	151
E-420	General	151
E-460	Calibration	151
E-470	Examination	151
Nonmandatory Appendix G	Alternate Calibration Block Configuration	157
G-410	Scope	157
G-460	Calibration	157
Nonmandatory Appendix H	Examination of Welds Using Angle Beam Search Units	160
H-410	Scope	160
H-470	Examination	160
Nonmandatory Appendix J	Alternative Basic Calibration Block	161
J-410	Scope	161
J-430	Equipment	161

Nonmandatory Appendix K	Recording Straight Beam Examination Data for Planar Reflectors	164
K-410	Scope	164
K-470	Examination	164
K-490	Records/Documentation	164
Nonmandatory Appendix L	TOFD Sizing Demonstration/Dual Probe — Computer Imaging Technique	165
L-410	Scope	165
L-420	General	165
L-430	Equipment	165
L-460	Calibration	165
L-470	Examination	165
L-480	Evaluation	165
L-490	Documentation	167
Nonmandatory Appendix M	General Techniques for Angle Beam Longitudinal Wave Calibrations	168
M-410	Scope	168
M-460	Calibration	168
Nonmandatory Appendix N	Time-of-Flight Diffraction (TOFD) Interpretation	171
N-410	Scope	171
N-420	General	171
N-450	Procedure	174
N-480	Evaluation	177
Nonmandatory Appendix O	Time-of-Flight Diffraction (TOFD) Technique — General Examination Configurations	192
O-410	Scope	192
O-430	Equipment	192
O-470	Examination	192
Nonmandatory Appendix P	Phased Array (PA/T) Interpretation	195
P-410	Scope	195
P-420	General	195
P-450	Procedure	195
P-480	Evaluation	195
Nonmandatory Appendix Q	Example of a Split DAC Curve	204
Q-410	Scope	204
Q-420	General	204
Nonmandatory Appendix R	Straight Beam Calibration Blocks for Restricted Access Weld Examinations	206
R-410	Scope	206
R-420	General	206
R-430	Equipment	206
Nonmandatory Appendix S	General Techniques for Straight-Beam Transfer Correction	209
S-410	Scope	209
S-420	Calibration	209
S-430	Signal Adjustment	209
S-440	Distance–Amplitude Correction (DAC)	209
S-450	Test Material Adjustment	209
S-460	Calculate the Transfer Correction	209
Nonmandatory Appendix U	General Techniques for Angle-Beam Transfer Correction	212
U-410	Scope	212
U-420	Calibration	212

U-430	Signal Adjustment	212
U-440	Distance-Amplitude Correction (DAC)	212
U-450	Test Material Adjustment	212
U-460	Calculate the Transfer Correction	212
Nonmandatory Appendix W	Pulse-Echo Method Examination of Brazed Joints	215
W-410	Scope	215
W-430	Equipment	215
W-460	Calibration	216
W-470	Examination	216
W-480	Evaluation	217
Article 5	Ultrasonic Examination Methods for Materials	218
T-510	Scope	218
T-520	General	218
T-530	Equipment	218
T-560	Calibration	219
T-570	Examination	221
T-580	Evaluation	222
T-590	Documentation	222
Mandatory Appendix I	Ultrasonic Examination of Pumps and Valves	224
I-510	Scope	224
I-530	Equipment	224
I-560	Calibration	224
I-570	Examination	224
Mandatory Appendix II	Inservice Examination of Nozzle Inside Corner Radius and Inner Corner Regions	225
II-510	Scope	225
II-530	Equipment	225
II-560	Calibration	225
II-570	Examination	225
Mandatory Appendix IV	Inservice Examination of Bolts	226
IV-510	Scope	226
IV-530	Equipment	226
IV-560	Calibration	226
IV-570	Examination	226
Article 6	Liquid Penetrant Examination	227
T-610	Scope	227
T-620	General	227
T-630	Equipment	227
T-640	Miscellaneous Requirements	227
T-650	Technique	228
T-660	Calibration	229
T-670	Examination	229
T-680	Evaluation	231
T-690	Documentation	231
Mandatory Appendix II	Control of Contaminants for Liquid Penetrant Examination ...	232
II-610	Scope	232
II-640	Requirements	232
II-690	Documentation	232

Mandatory Appendix III	Qualification Techniques for Examinations at Nonstandard Temperatures	233
III-610	Scope	233
III-630	Materials	233
III-640	Requirements	233
Article 7	Magnetic Particle Examination	235
T-710	Scope	235
T-720	General	235
T-730	Equipment	235
T-740	Miscellaneous Requirements	236
T-750	Technique	236
T-760	Calibration	238
T-770	Examination	244
T-780	Evaluation	245
T-790	Documentation	245
Mandatory Appendix I	Magnetic Particle Examination Using the AC Yoke Technique on Ferromagnetic Materials Coated With Nonferromagnetic Coatings	246
I-710	Scope	246
I-720	General	246
I-730	Equipment	247
I-740	Miscellaneous Requirements	247
I-750	Technique	247
I-760	Calibration	247
I-770	Examination	248
I-780	Evaluation	248
I-790	Documentation	248
Mandatory Appendix III	Magnetic Particle Examination Using the Yoke Technique With Fluorescent Particles in an Undarkened Area	249
III-710	Scope	249
III-720	General	249
III-750	Technique	249
III-760	Calibration	249
III-770	Examination	249
III-790	Documentation	250
Mandatory Appendix IV	Qualification of Alternate Wavelength Light Sources for Excitation of Fluorescent Particles	251
IV-710	Scope	251
IV-720	General	251
IV-750	Technique	251
IV-770	Qualification Examinations	251
IV-790	Documentation	252
Mandatory Appendix V	Requirements for the Use of Magnetic Rubber Techniques	253
V-710	Scope	253
V-720	General Requirements	253
V-730	Equipment	253
V-740	Miscellaneous Requirements	253
V-750	Techniques	254
V-760	Calibration	255
V-770	Examination	255
V-780	Evaluation	255
V-790	Documentation	255

Nonmandatory Appendix A	Measurement of Tangential Field Strength With Gaussmeters .	256
A-710	Scope	256
A-720	General Requirements	256
A-730	Equipment	256
A-750	Procedure	256
A-790	Documentation/Records	256
Article 8	Eddy Current Examination	257
T-810	Scope	257
Mandatory Appendix II	Eddy Current Examination of Nonferromagnetic Heat Exchanger Tubing	258
II-810	Scope	258
II-820	General	258
II-830	Equipment	258
II-840	Requirements	260
II-860	Calibration	260
II-870	Examination	262
II-880	Evaluation	262
II-890	Documentation	263
Mandatory Appendix III	Eddy Current Examination on Coated Ferromagnetic Materials	265
III-810	Scope	265
III-820	General	265
III-830	Equipment	265
III-850	Technique	265
III-860	Calibration	265
III-870	Examination	266
III-890	Documentation	266
Mandatory Appendix IV	External Coil Eddy Current Examination of Tubular Products . .	267
IV-810	Scope	267
IV-820	General	267
IV-830	Equipment	267
IV-850	Technique	268
IV-860	Calibration	268
IV-870	Examination	268
IV-880	Evaluation	268
IV-890	Documentation	268
Mandatory Appendix V	Eddy Current Measurement of Nonconductive-Nonferromagnetic Coating Thickness on a Nonferromagnetic Metallic Material .	269
V-810	Scope	269
V-820	General	269
V-830	Equipment	269
V-850	Technique	270
V-860	Calibration	270
V-870	Examination	270
V-880	Evaluation	270
V-890	Documentation	271
Mandatory Appendix VI	Eddy Current Detection and Measurement of Depth of Surface Discontinuities in Nonferromagnetic Metals With Surface Probes	272
VI-810	Scope	272
VI-820	General	272
VI-830	Equipment	272
VI-850	Technique	273
VI-860	Calibration	273

VI-870	Examination	274
VI-880	Evaluation	274
VI-890	Documentation	274
Mandatory Appendix VII	Eddy Current Examination of Ferromagnetic and Nonferromagnetic Conductive Metals to Determine If Flaws Are Surface Connected	275
VII-810	Scope	275
VII-820	General	275
VII-830	Equipment	275
VII-850	Technique	276
VII-860	Calibration	276
VII-870	Examination	276
VII-880	Evaluation	276
VII-890	Documentation	276
Mandatory Appendix VIII	Alternative Technique for Eddy Current Examination of Nonferromagnetic Heat Exchanger Tubing, Excluding Nuclear Steam Generator Tubing	279
VIII-810	Scope	279
VIII-820	General	279
VIII-830	Equipment	279
VIII-850	Technique	281
VIII-860	Calibration	281
VIII-870	Examination	283
VIII-880	Evaluation	283
VIII-890	Documentation	283
Mandatory Appendix IX	Eddy Current Array Examination of Ferromagnetic and Nonferromagnetic Materials for the Detection of Surface-Breaking Flaws	285
IX-810	Scope	285
IX-820	General Requirements	285
IX-830	Equipment	286
IX-840	Application Requirements	287
IX-850	Technique	287
IX-860	Calibration	288
IX-870	Examination	288
IX-880	Evaluation	288
IX-890	Documentation	288
Mandatory Appendix X	Eddy Current Array Examination of Ferromagnetic and Nonferromagnetic Welds for the Detection of Surface-Breaking Flaws	290
X-810	Scope	290
X-820	General Requirements	290
X-830	Equipment	290
X-840	Application Requirements	292
X-850	Technique	292
X-860	Calibration	292
X-870	Examination	293
X-880	Evaluation	293
X-890	Documentation	293
Mandatory Appendix XI	Tangential Field Examination of Ferromagnetic and Nonferromagnetic Materials and Welds for the Detection and Measurement of Surface-Breaking Discontinuities	294
XI-810	Scope	294
XI-820	General Requirements	294
XI-830	Equipment	296

XI-840	Application Requirements	298
XI-850	Technique	298
XI-860	Calibration	299
XI-870	Examination	299
XI-880	Evaluation	299
XI-890	Documentation	299
Article 9	Visual Examination	301
T-910	Scope	301
T-920	General	301
T-930	Equipment	302
T-940	Surface Preparation	302
T-950	Technique	302
T-980	Evaluation	302
T-990	Documentation	302
Article 10	Leak Testing	304
T-1010	Scope	304
T-1020	General	304
T-1030	Equipment	304
T-1040	Miscellaneous Requirements	305
T-1050	Procedure	305
T-1060	Calibration	305
T-1070	Test	305
T-1080	Evaluation	306
T-1090	Documentation	306
Mandatory Appendix I	Bubble Test — Direct Pressure Technique	307
I-1010	Scope	307
I-1020	General	307
I-1030	Equipment	307
I-1070	Test	307
I-1080	Evaluation	308
Mandatory Appendix II	Bubble Test — Vacuum Box Technique	309
II-1010	Scope	309
II-1020	General	309
II-1030	Equipment	309
II-1070	Test	310
II-1080	Evaluation	310
Mandatory Appendix III	Halogen Diode Detector Probe Test	311
III-1010	Introduction and Scope	311
III-1020	General	311
III-1030	Equipment	311
III-1060	Calibration	311
III-1070	Test	312
III-1080	Evaluation	313
Mandatory Appendix IV	Helium Mass Spectrometer Test — Detector Probe Technique .	314
IV-1010	Scope	314
IV-1020	General	314
IV-1030	Equipment	314
IV-1060	Calibration	314
IV-1070	Test	315
IV-1080	Evaluation	316
Mandatory Appendix V	Helium Mass Spectrometer Test — Tracer Probe Technique ...	317
V-1010	Scope	317
V-1020	General	317

V-1030	Equipment	317
V-1060	Calibration	317
V-1070	Test	318
V-1080	Evaluation	318
Mandatory Appendix VI	Pressure Change Test	320
VI-1010	Scope	320
VI-1020	General	320
VI-1030	Equipment	320
VI-1060	Calibration	321
VI-1070	Test	321
VI-1080	Evaluation	321
Mandatory Appendix VIII	Thermal Conductivity Detector Probe Test	322
VIII-1010	Introduction and Scope	322
VIII-1020	General	322
VIII-1030	Equipment	322
VIII-1060	Calibration	322
VIII-1070	Test	323
VIII-1080	Evaluation	324
Mandatory Appendix IX	Helium Mass Spectrometer Test — Hood Technique	325
IX-1010	Scope	325
IX-1020	General	325
IX-1030	Equipment	325
IX-1050	Technique	326
IX-1060	Calibration	326
IX-1070	Test	327
IX-1080	Evaluation	328
Mandatory Appendix X	Ultrasonic Leak Detector Test	330
X-1010	Introduction	330
X-1020	General	330
X-1030	Equipment	330
X-1060	Calibration	331
X-1070	Test	331
X-1080	Evaluation	331
Mandatory Appendix XI	Helium Mass Spectrometer — Helium-Filled-Container Leakage Rate Test	332
XI-1010	Scope	332
XI-1020	General	332
XI-1030	Equipment	332
XI-1050	Technique	333
XI-1060	Calibration	333
XI-1070	Calculation of Test Reliability and Corrected Leakage Rate	335
XI-1080	Evaluation	335
Nonmandatory Appendix A	Supplementary Leak Testing Equation Symbols	336
A-1010	Applicability of the Formulas	336
Article 11	Acoustic Emission Examination of Fiber-Reinforced Plastic Vessels	337
T-1110	Scope	337
T-1120	General	337
T-1130	Equipment	338
T-1160	Calibration	339
T-1170	Examination	339
T-1180	Evaluation	340
T-1190	Documentation	340

Mandatory Appendix I	Instrumentation Performance Requirements	348
I-1110	AE Sensors	348
I-1120	Signal Cable	348
I-1130	Couplant	348
I-1140	Preamplifier	348
I-1150	Filters	348
I-1160	Power-Signal Cable	348
I-1170	Main Amplifier	349
I-1180	Main Processor	349
Mandatory Appendix II	Instrument Calibration	351
II-1110	General	351
II-1120	Threshold	351
II-1130	Reference Amplitude Threshold	351
II-1140	Count Criterion N_C and A_M Value	351
II-1160	Field Performance	351
Nonmandatory Appendix A	Sensor Placement Guidelines	352
Article 12	Acoustic Emission Examination of Metallic Vessels During Pressure Testing	358
T-1210	Scope	358
T-1220	General	358
T-1230	Equipment	359
T-1260	Calibration	359
T-1270	Examination	360
T-1280	Evaluation	361
T-1290	Documentation	361
Mandatory Appendix I	Instrumentation Performance Requirements	365
I-1210	Acoustic Emission Sensors	365
I-1220	Signal Cable	365
I-1230	Couplant	365
I-1240	Preamplifier	365
I-1250	Filter	365
I-1260	Power-Signal Cable	365
I-1270	Power Supply	365
I-1280	Main Amplifier	365
I-1290	Main Processor	365
Mandatory Appendix II	Instrument Calibration and Cross-Referencing	367
II-1210	Manufacturer's Calibration	367
II-1220	Instrument Cross-Referencing	367
Mandatory Appendix III	Methodology for the Evaluation of the Sensitivity of Acoustic Emission Instrumentation	368
III-1210	Scope	368
III-1220	General	368
III-1230	K_{cats} Calculation	368
III-1240	Methodology of Calculation	369
III-1250	K_{cats} Factor Benefits	370
Nonmandatory Appendix A	Sensor Placement Guidelines	380
Nonmandatory Appendix B	Supplemental Information for Conducting Acoustic Emission Examinations	385
B-1210	Frequency Selection	385
B-1220	Combining More Than One Sensor in a Single Channel	385
B-1230	Attenuative Welds	385
B-1240	Production Line Testing of Identical Vessels	385

Article 14	Examination System Qualification	386
T-1410	Scope	386
T-1420	General Requirements	386
T-1430	Equipment	387
T-1440	Application Requirements	387
T-1450	Conduct of Qualification Demonstration	389
T-1460	Calibration	390
T-1470	Examination	390
T-1480	Evaluation	392
T-1490	Documentation and Records	392
Mandatory Appendix I	UT Performance Demonstration Criteria	393
I-1410	Scope	393
I-1420	General	393
I-1430	Equipment	393
I-1440	Application Requirements	393
I-1450	Conduct of Qualification Demonstration	394
I-1460	Calibration	395
I-1470	Examination	395
I-1480	Evaluation	395
I-1490	Documentation	395
Article 16	Magnetic Flux Leakage (MFL) Examination	396
T-1610	Scope	396
T-1620	General	396
T-1630	Equipment	397
T-1640	Requirements	397
T-1650	Calibration	397
T-1660	Examination	397
T-1670	Evaluation	398
T-1680	Documentation	398
Article 17	Remote Field Testing (RFT) Examination Method	400
T-1710	Scope	400
T-1720	General	400
T-1730	Equipment	400
T-1750	Technique	400
T-1760	Calibration	401
T-1770	Examination	403
T-1780	Evaluation	403
T-1790	Documentation	403
Article 20	Computed Tomography Examination	405
T-2010	Scope	405
T-2020	General	405
T-2030	Equipment	405
T-2060	Detector Pixel Correction	406
T-2070	Examination	406
T-2080	Evaluation	406
T-2090	Documentation	407
Subsection B	Documents Adopted by Section V	409
Article 22	Radiographic Standards	410
SE-94/SE-94M	Standard Guide for Radiographic Examination Using Industrial Radiographic Film	411
SE-747	Standard Practice for Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiography	427

SE-999	Standard Guide for Controlling the Quality of Industrial Radiographic Film Processing	441
SE-1025	Standard Practice for Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiography	449
SE-1030/SE-1030M	Standard Practice for Radiographic Examination of Metallic Castings	457
SE-1114	Standard Test Method for Determining the Size of Iridium-192, Cobalt-60, and Selenium-75 Industrial Radiographic Sources	469
SE-1165	Standard Test Method for Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging	477
SE-1255	Standard Practice for Radioscopy	495
SE-1416	Standard Practice for Radioscopic Examination of Weldments	509
SE-1475	Standard Guide for Data Fields for Computerized Transfer of Digital Radiological Examination Data	517
SE-1647	Standard Practice for Determining Contrast Sensitivity in Radiology	525
SE-2007	Standard Guide for Computed Radiography	531
Article 23	Ultrasonic Standards	555
SA-388/SA-388M	Standard Practice for Ultrasonic Examination of Steel Forgings	557
SA-435/SA-435M	Standard Specification for Straight-Beam Ultrasonic Examination of Steel Plates	567
SA-577/SA-577M	Standard Specification for Ultrasonic Angle-Beam Examination of Steel Plate	571
SA-578/SA-578M	Standard Specification for Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications	575
SA-609/SA-609M	Standard Practice for Castings, Carbon, Low-Alloy and Martensitic Stainless Steel, Ultrasonic Examination Thereof	581
SA-745/SA-745M	Standard Practice for Ultrasonic Examination of Austenitic Steel Forgings	591
SB-548	Standard Test Method for Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	597
SD-7091	Standard Practice for Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to Ferrous Metals and Nonmagnetic, Nonconductive Coatings Applied to Non-Ferrous Metals	603
SE-213	Standard Practice for Ultrasonic Testing of Metal Pipe and Tubing .	611
SE-273	Standard Practice for Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing	623
SE-317	Standard Practice for Evaluating Performance Characteristics of Ultrasonic Pulse-Echo Testing Instruments and Systems Without the Use of Electronic Measurement Instruments	629
SE-797/SE-797M	Standard Practice for Measuring Thickness by Manual Ultrasonic Pulse-Echo Contact Method	631
SE-2491	Standard Guide for Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems	641
SE-2700	Standard Practice for Contact Ultrasonic Testing of Welds Using Phased Arrays	659
Article 24	Liquid Penetrant Standards	669
SD-129	Standard Test Method for Sulfur in Petroleum Products (General High Pressure Decomposition Device Method)	671
SD-516	Standard Test Method for Sulfate Ion in Water	677
SD-808	Standard Test Method for Chlorine in New and Used Petroleum Products (High Pressure Decomposition Device Method)	685
SE-165/SE-165M	Standard Practice for Liquid Penetrant Examination for General Industry	687

SE-2297	Standard Guide for Use of UV-A and Visible Light Sources and Meters Used in the Liquid Penetrant and Magnetic Particle Methods	707
SE-3022	Standard Practice for Measurement of Emission Characteristics and Requirements for LED UV-A Lamps Used in Fluorescent Penetrant and Magnetic Particle Testing	715
Article 25	Magnetic Particle Standard	724
SE-709	Standard Guide for Magnetic Particle Testing	725
Article 26	Eddy Current Standard	774
SE-243	Standard Practice for Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes	775
Article 29	Acoustic Emission Standards	782
SE-650/SE-650M	Standard Guide for Mounting Piezoelectric Acoustic Emission Sensors	783
SE-750	Standard Practice for Characterizing Acoustic Emission Instrumentation	787
SE-976	Standard Guide for Determining the Reproducibility of Acoustic Emission Sensor Response	799
SE-1067/SE-1067M	Standard Practice for Acoustic Emission Examination of Fiberglass Reinforced Plastic Resin (FRP) Tanks/Vessels	807
SE-1118/SE-1118M	Standard Practice for Acoustic Emission Examination of Reinforced Thermosetting Resin Pipe (RTRP)	823
SE-1139/SE-1139M	Standard Practice for Continuous Monitoring of Acoustic Emission From Metal Pressure Boundaries	837
SE-1211/SE-1211M	Standard Practice for Leak Detection and Location Using Surface- Mounted Acoustic Emission Sensors	845
SE-2075/SE-2075M	Standard Practice for Verifying the Consistency of AE-Sensor Re- sponse Using an Acrylic Rod	851
Article 31	Alternating Current Field Measurement Standard	856
SE-2261/SE-2261M	Standard Practice for Examination of Welds Using the Alternating Current Field Measurement Technique	857
Article 32	Remote Field Testing Standard	872
SE-2096/SE-2096M	Standard Practice for In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing	873
Article 33	Guided Wave Standards	883
SE-2775	Standard Practice for Guided Wave Testing of Above Ground Steel Pipework Using Piezoelectric Effect Transduction	885
SE-2929	Standard Practice for Guided Wave Testing of Above Ground Steel Piping With Magnetostrictive Transduction	887
Subsection C	Nondestructive Methods and Techniques for Inservice Examination	888
Part MT	Methods and Techniques	888
Article MT-1	General Requirements	888
MT-110	Scope	888
MT-120	General	888
MT-130	Equipment	889
MT-150	Procedure	889
MT-160	Calibration	890
MT-170	Examinations and Inspections	890
MT-180	Evaluation	890
MT-190	Records/Documentation	890

Mandatory Appendix I	Glossary of Terms for Nondestructive Examination	891
Mandatory Appendix II	Supplemental Personnel Qualification Requirements for NDE Certification	913
Nonmandatory Appendix A	Imperfection vs. Type of NDE Method	916
Article MT-2	Inservice Radiographic Examination	919
MT-210	Scope	919
MT-220	General	919
MT-230	Equipment and Materials	919
MT-260	Calibration	920
MT-270	Examination	921
MT-280	Evaluation	921
MT-290	Documentation	921
Mandatory Appendix I	Tangential Radiographic Examination Technique for Corrosion/Erosion	923
Article MT-3	Inservice Full Matrix Capture	927
MT-310	Scope	927
MT-320	General	927
MT-330	Equipment	928
MT-340	Miscellaneous Requirements	932
MT-350	Techniques	932
MT-360	Calibration	932
MT-370	Examination	934
MT-380	Evaluation	935
MT-390	Documentation	936
Mandatory Appendix I	Procedure Qualification Requirements for Flaw Sizing and Categorization	938
Nonmandatory Appendix A	Examination of Welds Using Full Matrix Capture	940
Article MT-8	Inservice Eddy Current Examination	948
MT-810	Scope	948
Mandatory Appendix II	Inservice Eddy Current Examination of Nonferromagnetic Heat Exchanger Tubing	949
Mandatory Appendix III	Inservice Eddy Current Examination on Coated Ferromagnetic Materials	956
Mandatory Appendix IV	External Coil Inservice Eddy Current Examination of Tubular Products	958
Mandatory Appendix V	Inservice Eddy Current Measurement of Nonconductive-Nonferromagnetic Coating Thickness on a Nonferromagnetic Metallic Material	960
Mandatory Appendix VI	Inservice Eddy Current Detection and Measurement of Depth of Surface Discontinuities in Nonferromagnetic Metals With Surface Probes	963
Mandatory Appendix VII	Inservice Eddy Current Examination of Ferromagnetic and Nonferromagnetic Conductive Metals to Determine If Flaws Are Surface Connected	966
Mandatory Appendix VIII	Alternative Technique for Inservice Eddy Current Examination of Nonferromagnetic Heat Exchanger Tubing, Excluding Nuclear Steam Generator Tubing	970

Mandatory Appendix IX	Inservice Eddy Current Array Examination of Ferromagnetic and Nonferromagnetic Materials for the Detection and Evaluation of Surface-Breaking Flaws	976
Mandatory Appendix X	Inservice Eddy Current Array Examination of Ferromagnetic and Nonferromagnetic Welds for the Detection and Evaluation of Surface-Breaking Flaws	982
Mandatory Appendix XI	Inservice Tangential Field Examination of Ferromagnetic and Nonferromagnetic Materials and Welds for the Detection and Evaluation of Surface-Breaking Discontinuities	987
Article MT-9	Inservice Visual Examination	993
MT-910	Scope	993
MT-920	General	993
MT-930	Equipment	994
MT-940	Miscellaneous Requirements	994
MT-950	Technique	994
MT-960	Calibration	995
MT-970	Examination	995
MT-980	Evaluation	995
MT-990	Documentation	995
Article MT-13	Inservice Acoustic Emission for Continuous Monitoring of Pressure Boundary Components	996
MT-1310	Scope	996
MT-1320	General	996
MT-1330	Equipment	997
MT-1340	Miscellaneous Requirements	999
MT-1350	Technique and Procedure Requirements	1000
MT-1360	Calibration	1002
MT-1370	Examination	1002
MT-1380	Evaluation/Results	1003
MT-1390	Reports/Records	1003
Mandatory Appendix I	Nuclear Components	1005
Mandatory Appendix II	Non-Nuclear Metal Components	1007
Mandatory Appendix III	Nonmetallic Components	1009
Mandatory Appendix IV	Limited Zone Monitoring	1011
Mandatory Appendix V	Hostile Environment Applications	1013
Mandatory Appendix VI	Leak Detection Applications	1016
Article MT-14	Inservice Examination System Qualification	1018
MT-1410	Scope	1018
MT-1420	General Requirements	1018
MT-1430	Equipment	1019
MT-1440	Application Requirements	1019
MT-1450	Conduct of Qualification Demonstration	1021
MT-1460	Calibration	1022
MT-1470	Examination	1022
MT-1480	Evaluation	1024
MT-1490	Documentation and Records	1024
Article MT-15	Inservice Alternating Current Field Measurement Technique (ACFMT)	1025
MT-1510	Scope	1025
MT-1520	General	1025

MT-1530	Equipment	1025
MT-1540	Miscellaneous Requirements	1026
MT-1560	Calibration	1026
MT-1570	Examination	1028
MT-1580	Evaluation	1028
MT-1590	Documentation	1028
Article MT-18	Inservice Acoustic Pulse Reflectometry Examination	1029
MT-1810	Scope	1029
MT-1820	General	1029
MT-1830	Equipment	1029
MT-1840	Miscellaneous Requirements	1031
MT-1850	Prior to the Examination	1031
MT-1860	Calibration	1031
MT-1870	Examination	1032
MT-1880	Evaluation	1032
MT-1890	Documentation	1032
Article MT-19	Inservice Guided Wave Examination Method for Piping	1034
MT-1910	Scope	1034
MT-1920	General	1034
MT-1930	Equipment	1034
MT-1950	Wave Modes	1034
MT-1960	Calibration	1035
MT-1970	Examination	1036
MT-1980	Evaluation	1036
MT-1990	Documentation	1036
Nonmandatory Appendix A	Operation of GWT Systems	1038
Article MT-21	Inservice Pulsed Eddy Current Technique for Corrosion Screening	1041
MT-2110	Scope	1041
MT-2120	General	1041
MT-2130	Equipment	1042
MT-2150	Techniques	1042
MT-2160	Calibration	1042
MT-2170	Examination	1042
MT-2180	Evaluation	1043
MT-2190	Documentation	1043
Nonmandatory Appendix A	Applications of Pulsed Eddy Current Examination	1045
Nonmandatory Appendix B	Training Outline for Pulsed Eddy Current Examination	1052
Mandatory Appendix II	Standard Units for Use in Equations	1054
Nonmandatory Appendix A	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	1055
A-1	Use of Units in Equations	1055
A-2	Guidelines Used to Develop SI Equivalentents	1055
A-3	Soft Conversion Factors	1057
FIGURES		
T-275	Location Marker Sketches	37
I-263	Beam Width Determination	43
VI-A-1	Reference Film	54
VIII-A-221-1	Procedure Demonstration Block	61
IX-263	Beam Width Determination	64
IX-A-221.2-1	Procedure Demonstration Block for Nonflat Detectors	67

C-210-1	Side and Top Views of Hole-Type IQI Placements	72
C-210-2	Side and Top Views of Hole-Type IQI Placements	73
C-210-3	Side and Top Views of Hole-Type IQI Placements	74
C-210-4	Side and Top Views of Hole-Type IQI Placements	75
D-210-1	Complete Circumference Cylindrical Component	76
D-210-2	Section of Circumference 240 deg or More Cylindrical Component (Example is Alternate Intervals)	76
D-210-3	Section(s) of Circumference Less Than 240 deg Cylindrical Component	76
D-210-4	Section(s) of Circumference Equal to or More Than 120 deg and Less Than 240 deg Cylindrical Component Option	77
D-210-5	Complete Circumferential Welds Spherical Component	77
D-210-6	Welds in Segments of Spherical Component	77
D-210-7	Plan View A-A	77
D-210-8	Array of Objects in a Circle	78
T-334.1-1	Calibration Block	82
A-351.1-1	FMC/TFM Generic Workflow	94
A-351.1-2	Active Focusing Workflow	95
A-351.1-3	Active Focusing Workflow With FMC Data Acquisition	95
A-351.1-4	Example of an Iterative FMC/TFM Workflow as an Adaptation of That Shown in Figure A-351.1-1	96
A-371-1	Examples of Ultrasonic Imaging Modes	98
T-434.1.7.2	Ratio Limits for Curved Surfaces	102
T-434.2.1	Nonpiping Calibration Blocks	103
T-434.3-1	Calibration Block for Piping	104
T-434.3-2	Alternate Calibration Block for Piping	105
T-434.4.1	Calibration Block for Technique One	106
T-434.4.2.1	Alternate Calibration Block for Technique One	107
T-434.4.2.2	Alternate Calibration Block for Technique One	108
T-434.4.3	Calibration Block for Technique Two	108
T-434.5.1	Calibration Block for Straight Beam Examination of Nozzle Side Weld Fusion Zone and/or Adjacent Nozzle Parent Metal	109
I-440	Linearity	117
III-434.2.1(a)	TOFD Reference Block	120
III-434.2.1(b)	Two-Zone Reference Block Example	121
III-463.5	Offset Scans	122
X-471.1	Fusion Pipe Joint Examination Volume	138
B-461.1	Sweep Range (Side-Drilled Holes)	140
B-461.2	Sweep Range (IIW Block)	141
B-461.3	Sweep Range (Notches)	141
B-462.1	Sensitivity and Distance–Amplitude Correction (Side-Drilled Holes)	142
B-462.3	Sensitivity and Distance–Amplitude Correction (Notches)	143
B-464	Position Depth and Beam Path	144
B-465	Planar Reflections	144
B-466	Beam Spread	145
C-461	Sweep Range	146
C-462	Sensitivity and Distance–Amplitude Correction	147
D-490	Search Unit Location, Position, and Beam Direction	149
E-460.1	Lateral Resolution and Depth Discrimination Block for 45 deg and 60 deg Applications	153
E-460.2	Lateral and Depth Resolution Block for 0 deg Applications	155
G-461(a)	Critical Radius, R_C , for Transducer/Couplant Combinations	158
G-461(b)	Correction Factor (Gain) for Various Ultrasonic Examination Parameters	159
J-431	Basic Calibration Block	162
L-432	Example of a Flat Demonstration Block Containing Three Notches	166
M-461.1	Sweep Range (Side-Drilled Holes)	168
M-461.2	Sweep Range (Cylindrical Surfaces)	169
M-461.3	Sweep Range (Straight Beam Search Unit)	169

M-462	Sensitivity and Distance–Amplitude Correction	170
N-421(a)	Schematic Showing Waveform Transformation Into Grayscale	171
N-421(b)	Schematic Showing Generation of Grayscale Image From Multiple A-Scans	172
N-421(c)	Schematic Showing Standard TOFD Setup and Display With Waveform and Signal Phases	172
N-421(d)	TOFD Display With Flaws and Displayed A-Scan	173
N-451	Measurement Tools for Flaw Heights	174
N-452(a)	Schematic Showing the Detection of Off-Axis Flaws	175
N-452(b)	Measurement Errors From Flaw Position Uncertainty	175
N-453	TOFD Image Showing Hyperbolic “Tails” From the Ends of a Flaw Image Used to Measure Flaw Length	176
N-454(a)	TOFD Image Showing Top and Bottom Diffracted Signals From Midwall Flaw and A-Scan Interpretation	176
N-454(b)	TOFD Image Showing Top and Bottom Diffracted Signals From Centerline Crack and A-Scan Interpretation	177
N-481(a)	Schematics of Image Generation, Scan Pattern, Waveform, and TOFD Display Showing the Image of the Point Flaw	178
N-481(b)	Schematics of Image Generation, Flaw Location, and TOFD Display Showing the Image of the Inside (ID) Surface-Breaking Flaw	179
N-481(c)	Schematics of Image Generation, Flaw Location, and TOFD Display Showing the Image of the Outside (OD) Surface-Breaking Flaw	179
N-481(d)	Schematics of Flaw Location, Signals, and TOFD Display Showing the Image of the Midwall Flaw	180
N-481(e)	Flaw Location and TOFD Display Showing the Image of the Lack of Root Penetration ..	180
N-481(f)	Flaw Location and TOFD Display Showing the Image of the Concave Root Flaw	181
N-481(g)	Flaw Location, TOFD Display Showing the Image of the Midwall Lack of Fusion Flaw, and the A-Scan	181
N-481(h)	Flaw Location and TOFD Display Showing the Image of the Porosity	182
N-481(i)	Flaw Location and TOFD Display Showing the Image of the Transverse Crack	182
N-481(j)	Schematics of Image Generation, Flaw Location, and TOFD Display Showing the Image of the Interpass Lack of Fusion	183
N-482(a)	Schematic of Flaw Locations and TOFD Image Showing the Lateral Wave, Back Wall, and Three of the Four Flaws	184
N-482(b)	Schematic of Flaw Locations and TOFD Display Showing the Lateral Wave, Back Wall, and Four Flaws	185
N-483(a)	Acceptable Noise Levels, Flaws, Lateral Wave, and Longitudinal Wave Back Wall	186
N-483(b)	TOFD Image With Gain Too Low	186
N-483(c)	TOFD Image With Gain Set Too High	187
N-483(d)(1)	TOFD Image With the Gate Set Too Early	187
N-483(d)(2)	TOFD Image With the Gate Set Too Late	188
N-483(d)(3)	TOFD Image With the Gate Set Too Long	189
N-483(e)	TOFD Image With Transducers Set Too Far Apart	189
N-483(f)	TOFD Image With Transducers Set Too Close Together	190
N-483(g)	TOFD Image With Transducers Not Centered on the Weld Axis	190
N-483(h)	TOFD Image Showing Electrical Noise Interference	191
O-470(a)	Example of a Single Zone TOFD Setup	193
O-470(b)	Example of a Two Zone TOFD Setup (Equal Zone Heights)	193
O-470(c)	Example of a Three Zone TOFD Setup (Unequal Zone Heights With Zone 3 Addressed by Two Offset Scans)	193
O-470(d)	Example of a Four Zone TOFD Setup (Equal Zone Heights)	194
P-421-1	Black and White (B&W) Version of Color Palette	197
P-421-2	Scan Pattern Format	197
P-421-3	Example of an E-Scan Image Display	198
P-421-4	Example of an S-Scan Image Display	199
P-452.1	Flaw Length Sizing Using Amplitude Drop Technique and the Vertical Cursors on the C-Scan Display	199

P-452.2-1	Scan Showing Flaw Height Sizing Using Amplitude Drop Technique and the Horizontal Cursors on the B-Scan Display	200
P-452.2-2	Flaw Height Sizing Using Tip Diffraction Technique and the Horizontal Cursors on the S-Scan Display	200
P-481	S-Scan of I.D. Connected Crack	201
P-481.1	E-Scan of LOF in Midwall	201
P-481.2	S-Scan of Porosity, Showing Multiple Reflectors	202
P-481.3	O.D. Toe Crack Detected Using S-Scan	202
P-481.4	IP Signal on S-Scan, Positioned on Root	203
P-481.5	Slag Displayed as a Midwall Defect on S-Scan	203
Q-410	Distance-Amplitude Correction	204
Q-421	First DAC Curve	205
Q-422	Second DAC Curve	205
R-434-1	Corner Weld Example	207
R-434-2	Tee Weld Example	208
S-430-1	Signal Adjustment (Back Wall)	209
S-440-1	DAC Curve for Straight-Beam Transfer Correction	210
S-460-1	Example 1 (Straight-Beam Transfer Correction)	210
S-460-2	Example 2 (Straight-Beam Transfer Correction)	211
U-430-1	Signal Adjustment (Angle Beam)	213
U-440-1	DAC Curve	213
U-450-1	Signal Adjustment (Angle Beam)	213
U-460-1	Example 1 (Angle-Beam Transfer Correction)	214
U-460-2	Example 2 (Angle-Beam Transfer Correction)	214
W-434-1	Assembly Partially Brazed Around the Fitting Circumference	215
W-461.4-1	Filled and Unfilled Zones of a Joint	216
T-534.3	Straight-Beam Calibration Blocks for Bolting	220
III-630	Liquid Penetrant Comparator	233
T-754.2.1	Single-Pass and Two-Pass Internal Conductor Technique	239
T-754.2.2	The Effective Region of Examination When Using an Offset Internal Conductor	239
T-764.2(a)	Pie-Shaped Magnetic Particle Field Indicator	240
T-764.2(b)(1)	Artificial Flaw Shims	240
T-764.2(b)(2)	Artificial Flaw Shims	241
T-766.1	Ketos (Betz) Test Ring	243
II-863.1	Differential Technique Response From Calibration Reference Standard	262
II-863.2	Absolute Technique Response From Calibration Reference Standard	262
II-880	Flaw Depth as a Function of Phase Angle at 400 kHz [Ni-Cr-Fe 0.050 in. (1.24 mm) Wall Tube]	263
V-860	Typical Lift-off Calibration Curve for Coating Thickness Showing Thickness Calibration Points Along the Curve	270
VI-832	Reference Specimen	273
VI-850	Impedance Plane Representations of Indications From Figure VI-832	274
VII-835	Eddy Current Reference Specimen	277
VII-862	Impedance Plane Responses for Stainless Steel and Carbon Steel Reference Specimens ..	278
VIII-864.1	Differential Technique Response From Calibration Reference	282
VIII-864.2	Absolute Technique From Calibration Reference Standard	282
IX-821-1	ECA Technique Compared to Raster Scan	285
IX-832-1	Array Coil Sensitivity Variance	286
IX-833-1	Example Reference Standard	287
IX-872-1	Scanning Overlap	288
X-833-1	Example Reference Standard	292
XI-821-1	Induced Eddy Currents Flow Around and Under a Surface-Breaking Discontinuity	294
XI-821-2	Example Coil Arrangement: Tangentially Oriented Driver Coil With Passive Receiver Coils Oriented Perpendicular and Tangential to the Examination Surface	295
XI-832-1	Array Coil Sensitivity Variance for Defect Detection	297
XI-832-2	Array Coil Sensitivity Variance for Defect Depth Measurement	297

XI-833.1-1	Example Reference Standard, Welds	298
XI-833.2-1	Example Reference Standard, Materials	298
XI-872-1	Scanning Overlap	300
T-1173(a)(1)	Atmospheric Vessels Loading Sequence	342
T-1173(a)(2)	Vacuum Vessels Loading Sequence	343
T-1173(a)(3)	Test Algorithm — Flowchart for Atmospheric Vessels	344
T-1173(b)(1)	Pressure Vessel Loading Sequence	345
T-1173(b)(2)	Algorithm — Flowchart for Pressure Vessels	346
I-1183	Sample of Schematic of AE Instrumentation for Vessel Examination	350
A-1110	Case 1 — Atmospheric Vertical Vessel	352
A-1120	Case 2 — Atmospheric Vertical Vessel	353
A-1130	Case 3 — Atmospheric/Pressure Vessel	354
A-1140	Case 4 — Atmospheric/Pressure Vertical Vessel	355
A-1150	Case 5 — Atmospheric/Vacuum Vertical Vessel	356
A-1160	Case 6 — Atmospheric/Pressure Horizontal Tank	357
T-1273.2.1	An Example of Pressure Vessel Test Stressing Sequence	362
T-1273.2.2	An Example of In-Service, Pressure Vessel, Test Loading Sequence	363
III-1241.1-1	Example of Planar (2D) Sensor Array	370
III-1241.2-1	Example of Attenuation Curve	371
III-1242.1-1	Graph Representing the Positions of Sensors (Stars) and the Grid for Which the Distances Are Calculated for Each Point	372
III-1242.1-2	Graph Representing the Positions of Sensors	373
III-1242.1-3	Mapping Representing the Distance to the Closest Sensor	374
III-1242.1-4	Mapping Representing the Distance to the Third-Closest Sensor	375
III-1242.2-1	Calculation of the Equivalent Minimum Amplitude Using the Planar Localization Algorithm	376
III-1242.2-2	Mapping Representing the Minimum Amplitude That Can Be Detected (Processed) by the Zonal Location Method	377
III-1242.2-3	Mapping Representing the Minimum Amplitude That Can Be Processed by the Planar Location Method	378
III-1242.3-1	Mapping Representing the Areas Where the Planar Location Method Is Efficient and Not Applicable	379
A-1210	Case 1 — Vertical Pressure Vessel Dished Heads, Lug or Leg Supported	380
A-1220	Case 2 — Complex Dished Head With Multiple Nozzles	381
A-1230	Case 3 — Horizontal Pressure Vessel Dished Heads, Saddle Supported	382
A-1240	Case 4 — Vertical Pressure Vessel Packed or Trayed Column Dished Heads, Lug or Skirt Supported	383
A-1250	Case 5 — Spherical Pressure Vessel, Leg Supported	384
I-1434	Flaw Characterization for Tables I-1434-1 and I-1434-2	394
T-1622.1.1	Reference Plate Dimensions	397
T-1622.1.2	Reference Pipe or Tube Dimensions	398
T-1762	Pit Reference Tube (Typical)	401
T-1763.1(a)	Voltage Plane Display of Differential Channel Response for Through-Wall Hole (Through- Hole Signal) and 20% Groove Showing Preferred Angular Relationship	402
T-1763.1(b)	Voltage Plane Display of Differential Channel Response for the Tube Support Plate (TSP), 20% Groove, and Through-Wall Hole (Through-Hole Signal)	402
T-1763.2	Reference Curve and the Absolute Channel Signal Response From Two Circumferential Grooves and a Tube Support Plate	403
MT-I-231-1	Maximum Penetration Thickness	924
MT-I-271-1	Exposure Setup	925
MT-334.1-1	Calibration Block	930
MT-A-351.1-1	FMC/TFM Generic Workflow	942
MT-A-351.1-2	Active Focusing Workflow	943
MT-A-351.1-3	Active Focusing Workflow With FMC Data Acquisition	943
MT-A-351.1-4	Example of an Iterative FMC/TFM Workflow as an Adaptation of That Shown in Figure MT-A-351.1-1	944

MT-A-371-1	Examples of Ultrasonic Imaging Modes	947
MT-II-863.1-1	Differential Technique Response From Calibration Reference Standard	952
MT-II-863.2-1	Absolute Technique Response From Calibration Reference Standard	953
MT-II-882-1	Flaw Depth as a Function of Phase Angle at 400 kHz [Ni-Cr-Fe 0.050 in. (1.24 mm) Wall Tube]	954
MT-V-860-1	Typical Lift-Off Calibration Curve for Coating Thickness Showing Thickness Calibration Points Along the Curve	961
MT-VI-832-1	Reference Specimen	964
MT-VI-850-1	Impedance Plane Representations of Indications From Figure MT-VI-832-1	965
MT-VII-835-1	Eddy Current Reference Specimen	968
MT-VII-862-1	Impedance Plane Responses for Stainless Steel and Carbon Steel Reference Specimens ..	969
MT-VIII-864.1-1	Differential Technique Response From Calibration Reference	973
MT-VIII-864.2-1	Absolute Technique From Calibration Reference Standard	973
MT-IX-821-1	ECA Technique Compared to Raster Scan	976
MT-IX-832-1	Array Coil Sensitivity Variance	977
MT-IX-833-1	Example Reference Standard	979
MT-IX-872-1	Scanning Overlap	980
MT-X-833-1	Example Reference Standard	984
MT-XI-821-1	Induced Eddy Currents Flow Around and Under a Surface-Breaking Discontinuity	987
MT-XI-821-2	Example Coil Arrangement: Tangentially Oriented Driver Coil With Passive Receiver Coils Oriented Perpendicular and Tangential to the Examination Surface	988
MT-XI-832-1	Array Coil Sensitivity Variance for Defect Detection	990
MT-XI-832-2	Array Coil Sensitivity Variance for Defect Depth Measurement	990
MT-XI-833.1-1	Example Reference Standard, Welds	990
MT-XI-833.2-1	Example Reference Standard, Materials	991
MT-1331-1	Functional Flow Diagram — Continuous AE Monitoring System	997
MT-1332.2-1	Response of a Waveguide AE Sensor Inductively Tuned to 500 kHz	998
MT-V-1333-1	Metal Waveguide AE Sensor Construction	1014
MT-V-1341-1	Mounting Fixture for Steel Waveguide AE Sensor	1015
MT-1533.2-1	ACFMT Calibration Block	1027
MT-1832-1	Reference Specimens	1030
MT-1865-1	Signal Analysis From Various Types of Discontinuities	1033
MT-1865-2	Reflection From a Through-Wall Hole	1033
MT-A-1920-1	Illustration of the Guided Wave Examination Procedure	1039
MT-A-2121-1	Basic Decay Curve in a Log-Linear Graph	1045
MT-A-2121-2	Basic Decay Curve in a Log-Log Graph	1046
MT-A-2123.1-1	Impact of Aluminum Jacketing With a Thickness of 0.04 in. (1 mm) on the Decay Curve in a Log-Linear Graph	1046
MT-A-2123.1-2	Impact of Aluminum Jacketing With a Thickness of 0.04 in. (1 mm) on the Decay Curve in a Log-Log Graph	1047
MT-A-2152-1	Image of Reference Plate With Two Thicknesses	1050
MT-A-2152.1-1	Image of Trajectory A-B on Which Measurements Are Performed to Determine the Footprint	1050
MT-A-2152.1-2	Wall Thickness Response of the Measurement of Trajectory A-B	1050
MT-A-2152.1-3	Derivative of the Wall Thickness Response of the Measurement of Trajectory A-B	1051
MT-A-2152.2-1	Wall Thickness Response of the Measurement of Trajectory A-B With a Plotted Line ..	1051

TABLES

II-121-1	Initial Training and Experience Requirements for CR and DR Techniques	28
II-121-2	Additional Training and Experience Requirements for PAUT, TOFD, and FMC Ultrasonic Techniques	29
II-122.1	Minimum CR and DR Examination Questions	29
II-122.2	Minimum Ultrasonic Technique Examination Questions	29
A-110	Imperfection vs. Type of NDE Method	30
T-233.1	Hole-Type IQI Designation, Thickness, and Hole Diameters	33
T-233.2	Wire IQI Designation, Wire Diameter, and Wire Identity	33

T-276	IQI Selection	38
T-283	Equivalent Hole-Type IQI Sensitivity	40
A-210-1	Single-Wall Radiographic Techniques	69
A-210-2	Double-Wall Radiographic Techniques	70
T-321.1-1	Requirements of an FMC Examination Procedure	80
A-341-1	An Illustrated Elementary Transmit/Receive Matrix	93
A-371-1	Ultrasonic Imaging Modes	97
T-421	Requirements of an Ultrasonic Examination Procedure	100
III-421	Requirements of a TOFD Examination Procedure	119
IV-421	Requirements of a Manual Linear Phased Array Raster Scanning Examination Procedure	125
V-421	Requirements of Phased Array Linear Scanning Examination Procedures	127
X-421	Requirements of an Ultrasonic Examination Procedure for HDPE Techniques	136
D-490	Example Data Record	149
G-461	Transducer Factor, F_1 , for Various Ultrasonic Transducer Diameters and Frequencies ..	157
O-432(a)	Search Unit Parameters for Single Zone Examinations Up to 3 in. (75 mm)	192
O-432(b)	Search Unit Parameters for Multiple Zone Examinations Up to 12 in. (300 mm) Thick ..	192
O-470	Recommended TOFD Zones for Butt Welds Up to 12 in. (300 mm) Thick	192
T-522	Variables of an Ultrasonic Examination Procedure	219
T-621.1	Requirements of a Liquid Penetrant Examination Procedure	228
T-621.3	Minimum and Maximum Time Limits for Steps in Penetrant Examination Procedures ..	228
T-672	Minimum Dwell Times	230
T-721	Requirements of a Magnetic Particle Examination Procedure	236
I-721	Requirements of AC Yoke Technique on Coated Ferritic Component	246
III-721	Requirements for an AC or HWDC Yoke Technique With Fluorescent Particles in an Un- darkened Area	249
IV-721	Requirements for Qualifying Alternate Wavelength Light Sources for Excitation of Specific Fluorescent Particles	251
V-721	Requirements of a Magnetic Rubber Examination Procedure	254
II-821	Requirements of an Eddy Current Examination Procedure	259
IV-823	Requirements of an External Coil Eddy Current Examination Procedure	267
V-821	Requirements of an Eddy Current Examination Procedure for the Measurement of Nonconductive-Nonferromagnetic Coating Thickness on a Metallic Material	269
VI-821	Requirements of an Eddy Current Examination Procedure for the Detection and Mea- surement of Depth for Surface Discontinuities in Nonferromagnetic Metallic Materials	272
VII-823	Requirements of an Eddy Current Surface Examination Procedure	275
VIII-821	Requirements of an Eddy Current Examination Procedure	280
IX-822-1	Written Procedure Requirements for an ECA Examination	286
X-822-1	Written Procedure Requirements for an ECA Examination	291
XI-822-1	Written Procedure Requirements for a TF Technique Examination	295
T-921	Requirements of a Visual Examination Procedure	301
I-1021	Requirements of a Direct Pressure Bubble Leak Testing Procedure	307
II-1021	Requirements of a Vacuum Box Leak Testing Procedure	309
III-1021	Requirements of a Halogen Diode Detector Probe Testing Procedure	312
III-1031	Tracer Gases	312
IV-1021	Requirements of a Helium Mass Spectrometer Detector Probe Testing Procedure	315
V-1021	Requirements of a Helium Mass Spectrometer Tracer Probe Testing Procedure	318
VI-1021	Requirements of a Pressure Change Testing Procedure	320
VIII-1021	Requirements of a Thermal Conductivity Detector Probe Testing Procedure	323
VIII-1031	Tracer Gases	323
IX-1021	Requirements of a Helium Mass Spectrometer Hood Testing Procedure	325
X-1021	Requirements of an Ultrasonic Leak Testing Procedure	330
XI-1021.1-1	Requirements of a Helium Mass Spectrometer Sealed-Object Leakage Rate Test	333
T-1121	Requirements for Reduced Operating Level Immediately Prior to Examination	337
T-1181	Evaluation Criteria	347
T-1281	An Example of Evaluation Criteria for Zone Location	364
III-1250-1	Example of Values of K_{cats} for Two Different Configurations	379

T-1472.1	Total Number of Samples for a Given Number of Misses at a Specified Confidence Level and POD	391
T-1472.2	Required Number of First Stage Examiners vs. Target Pass Rate	392
I-1434-1	Flaw Acceptance Criteria for 4-in. to 12-in. Thick Weld	394
I-1434-2	Flaw Acceptance Criteria for Larger Than 12-in. Thick Weld	394
T-1623	Requirements of an MFL Examination Procedure	399
T-1721	Requirements of an RFT Examination Procedure	400
T-2021.1-1	Requirements of a Computed Tomography Examination Procedure	408
MT-II-121-1	Initial Training and Experience Requirements for CR and DR Techniques	914
MT-II-121-2	Additional Training and Experience Requirements for PAUT, TOFD, and FMC Ultrasonic Techniques	915
MT-II-122.1-1	Minimum CR and DR Examination Questions	915
MT-II-122.2-1	Minimum Ultrasonic Technique Examination Questions	915
MT-A-110-1	Imperfection vs. Type of NDE Method	917
MT-I-231.1-1	Practical Penetration Thickness Limits in Steel	924
MT-321.1-1	Requirements of an FMC Examination Procedure	928
MT-A-341-1	An Illustrated Elementary Transmit/Receive Matrix	941
MT-A-371-1	Ultrasonic Imaging Modes	946
MT-II-821.1-1	Requirements of an Eddy Current Examination Procedure	950
MT-IV-823.1-1	Requirements of an External Coil Eddy Current Examination Procedure	958
MT-V-821.1-1	Requirements of an Eddy Current Examination Procedure for the Measurement of Nonconductive-Nonferromagnetic Coating Thickness on a Metallic Material	960
MT-VI-821.1-1	Requirements of an Eddy Current Examination Procedure for the Detection and Measurement of Depth for Surface Discontinuities in Nonferromagnetic Metallic Materials	963
MT-VII-823.1-1	Requirements of an Eddy Current Surface Examination Procedure	966
MT-VIII-821.1-1	Requirements of an Eddy Current Examination Procedure	971
MT-IX-822-1	Written Procedure Requirements for an ECA Examination	977
MT-X-822-1	Written Procedure Requirements for an ECA Examination	983
MT-XI-822-1	Written Procedure Requirements for a TF Technique Examination	988
MT-921.1-1	Requirements of a Visual Examination Procedure	993
MT-II-1381-1	An Example of Evaluation Criteria for Zone Location	1008
MT-II-1382-1	An Example of Evaluation Criteria for Multisource Location	1008
MT-1472.1-1	Total Number of Samples for a Given Number of Misses at a Specified Confidence Level and POD	1023
MT-1472.2-1	Required Number of First Stage Examiners vs. Target Pass Rate	1024
MT-1522.1-1	Requirements of an ACFMT Examination Procedure	1026
MT-1821.1-1	Requirements of an Acoustic Pulse Reflectometry Examination Procedure	1029
MT-1921.1-1	Requirements of a GWT Examination Procedure	1035
MT-2121.1-1	Requirements of a PEC Examination Procedure	1044
II-1	Standard Units for Use in Equations	1054
ENDNOTES	1059

LIST OF SECTIONS

(25)

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NCD — Class 2 and Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
 - Division 4 — Fusion Energy Devices
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Reactor Facility Components
 - Division 1 — Rules for Inservice Inspection of Nuclear Power Plant Components
 - Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Reactor Facilities

- XII Rules for Construction and Continued Service of Transport Tanks

- XIII Rules for Overpressure Protection