

SECTION VIII

Rules for Construction of Pressure Vessels

2025

ASME Boiler and
Pressure Vessel Code
An International Code

Division 2
Alternative Rules

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

2025 ASME Boiler & Pressure Vessel Code

2025 Edition

July 1, 2025

VIII RULES FOR CONSTRUCTION OF PRESSURE VESSELS

Division 2

Alternative Rules

ASME Boiler and Pressure Vessel Committee
on Pressure Vessels



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2025

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

Library of Congress Catalog Card Number: 56-3934

Adapted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2025.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

TABLE OF CONTENTS

List of Sections	xxvi
Foreword	xix
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising	xxi
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xxxii
Personnel	xxxii
Correspondence With the Committee	lv
Summary of Changes	lvii
Cross-Referencing in the ASME BPVC	lxiv
Part 1 General Requirements	1
1.1 General	1
1.1.1 Introduction	1
1.1.2 Organization	1
1.1.3 Definitions	1
1.2 Scope	1
1.2.1 Overview	1
1.2.2 Additional Requirements for Very High Pressure Vessels	2
1.2.3 Geometric Scope of This Division	2
1.2.4 Classifications Outside the Scope of this Division	3
1.2.5 Combination Units	3
1.2.6 Field Assembly of Vessels	3
1.2.7 Overpressure Protection	4
1.3 Standards Referenced by This Division	4
1.4 Units of Measurement	4
1.5 Tolerances	5
1.6 Technical Inquiries	5
1.7 Tables	5
Annex 1-B Definitions	7
1-B.1 Introduction	7
1-B.2 Definition of Terms	7
Annex 1-C Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Codes	9
1-C.1 Use of Units in Equations	9
1-C.2 Guideline Used to Develop SI Equivalents	9
1-C.3 SI Conversion Factors	10
1-C.4 Table	10
Part 2 Responsibilities and Duties	15
2.1 General	15
2.1.1 Introduction	15
2.1.2 Definitions	15
2.1.3 Code Reference	15
2.2 User Responsibilities	15
2.2.1 General	15
2.2.2 Multiple Identical Vessels	15
2.2.3 User's Design Specification	15
2.3 Manufacturer's Responsibilities	17
2.3.1 Code Compliance	17
2.3.2 Materials Selection	17

2.3.3	Manufacturer's Design Report	18
2.3.4	Manufacturer's Data Report	19
2.3.5	Manufacturer's Construction Records	19
2.3.6	Quality Control System	19
2.3.7	Manufacturer's Design Personnel	19
2.3.8	Certification of Subcontracted Services	19
2.3.9	Inspection and Examination	19
2.3.10	Application of Certification Mark	19
2.4	The Inspector	20
2.4.1	Identification of Inspector	20
2.4.2	Inspector Qualification	20
2.4.3	Inspector's Duties	20
Annex 2-A	Guide for Certifying a User's Design Specification	21
2-A.1	General	21
2-A.2	Certification of the User's Design Specification	21
2-A.3	Tables	22
Annex 2-B	Guide for Certifying a Manufacturer's Design Report	23
2-B.1	General	23
2-B.2	Certification of Manufacturer's Design Report by a Certifying Engineer	23
2-B.3	Certification of a Manufacturer's Design Report by an Engineer or Designer	23
2-B.4	Manufacturer's Design Report Certification Form	24
2-B.5	Tables	24
Annex 2-C	Report Forms and Maintenance of Records	25
2-C.1	Manufacturer's Data Reports	25
2-C.2	Manufacturer's Partial Data Reports	26
2-C.3	Maintenance of Records	26
Annex 2-D	Guide for Preparing Manufacturer's Data Report	28
2-D.1	Introduction	28
2-D.2	Tables	28
Annex 2-E	Quality Control System	42
2-E.1	General	42
2-E.2	Outline of Features Included in the Quality Control System	42
2-E.3	Authority and Responsibility	42
2-E.4	Organization	43
2-E.5	Drawings, Design Calculations, and Specification Control	43
2-E.6	Material Control	43
2-E.7	Examination and Inspection Program	43
2-E.8	Correction of Nonconformities	43
2-E.9	Welding	43
2-E.10	Nondestructive Examination	44
2-E.11	Heat Treatment	44
2-E.12	Calibration of Measurement and Test Equipment	44
2-E.13	Records Retention	44
2-E.14	Sample Forms	44
2-E.15	Inspection of Vessels and Vessel Parts	44
Annex 2-F	Contents and Method of Stamping	45
2-F.1	Required Marking for Vessels	45
2-F.2	Required Marking for Combination Units	45
2-F.3	Application of Stamp	46
2-F.4	Part Marking	46
2-F.5	Application of Markings	46
2-F.6	Duplicate Nameplate	47
2-F.7	Size and Arrangements of Characters for Nameplate and Direct Stamping of Vessels	47

2-F.8	Attachment of Nameplate or Tag	48
2-F.9	Figures	49
Annex 2-G	Obtaining and Using Certification Mark Stamps	50
2-G.1	Certification Mark	50
2-G.2	Application for Certificate of Authorization	50
2-G.3	Issuance of Authorization	50
2-G.4	Designated Oversight	50
2-G.5	Quality Control System	50
2-G.6	Evaluation of the Quality Control System	50
2-G.7	Code Construction Before Receipt of Certificate of Authorization	50
Annex 2-I	Establishing Governing Code Editions and Cases for Pressure Vessels and Parts	51
2-I.1	General	51
2-I.2	Construction	51
2-I.3	Materials	51
Annex 2-J	Qualifications and Requirements for Certifying Engineers and Designers	52
2-J.1	Introduction	52
2-J.2	Competency Requirements	52
2-J.3	Qualification Requirements	52
2-J.4	Certification Requirements	54
Part 3	Materials Requirements	55
3.1	General Requirements	55
3.2	Materials Permitted for Construction of Vessel Parts	55
3.2.1	Materials for Pressure Parts	55
3.2.2	Materials for Attachments to Pressure Parts	55
3.2.3	Welding Materials	56
3.2.4	Dissimilar Materials	56
3.2.5	Product Specifications	56
3.2.6	Certification	58
3.2.7	Product Identification and Traceability	58
3.2.8	Prefabricated or Preformed Pressure Parts Furnished Without a Code Stamp	59
3.2.9	Definition of Product Form Thickness	62
3.2.10	Product Form Tolerances	62
3.2.11	Purchase Requirements	62
3.2.12	Material Identified With or Produced to a Specification Not Permitted by This Division	62
3.3	Supplemental Requirements for Ferrous Materials	63
3.3.1	General	63
3.3.2	Chemistry Requirements	63
3.3.3	Ultrasonic Examination of Plates	63
3.3.4	Ultrasonic Examination of Forgings	63
3.3.5	Magnetic Particle and Liquid Penetrant Examination of Forgings	64
3.3.6	Integral and Weld Metal Overlay Clad Base Metal	64
3.3.7	Head Sheets	65
3.4	Supplemental Requirements for Cr-Mo Steels	65
3.4.1	General	65
3.4.2	Postweld Heat Treatment	65
3.4.3	Test Specimen Heat Treatment	65
3.4.4	Welding Procedure Qualifications and Welding Consumables Testing	65
3.4.5	Toughness Requirements	66
3.5	Supplemental Requirements for Q&T Steels With Enhanced Tensile Properties	66
3.5.1	General	66
3.5.2	Parts for Which Q&T Steels May Be Used	66
3.5.3	Structural Attachments	66
3.6	Supplemental Requirements for Nonferrous Materials	67
3.6.1	General	67

3.6.2	Ultrasonic Examination of Plates	67
3.6.3	Ultrasonic Examination of Forgings	67
3.6.4	Liquid Penetrant Examination of Forgings	68
3.6.5	Clad Plate and Products	68
3.6.6	Clad Tubesheets	68
3.7	Supplemental Requirements for Bolting	68
3.7.1	General	68
3.7.2	Examination of Bolts, Studs, and Nuts	68
3.7.3	Threading and Machining of Studs	69
3.7.4	Use of Washers	69
3.7.5	Ferrous Bolting	69
3.7.6	Nonferrous Bolting	70
3.7.7	Materials for Ferrous and Nonferrous Nuts of Special Design	70
3.8	Supplemental Requirements for Castings	70
3.8.1	General	70
3.8.2	Requirements for Ferrous Castings	70
3.8.3	Requirements for Nonferrous Castings	72
3.9	Supplemental Requirements for Hubs Machined From Plate	72
3.9.1	General	72
3.9.2	Material Requirements	72
3.9.3	Examination Requirements	73
3.9.4	Data Reports and Marking	73
3.10	Material Test Requirements	73
3.10.1	General	73
3.10.2	Requirements for Sample Test Coupons	73
3.10.3	Exemptions from Requirement of Sample Test Coupons	74
3.10.4	Procedure for Obtaining Test Specimens and Coupons	74
3.10.5	Procedure for Heat Treating Test Specimens From Ferrous Materials	75
3.10.6	Test Coupon Heat Treatment for Nonferrous Materials	76
3.11	Material Toughness Requirements	76
3.11.1	General	76
3.11.2	Carbon and Low Alloy Steels Except Bolting	76
3.11.3	Quenched and Tempered Steels	80
3.11.4	High Alloy Steels Except Bolting	81
3.11.5	Nonferrous Alloys	83
3.11.6	Bolting Materials	84
3.11.7	Toughness Testing Procedures	84
3.11.8	Impact Testing of Welding Procedures and Test Plates of Ferrous Materials	86
3.12	Allowable Design Stresses	88
3.13	Strength Parameters	88
3.14	Physical Properties	88
3.15	Design Fatigue Curves	88
3.16	Design Values at Temperatures Colder Than -30°C (-20°F)	88
3.17	Nomenclature	88
3.18	Definitions	89
3.19	Tables	89
3.20	Figures	99
Annex 3-A	Allowable Design Stresses	127
3-A.1	Allowable Stress Basis — All Materials Except Bolting	127
3-A.2	Allowable Stress Basis — Bolting Materials	128
3-A.3	Tables	128
Annex 3-B	Requirements for Material Procurement	150
Annex 3-D	Strength Parameters	151
3-D.1	Yield Strength	151
3-D.2	Ultimate Tensile Strength	151

3-D.3	Stress Strain Curve	151
3-D.4	Cyclic Stress Strain Curve	152
3-D.5	Tangent Modulus	153
3-D.6	Nomenclature	153
3-D.7	Tables	154
Annex 3-E	Physical Properties	158
3-E.1	Young's Modulus	158
3-E.2	Thermal Expansion Coefficient	158
3-E.3	Thermal Conductivity	158
3-E.4	Thermal Diffusivity	158
Annex 3-F	Design Fatigue Curves	159
3-F.1	Smooth Bar Design Fatigue Curves	159
3-F.2	Welded Joint Design Fatigue Curves	161
3-F.3	Nomenclature	162
3-F.4	Tables	162
3-F.5	Figures	164
Part 4	Design by Rule Requirements	173
4.1	General Requirements	173
4.1.1	Scope	173
4.1.2	Minimum Thickness Requirements	173
4.1.3	Material Thickness Requirements	174
4.1.4	Corrosion Allowance in Design Equations	174
4.1.5	Design Basis	174
4.1.6	Design Allowable Stress	175
4.1.7	Materials in Combination	176
4.1.8	Combination Units	176
4.1.9	Cladding and Weld Overlay	177
4.1.10	Internal Linings	177
4.1.11	Flanges and Pipe Fittings	177
4.1.12	Vessels in Elevated Temperature Service	177
4.1.13	Nomenclature	178
4.1.14	Tables	179
4.2	Design Rules for Welded Joints	180
4.2.1	Scope	180
4.2.2	Weld Category	180
4.2.3	Weld Joint Type	180
4.2.4	Weld Joint Efficiency	180
4.2.5	Types of Joints Permitted	180
4.2.6	Nomenclature	185
4.2.7	Tables	186
4.2.8	Figures	206
4.3	Design Rules for Shells Under Internal Pressure	210
4.3.1	Scope	210
4.3.2	Shell Tolerances	210
4.3.3	Cylindrical Shells	210
4.3.4	Conical Shells	210
4.3.5	Spherical Shells and Hemispherical Heads	211
4.3.6	Torispherical Heads	211
4.3.7	Ellipsoidal Heads	213
4.3.8	Local Thin Areas	213
4.3.9	Drilled Holes Not Penetrating Through the Vessel Wall	214
4.3.10	Combined Loadings and Allowable Stresses	214
4.3.11	Cylindrical-to-Conical Shell Transition Junctions Without a Knuckle	216
4.3.12	Cylindrical-to-Conical Shell Transition Junctions With a Knuckle	218
4.3.13	Nomenclature	220

4.3.14	Tables	223
4.3.15	Figures	233
4.4	Design of Shells Under External Pressure and Allowable Compressive Stresses	239
4.4.1	Scope	239
4.4.2	Design Factors	240
4.4.3	Material Properties	240
4.4.4	Shell Tolerances	241
4.4.5	Cylindrical Shell	242
4.4.6	Conical Shell	245
4.4.7	Spherical Shell and Hemispherical Head	246
4.4.8	Torispherical Head	246
4.4.9	Ellipsoidal Head	246
4.4.10	Local Thin Areas	246
4.4.11	Drilled Holes Not Penetrating Through the Vessel Wall	247
4.4.12	Combined Loadings and Allowable Compressive Stresses	247
4.4.13	Cylindrical-to-Conical Shell Transition Junctions Without a Knuckle	252
4.4.14	Cylindrical-to-Conical Shell Transition Junctions With a Knuckle	253
4.4.15	Nomenclature	253
4.4.16	Tables	256
4.4.17	Figures	257
4.5	Design Rules for Openings in Shells and Heads	264
4.5.1	Scope	264
4.5.2	Dimensions and Shape of Nozzles	264
4.5.3	Method of Nozzle Attachment	264
4.5.4	Nozzle Neck Minimum Thickness Requirements	265
4.5.5	Radial Nozzle in a Cylindrical Shell	265
4.5.6	Hillside Nozzle in a Cylindrical Shell	269
4.5.7	Nozzle in a Cylindrical Shell Oriented at an Angle From the Longitudinal Axis	269
4.5.8	Radial Nozzle in a Conical Shell	270
4.5.9	Nozzle in a Conical Shell	270
4.5.10	Radial Nozzle in a Spherical Shell or Formed Head	271
4.5.11	Hillside or Perpendicular Nozzle in a Spherical Shell or Formed Head	275
4.5.12	Circular Nozzles in a Flat Head	276
4.5.13	Spacing Requirements for Nozzles	277
4.5.14	Strength of Nozzle Attachment Weld	277
4.5.15	Local Stresses in Shells, Formed Heads, and Nozzles From External Loads on Nozzles	280
4.5.16	Inspection Openings	280
4.5.17	Openings Subject to Local Compression, External Pressure, and the Combination Thereof	281
4.5.18	Nomenclature	282
4.5.19	Tables	285
4.5.20	Figures	286
4.6	Design Rules for Flat Heads	298
4.6.1	Scope	298
4.6.2	Flat Insured Circular Heads	298
4.6.3	Flat Uninsured Noncircular Heads	299
4.6.4	Integral Flat Head With a Centrally Located Opening	300
4.6.5	Nomenclature	301
4.6.6	Tables	302
4.6.7	Figures	307
4.7	Design Rules for Spherically Dished Bolted Covers	307
4.7.1	Scope	307
4.7.2	Type A Head Thickness Requirements	308
4.7.3	Type B Head Thickness Requirements	308
4.7.4	Type C Head Thickness Requirements	309
4.7.5	Type D Head Thickness Requirements	310
4.7.6	Nomenclature	312

4.7.7	Tables	314
4.7.8	Figures	314
4.8	Design Rules for Quick-Opening and Quick-Actuating Closures	316
4.8.1	Scope	316
4.8.2	Definitions	316
4.8.3	General Requirements	317
4.8.4	Quick-Opening Closures	317
4.8.5	Quick-Actuating Closures	317
4.9	Design Rules for Braced and Stayed Surfaces	318
4.9.1	Scope	318
4.9.2	Required Thickness of Braced and Stayed Surfaces	318
4.9.3	Required Dimensions and Layout of Staybolts and Stays	318
4.9.4	Requirements for Welded-in Staybolts and Welded Stays	318
4.9.5	Nomenclature	319
4.9.6	Tables	319
4.9.7	Figures	320
4.10	Design Rules for Ligaments	321
4.10.1	Scope	321
4.10.2	Ligament Efficiency	321
4.10.3	Ligament Efficiency and the Weld Joint Factor	322
4.10.4	Nomenclature	322
4.10.5	Figures	322
4.11	Design Rules for Jacketed Vessels	326
4.11.1	Scope	326
4.11.2	Design of Jacketed Shells and Jacketed Heads	326
4.11.3	Design of Closure Member of Jacket to Vessel	326
4.11.4	Design of Penetrations Through Jackets	327
4.11.5	Design of Partial Jackets	327
4.11.6	Design of Half-Pipe Jackets	327
4.11.7	Nomenclature	328
4.11.8	Tables	329
4.11.9	Figures	339
4.12	Design Rules for Noncircular Vessels	341
4.12.1	Scope	341
4.12.2	General Design Requirements	342
4.12.3	Requirements for Vessels With Reinforcement	343
4.12.4	Requirements for Vessels With Stays	344
4.12.5	Requirements for Rectangular Vessels With Small Aspect Ratios	345
4.12.6	Weld Joint Efficiency and Ligament Efficiency	345
4.12.7	Design Procedure	347
4.12.8	Noncircular Vessels Subject to External Pressure	348
4.12.9	Rectangular Vessels With Two or More Compartments of Unequal Size	349
4.12.10	Fabrication	349
4.12.11	Nomenclature	349
4.12.12	Tables	351
4.12.13	Figures	374
4.13	Design Rules for Layered Vessels	388
4.13.1	Scope	388
4.13.2	Definitions	388
4.13.3	General	388
4.13.4	Design for Internal Pressure	388
4.13.5	Design for External Pressure	388
4.13.6	Design of Welded Joints	388
4.13.7	Nozzles and Nozzle Reinforcement	389
4.13.8	Flat Heads	390
4.13.9	Bolted and Studded Connections	390

4.13.10	Attachments and Supports	390
4.13.11	Vent Holes	390
4.13.12	Shell Tolerances	391
4.13.13	Nomenclature	392
4.13.14	Figures	394
4.14	Evaluation of Vessels Outside of Tolerance	407
4.14.1	Shell Tolerances	407
4.14.2	Local Thin Areas	407
4.14.3	Marking and Reports	407
4.14.4	Figures	407
4.15	Design Rules for Supports and Attachments	408
4.15.1	Scope	408
4.15.2	Design of Supports	408
4.15.3	Saddle Supports for Horizontal Vessels	408
4.15.4	Skirt Supports for Vertical Vessels	413
4.15.5	Lug and Leg Supports	414
4.15.6	Nomenclature	414
4.15.7	Tables	416
4.15.8	Figures	417
4.16	Design Rules for Flanged Joints	425
4.16.1	Scope	425
4.16.2	Design Considerations	425
4.16.3	Flange Types	425
4.16.4	Flange Materials	426
4.16.5	Gasket Materials	426
4.16.6	Design Bolt Loads	426
4.16.7	Flange Design Procedure	427
4.16.8	Split Loose Type Flanges	428
4.16.9	Noncircular Shaped Flanges With a Circular Bore	429
4.16.10	Flanges With Nut Stops	429
4.16.11	Joint Assembly Procedures	429
4.16.12	Evaluation of External Forces and Moments for Flanged Joints With Standard Flanges	429
4.16.13	Nomenclature	429
4.16.14	Tables	431
4.16.15	Figures	443
4.17	Design Rules for Clamped Connections	451
4.17.1	Scope	451
4.17.2	Design Considerations	451
4.17.3	Flange Materials	451
4.17.4	Design Bolt Loads	451
4.17.5	Flange and Clamp Design Procedure	452
4.17.6	Nomenclature	455
4.17.7	Tables	457
4.17.8	Figures	459
4.18	Design Rules for Shell-and-Tube Heat Exchangers	460
4.18.1	Scope	460
4.18.2	Terminology	460
4.18.3	General Design Considerations	461
4.18.4	General Conditions of Applicability for Tubesheets	461
4.18.5	Tubesheet Flanged Extension	462
4.18.6	Tubesheet Characteristics	463
4.18.7	Rules for the Design of U-Tube Tubesheets	464
4.18.8	Rules for the Design of Fixed Tubesheets	469
4.18.9	Rules for the Design of Floating Tubesheets	482
4.18.11	Bellows Expansion Joints	491
4.18.12	Flexible Shell Element Expansion Joints	492

4.18.13	Pressure Test Requirements	493
4.18.14	Heat Exchanger Marking and Reports	494
4.18.15	Nomenclature	495
4.18.16	Tables	501
4.18.17	Figures	506
4.19	Design Rules for Bellows Expansion Joints	520
4.19.1	Scope	520
4.19.2	Conditions of Applicability	520
4.19.3	Design Considerations	522
4.19.4	Materials	524
4.19.5	Design of U-Shaped Unreinforced Bellows	525
4.19.6	Design of U-Shaped Reinforced Bellows	527
4.19.7	Design of Toroidal Bellows	528
4.19.8	Bellows Subjected to Axial, Lateral, or Angular Displacements	529
4.19.9	Pressure Test Design Requirements	531
4.19.10	Marking and Reports	531
4.19.11	Nomenclature	531
4.19.12	Tables	533
4.19.13	Figures	543
4.19.14	Specification Sheets	554
4.20	Design Rules for Flexible Shell Element Expansion Joints	556
4.20.1	Scope	556
4.20.2	Conditions of Applicability	556
4.20.3	Design Considerations	556
4.20.4	Materials	556
4.20.5	Design	556
4.20.6	Marking and Reports	557
4.20.7	Nomenclature	557
4.20.8	Figures	558
4.21	Tube-to-Tubesheet Joint Strength	559
4.21.1	Scope	559
4.21.2	Joint Strength by Calculation	561
4.21.3	Joint Strength Factors	563
4.21.4	Nomenclature	565
4.21.5	Tables	567
4.21.6	Figures	568
Annex 4-A	571
Annex 4-B	Guide for the Design and Operation of Quick-Opening and Quick-Actuating Closures	572
4-B.1	Introduction	572
4-B.2	Responsibilities	572
4-B.3	Design	572
4-B.4	Installation	573
4-B.5	Maintenance	573
4-B.6	Inspection	573
4-B.7	Training	574
4-B.8	Administrative Controls	574
Annex 4-D	Guidance to Accommodate Loadings Produced by Deflagration	575
4-D.1	Scope	575
4-D.2	General	575
4-D.3	Design Limitations	575
4-D.4	Design Criteria	575
4-D.5	References	576
Annex 4-E	Tube Expanding Procedures and Qualification	577
4-E.1	General	577

4-E.2	Scope	577
4-E.3	Terms and Definitions	577
4-E.4	Tube Expanding Procedure Specification (TEPS)	578
4-E.5	Tube Expanding Procedure Qualification	578
4-E.6	Tube Expanding Performance Qualification (TEPQ)	579
4-E.7	Tube Expanding Variables	579
Part 5	Design-by-Analysis Requirements	588
5.1	General Requirements	588
5.1.1	Scope	588
5.1.2	Numerical Analysis	588
5.1.3	Loading Conditions	589
5.2	Protection Against Plastic Collapse	589
5.2.1	Overview	589
5.2.2	Elastic Stress Analysis Method	590
5.2.3	Limit Load Analysis Method	593
5.2.4	Elastic-Plastic Stress Analysis Method	594
5.3	Protection Against Local Failure	595
5.3.1	Overview	595
5.3.2	Elastic Analysis — Triaxial Stress Limit	595
5.3.3	Elastic-Plastic Analysis — Local Strain Limit	595
5.4	Protection Against Collapse From Buckling	596
5.4.1	Overview	596
5.4.2	Buckling Analysis — Method A	596
5.4.3	Buckling Analysis — Method B	597
5.5	Protection Against Failure From Cyclic Loading	598
5.5.1	Overview	598
5.5.2	Exemption From Fatigue Screening and Fatigue Analysis	599
5.5.3	Screening Criteria for Fatigue Analysis	599
5.5.4	Fatigue Analysis	603
5.5.5	Ratcheting Assessment	612
5.6	Protection Against Creep Damage	615
5.6.1	Protection Against Stress Rupture From Load-Controlled Loading	615
5.6.2	Protection Against Stress Rupture From Load-Controlled Loading Plus Occasional Loading	616
5.6.3	Protection Against Creep Buckling	616
5.6.4	Protection Against Failure From Creep Fatigue	616
5.6.5	Protection Against Creep Ratcheting	617
5.6.6	Service Criteria	617
5.7	Supplemental Requirements for Stress Classification in Nozzle Necks	617
5.8	Supplemental Requirements for Bolts	618
5.8.1	Design Requirements	618
5.8.2	Service Stress Requirements	618
5.8.3	Fatigue Assessment of Bolts	618
5.9	Supplemental Requirements for Perforated Plates	619
5.10	Supplemental Requirements for Layered Vessels	619
5.11	Experimental Stress Analysis	619
5.12	Fracture Mechanic Evaluations	619
5.13	Definitions	619
5.14	Nomenclature	622
5.15	Tables	628
5.16	Figures	641
Annex 5-A	Linearization of Stress Results for Stress Classification	669
5-A.1	Scope	669
5-A.2	General	669
5-A.3	Selection of Stress Classification Lines	669
5-A.4	Stress Integration Method	670

5-A.5	Structural Stress Method Based on Nodal Forces	671
5-A.6	Structural Stress Method Based on Stress Integration	672
5-A.7	Nomenclature	672
5-A.8	Tables	674
5-A.9	Figures	676
Annex 5-B	Histogram Development and Cycle Counting for Fatigue Analysis	687
5-B.1	General	687
5-B.2	Definitions	687
5-B.3	Histogram Development	687
5-B.4	Cycle Counting Using the Rainflow Method	688
5-B.5	Cycle Counting Using Max-Min Cycle Counting Method	688
5-B.6	Nomenclature	689
Annex 5-C	Alternative Plasticity Adjustment Factors and Effective Alternating Stress for Elastic Fatigue Analysis	690
5-C.1	Scope	690
5-C.2	Definitions	690
5-C.3	Effective Alternating Stress for Elastic Fatigue Analysis	690
5-C.4	Nomenclature	693
Annex 5-D	Stress Indices	695
5-D.1	General	695
5-D.2	Stress Indices for Radial Nozzles	695
5-D.3	Stress Indices for Laterals	696
5-D.4	Nomenclature	697
5-D.5	Tables	697
5-D.6	Figures	699
Annex 5-E	Design Methods for Perforated Plates Based on Elastic Stress Analysis	702
5-E.1	Overview	702
5-E.2	Stress Analysis of the Equivalent Solid Plate	702
5-E.3	Stiffness Effects of the Tubes	703
5-E.4	Effective Material Properties for the Equivalent Solid Plate	703
5-E.5	Pressure Effects in Tubesheet Perforations	704
5-E.6	Protection Against Plastic Collapse	704
5-E.7	Protection Against Cyclic Loading	705
5-E.8	Nomenclature	707
5-E.9	Tables	710
5-E.10	Figures	730
Annex 5-F	Experimental Stress and Fatigue Analysis	735
5-F.1	Overview	735
5-F.2	Strain Measurement Test Procedure for Stress Components	735
5-F.3	Protection Against Cyclic Loading	736
5-F.4	Nomenclature	738
5-F.5	Figures	740
Part 6	Fabrication Requirements	742
6.1	General Fabrication Requirements	742
6.1.1	Materials	742
6.1.2	Forming	743
6.1.3	Base Metal Preparation	745
6.1.4	Fitting and Alignment	745
6.1.5	Cleaning of Surfaces to Be Welded	746
6.1.6	Alignment Tolerances for Edges to Be Butt Welded	746
6.2	Welding Fabrication Requirements	747
6.2.1	Welding Processes	747
6.2.2	Welding Qualifications and Records	747

6.2.3	Precautions to Be Taken Before Welding	749
6.2.4	Completed Groove and Fillet Welds	749
6.2.5	Miscellaneous Welding Requirements	750
6.2.6	Summary of Joints Permitted and Their Examination	751
6.2.7	Repair of Weld Defects	751
6.2.8	Special Requirements for Welding Test Plates for Titanium Materials	752
6.3	Special Requirements for Tube-to-Tubesheet Welds	752
6.3.1	Material Requirements	752
6.3.2	Holes in Tubesheets	752
6.3.3	Weld Design and Joint Preparation	752
6.3.4	Qualification of Welding Procedure	752
6.4	Preheating and Heat Treatment of Weldments	752
6.4.1	Requirements for Preheating of Welds	752
6.4.2	Requirements for Postweld Heat Treatment	753
6.4.3	Procedures for Postweld Heat Treatment	754
6.4.4	Operation of Postweld Heat Treatment	756
6.4.5	Postweld Heat Treatment After Repairs	756
6.4.6	Postweld Heat Treatment of Nonferrous Materials	757
6.5	Special Requirements for Clad or Weld Overlay Linings, and Lined Parts	758
6.5.1	Materials	758
6.5.2	Joints in Corrosion Resistant Clad or Weld Metal Overlay Linings	758
6.5.3	Welding Procedures	758
6.5.4	Methods to Be Used in Attaching Applied Linings	758
6.5.5	Postweld Heat Treatment of Clad and Lined Weldments	758
6.5.6	Requirements for Base Material With Corrosion Resistant Integral or Weld Metal Overlay Cladding	759
6.5.7	Examination Requirements	759
6.5.8	Inspection and Tests	759
6.5.9	Stamping and Reports	759
6.6	Special Requirements for Tensile Property Enhanced Q&T Ferritic Steels	759
6.6.1	General	759
6.6.2	Marking on Plates and Other Materials	759
6.6.3	Requirements for Heat Treating After Forming	759
6.6.4	Minimum Thickness After Forming	760
6.6.5	Welding Requirements	760
6.6.6	Postweld Heat Treatment	762
6.6.7	Heat Treatment Certification Tests	762
6.6.8	Examination Requirements	763
6.6.9	Inspection and Tests	763
6.6.10	Stamping and Reports	763
6.7	Special Requirements for Forged Fabrication	763
6.7.1	General	763
6.7.2	Ultrasonic Examination	763
6.7.3	Toughness Requirements	764
6.7.4	Tolerances on Cylindrical Forgings	764
6.7.5	Methods of Forming Forged Heads	764
6.7.6	Heat Treatment Requirements for Forged Fabrication	764
6.7.7	Welding for Fabrication	765
6.7.8	Repair of Defects in Material	766
6.7.9	Threaded Connections to Vessel Walls, Forged Necks, and Heads	766
6.7.10	Inspection, Examination, and Testing	767
6.7.11	Stamping and Reports for Forged Vessels	767
6.7.12	Overpressure Protection	767
6.8	Special Fabrication Requirements for Layered Vessels	767
6.8.1	General	767
6.8.2	General Fabrication Requirements	768

6.8.3	Welding Fabrication Requirements	768
6.8.4	Welding Qualification and Records	768
6.8.5	Specific Requirements for Welded Joints	768
6.8.6	Nondestructive Examination of Welded Joints	769
6.8.7	Welded Joint Efficiency	769
6.8.8	Contact Between Layers	769
6.8.9	Vent Holes	769
6.8.10	Heat Treatment of Weldments	769
6.9	Special Fabrication Requirements for Expansion Joints	770
6.9.1	Bellows Expansion Joints	770
6.9.2	Flexible Shell Element Expansion Joints	770
6.10	Nomenclature	771
6.11	Tables	772
6.12	Figures	792
Annex 6-A	Positive Material Identification Practice	798
6-A.1	Introduction	798
6-A.2	References	798
6-A.3	Definitions	798
6-A.4	Scope	799
6-A.5	Recommended Sampling Rates	799
6-A.6	General Requirements	800
6-A.7	Written Practice	802
6-A.8	Marking	803
6-A.9	Documentation	804
Part 7	Inspection and Examination Requirements	806
7.1	General	806
7.2	Responsibilities and Duties	806
7.2.1	Responsibilities and Duties of the Manufacturer and Inspector	806
7.2.2	Access for Inspector	806
7.2.3	Notification of Work Progress	806
7.3	Qualification of Nondestructive Examination Personnel	806
7.4	Examination of Welded Joints	806
7.4.1	Nondestructive Examination Requirements	806
7.4.2	Examination Groups for Pressure Vessels	806
7.4.3	Extent of Nondestructive Examination	807
7.4.4	Selection of Examination Method for Internal (Volumetric) Flaws	808
7.4.5	Selection of Examination Method for Surface Flaws	808
7.4.6	Surface Condition and Preparation	808
7.4.7	Supplemental Examination for Cyclic Service	808
7.4.8	Examination and Inspection of Vessels With Protective Linings and Cladding	808
7.4.9	Examination and Inspection of Tensile Property Enhanced Q&T Vessels	809
7.4.10	Examination and Inspection of Integrally Forged Vessels	809
7.4.11	Examination and Inspection of Fabricated Layered Vessels	810
7.4.12	Examination and Inspection of Expansion Joints	812
7.5	Examination Method and Acceptance Criteria	812
7.5.1	General	812
7.5.2	Visual Examination	812
7.5.3	Radiographic Examination	813
7.5.4	Ultrasonic Examination	814
7.5.5	Ultrasonic Examination Used in Lieu of Radiographic Examination	815
7.5.6	Magnetic Particle Examination (MT)	816
7.5.7	Liquid Penetrant Examination (PT)	816
7.5.8	Eddy Current Surface Examination Procedure Requirements (ET)	817
7.5.9	Evaluation and Retest for Partial Examination	819

7.6	Final Examination of Vessel	819
7.6.1	Surface Examination After Hydrotest	819
7.6.2	Inspection of Lined Vessel Interior After Hydrotest	819
7.7	Leak Testing	819
7.8	Acoustic Emission	819
7.9	Tables	820
7.10	Figures	831
Annex 7-A	Responsibilities and Duties for Inspection and Examination Activities	849
7-A.1	General	849
7-A.2	Manufacturer's Responsibility	849
7-A.3	Inspector's Responsibility	849
7-A.4	Tables	851
Part 8	Pressure Testing Requirements	853
8.1	General Requirements	853
8.1.1	Selection of Pressure Test Methods	853
8.1.2	Precautions	853
8.1.3	Requirements for Vessels of Specific Construction	854
8.1.4	Pressure Gages	855
8.1.5	Test Gaskets and Fasteners	855
8.2	Testing	856
8.2.1	Test Pressure	856
8.2.2	Preparation for Testing	856
8.2.3	Test Fluid	856
8.2.4	Test Procedures	857
8.2.5	Test Inspection and Acceptance Criteria	857
8.3	Alternative Pressure Testing	858
8.3.1	Hydrostatic-Pneumatic Tests	858
8.3.2	Leak Tightness Testing	858
8.4	Documentation	858
8.5	Nomenclature	859
Part 9	Pressure Vessel Overpressure Protection	860
9.1	General Requirements	860
9.2	Responsibilities	860
9.3	Determination of Pressure-Relieving Requirements	860
9.4	Overpressure Limits	861
9.5	Permitted Pressure Relief Devices and Methods	862
9.6	Pressure Settings and Performance Requirements	863
9.7	Installation	863
Annex 9-A	Best Practices for the Installation and Operation of Pressure Relief Devices	865
9-A.1	Introduction	865
9-A.2	Provisions for the Installation of Stop Valves in the Relief Path	865
9-A.3	Inlet Piping Pressure Drop for Pressure Relief Valves	865
9-A.4	Discharge Lines From Pressure Relief Devices	865
9-A.5	Cautions Regarding Pressure Relief Device Discharge Into a Common Header	866
9-A.6	Pressure Differentials (Operating Margin) for Pressure Relief Valves	866
9-A.7	Pressure Relief Valve Orientation	867
9-A.8	Reaction Forces and Externally Applied Piping Loads	867
9-A.9	Sizing of Pressure Relief Devices for Fire Conditions	867
9-A.10	Use of Pressure-Indicating Devices to Monitor Pressure Differential	868
FIGURES		
2-F.1	Form of Stamping	49
3.1	Typical Component Surface Examination Locations and Machined Features Requiring Axial Ultrasonic Examination	99

3.2	Transverse Tension Test Specimen Locations and Orientations	100
3.3	Cr–Mo Heat Treatment Criteria	101
3.4	Typical Locations for Tensile Specimens	102
3.5	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Not Subject to PWHT	103
3.5M	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Not Subject to PWHT	104
3.6	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Subject to PWHT or Nonwelded Parts	105
3.6M	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Subject to PWHT or Nonwelded Parts	106
3.7	Illustration of Lateral Expansion in a Broken Charpy V-Notch Specimen	107
3.8	Lateral Expansion Requirements	108
3.8M	Lateral Expansion Requirements	108
3.9	Impact Test Exemption Curves — Welded Parts Not Subject to PWHT	109
3.9M	Impact Test Exemption Curves — Welded Parts Not Subject to PWHT	111
3.10	Impact Test Exemption Curves — Welded Parts Subject to PWHT and Nonwelded Parts	113
3.10M	Impact Test Exemption Curves — Welded Parts Subject to PWHT and Nonwelded Parts	115
3.11	Typical Vessel Details Illustrating the Governing Thickness	117
3.12	Typical Vessel Details Illustrating the Governing Thickness	118
3.13	Typical Vessel Details Illustrating the Governing Thickness	119
3.14	Reduction in the MDMT Without Impact Testing — Parts Not Subject to PWHT	120
3.14M	Reduction in the MDMT Without Impact Testing — Parts Not Subject to PWHT	121
3.15	Reduction in the MDMT Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts	122
3.15M	Reduction in the MDMT Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts	123
3.16	Orientation and Location of Transverse Charpy V-Notch Specimens	124
3.17	Weld Metal Delta Ferrite Content	125
3.18	HAZ Impact Specimen Removal	125
3.19	Location of HAZ Specimen Removal	126
3-F.1	Fatigue Curve for Carbon Steels, Low Alloy Steels, Series 4XX Stainless Steels, High Alloy Steels, and High Tensile Strength Steels for Temperatures Not Exceeding 700°F — $\sigma_{uts} \leq 80$ ksi	164
3-F.1M	Fatigue Curve for Carbon Steels, Low Alloy Steels, Series 4XX Stainless Steels, High Alloy Steels, and High Tensile Strength Steels for Temperatures Not Exceeding 371°C — $\sigma_{uts} \leq 552$ MPa	164
3-F.2	Fatigue Curve for Carbon Steels, Low Alloy Steels, Series 4XX Stainless Steels, High Alloy Steels, and High Tensile Strength Steels for Temperatures Not Exceeding 700°F — $\sigma_{uts} = 115$ ksi to 130 ksi	165
3-F.2M	Fatigue Curve for Carbon Steels, Low Alloy Steels, Series 4XX Stainless Steels, High Alloy Steels, and High Tensile Strength Steels for Temperatures Not Exceeding 371°C — $\sigma_{uts} = 793$ MPa to 892 MPa	165
3-F.3	Fatigue Curve for Series 3XX Stainless Steels, Austenitic-Ferritic Duplex Stainless Steels, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 800°F	166
3-F.3M	Fatigue Curve for Series 3XX Stainless Steels, Austenitic-Ferritic Duplex Stainless Steels, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 427°C	166
3-F.4	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} \leq 18$ ksi	167
3-F.4M	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} \leq 124$ MPa	167
3-F.5	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} = 30$ ksi	168
3-F.5M	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} = 207$ MPa	168
3-F.6	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} = 45$ ksi	169

3-F.6M	Fatigue Curve for Wrought 70–30 Copper–Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} = 310$ MPa	169
3-F.7	Fatigue Curve for Nickel–Chromium–Molybdenum–Iron Alloys X, G, C-4, and C-276 for Temperatures Not Exceeding 800°F	170
3-F.7M	Fatigue Curve for Nickel–Chromium–Molybdenum–Iron Alloys X, G, C-4, and C-276 for Temperatures Not Exceeding 427°C	170
3-F.8	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 700°F — Maximum Nominal Stress $\leq 2.7S_M$	171
3-F.8M	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 371°C — Maximum Nominal Stress $\leq 2.7S_M$	171
3-F.9	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 700°F — Maximum Nominal Stress $> 2.7S_M$	172
3-F.9M	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 371°C — Maximum Nominal Stress $> 2.7S_M$	172
4.2.1	Weld Joint Locations Typical of Categories A, B, C, D, E, and F	206
4.2.2	Some Bracket, Lug, and Stiffener Attachment Weld Details	207
4.2.3	Some Acceptable Methods of Attaching Stiffening Rings	208
4.2.4	Some Acceptable Skirt Weld Details	209
4.3.1	Conical Shell	233
4.3.2	Offset Transition Detail	233
4.3.3	Torispherical Head of Uniform Thickness	234
4.3.4	Torispherical Head of Different Thickness of Dome and Knuckle	234
4.3.5	Ellipsoidal Head	234
4.3.6	Local Thin Band in a Cylindrical Shell	235
4.3.7	Shells Subjected to Supplemental Loadings	236
4.3.8	Conical Transition Details	237
4.3.9	Reinforcement Requirements for Conical Transition Junction	238
4.3.10	Parameters for Knuckle and Flare Design	239
4.4.1	Lines of Support or Unsupported Length for Typical Vessel Configurations	257
4.4.2	Lines of Support or Unsupported Length for Unstiffened and Stiffened Cylindrical Shells	258
4.4.3	Stiffener Ring Parameters	259
4.4.4	Various Arrangements of Stiffening Rings for Cylindrical Vessels Subjected to External Pressure	260
4.4.5	Maximum Arc of Shell Left Unsupported Because of a Gap in the Stiffening Ring of a Cylindrical Shell Under External Pressure	261
4.4.6	Lines of Support or Unsupported Length for Unstiffened and Stiffened Conical Shells	262
4.4.7	Lines of Support or Unsupported Length for Unstiffened and Stiffened Conical Shell Transitions With or Without a Knuckle	263
4.5.1	Nomenclature for Reinforced Openings	286
4.5.2	Nomenclature for Variable Thickness Openings	287
4.5.3	Radial Nozzle in a Cylindrical Shell	288
4.5.4	Hillside Nozzle in a Cylindrical Shell	289
4.5.5	Nozzle in a Cylindrical Shell Oriented at an Angle From the Longitudinal Axis	290
4.5.6	Radial Nozzle in a Conical Shell	291
4.5.7	Nozzle in a Conical Shell Oriented Perpendicular to the Longitudinal Axis	292
4.5.8	Nozzle in a Conical Shell Oriented Parallel to the Longitudinal Axis	293
4.5.9	Radial Nozzle in a Formed Head	294
4.5.10	Hillside or Perpendicular Nozzle in a Spherical Shell or Formed Head	295
4.5.11	Example of Two Adjacent Nozzle Openings	296
4.5.12	Example of Three Adjacent Nozzle Openings	296
4.5.13	Metal Area Definition for A_2 With Variable Thickness of Set-in Nozzles	297
4.5.14	Metal Area Definition for A_2 With Variable Thickness of Set-on Nozzles	298
4.6.1	Integral Flat Head With a Large Central Opening	307
4.7.1	Type A Dished Cover With a Bolting Flange	314
4.7.2	Type B Spherically Dished Cover With a Bolting Flange	315
4.7.3	Type C Spherically Dished Cover With a Bolting Flange	315
4.7.4	Type D Spherically Dished Cover With a Bolting Flange	316

4.7.5	Type D Head Geometry for Alternative Design Procedure	316
4.9.1	Typical Forms of Welded Staybolts	320
4.10.1	Example of Tube Spacing With the Pitch of Holes Equal in Every Row	322
4.10.2	Example of Tube Spacing With the Pitch of Holes Unequal in Every Second Row	322
4.10.3	Example of Tube Spacing With the Pitch of Holes Varying in Every Second and Third Row	323
4.10.4	Example of Tube Spacing With the Tube Holes on Diagonal Lines	323
4.10.5	Diagram for Determining the Efficiency of Longitudinal and Diagonal Ligaments Between Openings in Cylindrical Shells	324
4.10.6	Diagram for Determining the Equivalent Efficiency of Diagonal Ligaments Between Openings in Cylindrical Shells	325
4.11.1	Types of Jacketed Vessels	339
4.11.2	Types of Partial Jackets	340
4.11.3	Half Pipe Jackets	341
4.12.1	Type 1 Noncircular Vessels	374
4.12.2	Type 2 Noncircular Vessels	375
4.12.3	Type 3 Noncircular Vessels	376
4.12.4	Type 4 Noncircular Vessels	377
4.12.5	Type 5 Noncircular Vessels	378
4.12.6	Type 6 Noncircular Vessels	379
4.12.7	Type 6 Noncircular Vessels	380
4.12.8	Type 7 Noncircular Vessels	381
4.12.9	Type 8 Noncircular Vessels	382
4.12.10	Type 9 Noncircular Vessels	383
4.12.11	Type 10 Noncircular Vessels	384
4.12.12	Type 11 Noncircular Vessels	385
4.12.13	Type 12 Noncircular Vessels	386
4.12.14	Multi-Diameter Holes	386
4.12.15	Rectangular Vessels With Multiple Compartments	387
4.13.1	Some Acceptable Layered Shell Types	394
4.13.2	Some Acceptable Layered Head Types	395
4.13.3	Transitions of Layered Shell Sections	396
4.13.4	Some Acceptable Welded Joints of Layered-to-Layered and Layered-to-Solid Sections	397
4.13.5	Some Acceptable Solid Head Attachments to Layered Shell Sections	398
4.13.6	Some Acceptable Flat Heads and Tubesheets With Hubs Joining Layered Shell Sections	401
4.13.7	Some Acceptable Flanges for Layered Shells	402
4.13.8	Some Acceptable Layered Head Attachments to Layered Shells	403
4.13.9	Some Acceptable Nozzle Attachments to Layered Shell Sections	404
4.13.10	Some Acceptable Supports for Layered Vessels	406
4.13.11	Gap Between Vessel Layers	407
4.14.1	LTA Blend Radius Requirements	407
4.15.1	Horizontal Vessel on Saddle Supports	417
4.15.2	Cylindrical Shell Without Stiffening Rings	418
4.15.3	Cylindrical Shell With Stiffening Rings in the Plane of the Saddle	419
4.15.4	Cylindrical Shell With Stiffening Rings on Both Sides of the Saddle	420
4.15.5	Locations of Maximum Longitudinal Normal Stress and Shear Stress in the Cylinder	421
4.15.6	Locations of Maximum Circumferential Normal Stresses in the Cylinder	422
4.15.7	Skirt Attachment Location on Vertical Vessels	423
4.15.8	A Typical Hot-Box Arrangement for Skirt Supported Vertical Vessels	424
4.16.1	Integral Type Flanges	443
4.16.2	Welded Slip-on-Type Flanges	445
4.16.3	Integral Type Flanges With Nut Stops — Diameter Less Than or Equal to 450 mm (18 in.)	446
4.16.4	Integral Type Flanges With Nut Stops — Diameter Greater Than 450 mm (18 in.)	447
4.16.5	Loose-Type Lap Joint Type Flanges	447
4.16.6	Integral-Type Reverse Flanges	448
4.16.7	Loose-Type Reverse Flange	449
4.16.8	Location of Gasket Reaction Load Diameter	450

4.17.1	Typical Hub and Clamp Configuration	459
4.17.2	Typical Clamp Lugs Configurations	460
4.18.1	Terminology of Heat Exchanger Components	506
4.18.2	Tubesheet Geometry	507
4.18.3	Typical Untubed Lane Configurations	508
4.18.4	U-Tube Tubesheet Configurations	509
4.18.5	Fixed Tubesheet Configurations	510
4.18.6	$Z_d, Z_v, Z_w,$ and Z_m Versus X_a	511
4.18.7	F_m Versus X_a ($0.0 \leq Q_3 \leq 0.8$)	512
4.18.8	F_m Versus X_a ($-0.8 \leq Q_3 \leq 0.0$)	513
4.18.9	Different Shell Thickness and/or Material Adjacent to the Tubesheets	513
4.18.10	Floating Tubesheet Heat Exchangers	514
4.18.11	Stationary Tubesheet Configurations	515
4.18.12	Floating Tubesheet Configurations	516
4.18.14	Tube Layout Perimeter	517
4.18.15	Integral Channels	518
4.18.16	Some Representative Configurations Describing the Minimum Required Thickness of the Tubesheet Flanged Extension, h_r	519
4.18.17	Kettle Shell	519
4.18.18	Location of Tubesheet Metal Temperature, T' , at the Rim	520
4.18.19	Nozzles Adjacent to Tubesheets	521
4.19.1	Typical Bellows Expansion Joints	543
4.19.2	Starting Points for the Measurement of the Length of Shell on Each Side of Bellows	544
4.19.3	Possible Convolution Profile in Neutral Position	545
4.19.4	Dimensions to Determine I_{xx}	545
4.19.5	Bellows Subjected to an Axial Displacement x	546
4.19.6	Bellows Subjected to a Lateral Deflection y	546
4.19.7	Bellows Subjected to an Angular Rotation θ	547
4.19.8	Cyclic Displacements	548
4.19.9	Cyclic Displacements	548
4.19.10	Cyclic Displacements	549
4.19.11	Some Typical Expansion Bellows Attachment Welds	550
4.19.12	C_p Versus C_1 and C_2	551
4.19.13	C_f Versus C_1 and C_2	552
4.19.14	C_d Versus C_1 and C_2	553
4.20.1	Typical Flexible Shell Element Expansion Joints	558
4.20.2	Typical Nozzle Attachment Details Showing Minimum Length of Straight Flange or Outer Shell Element	559
4.21.1	Tube-to-Tubesheet Joints Acceptable to Determine Joint Strength by Calculation	568
4.21.2	Some Acceptable Types of Tube-to-Tubesheet Joints	569
4.21.3	Typical Test Fixtures for Expanded or Welded Tube-to-Tubesheet Joints	570
5.1	Stress Categories and Limits of Equivalent Stress	641
5.2	Examples of Significant Operating Pressure Cycles (Integral and NonIntegral Construction) for Fatigue Screening Method A, Step 3	642
5.3	Example of Adjacent Points on a Cylindrical Shell for Fatigue Screening Method A, Step 4	643
5.4	Example of Adjacent Points Near a Nozzle-to-Head Junction for Fatigue Screening Method A, Step 4	644
5.5	Example of Adjacent Points Near a Ring-to-Shell Junction for Fatigue Screening Method A, Step 4	645
5.6	Example of Adjacent Points Near a Head-to-Skirt Junction for Fatigue Screening Method A, Step 4	646
5.7	Example of Adjacent Points on a Plate for Fatigue Screening Method A, Step 4	647
5.8	Examples of Significant Temperature Cycles for Fatigue Screening Method A, Step 5	648
5.9	Example of a Significant Pressure Fluctuation Cycle for Fatigue Screening Methods B and C, Step 4	649
5.10	Example of a Significant Temperature Difference Fluctuation Cycle for Fatigue Screening Methods B and C, Step 6	650
5.11	Example of a Significant Temperature Difference Fluctuation Cycle for Fatigue Screening Methods B and C, Step 7	651

5.12	Example of a Significant Mechanical Load Range Cycle for Fatigue Screening Methods B and C, Step 8	652
5.13	Method A Fatigue Assessment Method	653
5.14	Method B Fatigue Assessment Method	654
5.15	Method C Fatigue Assessment Method	655
5.16	Bree Diagram for Load Case A — Fixed Primary Load and a Cyclic Secondary Load With Different Yield Stresses in the On-Load and Off-Load Condition	656
5.17	Bree Diagram for Load Case B — Cyclic Primary Load and a Cyclic Secondary Load That Are in Phase With Different Yield Stresses in the On-Load and Off-Load Condition	659
5.18	Bree Diagram for Load Case C — Cyclic Primary Load and a Cyclic Secondary Load That Are Out of Phase With Different Yield Stresses in the On-Load and Off-Load Condition	662
5.19	Bree Diagram for Load Case D — Cyclic Primary Load and a Fixed Secondary Load With Different Yield Stresses in the On-Load and Off-Load Condition	665
5.20	Example of Girth Weld Used to Tie Layers for Solid Wall Equivalence	666
5.21	Example of Circumferential Butt Weld Attachment Between Layered Sections in Zone of Discontinuity	666
5.22	An Example of Circle Weld Used to Tie Layers for Solid Wall Equivalence	667
5.23	Membrane, Bending, and Peak Stress Distributions	668
5-A.1	Stress Classification Line (SCL) and Stress Classification Plane (SCP)	676
5-A.2	Stress Classification Lines (SCLs)	677
5-A.3	Stress Classification Line Orientation and Validity Guidelines	678
5-A.4	Computation of Membrane and Bending Equivalent Stresses by the Stress Integration Method Using the Results From a Finite Element Model With Continuum Elements	679
5-A.5	Continuum Finite Element Model Stress Classification Line for the Structural Stress Method	680
5-A.6	Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method Using Nodal Force Results From a Finite Element Model With Continuum Elements	681
5-A.7	Processing Nodal Force Results With the Structural Stress Method Using the Results From a Finite Element Model With Three-Dimensional Second Order Continuum Elements	682
5-A.8	Processing Structural Stress Method Results for a Symmetric Structural Stress Range	683
5-A.9	Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method Using the Results From a Finite Element Model With Shell Elements	684
5-A.10	Processing Nodal Force Results With the Structural Stress Method Using the Results From a Finite Element Model With Three-Dimensional Second Order Shell Elements	685
5-A.11	Element Sets for Processing Finite Element Nodal Stress Results With the Structural Stress Method Based on Stress Integration	686
5-D.1	Direction of Stress Components	699
5-D.2	Nozzle Nomenclature and Dimensions	700
5-D.3	Nomenclature and Loading for Laterals	701
5-E.1	Perforated Plate Geometry Details	730
5-E.2	Perforated Plate Geometry Details	731
5-E.3	Boundary Conditions for Numerical Analysis	732
5-E.4	Stress Orientations for Perforated Plate With Triangular Pattern Holes	733
5-E.5	Stress Orientations for Perforated Plate With Square Pattern Holes	734
5-F.1	Construction of the Testing Parameter Ratio Diagram	740
5-F.2	Construction of the Testing Parameter Ratio Diagram for Accelerated Tests	741
6.1	Peaking Height at a Category A Joint	792
6.2	Weld Toe Dressing	793
6.3	Forged Bottle Construction	794
6.4	Solid-to-Layer and Layer-to-Layer Test Plates	795
6.5	Tensile Specimens for Layered Vessel Construction	796
6.6	Toroidal Bellows Manufacturing Tolerances	797
7.1	Examination of Layered Vessels	831
7.2	Examination of Layered Vessels	832
7.3	Aligned Rounded Indications	833
7.4	Groups of Aligned Rounded Indications	833
7.5	Charts for 3 mm ($\frac{1}{8}$ in.) to 6 mm ($\frac{1}{4}$ in.) Wall Thickness, Inclusive	834

7.6	Charts for Over 6 mm ($\frac{1}{4}$ in.) to 10 mm ($\frac{3}{8}$ in.) Wall Thickness, Inclusive	834
7.7	Charts for Over 10 mm ($\frac{3}{8}$ in.) to 19 mm ($\frac{3}{4}$ in.) Wall Thickness, Inclusive	835
7.8	Charts for Over 19 mm ($\frac{3}{4}$ in.) to 50 mm (2 in.) Wall Thickness, Inclusive	836
7.9	Charts for Over 50 mm (2 in.) to 100 mm (4 in.) Wall Thickness, Inclusive	837
7.10	Charts for Over 100 mm (4 in.) Wall Thickness	838
7.11	Flaw Classification of Single Indication	839
7.12	Surface Flaw Acceptance Criteria	840
7.13	Subsurface Flaw Acceptance Criteria	842
7.14	Multiple Planar Flaws Oriented in a Plane Normal to the Pressure-Retaining Surface	844
7.15	Surface and Subsurface Flaws	845
7.16	Nonaligned Coplanar Flaws in a Plane Normal to the Pressure-Retaining Surface	846
7.17	Multiple Aligned Planar Flaws	847
7.18	Dimension <i>a</i> for Partial Penetration and Fillet Welds	848
7.19	Dimensions <i>a</i> and <i>d</i> for a Partial Penetration Corner Weld	848

TABLES

1.1	Year of Acceptable Edition of Referenced Standards in This Division	5
1.2	Standard Units for Use in Equations	6
1-C.1	Typical Size or Thickness Conversions for Fractions	10
1-C.2	Typical Size or Thickness Conversions	10
1-C.3	Typical Size or Length Conversions	11
1-C.4	Typical Nominal Pipe Size Conversions	11
1-C.5	Typical Area Conversions	12
1-C.6	Typical Volume Conversions	12
1-C.7	Typical Pressure Conversions	12
1-C.8	Typical Strength Conversions	13
1-C.9	Typical Temperature Conversions	13
1-C.10	Conversion Factors	14
2-A.1	Typical Certification of Compliance of the User's Design Specification	22
2-B.1	Typical Certification of Compliance of the Manufacturer's Design Report	24
2-D.1	Instructions for the Preparation of Manufacturer's Data Reports	28
2-D.2	Supplementary Instructions for the Preparation of Manufacturer's Data Reports for Layered Vessels	30
2-J.1	Design Activities Requiring a Certifying Engineer	53
3.1	Criteria and Requirements for Bar per 3.2.5.2(c)	89
3.2	Material Specifications	90
3.3	Composition Requirements for 2.25Cr-1Mo-0.25V Weld Metal	90
3.4	Toughness Requirements for 2.25Cr-1Mo Materials	90
3.5	Low Alloy Bolting Materials for Use With Flanges Designed to 4.16	91
3.6	High Alloy Bolting Materials for Use With Flanges Designed to 4.16	92
3.7	Aluminum Alloy, Copper, and Copper Alloy Bolting Materials for Use With Flanges Designed to 4.16	92
3.8	Nickel and Nickel Alloy Bolting Materials for Use With Flanges Designed to 4.16	93
3.9	Bolting Materials for Use With Flanges Designed to Part 5	93
3.10	Maximum Severity Levels for Castings With a Thickness of Less Than 50 mm (2 in.)	93
3.11	Maximum Severity Levels for Castings With a Thickness of 50 mm to 305 mm (2 in. to 12 in.)	94
3.12	Charpy Impact Test Temperature Reduction Below the Minimum Design Metal Temperature	94
3.13	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Not Subject to PWHT (See Figures 3.5 and 3.5M)	94
3.14	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Subject to PWHT or Nonwelded Parts (See Figures 3.6 and 3.6M)	95
3.15	Impact Test Exemption Curves — Parts Not Subject to PWHT (See Figures 3.9 and 3.9M)	96
3.16	Impact Test Exemption Curves — Parts Subject to PWHT and Nonwelded Parts (See Figures 3.10 and 3.10M)	96

3.17	Reduction in the MDMT, T_R , Without Impact Testing — Parts Not Subject to PWHT (See Figures 3.14 and 3.14M)	97
3.18	Reduction in the MDMT, T_R , Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts (See Figures 3.15 and 3.15M)	98
3-A.1	Carbon Steel and Low Alloy Materials	128
3-A.2	Quenched and Tempered High Strength Steels	133
3-A.3	High Alloy Steel	134
3-A.4	Aluminum Alloys	140
3-A.5	Copper Alloys	141
3-A.6	Nickel and Nickel Alloys	142
3-A.7	Titanium and Titanium Alloys	144
3-A.8	Ferrous Bolting Materials for Design in Accordance With Part 4	145
3-A.9	Aluminum Alloy and Copper Alloy Bolting Materials for Design in Accordance With Part 4	147
3-A.10	Nickel and Nickel Alloy Bolting Materials for Design in Accordance With Part 4	147
3-A.11	Bolting Materials for Design in Accordance With Part 5	148
3-D.1	Stress–Strain Curve Parameters	154
3-D.2	Cyclic Stress–Strain Curve Data	154
3-D.2M	Cyclic Stress–Strain Curve Data	156
3-F.1	Values of Young’s Modulus for the Smooth Bar Fatigue Curves	162
3-F.2	Coefficients for the Welded Joint Fatigue Curves	163
3-F.2M	Coefficients for the Welded Joint Fatigue Curves	163
4.1.1	Design Loads	179
4.1.2	Design Load Combinations	179
4.1.3	Load Factor, β , and Pressure Test Factors, β_T and $\gamma_{St/S}$, for Hydrostatic or Pneumatic Testing	180
4.2.1	Definition of Weld Categories	186
4.2.2	Definition of Weld Joint Types	187
4.2.3	Definition of Material Types for Welding and Fabrication Requirements	187
4.2.4	Some Acceptable Weld Joints for Shell Seams	187
4.2.5	Some Acceptable Weld Joints for Formed Heads	189
4.2.6	Some Acceptable Weld Joints for Unstayed Flat Heads, Tubesheets Without a Bolting Flange, and Side Plates of Rectangular Pressure Vessels	191
4.2.7	Some Acceptable Weld Joints With Butt Weld Hubs	192
4.2.8	Some Acceptable Weld Joints for Attachment of Tubesheets With a Bolting Flange	193
4.2.9	Some Acceptable Weld Joints for Flange Attachments	193
4.2.10	Some Acceptable Full Penetration Welded Nozzle Attachments Not Readily Radiographable	197
4.2.11	Some Acceptable Pad Welded Nozzle Attachments and Other Connections to Shells	199
4.2.12	Some Acceptable Fitting-Type Welded Nozzle Attachments and Other Connections to Shells	200
4.2.13	Some Acceptable Welded Nozzle Attachments That Are Readily Radiographable	202
4.2.14	Some Acceptable Partial Penetration Nozzle Attachments	204
4.2.15	Nozzle Necks Attached to Piping of Lesser Wall Thickness	205
4.2.16	Corner Welds for Flexible Shell Element Expansion Joints	205
4.3.1	Large End Junction	223
4.3.2	Small End Junction	224
4.3.3	Pressure Applied to Large End Junction	225
4.3.4	Equivalent Line Load Applied to Large End Junction	226
4.3.5	Pressure Applied to Small End Junction	227
4.3.6	Equivalent Line Load Applied to Small End Junction	228
4.3.7	Stress Calculations — Knuckle — Large End Cylinder	229
4.3.8	Stress Calculations — Flare — Small End Cylinder	231
4.4.1	Maximum Metal Temperature for Compressive Stress Rules	256
4.4.2	Algorithm for Computation of Predicted Inelastic Buckling Stress, F_{ic}	256
4.5.1	Minimum Number of Pipe Threads for Connections	285
4.5.2	Nozzle Minimum Thickness Requirements	285
4.6.1	C Parameter for Flat Head Designs	302
4.6.2	Junction Stress Equations for an Integral Flat Head With Opening	306
4.6.3	Stress Acceptance Criteria for an Integral Flat Head With Opening	306

4.7.1	Junction Stress Equations and Acceptance Criteria for a Type D Head	314
4.9.1	Stress Factor for Braced and Stayed Surfaces	319
4.11.1	Design of Closure Member of Jacket to Shell	329
4.11.2	Design of Jacket Penetration Details	335
4.11.3	Coefficients for Eq. (4.11.5)	337
4.12.1	Noncircular Vessel Configurations and Types	351
4.12.2	Stress Calculations and Acceptance Criteria for Type 1 Noncircular Vessels (Rectangular Cross Section)	352
4.12.3	Stress Calculations and Acceptance Criteria for Type 2 Noncircular Vessels (Rectangular Cross Section With Unequal Side Plate Thicknesses)	353
4.12.4	Stress Calculations and Acceptance Criteria for Type 3 Noncircular Vessels (Chamfered Rectangular Cross Section)	355
4.12.5	Stress Calculations and Acceptance Criteria for Type 4 Noncircular Vessels (Reinforced Rectangular Cross Section)	356
4.12.6	Stress Calculations and Acceptance Criteria for Type 5 Noncircular Vessels (Reinforced Rectangular Cross Section With Chamfered Corners)	358
4.12.7	Stress Calculations and Acceptance Criteria for Type 6 Noncircular Vessels (Reinforced Octagonal Cross Section With Chamfered Corners)	361
4.12.8	Stress Calculations and Acceptance Criteria for Type 7 Noncircular Vessels (Rectangular Cross Section With Single-Stay Plate or Multiple Bars)	365
4.12.9	Stress Calculations and Acceptance Criteria for Type 8 Noncircular Vessels (Rectangular Cross Section With Double-Stay Plate or Multiple Bars)	366
4.12.10	Stress Calculations and Acceptance Criteria for Type 9 Noncircular Vessels (Obround Cross Section)	367
4.12.11	Stress Calculations and Acceptance Criteria for Type 10 Noncircular Vessels (Reinforced Obround Cross Section)	368
4.12.12	Stress Calculations and Acceptance Criteria for Type 11 Noncircular Vessels (Obround Cross Section With Single-Stay Plate or Multiple Bars)	370
4.12.13	Stress Calculations and Acceptance Criteria for Type 12 Noncircular Vessels (Circular Cross Section With Single-Stay Plate)	371
4.12.14	Effective Width Coefficient	372
4.12.15	Compressive Stress Calculations	373
4.15.1	Stress Coefficients for Horizontal Vessels on Saddle Supports	416
4.16.1	Gasket Factors for Determining the Bolt Loads	431
4.16.2	Recommended Minimum Gasket Contact Width	433
4.16.3	Effective Gasket Width for Determining the Bolt Loads	433
4.16.4	Flange Stress Factors Equations Involving Diameter	434
4.16.5	Flange Stress Factor Equations	436
4.16.6	Moment Arms for Flange Loads for the Operating Condition	439
4.16.7	Flange Moments of Inertia	439
4.16.8	Flange Stress Equations	440
4.16.9	Flange Stress Acceptance Criteria	440
4.16.10	Flange Rigidity Criterion	441
4.16.11	Bolt Spacing Equations	442
4.16.12	Moment Factor, F_M	442
4.17.1	Flange Stress Equations	457
4.17.2	Flange Stress Acceptance Criteria	458
4.18.1	Effective Elastic Modulus and Poisson's Ratio for a Perforated Plate With an Equilateral Triangular Hole Pattern	501
4.18.2	Effective Elastic Modulus and Poisson's Ratio for a Perforated Plate With a Square Hole Pattern	502
4.18.3	Evaluation of Z_a , Z_d , Z_v , Z_w , Z_m , and F_m	502
4.18.4	Evaluation of $F_{t,min}$ and $F_{t,max}$	504
4.18.5	Flexible Shell Element Expansion Joint Load Cases and Stress Limits	504
4.18.6	Tubesheet Effective Bolt Load, W^*	505
4.18.7	Load Combinations Required to Evaluate the Heat Exchanger for the Design Condition	505
4.18.8	Load Combinations Required to Evaluate the Heat Exchanger for Each Operating Condition x ..	505

4.18.9	Load Combinations Required to Evaluate the Heat Exchanger for Each Operating Condition x . . .	505
4.19.1	Maximum Design Temperatures for Application of the Rules of 4.19	533
4.19.2	Stress Calculations and Acceptability Criteria for U-Shaped Unreinforced Bellows Subject to Internal Pressure	534
4.19.3	Method to Determine Coefficient C_p	535
4.19.4	Method to Determine Coefficient C_f	536
4.19.5	Method to Determine Coefficient C_d	536
4.19.6	Allowable Number of Cycles for U-Shaped Unreinforced Bellows	537
4.19.7	Stress Calculations and Acceptability Criteria for U-Shaped Reinforced Bellows Subject to Internal Pressure	538
4.19.8	Allowable Number of Cycles for U-Shaped Reinforced Bellows	539
4.19.9	Stress Calculations and Acceptability Criteria for Toroidal Bellows Subject to Internal Pressure	540
4.19.10	Stress and Axial Stiffness Coefficients for Toroidal Bellows	541
4.19.11	Allowable Number of Cycles for Toroidal Bellows	542
4.21.1	Efficiencies for Welded and/or Expanded Tube-to-Tubesheet Joints	567
TEXP-1	Instructions for Filling Out TEPS Form	584
5.1	Loads and Load Cases to Be Considered in a Design	628
5.2	Load Combination Parameters	629
5.3	Load Combinations and Allowable Stresses for an Elastic Analysis	630
5.4	Load Case Combinations and Load Factors for a Limit-Load Analysis	631
5.5	Load Case Combinations and Load Factors for an Elastic-Plastic Analysis	631
5.6	Examples of Stress Classification	632
5.7	Uniaxial Strain Limit for Use in Multiaxial Strain Limit Criterion	634
5.8	Temperature Factors for Fatigue-Screening Criteria	634
5.9	Fatigue-Screening Criteria for Method A	635
5.10	Fatigue-Screening Criteria Factors for Methods B and C	635
5.11	Calculation of the Stress Tensor Range	635
5.12	Weld Fatigue Strength Reduction Factors, K_f	636
5.13	Weld Fatigue Strength Reduction Factors, K_f	636
5.14	Fatigue Penalty Factors for Fatigue Analysis	637
5.15	Load Case Combinations for Method A and Method B Buckling Analysis	637
5.16	Design Load Case Combinations Using the Elastic Stress Analysis Method in the Creep Regime	637
5.17	Cyclic Load Type A: Regions, Boundaries, and Ratchet Strains for the Bree Diagram With a Constant Primary Load and a Cyclic Secondary Load as a Function of R_y	638
5.18	Cyclic Load Type B: Regions, Boundaries, and Ratchet Strains for the Bree Diagram With In-Phase Primary Cyclic Load and Secondary Cyclic Load as a Function of R_y	639
5.19	Cyclic Load Type C: Regions, Boundaries, and Ratchet Strains for the Bree Diagram With Out-of-Phase Primary Cyclic Load and Secondary Cyclic Load as a Function of R_y	640
5.20	Cyclic Load Type D: Regions, Boundaries, and Ratchet Strains for the Bree Diagram With a Constant Secondary Load and a Primary Cyclic Load as a Function of R_y (see Figure 5.19)	640
5-A.1	Structural Stress Definitions for Continuum Finite Elements	674
5-A.2	Structural Stress Definitions for Shell or Plate Finite Elements	675
5-D.1	Stress Indices for Nozzles in Spherical Shells and Portions of Formed Heads	697
5-D.2	Stress Indices for Nozzles in Cylindrical Shells	697
5-D.3	Stress Indices for Laterals	698
5-E.1	Values of E^* for Perforated Tubesheets With an Equilateral Triangular Pattern	710
5-E.2	Values of ν^* for Perforated Tubesheets With an Equilateral Triangular Pattern	710
5-E.3	Values of E^* for Perforated Tubesheets With a Square Pattern	711
5-E.4	Values of ν^* for Perforated Tubesheets With a Square Pattern	711
5-E.5	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Triangular Hole Pattern	712
5-E.6	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Square Hole Pattern — Pitch Direction	713
5-E.7	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Square Hole Pattern — Diagonal Direction	714

5-E.8	Orthotropic Effective Elasticity Matrix for a Perforated Plate With an Equilateral Triangular Hole Pattern	715
5-E.9	Orthotropic Effective Elasticity Matrix for a Perforated Plate With a Square Hole Pattern	716
5-E.10	Equations for Determining Stress Components Based on the Results From an Equivalent Plate Analysis for an Equilateral Rectangular Hole Pattern	717
5-E.11	Stress Factor K_x Coefficients — Triangular Hole Pattern	718
5-E.12	Stress Factor K_y Coefficients — Triangular Hole Pattern	719
5-E.13	Stress Factor K_{xy} Coefficients — Triangular Hole Pattern	721
5-E.14	Stress Factor K_{xz} Coefficients — Triangular Hole Pattern	723
5-E.15	Stress Factor K_{yz} Coefficients — Triangular Hole Pattern	724
5-E.16	Stress Factors K_x and K_y Coefficients — Rectangular Hole Pattern	726
5-E.17	Stress Factor K_{xy} — Square Hole Pattern	727
5-E.18	Stress Factors K_{xz} and K_{yz} — Square Hole Pattern	728
5-E.19	Boundary Conditions for the Numerical Analysis (See Figure 5-E.3)	729
6.1	Equations for Calculating Forming Strains	772
6.2.A	Post-Cold-Forming Strain Limits and Heat-Treatment Requirements for P-No. 15E Materials ..	772
6.2.B	Post-Fabrication Strain Limits and Required Heat Treatment for High Alloy Materials	773
6.3	Post-Fabrication Strain Limits and Required Heat Treatment for Nonferrous Materials	774
6.4	Maximum Allowable Offset in Welded Joints	774
6.5	Welding Process Application Limitations	775
6.6	Maximum Reinforcement for Welded Joints	775
6.7	Minimum Preheat Temperatures for Welding	776
6.8	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 1, Group 1, 2, 3	777
6.9	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 3, Group 1, 2, 3	778
6.10	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 4, Group 1, 2	779
6.11	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 5A; P-No. 5B, Group 1; and P-No. 5C, Group 1	780
6.11.A	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 15E, Group 1	781
6.12	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 6, Group 1, 2, 3	782
6.13	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 7, Group 1, 2; and P-No. 8	783
6.14	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 9A, Group 1, and P-No. 9B, Group 1	784
6.15	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 10A, Group 1; P-No. 10C, Group 1; P-No. 10H, Group 1; P-No. 10I, Group 1; P-No. 10K, Group 1; and P-No. 45	786
6.16	Alternative Postweld Heat Treatment Requirements	789
6.17	Postweld Heat Treatment Requirements for Quenched and Tempered Materials in Table 3-A.2	789
6.18	Quench and Tempered Steels Conditionally Exempt From Production Impact Tests	790
6.19	High Nickel Alloy Filler for Quench and Tempered Steels	791
6.20	Mandrel Radius for Guided Bend Tests for Forged Fabrication	791
6.21	U-Shaped Unreinforced and Reinforced Bellows Manufacturing Tolerances	791
6-A.9.2-1	Technical Data Sheet for PMI	805
7.1	Examination Groups for Pressure Vessels	820
7.2	Nondestructive Examination	821
7.3	Selection of Nondestructive Testing Method for Full Penetration Joints	825
7.4	Nondestructive Examination of Layered Vessels	825
7.5	NDE Techniques, Method, Characterization, Acceptance Criteria	826
7.6	Visual Examination Acceptance Criteria	826
7.7	Radiographic Acceptance Standards for Rounded Indications (Examples Only)	828

7.8	Flaw Acceptance Criteria for Welds With Thicknesses Between 6 mm ($\frac{1}{4}$ in.) and Less Than 13 mm ($\frac{1}{2}$ in.)	828
7.9	Flaw Acceptance Criteria for Welds With Thicknesses Between 13 mm ($\frac{1}{2}$ in.) and Less Than 25 mm (1 in.)	829
7.10	Flaw Acceptance Criteria for Welds With Thicknesses Between 25 mm (1 in.) and Less Than or Equal to 300 mm (12 in.)	829
7.11	Flaw Acceptance Criteria for Welds With Thicknesses Equal to or Greater Than 400 mm (16 in.)	830
7-A.1	Inspection and Examination Activities and Responsibilities/Duties	851

FORMS

A-1	Manufacturer's Data Report for Pressure Vessels	31
A-1P	Manufacturer's Data Report for Plate Heat Exchangers	34
A-2	Manufacturer's Partial Data Report	36
A-3	Manufacturer's Data Report Supplementary Sheet	39
A-3L	Manufacturer's Data Report Supplementary Sheet	40
A-4	Manufacturer's Data Report Supplementary Sheet Shell-and-Tube Heat Exchangers	41
4.19.1	Metric Form Specification Sheet for ASME Section VIII, Division 2 Bellows Expansion Joints, Metric Units	554
4.19.2	U.S. Customary Form Specification Sheet for ASME Section VIII, Division 2 Bellows Expansion Joints, U.S. Customary Units	555
TEXP-1	Tube Expanding Procedure Specification (TEPS)	582
TEXP-2	Suggested Format for Tube-to-Tubesheet Expanding Procedure Qualification Record for Test Qualification (TEPQR)	586

(25)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NCD — Class 2 and Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
 - Division 4 — Fusion Energy Devices
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Reactor Facility Components
 - Division 1 — Rules for Inservice Inspection of Nuclear Power Plant Components
 - Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Reactor Facilities

- XII Rules for Construction and Continued Service of Transport Tanks

- XIII Rules for Overpressure Protection