ASME BPVC.VIII.3-2025

SECTION VIII

Rules for Construction of Pressure Vessels

2025 ASME Boiler and Pressure Vessel Code

An International Code

Division 3

Alternative Rules for Construction of High Pressure Vessels

Currently in preview, click buy full versi

ASME

SETTING THE STANDARD

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see https://www.asme.org/certification-accreditation.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

currently in preview, click buy full versi

AN INTERNATIONAL CODE

2025 ASME Boiler & Pressure Vessel Code

2025 Edition July 1, 2025

VIII

RULES FOR CONSTRUCTION OF PRESSURE VESSELS

Division 3

Alternative Rules for Construction of High Pressure Vessels

ASME Boiler and Pressure Vessel Committee
on Pressure Vessels

The American Society of Mechanical Engineers
Two Park Avenue • New York, NY • 10016 USA

currently in preview, click buy full versi

Date of Issuance: July 1, 2025

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.

ASME Collective Membership Mark

ASME Single Certification Mark

All rights reserved. "ASME" and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

Library of Congress Catalog Card Number: 56-3934

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2025.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

currently in preview, click buy full versi

TABLE OF CONTENTS

List of Sections xvi

Foreword xviii

Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising . . . xix

Statement of Policy on the Use of ASME Marking to Identify Manufactured Items xx

Personnel xxi

Correspondence With the Committee xliv

Summary of Changes xlvi

Cross-Referencing in the ASME BPVC l

Part KG	**General Requirements**	1
Article KG-1	**Scope and Jurisdiction**	1
KG-100	Scope	1
KG-110	Geometric Scope of This Division	1
KG-120	Classifications Outside the Scope of This Division	2
KG-130	Assembly and Testing of Vessels At Field or Intermediate Sites	2
KG-150	Units of Measurement	3
KG-160	Tolerances	4
Article KG-2	**Organization of This Division**	7
KG-200	Organization	7
KG-210	Parts of This Division	7
KG-220	Appendices	7
KG-230	Articles and Paragraphs	7
KG-240	References	7
KG-250	Terms and Definitions	7
Article KG-3	**Responsibilities and Duties**	8
KG-300	General	8
KG-310	User's Responsibility	8
KG-320	Manufacturer's Responsibility	12
KG-330	Designer	13
Article KG-4	**General Rules for Inspection**	15
KG-400	General Requirements for Inspection and Examination	15
KG-410	Manufacturer's Responsibilities	15
KG-420	Certification of Subcontracted Services	16
KG-430	The Inspector	16
KG-440	Inspector's Duties	16
Article KG-5	**Additional General Requirements for Composite Reinforced Pressure Vessels (CRPV)**	18
KG-500	General Requirements	18

Currently in preview, click buy full version

KG-510	Scope	18
KG-520	Supplemental General Requirements for CRPV	19
Article KG-6	**Additional General Requirements for Impulsively Loaded Vessels**	20
KG-600	General Requirements	20
KG-610	Scope	20
Part KM	**Material Requirements**	21
Article KM-1	**General Requirements**	21
KM-100	Materials Permitted	21
Article KM-2	**Mechanical Property Test Requirements for Metals**	25
KM-200	General Requirements	25
KM-210	Procedure for Obtaining Test Specimens and Coupons	25
KM-220	Procedure for Heat Treating Separate Test Specimens	27
KM-230	Mechanical Testing Requirements	29
KM-240	Heat Treatment Certification/Verification Tests for Fabricated Components	30
KM-250	Additional Toughness Requirements for Pressure-Retaining Component Materials	31
KM-260	Retests	32
KM-270	Notch Tensile Testing Procedure and Acceptance Criterion	33
Article KM-3	**Supplementary Requirements for Bolting**	38
KM-300	Requirements for All Bolting Materials	38
Article KM-4	**Material Design Data**	39
KM-400	Contents of Tables of Material Design Data	39
Article KM-5	**Requirements for Laminate Materials**	73
Article KM-6	**Analytical Material Models**	74
KM-600	Scope	74
KM-610	Ideally Elastic–Plastic (Non-Strain Hardening) Material Model	74
KM-620	Elastic–Plastic Stress–Strain Curve Model	74
KM-630	Cyclic Stress–Strain Curve	74
Article KM-7	**Rules for Covers on Impulsively Loaded Vessels**	81
KM-700	General	81
Article KM-8	**Rules for Castings for Impulsively Loaded Vessels**	82
KM-800	General	82
Part KD	**Design Requirements**	83
Article KD-1	**General**	83
KD-100	Scope	83
KD-110	Loadings	83
KD-120	Design Basis	84
KD-130	Design Criteria	85
KD-140	Fatigue Evaluation	85
Article KD-2	**Basic Design Requirements**	86
KD-200	Scope	86
KD-210	Terms Relating to Stress Analysis	86
KD-220	Equations for Cylindrical and Spherical Shells	88
KD-230	Elastic–Plastic Analysis	90
KD-240	Additional Requirements for Impulsively Loaded Vessels	96

Currently in preview, click buy full version

Article KD-3	**Fatigue Evaluation**	98
KD-300	Scope	98
KD-310	Stress Analysis for Fatigue Evaluation	98
KD-320	Calculated Number of Design Cycles	101
KD-330	Calculated Cumulative Effect Number of Design Cycles	103
KD-340	Fatigue Assessment of Welds — Elastic Analysis and Structural Stress	103
KD-350	Histogram Development and Cycle Counting for Fatigue Analysis	10[illegible]
KD-370	Welded Joint Design Fatigue Curves	1[illegible]9
Article KD-4	**Fracture Mechanics Evaluation**	[illegible]
KD-400	Scope	135
KD-410	Crack Size Criteria	135
KD-420	Stress Intensity Factor K_I Calculation	136
KD-430	Calculation of Crack Growth Rates	136
KD-440	Calculated Number of Design Cycles	137
KD-450	Alternative Methods for Generation of Weld Flaw Size Acceptance Criteria	137
Article KD-5	**Design Using Autofrettage**	140
KD-500	Scope	140
KD-510	Limits on Autofrettage Pressure	141
KD-520	Calculation of Residual Stresses	141
KD-530	Design Calculations	143
Article KD-6	**Design Requirements for Closures, Integral Heads, Threaded Fasteners, and Seals**	144
KD-600	Scope	144
KD-620	Threaded Fasteners and Components	144
KD-630	Load-Carrying Shell With Single Threaded End Closures	145
KD-640	Integral Heads	146
KD-650	Quick-Actuating Closures	146
KD-660	Requirements for Closures and Seals	146
Article KD-7	**Design Requirements for Attachments, Supports, and External Heating and Cooling Jackets**	148
KD-700	General Requirements	148
KD-710	Materials for Attachments	148
KD-720	Welds Attaching Nonpressure Parts to Pressure Parts	148
KD-730	Design of Attachments	150
KD-740	Design of Supports	150
KD-750	Jacketed Vessels	150
Article KD-8	**Special Design Requirements for Layered Vessels**	151
KD-800	General	151
KD-810	Rules for Shrink-Fit Layered Vessels	152
KD-820	Rules for Concentrically Wrapped and Welded Layered Vessels	154
KD-830	Design of Welded Joints	155
KD-840	Openings and Their Reinforcement	155
KD-850	Supports	155
Article KD-9	**Special Design Requirements for Wire-Wound Vessels and Wire-Wound Frames**	162

Currently in preview, click buy full version

KD-900	Scope	162
KD-910	Stress Analysis	162
KD-920	Stress Limits	164
KD-930	Fatigue Evaluation	165
Article KD-10	**Special Requirements for Vessels in Hydrogen Service**	167
KD-1000	Scope	167
KD-1010	Fatigue Life Evaluation Using Fracture Mechanics	168
KD-1020	Fracture Mechanics Properties	168
KD-1040	Test Method for K_{IH} Determination	169
KD-1050	Fatigue Crack Growth Rate Tests	170
Article KD-11	**Design Requirements for Welded Vessels**	172
KD-1100	Scope	172
KD-1110	Types of Joints Permitted	172
KD-1120	Transition Joints Between Sections of Unequal Thickness	172
KD-1130	Nozzle Attachments	173
Article KD-12	**Experimental Design Verification**	178
KD-1200	General Requirements	178
KD-1210	Types of Tests	178
KD-1220	Strain Measurement Test Procedure	178
KD-1230	Photoelastic Test Procedure	179
KD-1240	Test Procedures	179
KD-1250	Interpretation of Results	179
KD-1260	Experimental Determination of Allowable Number of Operating Cycles	180
KD-1270	Determination of Fatigue Strength Reduction Factors	184
Article KD-13	**Additional Design Requirements for Composite Reinforced Pressure Vessels (CRPV)**	185
KD-1300	Scope	185
KD-1310	General	185
Part KF	**Fabrication Requirements**	187
Article KF-1	**General Fabrication Requirements**	187
KF-100	General	187
KF-110	Material	187
KF-120	Material Forming	188
KF-130	Tolerances for Cylindrical and Spherical Shells and Heads	189
Article KF-2	**Supplemental Welding Fabrication Requirements**	190
KF-200	General Requirements for All Welds	190
KF-210	Welding Qualifications and Records	190
KF-220	Weld Joints Permitted and Their Examination	191
KF-230	Requirements During Welding	193
KF-240	Repair of Weld Defects	194
Article KF-3	**Fabrication Requirements for Materials With Protective Linings**	195
KF-300	Scope	195
KF-310	Qualification of Welding Procedures	195
KF-320	Integrally Clad Materials	196
KF-330	Postweld Heat Treatment of Linings	196

Currently in preview, click buy full version

KF-340	Examination Requirements	196
KF-350	Inspection and Tests	196
KF-360	Stamping and Reports	197
Article KF-4	**Heat Treatment of Weldments**	198
KF-400	Heat Treatment of Weldments	198
KF-410	Heating Procedures for Postweld Heat Treatment	201
KF-420	Postweld Heat Treatment After Repairs	202
Article KF-5	**Additional Fabrication Requirements for Autofrettaged Vessels**	203
KF-500	General	203
KF-510	Examination and Repair	203
KF-520	Autofrettage Procedures	203
KF-530	Examination After Autofrettage	203
KF-540	Repair of Defects After Autofrettage	203
KF-550	Stamping and Reports	203
Article KF-6	**Additional Fabrication Requirements for Quenched and Tempered Steels**	204
KF-600	General	204
KF-610	Welding Requirements	204
KF-620	Temporary Welds Where Not Prohibited	205
KF-630	Postweld Heat Treatment	205
KF-640	Examination and Testing	205
KF-650	Stamping and Reports	205
Article KF-7	**Supplementary Requirements for Materials With Welding Restrictions**	208
KF-700	Scope	208
KF-710	Repair of Defects	208
KF-720	Methods of Forming Forged Heads	208
Article KF-8	**Specific Fabrication Requirements for Layered Vessels**	209
KF-800	Scope	209
KF-810	Rules for Shrink-Fit Vessels	209
KF-820	Rules for Concentrically Wrapped Welded Layered Vessels	210
KF-830	Heat Treatment of Weldments	216
Article KF-9	**Special Fabrication Requirements for Wire-Wound Vessels and Frames**	217
KF-900	Scope	217
KF-910	Fabrication Requirements	217
Article KF-10	**Additional Fabrication Requirements for Aluminum Alloys**	219
Article KF-11	**Additional Fabrication Requirements for Welding Age-Hardening Stainless Steels**	220
KF-1100	Scope	220
KF-1110	Welding Requirements	220
KF-1120	Base Metal Heat Treatment Condition	220
KF-1130	Temporary Welds Where Not Prohibited	220
KF-1140	Postweld Heat Treatment	220
KF-1150	Production Weld Testing	220
KF-1160	Examination and Testing	221

Currently in preview, click buy full version

KF-1170	Repair Welding	221
KF-1180	Postweld Heat Treatment After Weld Repairs	221
Article KF-12	**Additional Fabrication Requirements for Composite Reinforced Pressure Vessels (CRPV)**	222
KF-1200	Scope	222
KF-1210	Welding	222
Part KOP	**Overpressure Protection**	224
Article KOP-1	**General Requirements**	224
KOP-100	General Requirements	224
KOP-110	Definitions	224
KOP-120	Responsibilities	224
KOP-130	Determination of Pressure-Relieving Requirements	225
KOP-140	Overpressure Limits	225
KOP-150	Permitted Pressure Relief Devices and Methods	225
KOP-160	Pressure Settings and Performance Requirements	226
KOP-170	Installation	227
Article KOP-2	**Requirements for Power-Actuated Pressure Relief Systems**	228
KOP-200	General Requirements	228
KOP-210	System Requirements	228
KOP-220	Flow Capacity Testing	229
Article KOP-3	**Overpressure Protection for Impulsively Loaded Vessels**	230
KOP-300	General	230
Part KE	**Examination Requirements**	231
Article KE-1	**Requirements for Examination Procedures and Personnel Qualification**	231
KE-100	General	231
KE-110	Qualification and Certification of Nondestructive Examination Personnel	231
Article KE-2	**Requirements for Examination and Repair of Material**	234
KE-200	General Requirements	234
KE-210	General Requirements for Repair of Defects	234
KE-220	Examination and Repair of Plate	235
KE-230	Examination and Repair of Forgings and Bars	235
KE-240	Examination and Repair of Seamless and Welded (Without Filler Metal) Tubular Products and Fittings	237
KE-250	Examination and Repair of Tubular Products and Fittings Welded With Filler Metal	239
KE-260	Examination of Bolts, Studs, and Nuts	239
KE-270	Examination of Castings	240
Article KE-3	**Examination of Welds and Acceptance Criteria**	241
KE-300	Examination of Welds and Weld Overlay	241
KE-310	Examination of Weld Edge Preparation Surfaces	253
KE-320	Types of Welds and Their Examination	253
KE-330	Acceptance Standards	254
Article KE-4	**Final Examination of Vessels**	256
KE-400	Surface Examination After Hydrotest	256
KE-410	Inspection of Lined Vessel Interior After Hydrotest	256

Currently in preview, click buy full version

Article KE-5	**Additional Examination Requirements for Composite Reinforced Pressure Vessels (CRPV)**	257
KE-500	Scope	257
Part KT	**Testing Requirements**	258
Article KT-1	**Testing Requirements**	258
KT-100	Scope	258
KT-110	Requirements for Sample Test Coupons	258
Article KT-2	**Impact Testing for Welded Vessels**	259
KT-200	Impact Tests	259
KT-210	Location and Orientation of Specimens	259
KT-220	Impact Tests for Welding Procedure Qualifications	259
KT-230	Impact Test of Production Test Plates	259
KT-240	Basis for Rejection	260
Article KT-3	**Hydrostatic Tests**	261
KT-300	Scope	261
KT-310	Limits of Hydrostatic Test Pressure	261
KT-320	Fluid Media for Hydrostatic Tests	262
KT-330	Test Procedure	263
KT-340	Exemption for Autofrettaged Vessels	263
KT-350	Additional Requirements for Impulsively Loaded Vessels	263
Article KT-4	**Pressure Test Gages and Transducers**	264
KT-400	Type and Number of Gages or Transducers	264
KT-410	Pressure Range of Test Gages and Transducers	264
KT-420	Calibration of Test Gages and Transducers	264
Article KT-5	**Additional Testing Requirements for Composite Reinforced Pressure Vessels (CRPV)**	265
KT-500	Responsibility	265
KT-510	Testing Requirements	265
Part KS	**Marking, Stamping, Reports, and Records**	266
Article KS-1	**Contents and Method of Stamping**	266
KS-100	Required Marking for Vessels	266
KS-110	Application of Certification Mark	267
KS-120	Part Marking	267
KS-130	Application of Markings	267
KS-140	Attachment of Nameplate or Tag	268
KS-150	Special Stamping Requirements for Composite Reinforced Pressure Vessels (CRPV)	268
Article KS-2	**Obtaining and Using Certification Marks**	269
KS-200	Certification Mark Bearing Official Symbol	269
KS-210	Application for Certificate of Authorization	269
KS-220	Issuance of Authorization	269
KS-230	Designated Oversight	269
KS-240	Quality Control System	269
KS-250	Evaluation of the Quality Control System	269
KS-260	Code Construction Before Receipt of Certificate of Authorization	269

KS-270	Special Requirements Regarding Manufacturer's Certificates for Manufacture of Composite Reinforced Pressure Vessels (CRPV)	269
Article KS-3	**Report Forms and Maintenance of Records**	270
KS-300	Manufacturer's Data Reports	270
KS-310	Maintenance of Radiographs	271
KS-320	Maintenance of Records	271
Mandatory Appendix 1	**Nomenclature**	272
1-100	Nomenclature	272
Mandatory Appendix 2	**Quality Control System**	280
2-100	General	280
2-110	Outline of Features to Be Included in the Written Description of the Quality Control System	280
2-111	Authority and Responsibility	280
2-112	Organization	280
2-113	Drawings, Design Calculations, and Specification Control	280
2-114	Material Control	281
2-115	Examination and Inspection Program	281
2-116	Correction of Nonconformities	281
2-117	Welding	281
2-118	Nondestructive Examination	281
2-119	Heat Treatment	281
2-120	Calibration of Measurement and Test Equipment	281
2-121	Records Retention	281
2-122	Sample Forms	281
2-123	Inspection of Vessels and Vessel Parts	281
2-124	Certifications	281
Mandatory Appendix 5	**Adhesive Attachment of Nameplates**	282
5-100	Scope	282
5-200	Nameplate Application Procedure Qualification	282
Mandatory Appendix 6	**Rounded Indications Charts Acceptance Standard for Radiographically Determined Rounded Indications in Welds**	283
6-100	Applicability of These Standards	283
6-110	Terminology	283
6-120	Acceptance Criteria	283
Mandatory Appendix 8	**Establishing Governing Code Editions and Cases for Pressure Vessels and Parts**	292
8-100	General	292
8-200	Construction	292
8-300	Materials	292
Mandatory Appendix 9	**Linear Elastic Analysis**	293
9-100	General	293
9-110	Load Combinations	293
9-200	Derivation of Equivalent Stress	293
9-210	Stress Limits	293
9-220	Primary Membrane and Bending Stresses	294
9-230	Pure Shear Stress	296

9-240	Bearing Stress	296
9-250	Secondary Stresses	296
9-260	Simplified Elastic–Plastic Analysis	296
9-270	Thermal Stress Ratcheting Assessment	296
9-280	Triaxial Stresses	296
9-290	Upper Limit for Hydrostatic Test Pressure	297
9-300	Principal Stresses in Monobloc Vessels	297
9-400	Analysis of Threaded Fasteners and Components	297
Nonmandatory Appendix A	**Guide for Preparing Manufacturer's Data Reports**	298
A-100	Introduction	298
Nonmandatory Appendix B	**Suggested Practice Regarding Extending Life Beyond the Cyclic Design Life**	312
B-100	Extending Allowed Cyclic Limits While in Operation	312
Nonmandatory Appendix D	**Fracture Mechanics Calculations**	313
Nonmandatory Appendix E	**Construction Details**	314
E-100	Integral Heads (Blind Ends)	314
E-110	Thick Wall Proportions	314
E-120	Thin Wall Proportions	314
E-200	Threaded End Closures	315
E-210	Nomenclature (See Figures E-210.1, E-210.2, and E-210.3)	315
E-220	Thread Load Distribution	316
Nonmandatory Appendix G	**Design Rules for Clamp Connections**	321
G-100	Scope	321
G-200	Materials	321
G-300	Nomenclature	321
G-400	Bolt Loads	329
G-500	Longitudinal Loads	330
G-600	Hub Moments	330
G-700	Calculation of Hub Stresses	330
G-800	Calculation of Clamp Stresses	330
G-900	Allowable Design Stresses for Clamp Connections	331
Nonmandatory Appendix H	**Openings and Their Reinforcement**	332
H-100	Scope	332
H-110	Circular Openings Not Requiring Reinforcement	332
H-120	Reinforcement for Openings in Shells and Formed Heads	332
H-130	Reinforcement for Openings in Flat Heads	334
H-140	Limits of Reinforcement	334
H-150	Metal Available for Reinforcement	335
Nonmandatory Appendix I	**Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code**	337
I-100	Use of Units in Equations	337
I-200	Guidelines Used to Develop SI Equivalents	337
I-300	Soft Conversion Factors	339
Nonmandatory Appendix J	**Stress Concentration Factors for Cross-Bores in Closed-End Cylinders and Square Blocks**	340
J-100	Scope	340

J-110	Methodology	340
Nonmandatory Appendix K	**Fatigue and Fracture Assessment of Impulsively Loaded Vessels**	344
K-100	Scope	344
K-110	Nomenclature	344
K-200	Analysis	344
Nonmandatory Appendix L	**Linearization of Stress Results for Stress Classification**	346

Figures

KM-212	Examples of Acceptable Impact Test Specimens	28
KM-270.1	Machine Sharp Edge-Notch Specimen	34
KM-270.1M	Machine Sharp Edge-Notch Specimen	34
KM-270.2	Reinforcing Plate for Specimen Head	35
KM-270.2M	Reinforcing Plate for Specimen Head	36
KM-270.3	Standard Test Sections	37
KM-270.3M	Standard Test Sections	37
KD-320.1	Design Fatigue Curves $S_a = f(N_f)$ for Nonwelded Machined Parts Made of Forged Carbon or Low Alloy Steels for Temperatures Not Exceeding 700°F	111
KD-320.1M	Design Fatigue Curves $S_a = f(N_f)$ for Nonwelded Machined Parts Made of Forged Carbon or Low Alloy Steels for Temperatures Not Exceeding 371°C	115
KD-320.2	Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Parts Made of Carbon or Low Alloy Steels for Temperatures Not Exceeding 700°F	119
KD-320.2M	Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Parts Made of Carbon or Low Alloy Steels for Temperatures Not Exceeding 371°C	120
KD-320.3	Fatigue Curve for Nonwelded Series 3XX High Alloy Steel, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 800°F	121
KD-320.3M	Fatigue Curve for Nonwelded Series 3XX High Alloy Steel, Nickel–Chromium–Iron Alloy, Nickel–Iron–Chromium Alloy, and Nickel–Copper Alloy for Temperatures Not Exceeding 427°C	122
KD-320.4	Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Machined Parts Made of 17-4PH/15-5PH Stainless Steel Bar or Forgings, for Temperatures Not Exceeding 550°F	123
KD-320.4M	Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Machined Parts Made of 17-4PH/15-5PH Stainless Steel Bar or Forgings, for Temperatures Not Exceeding 290°C	124
KD-320.5	Design Fatigue Curve for High-Strength Steel Bolting for Temperatures Not Exceeding 700°F	125
KD-320.5M	Design Fatigue Curve for High-Strength Steel Bolting for Temperatures Not Exceeding 371°C	126
KD-320.6(a)	Roughness Factor K_r Versus Average Surface Roughness R_a (μin.) AA	127
KD-320.6M(a)	Roughness Factor K_r Versus Average Surface Roughness R_a (μm) AA	128
KD-320.6(b)	Roughness Factor K_r Versus Maximum Surface Roughness R_{max} (μin.)	129
KD-320.6M(b)	Roughness Factor K_r Versus Maximum Surface Roughness R_{max} (μm)	130
KD-320.7	Design Fatigue Curve for Nonwelded 6061-T6 and 6061-T651 Aluminum for Temperatures Not Exceeding 225°F	132
KD-320.7M	Design Fatigue Curve for Nonwelded 6061-T6 and 6061-T651 Aluminum for Temperatures Not Exceeding 107°C	133

KD-372.1	Burr Grinding of Weld Toe	134
KD-700	Some Illustrative Weld Attachment Details	149
KD-812	Diameters and Layer Numbers for Concentric Shrink-Fit Layered Cylinder	153
KD-830.1	Acceptable Layered Shell Types	156
KD-830.2	Some Acceptable Solid-to-Layered Attachments	157
KD-830.3	Some Acceptable Flat Heads With Hubs Joining Layered Shell Sections	158
KD-830.4	Some Acceptable Flanges for Layered Shells	159
KD-830.5	Some Acceptable Welded Joints of Layered-to-Layered and Layered-to-Solid Sections	159
KD-830.6	Some Acceptable Nozzle Attachments in Layered Shell Sections	160
KD-850	Some Acceptable Supports for Layered Vessels	161
KD-900	Wire-Wound Vessel and Frame Construction	163
KD-911	Nomenclature for Wire-Wound Cylinders	164
KD-932	Derivation of Design Fatigue Curve From Wire Fatigue Curve	166
KD-1112	Typical Pressure Parts With Butt-Welded Hubs (Not Permissible if Machined From Rolled Plates)	173
KD-1121	Joints Between Formed Heads and Shells	174
KD-1122	Nozzle Necks Attached to Piping of Lesser Wall Thickness	175
KD-1130	Some Acceptable Welded Nozzle Attachments	176
KD-1131	An Acceptable Full-Penetration Welded Nozzle Attachment Not Readily Radiographable	177
KD-1260.1	Construction of Testing Parameter Ratio Diagram	182
KD-1260.2	Construction of Testing Parameter Ratio Diagram for Accelerated Tests	183
KF-131	Example of the Maximum and Minimum Inside Diameters in a Cylindrical Shell	189
KF-822(a)	Solid-to-Layered and Layered-to-Layered Test Plates	211
KF-822(b)	Test Specimens for Weld Procedure Qualification	212
KF-825.4	Indications of Layer Wash	213
KF-826	Gap Area Between Layers	214
KE-242.1	Axial Propagation of Sound in Tube Wall	238
KE-301-1	Flaw Classification of Single Indication	244
KE-301-2	Surface Flaw Acceptance Criteria	245
KE-301-3	Subsurface Flaw Acceptance Criteria	247
KE-301-4	Multiple Planar Flaws Oriented in Plane Normal to Pressure-Retaining Surface	249
KE-301-5	Parallel Planar Flaws	250
KE-301-6	Nonaligned Coplanar Flaws in Plane Normal to Pressure-Retaining Surface (Illustrative Flaw Configurations)	251
KE-301-7	Multiple Aligned Planar Flaws	252
KE-321	Illustration of Welded Joint Locations Typical of Categories A, B, C, and D	254
KS-100	Official New Certification Mark to Denote the American Society of Mechanical Engineers' Standard	266
KS-132	Form of Stamping	268
6-1	Aligned Rounded Indications	284
6-2	Groups of Aligned Rounded Indications	285
6-3.1	Charts for t $\frac{1}{8}$ in. (3 mm) to $\frac{1}{4}$ in. (6 mm), Inclusive	286

6-3.2	Charts for t Over $\frac{1}{4}$ in. (6 mm) to $\frac{3}{8}$ in. (10 mm), Inclusive	287
6-3.3	Charts for t Over $\frac{3}{8}$ in. (10 mm) to $\frac{3}{4}$ in. (19 mm), Inclusive	288
6-3.4	Charts for t Over $\frac{3}{4}$ in. (19 mm) to 2 in. (50 mm), Inclusive	289
6-3.5	Charts for t Over 2 in. (50 mm) to 4 in. (100 mm), Inclusive	290
6-3.6	Charts for t Over 4 in. (100 mm)	291
9-200.1	Stress Categories and Limits of Equivalent Stress	295
E-110	Thick Wall Blind End Proportions Not Requiring Detailed Analysis	314
E-120	Thin Wall Blind End Proportions Not Requiring Detailed Analysis	315
E-210.1	Typical Threaded End Closure	317
E-210.2	Thread Loading Distribution	318
E-210.3	Detail of First Thread	318
G-100.1	Clamp Nomenclature	322
G-100.2	Typical Clamp Lug Configurations [View *B-B* From Figure G-100.1, Sketch (c)]	323
G-100.3	Typical Hub Design With the Bolts Contained Within the Body of the Clamp	324
G-300	Typical Self-Energizing Gaskets Used in This Division, Showing Diameter at Location of Gasket Load Reaction G	328
G-300.1	Values of f (Hub Stress Correction Factor)	329
H-101	Straight Drill Connections for Thick-Walled Cylinders	333
H-120.1	Chart for Determining Value of F	334
H-142	Nozzle Nomenclature and Dimensions (Depicts Configuration Only. See Article KD-11 for Details of Construction.)	336
J-110-1	Geometries of Square Blocks and Cylinders With Cross-Bores	341
J-110-2	Tangential Stress Concentration Factors for Openings in Cylinders	342
J-110-3	Tangential Stress Concentration Factors for Openings in Square Cross-Section Blocks	342
K-200-1	Stress History	345
K-200-2	Toughness Temperature Curve	345

Tables

KG-141	Referenced Standards in This Division and Year of Acceptable Edition	5
KG-150	Standard Units for Use in Equations	6
KM-212	Charpy Impact Test Temperature Reduction Below Minimum Design Metal Temperature	27
KM-234.2(a)	Minimum Required Charpy V-Notch Impact Values for Pressure-Retaining Component Materials	30
KM-234.2(b)	Minimum Required Charpy V-Notch Impact Values for Bolting Materials	31
KM-400-1	Carbon and Low Alloy Steels	40
KM-400-1M	Carbon and Low Alloy Steels (Metric)	48
KM-400-2	High Alloy Steels	57
KM-400-2M	High Alloy Steels (Metric)	62
KM-400-3	Nickel and Nickel Alloys	67
KM-400-3M	Nickel and Nickel Alloys (Metric)	69
KM-400-4	Aluminum Alloys	71
KM-400-4M	Aluminum Alloys (Metric)	72
KM-620	Tabular Values for Coefficients	75

KM-630	Cyclic Stress–Strain Curve Data	76
KM-630M	Cyclic Stress–Strain Curve Data	78
KM-630.1	Coefficients for the Welded Joint Fatigue Curves	80
KM-630.1M	Coefficients for the Welded Joint Fatigue Curves	80
KM-800-1	Minimum Required Charpy V-Notch Impact Values	82
KD-230.1	Loads and Load Cases to Be Considered in Design	91
KD-230.2	Load Descriptions	92
KD-230.3	Combination for Analysis Exemption of Hydrostatic Test Criterion	92
KD-230.4	Load Combinations and Load Factors for an Elastic–Plastic Analysis	93
KD-320.1	Tabulated Values of S_a, ksi, From Figures Indicated	112
KD-320.1M	Tabulated Values of S_a, MPa, From Figures Indicated	116
KD-320.7	Tabulated Values of S_a Alternating Stress Intensity From Figures KD-320.7 and KD-320.7M	131
KD-322.1	Fatigue Penalty Parameters	133
KD-430	Room-Temperature Crack Growth Rate Factors (U.S. Customary Units)	138
KD-430M	Room-Temperature Crack Growth Rate Factors (SI Units)	138
KD-431	Crack Growth Rate Factors	139
KF-234	Maximum Allowable Offset in Welded Joints	194
KF-402.1	Requirements for Postweld Heat Treatment of Pressure Parts and Attachments (U.S. Customary Units)	199
KF-402.1M	Requirements for Postweld Heat Treatment of Pressure Parts and Attachments (SI Units)	200
KF-630	Postweld Heat Treatment Requirements for Quenched and Tempered Materials in Table KM-400-1 (U.S. Customary Units)	206
KF-630M	Postweld Heat Treatment Requirements for Quenched and Tempered Materials in Table KM-400-1M (SI Units)	207
KF-1211	Permitted Weld Reinforcement	222
KE-101	Thickness, Image Quality Indicator Designations, Essential Holes, and Wire Diameters (U.S. Customary Units)	232
KE-101M	Thickness, Image Quality Indicator Designations, Essential Holes, and Wire Diameters (SI Units)	233
KE-301-1	Flaw Acceptance Criteria for 1 in. (25 mm) to 12 in. (300 mm) Thick Weld	243
KE-301-2	Flaw Acceptance Criteria for 16 in. (400 mm) Thick Weld	243
KE-332	Radiographic Acceptance Standards for Rounded Indications (Examples Only)	255
9-100.1	Load Case Combinations and Allowable Stresses for an Elastic Analysis	294
A-100.1	Instructions for the Preparation of Manufacturer's Data Reports	304
A-100.2	Instructions for the Preparation of Manufacturer's Data Reports Form CRPV-1A	308
E-222.1	Continuous Thread Example	319
E-222.2	Interrupted Thread Example	320
G-900	Allowable Design Stress for Clamp Connections	331
J-110-2	Tangential Stress Concentration Factors for Openings in Cylinders (Tabulated Values From Figure J-110-2)	343
J-110-3	Tangential Stress Concentration Factors for Openings in Square Cross-Section Blocks (Tabulated Values From Figure J-110-3)	343

Forms

KG-311.15	Typical Certification of Compliance of the User's Design Specification	11
KG-324.1	Typical Certification of Compliance of the Manufacturer's Design Report	14
K-1	Manufacturer's Data Report for High Pressure Vessels	299
K-2	Manufacturer's Partial Data Report for High Pressure Vessels	301
K-3	Manufacturer's Data Report Supplementary Sheet	303
CRPV-1A	Manufacturer's Data Report for Composite Reinforced Pressure Vessels	306
CRPV-2A	Recommended Form for Qualifying the Laminate Design and the Laminate Procedure Specification Used in Manufacturing Composite Reinforced Pressure Vessels	310

Endnotes 347

LIST OF SECTIONS

(25)

SECTIONS

I Rules for Construction of Power Boilers

II Materials
- Part A — Ferrous Material Specifications
- Part B — Nonferrous Material Specifications
- Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
- Part D — Properties (Customary)
- Part D — Properties (Metric)

III Rules for Construction of Nuclear Facility Components
- Subsection NCA — General Requirements for Division 1 and Division 2
- Appendices
- Division 1
  - Subsection NB — Class 1 Components
  - Subsection NCD — Class 2 and Class 3 Components
  - Subsection NE — Class MC Components
  - Subsection NF — Supports
  - Subsection NG — Core Support Structures
- Division 2 — Code for Concrete Containments
- Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
- Division 4 — Fusion Energy Devices
- Division 5 — High Temperature Reactors

IV Rules for Construction of Heating Boilers

V Nondestructive Examination

VI Recommended Rules for the Care and Operation of Heating Boilers

VII Recommended Guidelines for the Care of Power Boilers

VIII Rules for Construction of Pressure Vessels
- Division 1
- Division 2 — Alternative Rules
- Division 3 — Alternative Rules for Construction of High Pressure Vessels

IX Welding, Brazing, and Fusing Qualifications

X Fiber-Reinforced Plastic Pressure Vessels

XI Rules for Inservice Inspection of Nuclear Reactor Facility Components
- Division 1 — Rules for Inservice Inspection of Nuclear Power Plant Components
- Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Reactor Facilities

XII Rules for Construction and Continued Service of Transport Tanks

XIII Rules for Overpressure Protection

(25)

FOREWORD*

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

(a) Committee on Power Boilers (I)
(b) Committee on Materials (II)
(c) Committee on Construction of Nuclear Facility Components (III)
(d) Committee on Heating Boilers (IV)
(e) Committee on Nondestructive Examination (V)
(f) Committee on Pressure Vessels (VIII)
(g) Committee on Welding, Brazing, and Fusing (IX)
(h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
(i) Committee on Nuclear Inservice Inspection (XI)
(j) Committee on Transport Tanks (XII)
(k) Committee on Overpressure Protection (XIII)
(l) Technical Oversight Management Committee (TOMC)

Where reference is made to "the Committee" in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating to pressure integrity. The rules govern the construction** of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. For nuclear items other than pressure-retaining components, the Committee also establishes rules of safety related to structural integrity. The Committee also interprets these rules when questions arise regarding their intent. The technical consistency of the Sections of the Code and coordination of standards development activities of the Committees is supported and guided by the Technical Oversight Management Committee. The Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity and, for nuclear items other than pressure-retaining components, structural integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of components addressed by the Code. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

The Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are

* The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Code.

** *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and overpressure protection.

responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of the Code. Requests for revisions, new rules, Code cases, or interpretations shall be addressed to the staff secretary in writing and shall give full particulars in order to receive consideration and action (see the Correspondence With the Committee page). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at http://go.asme.org/BPVCPublicReview to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of the ASME Single Certification Mark.

When required by context in the Code, the singular shall be interpreted as the plural, and vice versa.

The words "shall," "should," and "may" are used in the Code as follows:

- *Shall* is used to denote a requirement.
- *Should* is used to denote a recommendation.
- *May* is used to denote permission, neither a requirement nor a recommendation.

STATEMENT OF POLICY ON THE USE OF THE ASME SINGLE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the ASME Single Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the ASME Single Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the ASME Single Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the ASME Single Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the ASME Single Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code." An ASME corporate logo shall not be used by any organization other than ASME.

The ASME Single Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the ASME Single Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the ASME Single Certification Mark.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the ASME Single Certification Mark described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.