

SECTION XI

Rules for Inservice Inspection of
Nuclear Reactor Facility Components

2025

ASME Boiler and
Pressure Vessel Code
An International Code

Division 1

Rules for Inservice Inspection of
Nuclear Power Plant Components

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

2025 ASME Boiler & Pressure Vessel Code

2025 Edition

July 1, 2025

XI RULES FOR INSERVICE INSPECTION OF NUCLEAR REACTOR FACILITY COMPONENTS

Division 1

Rules for Inservice Inspection of Nuclear Power Plant Components

ASME Boiler and Pressure Vessel Committee
on Nuclear Inservice Inspection



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2025

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

All rights reserved. “ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

Library of Congress Catalog Card Number: 56-3934

Adapted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2025.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

TABLE OF CONTENTS

List of Sections		xxv
Foreword		xxvii
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising		xxviii
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items		xxix
Correspondence With the Committee		xxx
Personnel		xxxii
Preface to Section XI		lv
Organization of Section XI		lvi
Summary of Changes		lix
Cross-Referencing in the ASME BPVC		lxiv
Division 1	Rules for Inservice Inspection of Nuclear Power Plant Components	1
Subsection IWA	General Requirements	1
Article IWA-1000	Scope and Responsibility	1
IWA-1100	Scope	1
IWA-1200	Jurisdiction	1
IWA-1300	Application	1
IWA-1400	Owner's Responsibility	2
IWA-1500	Accessibility	2
IWA-1600	Referenced Standards and Specifications	3
IWA-1700	Standard Units	3
IWA-1800	Tolerances	4
Article IWA-2000	Examination and Inspection	5
IWA-2100	General	5
IWA-2200	Examination Methods	5
IWA-2300	Qualifications of Nondestructive Examination Personnel	8
IWA-2400	Inspection Program	13
IWA-2500	Extent of Examination	14
IWA-2600	Weld Reference System	14
Article IWA-3000	Standards for Examination Evaluation	16
IWA-3100	Evaluation	16
IWA-3200	Significant Digits for Limiting Values	16
IWA-3300	Flaw Characterization	16
IWA-3400	Linear Flaws Detected by Surface or Volumetric Examinations	20
Article IWA-4000	Repair/Replacement Activities	28
IWA-4100	General Requirements	28
IWA-4200	Items for Repair/Replacement Activities	32
IWA-4300	Design	34
IWA-4400	Welding, Brazing, Metal Removal, Fabrication, and Installation	36
IWA-4500	Examination and Testing	39
IWA-4600	Alternative Welding Methods	40
IWA-4700	Heat Exchanger Tubing	51
Article IWA-5000	System Pressure Tests	60
IWA-5100	General	60
IWA-5200	System Test Requirement	60
IWA-5300	Test Records	64

Article IWA-6000	Records and Reports	65
IWA-6100	Scope	65
IWA-6200	Requirements	65
IWA-6300	Retention	66
Article IWA-9000	Glossary	68
Subsection IWB	Requirements for Class 1 Components of Light-Water-Cooled Plants	74
Article IWB-1000	Scope and Responsibility	74
IWB-1100	Scope	74
IWB-1200	Components Subject to Examination	74
Article IWB-2000	Examination and Inspection	75
IWB-2200	Preservice Examination	75
IWB-2400	Inspection Schedule	75
IWB-2500	Examination and Pressure Test Requirements	78
Article IWB-3000	Acceptance Standards	124
IWB-3100	Evaluation of Examination Results	124
IWB-3200	Supplemental Examinations	126
IWB-3400	Standards	126
IWB-3500	Acceptance Standards	126
IWB-3600	Analytical Evaluation of Planar Flaws	137
IWB-3700	Analytical Evaluation of Plant Operating Events	142
Article IWB-5000	System Pressure Tests	143
IWB-5200	System Test Requirements	143
Subsection IWC	Requirements for Class 2 Components of Light-Water-Cooled Plants	145
Article IWC-1000	Scope and Responsibility	145
IWC-1100	Scope	145
IWC-1200	Components Subject to Examination	145
Article IWC-2000	Examination and Inspection	147
IWC-2200	Preservice Examination	147
IWC-2400	Inspection Schedule	147
IWC-2500	Examination and Pressure Test Requirements	149
Article IWC-3000	Acceptance Standards	179
IWC-3100	Evaluation of Examination Results	179
IWC-3200	Supplemental Examinations	180
IWC-3400	Standards	181
IWC-3500	Acceptance Standards	181
IWC-3600	Analytical Evaluation of Planar Flaws	187
Article IWC-5000	System Pressure Tests	189
IWC-5200	System Test Requirements	189
Subsection IWD	Requirements for Class 3 Components of Light-Water-Cooled Plants	191
Article IWD-1000	Scope and Responsibility	191
IWD-1100	Scope	191
IWD-1200	Components Subject to Examination	191
Article IWD-2000	Examination and Inspection	192
IWD-2200	Preservice Examination	192
IWD-2400	Inspection Schedule	192
IWD-2500	Examination and Pressure Test Requirements	193

Article IWD-3000	Acceptance Standards	199
IWD-3100	Evaluation of Examination Results	199
IWD-3200	Supplemental Examinations	199
IWD-3400	Standards	199
IWD-3500	Acceptance Standards	200
IWD-3600	Analytical Evaluation of Planar Flaws	200
Article IWD-5000	System Pressure Tests	202
IWD-5200	System Test Requirements	202
Subsection IWE	Requirements for Class MC and Metallic Liners of Class CC Components of Light-Water-Cooled Plants	204
Article IWE-1000	Scope and Responsibility	204
IWE-1100	Scope	204
IWE-1200	Components Subject to Examination	204
Article IWE-2000	Examination and Inspection	206
IWE-2100	General	206
IWE-2200	Preservice Examination	206
IWE-2300	Visual Examination, Personnel Qualification, and Responsible Individual	206
IWE-2400	Inspection Schedule	207
IWE-2500	Examination and Pressure Test Requirements	208
IWE-2600	Condition of Surface to Be Examined	209
Article IWE-3000	Acceptance Standards	213
IWE-3100	Evaluation of Examination Results	213
IWE-3200	Supplemental Examinations	214
IWE-3400	Standards	214
IWE-3500	Acceptance Standards	214
Article IWE-5000	System Pressure Tests	216
IWE-5200	System Test Requirements	216
Subsection IWF	Requirements for Class 1, 2, 3, and MC Component Supports of Light-Water-Cooled Plants	217
Article IWF-1000	Scope and Responsibility	217
IWF-1100	Scope	217
IWF-1200	Component Supports Subject to Examination and Test	217
IWF-1300	Support Examination Boundaries	217
Article IWF-2000	Examination and Inspection	221
IWF-2100	Scope	221
IWF-2200	Preservice Examination	221
IWF-2400	Inspection Schedule	221
IWF-2500	Examination Requirements	222
Article IWF-3000	Acceptance Standards	225
IWF-3100	Evaluation of Examination Results	225
IWF-3200	Supplemental Examinations	226
IWF-3400	Acceptance Standards	226
Subsection IWL	Requirements for Class CC Concrete Components of Light-Water-Cooled Plants	227
Article IWL-1000	Scope and Responsibility	227
IWL-1100	Scope	227
IWL-1200	Items Subject to Examination	227
Article IWL-2000	Examination and Inspection	228
IWL-2100	General	228

IWL-2200	Preservice Examination	228
IWL-2300	Visual Examination, Personnel Qualification, and Responsible Engineer	228
IWL-2400	Inservice Inspection Schedule	229
IWL-2500	Examination Requirements	230
Article IWL-3000	Acceptance Standards	238
IWL-3100	Preservice Examination	238
IWL-3200	Inservice Examination	238
IWL-3300	Engineering Evaluation	239
Article IWL-4000	Repair/Replacement Activities	240
IWL-4100	General	240
IWL-4200	Repair/Replacement Plan	240
IWL-4300	Examination	241
Article IWL-5000	System Pressure Tests	242
IWL-5100	Scope	242
IWL-5200	System Test Requirements	242
IWL-5300	Report	242
Mandatory Appendix I	Ultrasonic Examinations	243
Article I-1000	Introduction	243
I-1100	Scope	243
Article I-2000	Examination Requirements	244
I-2100	Vessels Greater Than 2 in. (50 mm) in Thickness	244
I-2200	Vessels Not Greater Than 2 in. (50 mm) in Thickness and All Piping Welds	244
I-2300	Bolting	245
I-2400	All Other Examinations	245
I-2500	Thickness Measurements	245
I-2600	Mandatory Appendix VIII Examination	245
Article I-3000	Examination Coverage	246
I-3100	Examination	246
I-3200	Piping	246
I-3300	Vessel Shell and Nozzle-to-Shell Welds	246
I-3400	Nozzle Inside-Corner Region	247
I-3500	Bolting	248
Mandatory Appendix I	Supplements	249
Supplement 1	Calibration Block Material and Thickness	249
Supplement 2	Calibration Blocks for Clad Welds or Components	249
Supplement 3	Calibration Blocks for Examination of Parts With Curved Surfaces	249
Supplement 4	Alternative Weld Calibration Block Design	250
Supplement 5	Electronic Simulators	250
Supplement 6	Pulse Repetition Rate	250
Supplement 7	Instrument Calibration	250
Supplement 8	Scan Overlap and Search Unit Oscillation	250
Supplement 9	Scan Angles	250
Supplement 10	Recording Criteria	252
Supplement 11	Geometric Indications	252
Mandatory Appendix II	Owner's Record and Report	253

Mandatory Appendix III	Ultrasonic Examination of Vessel and Piping Welds	259
Article III-1000	Introduction	259
III-1100	General	259
Article III-2000	General Requirements	260
III-2100	Equipment Requirements	260
III-2200	Personnel Requirements	260
III-2300	Written Procedure Requirements	260
III-2400	General Examination Requirements	260
Article III-3000	Calibration	262
III-3100	Instrument Calibration	262
III-3200	System Calibration	262
III-3300	Calibration Confirmation	263
III-3400	Basic Calibration Blocks	263
III-3500	Calibration Data Record	263
Article III-4000	Examination	267
III-4100	General	267
III-4200	Surface Preparation	267
III-4300	Identification of Examination Areas	267
III-4400	Angle Beam Technique	267
III-4500	Recording Requirements	267
Mandatory Appendix III	Supplements	269
Supplement 1	Austenitic and Dissimilar Metal Welds	269
Supplement 2	Welds in Cast Austenitic Materials	269
Mandatory Appendix IV	Eddy Current Examination	271
Article IV-1000	Scope	271
IV-1100	Methods Addressed	271
IV-1200	General	271
Article IV-2000	General System and Personnel Requirements	272
IV-2100	Procedure Requirements	272
IV-2200	Procedure Specifications	272
IV-2300	Personnel Requirements	272
Article IV-3000	Qualification Requirements	273
IV-3100	Qualification Test Requirements	273
Article IV-4000	Essential Variable Tolerances	274
IV-4100	Instruments and Probes	274
IV-4200	Computerized System Algorithms	274
IV-4300	Calibration Methods	274
Article IV-5000	Record of Qualification	275
Mandatory Appendix IV	Supplements	276
Supplement 1	Equipment Characterization	276
Supplement 2	Qualification Requirements for Surface Examination of Piping and Vessels	279
Supplement 3	Qualification Requirements for Surface Examination of Bolting — Center Bore Holes	279
Supplement 4	Qualification Requirements for Complementary Eddy Current Examination of Inside Surfaces of Piping	280

Supplement 5	Qualification Requirements for Eddy Current Examination for Surface Breaking Flaws in Components Fabricated With Austenitic Stainless Steels or Nickel Alloys Susceptible to Stress Corrosion Cracking	282
1.0	Scope	282
2.0	Specimen Requirements	282
3.0	Performance Demonstration	283
4.0	Essential Variable Changes and Requalification	285
Mandatory Appendix VI	Qualification of Personnel for Visual Examination	287
Article VI-1000	Introduction and Scope	287
Article VI-2000	Qualification Levels	288
VI-2100	General Requirements	288
Article VI-3000	Written Practice	289
VI-3100	General Requirements	289
VI-3200	Responsibilities	289
VI-3300	Use of an Outside Agency	289
VI-3400	Confidentiality	289
Article VI-4000	Qualification Requirements	290
VI-4100	Experience	290
VI-4200	Training	290
VI-4300	Examinations	290
Mandatory Appendix VI	Supplements	291
Supplement 1	Content of Initial Training Courses	291
Mandatory Appendix VII	Qualification of Nondestructive Examination Personnel for Ultrasonic Examination	293
Article VII-1000	Introduction and Scope	293
Article VII-2000	Qualification Levels	294
VII-2100	General Requirements	294
Article VII-3000	Written Practice	295
VII-3100	General Requirements	295
VII-3200	Responsibilities	295
VII-3300	Use of an Outside Agency	295
VII-3400	Confidentiality	295
VII-3500	Availability of Training Course Materials	295
Article VII-4000	Qualification Requirements	296
VII-4100	Experience	296
VII-4200	Training	296
VII-4300	Examinations	297
VII-4400	Interrupted Service	299
Article VII-5000	Qualification Records	300
VII-5100	Pre-Certification Records	300
VII-5200	Certification Records	300
VII-5300	Maintenance of Records	300
Mandatory Appendix VII	Supplements	301
Supplement 1	Minimum Content of Initial Training Courses for the Ultrasonic Examination Method	301
Mandatory Appendix VIII	Performance Demonstration for Ultrasonic Examination Systems	303
Article VIII-1000	Scope	303

VIII-1100	General	303
Article VIII-2000	General Examination System Requirements	304
VIII-2100	Procedure Requirements	304
VIII-2200	Personnel Requirements	304
Article VIII-3000	Qualification Requirements	305
VIII-3100	Qualification Test Requirements	305
Article VIII-4000	Essential Variable Tolerances	307
VIII-4100	Procedure Modifications	307
VIII-4200	Computerized System Algorithms	307
VIII-4300	Calibration Methods	308
Article VIII-5000	Record of Qualification	309
VIII-5100	General	309
Mandatory Appendix VIII	Supplements	310
Supplement 1	Evaluating Electronic Characteristics of Ultrasonic Systems	310
Supplement 2	Qualification Requirements for Wrought Austenitic Piping Welds	310
Supplement 3	Qualification Requirements for Ferritic Piping Welds	314
Supplement 4	Qualification Requirements for the Clad/Base Metal Interface of Reactor Vessel	314
Supplement 5	Qualification Requirements for Nozzle Examination From the Out- side Surface	316
Supplement 6	Qualification Requirements for Reactor Vessel Welds Other Than Clad/Base Metal Interface	319
Supplement 7	Qualification Requirements for Nozzle Examination From the In- side Surface	321
Supplement 8	Qualification Requirements for Bolts and Studs	322
Supplement 9	Qualification Requirements for Cast Austenitic Piping Welds	324
Supplement 10	Qualification Requirements for Dissimilar Metal Welds	324
Supplement 11	Qualification Requirements for Full Structural Overlaid Wrought Austenitic Piping Welds	327
Supplement 12	Requirements for Coordinated Implementation of Selected Aspects of Supplements 2 and 3	329
Supplement 14	Qualification Requirements for Coordinated Implementation of Supplements 10, 2, and 3 for Piping Examinations Performed From the Inside Surface	329
Supplement 15	Qualification Requirements for PWR Reactor Vessel Upper-Head Penetrations	331
Mandatory Appendix IX	334
Mandatory Appendix X	Standard Units for Use in Equations	335
Mandatory Appendix XI	Repair/Replacement Activities for Class 3 Polyethylene Piping ..	336
Article XI-1000	Scope	336
Article XI-2000	General Requirements	337
Article XI-3000	Qualification of Material Organizations	338
Article XI-4000	Qualification of NDE Personnel	339

Nonmandatory Appendix A	Analytical Evaluation of Flaws	340
Article A-1000	Introduction	340
A-1100	Scope	340
Article A-2000	Flaw Model for Analytical Evaluation	341
A-2100	Scope	341
A-2200	Flaw Shape	341
A-2300	Proximity to Closest Flaw	341
A-2400	Flaw Orientation	341
A-2500	Flaw Location	341
Article A-3000	Method of K_I Determination	342
A-3100	Scope	342
A-3200	Stresses	342
A-3300	Stress Intensity Factors for Subsurface Flaws	347
A-3400	Stress Intensity Factors for Surface Flaws	348
A-3500	Flaw Model Solutions	352
A-3600	G_I Coefficients in Tabular Form	390
Article A-4000	Material Properties	461
A-4100	Scope	461
A-4200	Fracture Toughness	461
A-4300	Fatigue Crack Growth Rate	463
A-4400	Irradiation Effects	463
Article A-5000	Analytical Evaluation	465
A-5100	Scope	465
A-5200	End-of-Period Flaw Size	465
A-5300	Normal Conditions	466
A-5400	Emergency and Faulted Conditions	466
Nonmandatory Appendix C	Analytical Evaluation of Flaws in Piping	469
Article C-1000	Introduction	469
C-1100	Scope	469
C-1200	Procedure Overview	469
C-1300	Nomenclature	470
Article C-2000	Analytical Evaluation Parameters	473
C-2100	Scope	473
C-2200	Flaw Shape	473
C-2300	Proximity to Closest Flaw	473
C-2400	Flaw Orientation	473
C-2500	Definition of Pipe Stress	473
C-2600	Flaw Acceptance Criteria	474
Article C-3000	Flaw Growth Analysis	482
C-3100	Scope	482
C-3200	Subcritical Flaw Growth Analysis	482
Article C-4000	Determination of Failure Mode	484
C-4100	Scope	484
C-4200	Screening Criteria	484
C-4300	Analysis Method Determination for Class 1 Ferritic Piping	485
Article C-5000	Analytical Evaluations for Fully Plastic Fracture Using Limit Load Criteria	494
C-5100	Scope	494
C-5200	Analytical Evaluation Procedures	494
C-5300	Circumferential Flaws	494
C-5400	Axial Flaws	496

Article C-6000	Analytical Evaluation for Ductile Fracture Using EPFM Criteria . . .	505
C-6100	Scope	505
C-6200	Analytical Evaluation Procedures	505
C-6300	Circumferential Flaws	505
C-6400	Axial Flaws	508
Article C-7000	Analytical Evaluation for Nonductile Fracture Using LEFM Criteria	516
C-7100	Scope	516
C-7200	Analytical Evaluation Procedures	516
C-7300	Circumferential Flaws	517
C-7400	Axial Flaws	518
Article C-8000	Material Property Parameters	520
C-8100	Scope	520
C-8200	Mechanical Strength	520
C-8300	Material Toughness	520
C-8400	Fatigue Crack Growth Rate	521
C-8500	Stress Corrosion Cracking Growth Rate	522
Nonmandatory Appendix D	Conditioning of Welds That Require Ultrasonic Examination	524
Article D-1000	Application of This Nonmandatory Appendix	524
D-1100	General	524
D-1200	Weld Conditioning	524
D-1300	Surface Finish	524
Nonmandatory Appendix E	Analytical Evaluation of Unanticipated Operating Events	525
Article E-1000	Introduction	525
E-1100	Scope	525
E-1200	Acceptance Criteria	525
E-1300	Analytical Evaluation	525
Nonmandatory Appendix G	Fracture Toughness Criteria for Protection Against Failure	527
Article G-1000	Introduction	527
G-1100	Scope	527
Article G-2000	Vessels	528
G-2100	General Requirements	528
G-2200	Levels A and B Service Limits	529
G-2300	Levels C and D Service Limits	537
G-2400	Hydrostatic Test Temperature	537
G-2500	Risk-Informed Hydrostatic Leak Testing	537
Article G-3000	Piping, Pumps, and Valves	545
G-3100	General Requirements	545
Article G-4000	Bolting	546
G-4100	General Requirements	546
Nonmandatory Appendix H	Analytical Evaluation Procedures for Flaws in Piping Based on Use of a Failure Assessment Diagram	547
Article H-1000	Introduction	547
H-1100	Scope	547
H-1200	Procedure Overview	548
H-1300	Nomenclature	548
Article H-2000	Analytical Evaluation Parameters	550
Article H-3000	Flaw Growth Analysis	551

Article H-4000	Failure Assessment Diagram Procedure	552
H-4100	Scope	552
H-4200	Structural Factors	552
H-4300	Failure Assessment Diagrams	552
H-4400	Failure Assessment Diagram Primary Stress Limits	552
H-4500	Failure Assessment Point Coordinates	553
Nonmandatory Appendix J	Guide to Plant Maintenance Activities and Section XI Repair/Replacement Activities	559
Article J-1000	Scope	559
Article J-2000	Repair/Replacement Activities	561
Article J-3000	Maintenance Requiring Subsequent Test or Examination	562
Article J-4000	Maintenance Not Requiring Subsequent Test or Examination	563
Nonmandatory Appendix K	Assessment of Reactor Vessels With Low Upper Shelf Charpy Impact Energy Levels	564
Article K-1000	Introduction	564
K-1100	Scope	564
K-1200	Analytical Evaluation Procedure	564
K-1300	General Nomenclature	564
K-1400	Unit Conversions	567
Article K-2000	Acceptance Criteria	568
K-2100	Scope	568
K-2200	Levels A and B Service Loadings	568
K-2300	Level C Service Loadings	568
K-2400	Level D Service Loadings	568
Article K-3000	Analytical Evaluation	570
K-3100	Scope	570
K-3200	Applied J-Integral	570
K-3300	Selection of the J-Integral Resistance Curve	570
K-3310	Measured J-R Curve	570
K-3320	Use of Measured Master Curve, T_0 , and Accepted Toughness Models ..	570
K-3330	Database Methodology	572
K-3340	Alternative Indirect Methods	573
K-3400	Flaw Stability	573
K-3500	Analytical Evaluation Methods for Levels A and B Service Loadings ..	573
Article K-4000	Analytical Evaluation Procedures for Levels A and B Service Loadings	574
K-4100	Scope	574
K-4200	Analytical Evaluation Procedure for the Applied J-Integral	574
K-4300	Analytical Evaluation Procedures for Flaw Stability	576
Article K-5000	Analytical Evaluation Procedures for Levels C and D Service Loadings	584
K-5100	Scope	584
K-5200	Analytical Evaluation Procedure for the Applied J-Integral	584
K-5300	Analytical Evaluation Procedure for Flaw Stability	584
K-5400	Time-Dependent Levels C and D Service Loadings	585
Nonmandatory Appendix L	Operating Plant Fatigue Assessment	586
Article L-1000	Introduction	586
L-1100	Scope	586
L-1200	Analytical Evaluation Methods	586

L-1300	Nomenclature	586
Article L-2000	Fatigue Usage Analytical Evaluation	587
L-2100	Scope	587
L-2200	Analytical Evaluation Procedures and Acceptance Criteria	587
Article L-3000	Flaw Tolerance Analytical Evaluation	588
L-3100	Scope	588
L-3200	Flaw Model	588
L-3300	Analytical Evaluation Procedures and Allowable Operating Period ...	590
L-3400	Examination Provisions	592
Article L-4000	Records and Reports	593
L-4100	Scope	593
L-4200	Analytical Evaluation Records and Reports	593
L-4300	Examination Records and Reports	593
Nonmandatory Appendix M	Applying Mathematical Modeling to Ultrasonic Examination of Pressure-Retaining Components	594
Article M-1000	Introduction	594
M-1100	Scope	594
Article M-2000	Validation of Mathematical Models	595
M-2100	Applicability of Model	595
M-2200	Model Verification	595
M-2300	Documentation	595
M-2400	Verification Frequency	595
M-2500	Mathematical Model Acceptance	595
Nonmandatory Appendix N	Written Practice Development for Qualification and Certification of NDE Personnel	596
Article N-1000	Scope	596
Article N-2000	Items Addressed by the Written Practice	600
Nonmandatory Appendix O	Analytical Evaluation of Flaws in PWR Reactor Vessel Head Penetration Nozzles	601
Article O-1000	Introduction	601
O-1100	Scope	601
O-1200	Procedure	601
Article O-2000	Flaw Model for Analytical Evaluation	602
O-2100	Scope	602
O-2200	Flaw Shape	602
O-2300	Proximity to Closest Flaw	602
O-2400	Flaw Orientation	602
O-2500	Flaw Location	602
Article O-3000	Analytical Evaluation	604
O-3100	Scope	604
O-3200	Flaw Growth Analytical Evaluation	604
O-3300	Analytical Evaluation	605
Nonmandatory Appendix P	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	606
P-1100	Use of Units in Equations	606
P-1200	Guidelines Used to Develop SI Equivalents	606
P-1300	Soft Conversion Factors	608

Nonmandatory Appendix Q	Weld Overlay Repair of Classes 1, 2, and 3 Austenitic Stainless Steel Piping Weldments	609
Article Q-1000	Scope	609
Article Q-2000	Prerequisites	610
Article Q-3000	Design Considerations	611
Article Q-4000	Examination and Testing	612
Q-4100	Examination	612
Q-4200	Preservice Inspection	612
Q-4300	Inservice Inspection	612
Q-4400	Pressure Testing	613
Nonmandatory Appendix R	Risk-Informed Inspection Requirements	614
Article R-1000	Introduction	614
R-1100	Scope	614
R-1200	Piping Subject to Examination	614
R-1300	Owner’s Responsibility	615
R-1330	Adequacy of the PRA (see Nonmandatory Appendix R Supplements, Supplement 3)	615
Article R-2000	Examination and Inspection	618
R-2100	Duties of the Inspector	618
R-2200	Preservice Examination	618
R-2400	Inspection Schedule	618
R-2500	Examination Requirements	621
Article R-3000	Standards for Examination Evaluation	629
R-3100	Standards	629
Article R-4000	Repair/Replacement Activities	630
R-4100	Repair/Replacement Requirements	630
Article R-6000	Records and Reports	631
R-6100	Record and Report Requirements	631
Article R-9000	Glossary	632
Nonmandatory Appendix R	Supplements	634
Supplement 1	Risk-Informed Selection Process — Method A	634
Supplement 2	Risk-Informed Selection Process — Method B	642
Supplement 3	Risk-informed Selection Process — Method C	653
1.0	Introduction	653
2.0	Boundary Identification	653
3.0	General Requirements	653
4.0	Inservice Inspection Requirements	654
5.0	Change-in-risk Evaluation	655
6.0	Program Updates	655
Nonmandatory Appendix S	Evaluating Coverage for Section XI Nondestructive Examination ..	658
Article S-1000	Introduction	658
S-1100	Scope	658
Article S-2000	Examination Coverage	659
S-2100	Applicability	659
S-2200	Definitions	659
S-2300	General Requirements	659

Article S-3000	Examination Coverage Evaluations	660
S-3100	Examination Coverage Evaluations for Visual or Surface Examination of Welds	660
S-3200	Examination Coverage Evaluations for Visual or Surface Examination of Components	660
S-3300	Examination Coverage Evaluations for Radiographic Examination of Welds	660
S-3400	Examination Coverage Evaluations for Radiographic Examination of Components	660
S-3500	Examination Coverage Evaluations for Ultrasonic Examination of Welds	660
S-3600	Examination Coverage Evaluations for Ultrasonic Examination of Components	660
Nonmandatory Appendix T	Reporting of Contracted Repair/Replacement Activities	662
Article T-1000	Introduction	662
T-1100	Scope	662
T-1200	Responsibilities	662
Nonmandatory Appendix U	Analytical Evaluation Criteria for Temporary Acceptance of Flaws in Moderate Energy Piping and Class 2 or 3 Vessels and Tanks	666
Article U-1000	Introduction	666
U-1100	Scope	666
Nonmandatory Appendix U-S	Supplements	667
Supplement U-S1	Analytical Evaluation Criteria for Temporary Acceptance of Flaws in Moderate Energy Piping	667
Supplement U-S2	Analytical Evaluation Criteria for Temporary Acceptance of Flaws in Moderate Energy Class 2 or Class 3 Vessels and Tanks	667
Nonmandatory Appendix W	Mechanical Clamping Devices for Class 2 and 3 Piping Pressure Boundary	675
Article W-1000	General	675
Article W-2000	Defect Characterization	676
Article W-3000	Design Requirements	677
W-3100	General Design Requirements	677
W-3200	Clamping Device	677
W-3300	Piping System	677
Article W-4000	Material Requirements	678
Article W-5000	Pressure Testing Requirements	679
Article W-6000	Monitoring Requirements	680
Nonmandatory Appendix Y	Crack Growth Rate Curves	681
Article Y-1000	Introduction	681
Y-1100	Scope	681
Y-1200	Nomenclature	681
Article Y-2000	Austenitic Stainless Steels	683
Y-2100	Fatigue Crack Growth Rate Curves in Air	683
Y-2200	Fatigue Crack Growth Rate Curves in Light-Water Reactor Environments	686
Y-2300	Stress Corrosion Crack Growth Rate Curves	691
Y-2400	Irradiation-Assisted Stress Corrosion Crack Growth Rate Curves	696

Article Y-3000	Ferritic Steels	703
Y-3100	Fatigue Crack Growth Rate Curves in Air	703
Y-3200	Fatigue Crack Growth Rate Curves in Light-Water Reactor Environments	706
Y-3300	Stress Corrosion Crack Growth Rate Curves	709
Article Y-4000	Nickel Alloys	710
Y-4100	Fatigue Crack Growth Rate Curves in Air	710
Y-4200	Fatigue Crack Growth Rate Curves in Light-Water Reactor Environments	710
Y-4300	Stress Corrosion Crack Growth Rate Curves	711
Nonmandatory Appendix Z	Guide for Buried Piping and Component Inspection Program	720
Article Z-1000	Scope	720
Article Z-2000	General Requirements	721
Nonmandatory Appendix AA	Ultrasonic Examination in Lieu of Radiography for Welds in Ferritic or Austenitic Pipe	722
Article AA-1000	Scope	722
Article AA-2000	General Examination System Requirements	723
AA-2100	Procedure Requirements	723
AA-2200	Personnel Requirements	723
Article AA-3000	Requirements for Specimens Used in Performance Demonstrations	724
AA-3100	Requirements for Specimens Used in Performance Demonstrations ..	724
AA-3200	Requirements for Performance Demonstration of Procedures	725
AA-3300	Personnel Performance Demonstration Requirements	726

FIGURES

IWA-3310-1	Surface Planar Flaws Oriented in Plane Normal to Pressure-Retaining Surface	17
IWA-3320-1	Subsurface Planar Flaws Oriented in Plane Normal to Pressure-Retaining Surface	19
IWA-3320-2	Successive Examination Surface Proximity Rule for Class 1 and Class 2 Vessels	20
IWA-3330-1	Multiple Planar Flaws Oriented in Plane Normal to Pressure-Retaining Surface	21
IWA-3340-1	Nonplanar Elliptical Subsurface Flaws	22
IWA-3350-1	Parallel Planar Flaws	23
IWA-3360-1	Laminar Flaws	24
IWA-3380-1	Nonaligned Coplanar Flaws in Plane Normal to Pressure-Retaining Surface	25
IWA-3390-1	Multiple Aligned Planar Flaws ($\frac{1}{2}$ in. = 13 mm)	26
IWA-3400-1	Linear Surface Flaws	27
IWA-4663.1-1	Carbon Equivalency Calculation	47
IWA-4712.2-1	Examples of Extension and Recess of Tube and Plug	54
IWB-2420-1	Successive Examination Surface Proximity Rule for Piping Components	77
IWB-2500-1	Vessel Shell Circumferential Weld Joints	100
IWB-2500-2	Vessel Shell Longitudinal Weld Joints	101
IWB-2500-3	Spherical Vessel Head Circumferential and Meridional Weld Joints	102
IWB-2500-4	Shell-to-Flange Weld Joint	103
IWB-2500-5	Head-to-Flange Weld Joint	104
IWB-2500-6	Typical Tubesheet-to-Head Weld Joints	105
IWB-2500-7(a)	Nozzle in Shell or Head	106
IWB-2500-7(b)	Nozzle in Shell or Head	107
IWB-2500-7(c)	Nozzle in Shell or Head	108
IWB-2500-7(d)	Nozzle in Shell or Head	109
IWB-2500-8	Similar and Dissimilar Metal Welds in Components, Nozzles, and Piping	110
IWB-2500-9	Pipe Branch Connection	113
IWB-2500-10	Pipe Branch Connection	114

IWB-2500-11	Pipe Branch Connection	115
IWB-2500-12(a)	Stud and Threads in Flange Stud Hole	116
IWB-2500-12(b)	Pressure-Retaining Bolts	117
IWB-2500-12(c)	Pressure-Retaining Bolts	118
IWB-2500-13	Welded Attachment	119
IWB-2500-14	Welded Attachment	120
IWB-2500-15	Welded Attachment	121
IWB-2500-18	Control Rod Drive and Instrument Nozzle Housing Welds	122
IWB-2500-20	Extent of Weld Examination	123
IWB-3600-1	Characterization and Proximity Rules for Analytical Evaluation of Clad Components ...	139
IWB-3662-1	Definition of Circumferential Orientation for Flaw Characterization	141
IWC-2500-1	Vessel Circumferential Welds	161
IWC-2500-2	Typical Tubesheet-to-Shell Circumferential Welds	162
IWC-2500-3	Nozzle-to-Vessel Welds	163
IWC-2500-4	Nozzle-to-Vessel Welds	164
IWC-2500-5	Welded Attachments	168
IWC-2500-6(a)	Pressure-Retaining Bolting	169
IWC-2500-6(b)	Pressure-Retaining Bolting	170
IWC-2500-6(c)	Pressure-Retaining Bolting	171
IWC-2500-7	Welds in Piping	172
IWC-2500-9	Branch Connection Welds	174
IWC-2500-10	Pipe Branch Connection	175
IWC-2500-11	Pipe Branch Connection	176
IWC-2500-12	Pipe Branch Connection	177
IWC-2500-13	Pipe Branch Connection	178
IWD-2500-1	Welded Attachments	198
IWF-1300-1	Illustrations of Typical Support Examination Boundaries	219
I-3200-1	Ferritic, Austenitic, or Dissimilar Metal Weld	247
I-S4	Alternative Calibration Block	251
III-3430-1	Allowable Notch Configurations	264
III-3430-2	Recommended Design for Basic Calibration Blocks	266
2.3.2-1	Instrument Linearity	277
VIII-S1-1A	System Configuration	311
VIII-S1-1B	Test Configuration	312
VIII-S1-2A	Frequency Response Curve	313
VIII-S5-1	Misorientation Angle	317
VIII-S5-2	Flaw Distribution Zones	318
VIII-S6-1	Definition of Statistical Parameters	321
A-3100-1	Elliptical Flaw Models	343
A-3210-1	Definition of x Distance Through the Wall for the Surface Flaws	344
A-3210-2	Definition of x Distance for the Subsurface Flaw Stress Definition	345
A-3210-3	Linearization of Stress Versus Distance Through the Wall	346
A-3530-1	Cylindrical Flaw Geometry	354
A-3531-1	360-deg Inside Surface Flaw Geometry	354
A-3540-1	Cylindrical Semielliptical Outside Surface Flaw Geometry	361
A-3541-1	360-deg Outside Surface Flaw Geometry	362
A-3550-1	Axial Inside Surface Flaw in a Cylinder	369
A-3551-1	Axial Inside Surface Flaw With $a/\ell = 0$ in a Cylinder	370
A-3560-1	Axial Outside Surface Flaw in a Cylinder	380
A-3561-1	Axial Outside Surface Flaw With $a/\ell = 0$ in a Cylinder	380
A-4200-1	Lower Bound K_{Ia} and K_{Ic} for Carbon and Low Alloy Steels	463
A-4200-1M	Lower Bound K_{Ia} and K_{Ic} for Carbon and Low Alloy Steels	464
A-5400-1	Determination of Critical Flaw Sizes for Postulated Conditions	468
C-1100-1	Weld Material–Base Material Interface Definition for Flaw Location	472
C-2200-1	Flaw Characterization — Circumferential Flaws	477
C-2200-2	Flaw Characterization — Axial Flaws	478

C-2400-1	Flaw Characterization — Skewed Axial Flaws Projected Into Axial Plane	479
C-2400-2	Flaw Characterization — Skewed Circumferential Flaws Projected Into Circumferential Plane	480
C-2400-3	Flaw Characterization — Compound Skewed Flaw Projected Into Circumferential and Axial Planes	481
C-4210-1	Flowchart for Selecting Analysis Method for Austenitic Piping	490
C-4220-1	Flowchart for Selecting Analysis Method for Class 1 Ferritic Piping	491
C-4310-1	Circumferential Surface Flaw Geometry	492
C-4310-2	Axial Surface Flaw Geometry	492
C-4310-3	Circumferential Subsurface Flaw Geometry	493
C-4310-4	Axial Subsurface Flaw Geometry	493
C-4310-5	Semielliptical Circumferential Inside Surface Flaw Geometry	493
C-5200-1	Flowchart for Allowable Flaw Size Determination for Fully Plastic Fracture Using Limit Load Method	498
C-6200-1	Flowchart for Allowable Flaw Size Determination for Ductile Fracture Using EPFM Method	511
C-7200-1	Flowchart for Allowable Flaw Size Determination for Nonductile Fracture Using LEFM Methods	519
G-2210-1	Reference Critical Stress Intensity Factor for Material	539
G-2210-1M	Reference Critical Stress Intensity Factor for Material	540
G-2214-1	M_t vs. Wall Thickness for Postulated Inside Surface Reference Flaws	541
G-2214-1M	M_t vs. Wall Thickness for Postulated Inside Surface Reference Flaws	542
G-2214-2	Through-Wall Temperature Difference vs. Wall Depth for Heatup or Cooldown	543
G-2223-1	Postulated Nozzle Corner Defect	544
H-4300-1	Failure Assessment Diagram for Ferritic Piping	556
H-4300-2	Failure Assessment Diagram for Austenitic Piping	557
H-4400-1	Circumferential Flaw Geometry	557
H-4400-2	Axial Flaw Geometry	558
J-1000-1	Decision Tree	560
K-4310-1	Comparison of the Slopes of the Applied J-Integral Curve and the J-R Curve	581
K-4320-1	Failure Assessment Diagram for the One-Quarter Wall Thickness Flaw	581
K-4330-1	Illustration of the J-Integral/Tearing Modulus Procedure	583
L-3110-1	Flowchart for Flaw Tolerance Analytical Evaluation	589
O-2200-1	Flaw Characterization — Circumferential Flaws	602
O-2200-2	Flaw Characterization — Axial Flaws	603
Q-4100-1	Extent of Volumetric Acceptance Examination	612
Q-4300-1	Preservice and Inservice Examination Volume	613
R-2500-1	Socket Welds	628
R-S1-1	Overview Risk-Informed Selection Process	635
R-S1-2	Structural Element Selection Matrix	640
R-S2-1	Risk Evaluation Process	648
U-S2-2.1	Overall Methodology	671
U-S2-2.2-1	Illustration of Nonplanar Part-Through-Wall Degradation Due to Wall Thinning	672
U-S2-2.2-2	Illustration of Nonplanar Through-Wall Degradation Due to Wall Thinning	673
U-S2-4.3-1	Allowable Wall Thickness and Length of Locally Thinned Area	674
Y-2100-1	Reference Fatigue Crack Growth Rate Curves for Austenitic Stainless Steels in Air Environments	684
Y-2100-1M	Reference Fatigue Crack Growth Rate Curves for Austenitic Stainless Steels in Air Environments	685
Y-2223-1	Reference Fatigue Crack Growth Rate Curves for Wrought Austenitic Stainless Steels in Pressurized Water Reactor Environments	689
Y-2223-1M	Reference Fatigue Crack Growth Rate Curves for Wrought Austenitic Stainless Steels in Pressurized Water Reactor Environments	690
Y-2310-1	Reference IGSCC Curves for Austenitic Stainless Steels in BWR Environments	693
Y-2310-1M	Reference IGSCC Curves for Austenitic Stainless Steels in BWR Environments	693

Y-2330-1	Reference IGSCC Curves for Austenitic Stainless Steel Piping in Non-Reactor-Coolant Environments	695
Y-2330-2	Reference TGSCC Curves for Austenitic Stainless Steel Piping in Non-Reactor-Coolant Environments	696
Y-2412-1	Reference IASCC Growth Curves for Austenitic Stainless Steels in Light-Water Reactor Environments at 70 ksi and 140 ksi Irradiated Yield Stress and 550°F	699
Y-2412-1M	Reference IASCC Growth Curves for Austenitic Stainless Steels in Light-Water Reactor Environments at 483 MPa and 965 MPa Irradiated Yield Stress and 288°C	700
Y-2412-2	Effect of Dose, Material Category, and Pre-Irradiation Strengthening Parameter, r , on Irradiated Yield Stress, σ_{IYS} , of Austenitic Stainless Steels at 550°F (288°C)	701
Y-3100-1	Reference Fatigue Crack Growth Rate Curves for Carbon and Low Alloy Ferritic Steels in Air Environments (Subsurface Flaws)	704
Y-3100-1M	Reference Fatigue Crack Growth Rate Curves for Carbon and Low Alloy Ferritic Steels in Air Environments (Subsurface Flaws)	705
Y-3210-1	Reference Fatigue Crack Growth Rate Curves for Carbon and Low Alloy Ferritic Steels in Water Environments	708
Y-3210-1M	Reference Fatigue Crack Growth Rate Curves for Carbon and Low Alloy Ferritic Steels in Water Environments	709
Y-4210-1	Reference Fatigue Crack Growth Rate Curves for Alloy 600 at 608°F	712
Y-4210-1M	Reference Fatigue Crack Growth Rate Curves for Alloy 600 at 320°C	713
Y-4311-1	Reference SCC Growth Curves for Alloys 600, 182, and 132 in BWR Environment	714
Y-4311-1M	Reference SCC Growth Curves for Alloys 600, 182, and 132 in BWR Environment	715
Y-4321-1	Reference SCC Growth Curves for Alloys 600, 82, 182, and 132 in PWR Environment at 617°F and 30 cc/kg H ₂	718
Y-4321-1M	Reference SCC Growth Curves for Alloys 600, 82, 182, and 132 in PWR Environment at 325°C and 30 cc/kg H ₂	719

TABLES

IWA-1600-1	Referenced Standards and Specifications	3
IWA-2211-1	Visual Examinations	7
IWA-2322-1	Near-Distance Acuity Test Distances and Character Heights	10
IWA-2324-1	Practical Examination NDE Techniques	12
IWA-4461.1-1	Minimum Preheat Temperature, °F (°C)	39
IWA-4662.1-1	Depth Limitations for Underwater Welding Qualification	46
IWA-4662.1-2	Procedure and Performance Qualification — Position Limitations	47
IWB-2411-1	Inspection Program	75
IWB-2420-1	Surface Proximity Rules for Successive Examinations of Piping Components	77
IWB-2500-1 (B-A)	Examination Category B-A, Pressure-Retaining Welds in Reactor Vessel	81
IWB-2500-1 (B-B)	Examination Category B-B, Pressure-Retaining Welds in Vessels Other Than Reactor Vessels	82
IWB-2500-1 (B-D)	Examination Category B-D, Full Penetration Welded Nozzles in Vessels	84
IWB-2500-1 (B-F)	Examination Category B-F, Pressure-Retaining Dissimilar Metal Welds in Vessel Nozzles	86
IWB-2500-1 (B-G-1)	Examination Category B-G-1, Pressure-Retaining Bolting, Greater Than 2 in. (50 mm) in Diameter	88
IWB-2500-1 (B-G-2)	Examination Category B-G-2, Pressure-Retaining Bolting, 2 in. (50 mm) and Less in Diameter	91
IWB-2500-1 (B-J)	Examination Category B-J, Pressure-Retaining Welds in Piping	92
IWB-2500-1 (B-K)	Examination Category B-K, Welded Attachments for Vessels, Piping, Pumps, and Valves	94
IWB-2500-1 (B-L-2, B-M-2)	Examination Categories B-L-2, Pump Casings; B-M-2, Valve Bodies	95
IWB-2500-1 (B-N-1, B-N-2, B-N-3)	Examination Categories B-N-1, Interior of Reactor Vessel; B-N-2, Welded Core Support Structures and Interior Attachments to Reactor Vessels; B-N-3, Removable Core Support Structures	96

IWB-2500-1 (B-O)	Examination Category B-O, Pressure-Retaining Welds in Control Rod Drive and Instrument Nozzle Housings	97
IWB-2500-1 (B-P)	Examination Category B-P, All Pressure-Retaining Components	98
IWB-2500-1 (B-Q)	Examination Category B-Q, Steam Generator Tubing	99
IWB-3410-1	Acceptance Standards	127
IWB-3510-1	Allowable Planar Flaws	127
IWB-3510-2	Allowable Laminar Flaws	128
IWB-3510-3	Allowable Linear Flaws	129
IWB-3512-1	Allowable Planar Flaws	129
IWB-3512-2	Component Thickness Versus Flaw Location	130
IWB-3514-1	Allowable Planar Flaws	131
IWB-3514-2	Allowable Linear Flaws	132
IWB-3514-3	Allowable Laminar Flaws	132
IWB-3514-4	Allowable Linear Flaws	133
IWB-3515-1	Allowable Planar Flaws	133
IWB-3519.2-1	Allowable Planar Flaws	136
IWB-3519.2-2	Allowable Planar Flaws	137
IWB-3663-1	Reactor Vessel Head Penetration Nozzle Acceptance Criteria	142
IWB-5230-1	Test Pressure	144
IWC-2411-1	Inspection Program	147
IWC-2500-1 (C-A)	Examination Category C-A, Pressure-Retaining Welds in Pressure Vessels	151
IWC-2500-1 (C-B)	Examination Category C-B, Pressure-Retaining Nozzle Welds in Pressure Vessels	152
IWC-2500-1 (C-C)	Examination Category C-C, Welded Attachments for Pressure Vessels , Piping, Pumps, and Valves	153
IWC-2500-1 (C-D)	Examination Category C-D, Pressure-Retaining Bolting Greater Than 2 in. (50 mm) in Diameter	154
IWC-2500-1 (C-F-1)	Examination Category C-F-1, Pressure-Retaining Welds in Austenitic Stainless Steel or High Alloy Piping	155
IWC-2500-1 (C-F-2)	Examination Category C-F-2, Pressure-Retaining Welds in Carbon or Low Alloy Steel Piping	157
IWC-2500-1 (C-H)	Examination Category C-H, All Pressure-Retaining Components	159
IWC-2500-1 (C-J)	Examination Category C-J, Buried Piping and Components	160
IWC-3410-1	Acceptance Standards	181
IWC-3510-1	Allowable Planar Flaws	182
IWC-3510-2	Allowable Laminar Flaws	182
IWC-3510-3	Allowable Linear Flaws	182
IWC-3511-1	Allowable Planar Flaws	184
IWC-3511-2	Allowable Linear Flaws	184
IWC-3513-1	Allowable Planar Flaws	185
IWC-3514-1	Allowable Planar Flaws	186
IWD-2411-1	Inspection Program	192
IWD-2500-1 (D-A)	Examination Category D-A, Welded Attachments for Pressure Vessels , Piping, Pumps, and Valves	195
IWD-2500-1 (D-B)	Examination Category D-B, All Pressure-Retaining Components	196
IWD-2500-1 (D-C)	Examination Category D-C, Buried Piping and Components	197
IWD-3410-1	Acceptance Standards	200
IWE-2411-1	Inspection Program	208
IWE-2500-1 (E-A)	Examination Category E-A, Containment Surfaces	210
IWE-2500-1 (E-C)	Examination Category E-C, Containment Surfaces Requiring Augmented Examination	211
IWE-2500-1 (E-G)	Examination Category E-G, Pressure-Retaining Bolting	212
IWF-2410-1	Inspection Program	221
IWF-2500-1 (F-A)	Examination Category F-A, Supports	224
IWL-2500-1 (L-A)	Examination Category L-A, Concrete	231

IWL-2500-1 (L-B)	Examination Category L-B, Unbonded Post-Tensioning System	232
IWL-2521-1	Number of Tendons for Examination	234
IWL-2521-2	Augmented Examination Requirements Following Post-Tensioning System Repair/Replacement Activities	235
IWL-2525-1	Corrosion Protection Medium Analysis	237
I-2000-1	Required Supplements	244
II-1	Guide for Completing Form NIS-2	255
II-2	Guide for Completing Form OAR-1	258
III-2120-1	Maximum Nominal Search Unit Sizes	260
III-3430-1	Surface Notch Depths for Ultrasonic Calibration	265
IV-3110-1		273
3.2.2-1	Detection Performance Criteria for Open (Nonblind) Procedure Demonstration	281
3.3-1	Eddy Current Blind Test Detection and False Call Criteria	282
3.3-1	Flaw Detection and Characterization Criteria	285
IV	Supplement A: Data Acquisition Procedure Specification	285
IV	Supplement B: Data Analysis Procedure Specification	286
VII-4110-1	Required Experience for Initial Certification for Ultrasonic Examination (Hours)	296
VII-4220-1	Initial Training Hours (Classroom/Laboratory)	297
VIII-3110-1	Component Qualification Supplements	305
VIII-S2-1	Performance Demonstration Detection Test Acceptance Criteria	314
VIII-S4-1	Personnel Detection Test Acceptance Criteria	315
VIII-S6-1	Detection and Sizing Test Flaws and Locations	320
VIII-S8-1	Maximum Notch Dimensions	323
VIII-S10-1	Personnel Performance Demonstration Detection Test Acceptance Criteria	326
VIII-S15-1	Location Tolerances	332
VIII-S15-2	Flaw Detection Criteria	332
X-1	Standard Units for Use in Equations	335
A-3531-1	Coefficients for 360-deg Circumferential Inside Surface Flaw Equation	355
A-3532-1	Coefficients for Semielliptical Circumferential Inside Surface Flaw Equations, Deepest Point (Point 1)	359
A-3532-2	Coefficients for Semielliptical Circumferential Inside Surface Flaw Equations, Surface Point (Point 2)	360
A-3541-1	Coefficients for 360-deg Circumferential Outside Surface Flaw Equation	363
A-3542-1	Coefficients for Semielliptical Circumferential Outside Surface Flaw Equations, Deepest Point (Point 1)	367
A-3542-2	Coefficients for Semielliptical Circumferential Outside Surface Flaw Equations, Surface Point (Point 2)	368
A-3610-1	Coefficients G_0 Through G_4 for Subsurface Crack With Flaw Aspect Ratio, $a/\ell = 0.0$	390
A-3610-2	Coefficients G_0 Through G_4 for Subsurface Crack With Flaw Aspect Ratio, $a/\ell = 0.1$	394
A-3610-3	Coefficients G_0 Through G_4 for Subsurface Crack With Flaw Aspect Ratio, $a/\ell = 0.2$	397
A-3610-4	Coefficients G_0 Through G_4 for Subsurface Crack With Flaw Aspect Ratio, $a/\ell = 0.3$	400
A-3610-5	Coefficients G_0 Through G_4 for Subsurface Crack With Flaw Aspect Ratio, $a/\ell = 0.4$	403
A-3610-6	Coefficients G_0 Through G_4 for Subsurface Crack With Flaw Aspect Ratio, $a/\ell = 0.5$	406
A-3620-1	Coefficients G_0 Through G_4 for Flat Plate Surface Crack With Flaw Aspect Ratio, $a/\ell = 0.0$	409
A-3620-2	Coefficients G_0 Through G_4 for Flat Plate Surface Crack at Point 1	409

A-3620-3	Coefficients G_0 Through G_4 for Flat Plate Surface Crack at Point 2 . . .	411
A-3630-1	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 1$), Deepest Point (Point 1)	413
A-3630-2	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 1$), Surface Point (Point 2)	414
A-3630-3	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 5$), Deepest Point (Point 1)	415
A-3630-4	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 5$), Surface Point (Point 2)	416
A-3630-5	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 10$), Deepest Point (Point 1)	417
A-3630-6	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 10$), Surface Point (Point 2)	418
A-3630-7	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 20$), Deepest Point (Point 1)	419
A-3630-8	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 20$), Surface Point (Point 2)	420
A-3630-9	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 2$, $a/\ell \geq 0.5$), Deepest Point (Point 1)	421
A-3630-10	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 2$, $a/\ell \geq 0.5$), Surface Point (Point 2)	422
A-3630-11	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 5$, $a/\ell \geq 0.5$), Deepest Point (Point 1)	423
A-3630-12	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 5$, $a/\ell \geq 0.5$), Surface Point (Point 2)	424
A-3630-13	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 10$, $a/\ell \geq 0.5$), Deepest Point (Point 1)	425
A-3630-14	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 10$, $a/\ell \geq 0.5$), Surface Point (Point 2)	426
A-3630-15	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 20$, $a/\ell \geq 0.5$), Deepest Point (Point 1)	427
A-3630-16	Coefficients G_i for Circumferential Semielliptical Inside Surface Flow ($R_i/t = 20$, $a/\ell \geq 0.5$), Surface Point (Point 2)	428
A-3640-1	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 1$), Deepest Point (Point 1)	429
A-3640-2	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 1$), Surface Point (Point 2)	430
A-3640-3	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 5$), Deepest Point (Point 1)	431
A-3640-4	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 5$), Surface Point (Point 2)	432
A-3640-5	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 10$), Deepest Point (Point 1)	433
A-3640-6	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 10$), Surface Point (Point 2)	434
A-3640-7	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 20$), Deepest Point (Point 1)	435
A-3640-8	Coefficients G_i for Circumferential Semielliptical Outside Surface Flow ($R_i/t = 20$), Surface Point (Point 2)	436
A-3650-1	Coefficients G_i for Axial Semielliptical Inside Surface Flow ($R_i/t = 1$), Deepest Point (Point 1)	437
A-3650-2	Coefficients G_i for Axial Semielliptical Inside Surface Flow ($R_i/t = 1$), Surface Point (Point 2)	438
A-3650-3	Coefficients G_i for Axial Semielliptical Inside Surface Flow ($R_i/t = 5$), Deepest Point (Point 1)	439

A-3650-4	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 5$), Surface Point (Point 2)	440
A-3650-5	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 10$), Deepest Point (Point 1)	441
A-3650-6	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 10$), Surface Point (Point 2)	442
A-3650-7	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 20$), Deepest Point (Point 1)	443
A-3650-8	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 20$), Surface Point (Point 2)	444
A-3650-9	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 2, a/\ell$ ≥ 0.5), Deepest Point (Point 1)	445
A-3650-10	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 2, a/\ell$ ≥ 0.5), Surface Point (Point 2)	446
A-3650-11	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 5, a/\ell$ ≥ 0.5), Deepest Point (Point 1)	447
A-3650-12	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 5, a/\ell$ ≥ 0.5), Surface Point (Point 2)	448
A-3650-13	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 10$, $a/\ell \geq 0.5$), Deepest Point (Point 1)	449
A-3650-14	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 10$, $a/\ell \geq 0.5$), Surface Point (Point 2)	450
A-3650-15	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 20$, $a/\ell \geq 0.5$), Deepest Point (Point 1)	451
A-3650-16	Coefficients G_i for Axial Semielliptical Inside Surface Flaw ($R_i/t = 20$, $a/\ell \geq 0.5$), Surface Point (Point 2)	452
A-3660-1	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 1$), Deepest Point (Point 1)	453
A-3660-2	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 1$), Surface Point (Point 2)	454
A-3660-3	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 5$), Deepest Point (Point 1)	455
A-3660-4	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 5$), Surface Point (Point 2)	456
A-3660-5	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 10$), Deepest Point (Point 1)	457
A-3660-6	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 10$), Surface Point (Point 2)	458
A-3660-7	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 20$), Deepest Point (Point 1)	459
A-3660-8	Coefficients G_i for Axial Semielliptical Outside Surface Flaw ($R_i/t = 20$), Surface Point (Point 2)	460
A-4200-1	Materials With Specified Minimum Yield Strength Greater Than 50 ksi (350 MPa) But Not Exceeding 90 ksi (620 MPa) Permitted to Use Figure A-4200-1 (Figure A-4200-1M)	462
C-5310-1	Allowable End-of-Evaluation-Period Flaw Depth-to-Thickness Ratio for Circumferential Flaws — Service Level A Conditions	499
C-5310-2	Allowable End-of-Evaluation-Period Flaw Depth-to-Thickness Ratio for Circumferential Flaws — Service Level B Conditions	500
C-5310-3	Allowable End-of-Evaluation-Period Flaw Depth-to-Thickness Ratio for Circumferential Flaws — Service Level C Conditions	501
C-5310-4	Allowable End-of-Evaluation-Period Flaw Depth-to-Thickness Ratio for Circumferential Flaws — Service Level D Conditions	502
C-5310-5	Allowable End-of-Evaluation-Period Flaw Depth-to-Thickness Ratio for Circumferential Flaws — Pure Membrane Stress	503

C-5410-1	Allowable End-of-Evaluation-Period Flaw Depth-to-Thickness Ratio for Axial Flaws	504
C-6330-1	Load Multipliers for Ferritic Steel Base Metals, Weldments, and CF8M or Equivalent Chemical Composition Cast Product	512
C-6330-2	Load Multipliers for Ferritic Steel Base Metals and Weldments for User-Specified Data	512
C-6330-2M	Load Multipliers for Ferritic Steel Base Metals and Weldments for User-Specified Data	514
C-6430-1	Coefficients C_n of Z_0 Equation for Z-Factor Based on Fracture Toughness, J_{Ic}	515
C-8321-1	Material Properties for Ferritic Steel Base Metals and Weldments — Circumferential Flaws	522
C-8321-2	Temperature for Onset of Upper-Shelf Behavior for Axial and Circumferential Flaws in Ferritic Steel Base Metals and Weldments	523
C-8322-1	Material Properties for Ferritic Steel Base Metals and Weldments — Axial Flaws	523
E-1	Maximum Allowable Pressure as a Function of $T_c - RT_{NDT}$ for Isothermal Pressure Transients [$\Delta T_c/\Delta t < 10^\circ\text{F/hr}$ (5.5°C/h)] for Design Pressures Greater Than 2,400 psig (16.5 MPa)	526
E-2	Input for Plant and Event Specific Linear Elastic Fracture Mechanics Analytical Evaluation	526
G-2110-1	Materials With Specified Minimum Yield Strength Greater Than 50 ksi (350 MPa) But Not Exceeding 90 ksi (620 MPa) Permitted to Use Figure G-2210-1 (Figure G-2210-1M)	529
H-4200-1	Specified Structural Factors for Circumferential Flaws	555
H-4200-2	Specified Structural Factors for Axial Flaws	556
K-1300-1	General Nomenclature	565
K-1400-1	Unit Conversion Coefficients	567
K-3330-1	572
K-4320-1	Coordinates of the Failure Assessment Diagram Curves of Figure K-4320-1	582
L-3210-1	Ferritic Piping Postulated Equivalent Single Crack Aspect Ratios (a/ℓ)	590
L-3210-2	Austenitic Piping Postulated Equivalent Single Crack Aspect Ratios (a/ℓ)	591
L-3420-1	Successive Inspection Schedule	592
N-1000-1	Selected Personnel Qualification Requirements From Referenced Sources	597
R-1320-1	PRA Technical Adequacy Requirements	615
R-1330-1	PRA Technical Adequacy Requirements (Nonmandatory Appendix R Supplements, Supplement 3)	616
R-2500-1	Examination Category R-A, Risk-Informed Piping Examinations Nonmandatory Appendix R Supplements, Supplement 1 and 2	622
R-2500-2	Examination R-A, Risk-Informed Piping Examinations Nonmandatory Appendix R Supplements, Supplement 3	625
R-S1-1	Definition of Failure Probability Estimates for Pipe Segments	638
R-S1-2	Estimates for Piping Leak Frequencies	641
R-S2-1	Degradation Mechanisms	649
R-S2-2	Degradation Mechanism Category	650
R-S2-3	Consequence Categories for Initiating Event Impact of Group	651
R-S2-4	Quantitative Indices for Consequence Categories	651
R-S2-5	Guidelines for Assigning Consequence Categories to Failures Resulting in System or Train Loss	652
R-S2-6	Consequence Categories for Combination Impact Group	652
R-S2-7	Consequence Categories for Pipe Failures Resulting in Increased Potential for an Unisolated LOCA Outside of Containment	653
R-S2-8	Risk Matrix	653

R-S3-1	Degradation Mechanisms	656
R-S3-2	Degradation Mechanism Category	657
T-1	Guide for Completing Form RRA-1	665
W-3200-1	Stress Limits for Design and Service Loadings	677
Y-2310-1	BWR SCC Growth Rate Parameters (U.S. Customary Units)	692
Y-2310-1M	BWR SCC Growth Rate Parameters (SI Units)	692
Y-2412-1	Environmental Applicability Limits	702
Y-2420-1	Parameters C , v , and n for Calculating IASCC Crack Growth Rate at 550°F (288°C)	702
Y-4321-1	Constants for SCC Model for PWR Environment (U.S. Customary Units)	716
Y-4321-1M	Constants for SCC Model for PWR Environment (SI Units)	716
Y-4321-2	Dissolved Hydrogen Factor, $\frac{f_{H2}}{f_{H2ref}}$, for Alloy 600 SCC Model for PWR Environment (U.S. Customary Units)	717
Y-4321-2M	Dissolved Hydrogen Factor, $\frac{f_{H2}}{f_{H2ref}}$, for Alloy 600 SCC Model for PWR Environment (SI Units)	717
Y-4321-3	Dissolved Hydrogen Factor, $\frac{f_{H2}}{f_{H2ref}}$, for Alloy 82, 182, and 132 SCC Model for PWR Environment (U.S. Customary Units)	717
Y-4321-3M	Dissolved Hydrogen Factor, $\frac{f_{H2}}{f_{H2ref}}$, for Alloy 82, 182, and 132 SCC Model for PWR Environment (SI Units)	718
Y-4322-1	Factors of Improvement (FOI) for Alloy 690, 52, 152, and Variants ..	719
FORMS		
NIS-2	Owner's Repair/Replacement Certification Record	254
OAR-1	Owner's Activity Report	256
RRA-1	Report of Contracted Repair/Replacement Activity	663
ENDNOTES		727

(25)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NCD — Class 2 and Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
 - Division 4 — Fusion Energy Devices
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Reactor Facility Components
 - Division 1 — Rules for Inservice Inspection of Nuclear Power Plant Components
 - Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Reactor Facilities

- XII Rules for Construction and Continued Service of Transport Tanks

- XIII Rules for Overpressure Protection

FOREWORD*

(25)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)
- (k) Committee on Overpressure Protection (XIII)
- (l) Technical Oversight Management Committee (TOMC)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee’s function is to establish rules of safety relating to pressure integrity. The rules govern the construction** of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. For nuclear items other than pressure-retaining components, the Committee also establishes rules of safety related to structural integrity. The Committee also interprets these rules when questions arise regarding their intent. The technical consistency of the Sections of the Code and coordination of standards development activities of the Committees is supported and guided by the Technical Oversight Management Committee. The Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity and, for nuclear items other than pressure-retaining components, structural integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of components addressed by the Code. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

The Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code

* The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI’s requirements for an ANS. Therefore, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Code.

** *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and overpressure protection.

neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of the Code. Requests for revisions, new rules, Code cases, or interpretations shall be addressed to the staff secretary in writing and shall give full particulars in order to receive consideration and action (see the Correspondence With the Committee page). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://go.asme.org/BPVCPublicReview> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of the ASME Single Certification Mark.

When required by context in the Code, the singular shall be interpreted as the plural, and vice versa.

The words "shall," "should," and "may" are used in the Code as follows:

- *Shall* is used to denote a requirement.
- *Should* is used to denote a recommendation.
- *May* is used to denote permission, neither a requirement nor a recommendation.