

ASME PCC-2–2022
(Revision of ASME PCC-2–2018)

Repair of Pressure Equipment and Piping

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME PCC-2-2022
(Revision of ASME PCC-2-2018)

Repair of Pressure Equipment and Piping

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: September 2, 2022

The next edition of this Standard is scheduled for publication in 2026.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee web page and under <http://go.asme.org/InterpsDatabase>. Periodically certain actions of the ASME PCC Committee may be published as Cases. Cases are published on the ASME website under the PCC Committee Page at <http://go.asme.org/PCCcommittee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The PCC Committee Page can be found at <http://go.asme.org/PCCcommittee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures agreed to as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" a system, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword		xv
Committee Roster		xvii
Correspondence With the PCC Committee		xx
Summary of Changes		xxi
Part 1	Scope, Organization, and Intent	1
Article 101	Introduction	1
101-1	Scope	1
101-2	Organization	1
101-3	Intent	1
Part 2	Welded Repairs	4
Article 201	Butt-Welded Insert Plates in Pressure Components	4
201-1	Description	4
201-2	Limitations	4
201-3	Design	5
201-4	Fabrication	7
201-5	Examination of Welds	9
201-6	Pressure Testing	9
Article 202	External Weld Buildup to Repair Internal Thinning	11
202-1	Description	11
202-2	Limitations	11
202-3	Design	11
202-4	Fabrication	14
202-5	Examination	15
202-6	Testing	16
202-7	References	16
Article 203	Seal-Welded Threaded Connections and Seal Weld Repairs	17
203-1	Description	17
203-2	Limitations	17
203-3	Design	18
203-4	Fabrication	18
203-5	Examination	18
203-6	Testing	18
203-7	References	19
Article 204	Welded Leak Box Repair	20
204-1	Description	20
204-2	Limitations	20
204-3	Design	21
204-4	Fabrication	22

204-5	Examination	23
204-6	Testing	23
Article 205	Weld Ring Gaskets (Welded Lip Seals)	24
205-1	Description	24
205-2	Limitations	24
205-3	Design	24
205-4	Fabrication	26
205-5	NDE Examinations	28
205-6	Testing	28
205-7	References	28
Article 206	Full Encirclement Steel Reinforcing Sleeves for Piping	30
206-1	Description	30
206-2	Cautions and Limitations	30
206-3	Design	31
206-4	Fabrication	33
206-6	Testing	35
206-7	References	36
Article 207	Fillet Welded Patches With Reinforcing Plug Welds	37
207-1	Description	37
207-2	Limitations	37
207-3	Design	37
207-4	Fabrication	41
207-5	Examination	42
207-6	Testing	42
207-7	References	42
Article 208	Alternatives to Traditional Welding Preheat	43
208-1	Description	43
208-2	Limitations	43
208-3	Design	43
208-4	Fabrication	45
208-5	Examination	46
208-6	Testing	47
208-7	References	47
Article 209	Alternatives to Postweld Heat Treatment	49
209-1	Description	49
209-2	Limitations	49
209-3	Design	50
209-4	Fabrication	50
209-5	Examination	50
209-6	Testing	51
209-7	References	51
Article 210	In-Service Welding Onto Carbon Steel Pressure Components or Pipelines	52
210-1	Description	52
210-2	Limitations	53

210-3	Design	53
210-4	Fabrication	54
210-5	Examination	58
210-6	Testing	58
210-7	References	58
Mandatory Appendix 210-I	In-Service Welding Procedure/Welder Performance Qualification Setup	61
Article 211	Weld Buildup, Weld Overlay, and Clad Restoration	64
211-1	Description	64
211-2	Limitations	64
211-3	Design	64
211-4	Fabrication	65
211-5	Examination	67
211-6	Testing	67
211-7	References	68
Article 212	Fillet Welded Patches	70
212-1	Description	70
212-2	Limitations	70
212-3	Design	70
212-4	Fabrication	73
212-5	Examination	74
212-6	Testing	74
212-7	References	74
Article 213	Threaded or Welded Plug Repairs	76
213-1	Description	76
213-2	Limitations	76
213-3	Design	76
213-4	Fabrication	76
213-5	Examination	77
213-6	Testing	77
213-7	References	77
Article 214	Weld Heat Treating of Vessels	79
214-1	Description	79
214-2	Limitations	79
214-3	Design	79
214-4	Fabrication	82
214-5	Examination	83
214-6	Testing	83
214-7	References	84
Mandatory Appendix 214-I	Developing a Heat Treatment Procedure	85
Mandatory Appendix 214-II	Typical Hot Box Design	86
Article 215	Repair Welding Considerations for Cr-Mo Steel Pressure Vessels	88
215-1	Description	88
215-2	Limitations	88
215-3	Design	88

215-4	Fabrication	89
215-5	Examination	89
215-6	Pressure Testing	90
215-7	References	90
Article 216	Welded Hot Taps in Pressure Equipment or Pipelines	99
216-1	Description	99
216-2	Limitations	100
216-3	Design	101
216-4	Fabrication	105
216-5	Examination	106
216-6	Pressure Testing	107
216-7	References	108
Nonmandatory Appendix 216-A	Glossary of Acronyms	110
Article 217	Seal Welding of Leaking Water Systems	111
217-1	Description	111
217-2	Limitations	111
217-3	Design	111
217-4	Fabrication	111
217-5	Examination of the Seal Weld	112
217-6	Pressure Testing	112
217-7	References	112
Part 3	Mechanical Repairs	113
Article 301	Replacement of Pressure Components	113
301-1	Description	113
301-2	Limitations	113
301-3	Design	113
301-4	Fabrication	113
301-5	Examination	114
301-6	Testing	114
301-7	References	114
Article 302	Freeze Plugs	115
302-1	Description	115
302-2	Limitations	115
302-3	Design	116
302-4	Fabrication	117
302-5	Examination	119
302-6	Testing	120
Article 303	Damaged Threads in Tapped Holes	121
303-1	Description	121
303-2	Limitations	121
303-3	Design	122
303-4	Fabrication	122
303-5	Examination	123
303-6	Testing	123
303-7	References	123

Mandatory Appendix 303-I	Recommended Detail for Stud Threads Modification to Prevent Damage to Threads in Tapped Holes	125
Mandatory Appendix 303-II	An Illustrative Example Showing an Engineering Analysis Associated With Enlarging a Tapped Hole	129
303-II-1	Example 1	129
303-II-2	Example 2	132
Article 304	Flaw Excavation and Weld Repair	132
304-1	Description	133
304-2	Limitations	133
304-3	Design	134
304-4	Fabrication	135
304-5	Examination	136
304-6	Testing	136
304-7	References	136
Mandatory Appendix 304-I	Metal Removal Process	137
304-I-1	Flapping	137
304-I-2	Grinding	137
304-I-3	Honing	137
304-I-4	Lapping	137
304-I-5	Machining	137
304-I-6	Thermal Gouging	138
304-I-7	Boat Sample Cutting	138
Article 305	Flange Repair and Conversion	140
305-1	Description	140
305-2	Limitations	140
305-3	Design	140
305-4	Fabrication	141
305-5	Examination	142
305-6	Testing	142
305-7	References	142
Article 306	Mechanical Clamp Repair	143
306-1	Description	143
306-2	Limitations	143
306-3	Design	144
306-4	Fabrication	146
306-5	Examination	146
306-6	Testing	146
306-7	References	146
Article 307	Pipe Straightening or Alignment Bending	147
307-1	Description	147
307-2	Limitations	147
307-3	Design	147
307-4	Fabrication	148
307-5	Examination	148
307-6	Testing	149
307-7	Reference	149

Article 308	Damaged Anchors in Concrete (Postinstalled Mechanical Anchors)	150
308-1	Description	150
308-2	Limitations	151
308-3	Design	151
308-4	Fabrication	152
308-5	Examination	156
308-6	Testing	157
308-7	References	157
Mandatory Appendix 308-I	Anchors Installation Using Chemical Means (Adhesive)	158
308-I-1	Adhesive Anchors	158
Article 309	Valves With Pressure Seal-Type Bonnets	159
Article 310	Hot Bolting	160
Article 311	Hot and Half Bolting Removal Procedures	161
311-1	Description	161
311-2	Limitations	161
311-3	Design	162
311-4	Fabrication	163
311-5	Examination	164
311-6	Testing	164
311-7	References	164
Article 312	Inspection and Repair of Shell and Tube Heat Exchangers	165
312-1	Description	165
312-2	Limitations	165
312-3	Design	165
312-4	Fabrication	167
312-5	Examination	171
312-6	Testing	172
312-7	References	172
Mandatory Appendix 312-I	Method to Determine Minimum Number of Tubes to Inspect	174
312-I-1	Introduction	174
Mandatory Appendix 312-II	Examination of Pressure Containment Components	177
312-II-1	Examination	177
312-II-2	Inspection	177
312-II-3	Suitability	177
Article 313	Crimping of Metallic Pipe	178
313-1	Description	178
313-2	Limitations	178
313-3	Design	178
313-4	Fabrication	179
313-5	Examination	182
313-6	Testing	182
313-7	References	182
Part 4	Nonmetallic and Bonded Repairs	183
Article 401	Nonmetallic Composite Repair Systems: High-Risk Applications	183
401-1	Description	183

401-2	Limitations	184
401-3	Design	184
401-4	Fabrication (Installation)	193
401-5	Examination	195
401-6	System Pressure Testing	196
401-7	References	196
Mandatory Appendix 401-I	Design Data Sheet	20
Mandatory Appendix 401-II	Qualification Data for the Repair System	204
Mandatory Appendix 401-III	Short-Term Pipe Spool Survival Test	205
Mandatory Appendix 401-IV	Measurement of γ for Leaking Defect Calculation	206
Mandatory Appendix 401-V	Measurement of Performance Test Data	207
Mandatory Appendix 401-VI	Measurement of Impact Performance	208
Mandatory Appendix 401-VII	Installer Qualification	209
401-VII-1	Introduction	209
401-VII-2	Training	209
401-VII-3	Training Records	209
401-VII-4	Requalification	210
Mandatory Appendix 401-VIII	Installation	211
401-VIII-1	Introduction	211
401-VIII-2	Surface Preparation	211
401-VIII-3	Laminate Lay-Up	211
401-VIII-4	Cure	211
401-VIII-5	Documentation	211
Nonmandatory Appendix 401-A	Glossary of Terms and Acronyms	213
401-A-1	Glossary of Terms	213
401-A-2	Glossary of Acronyms	214
Nonmandatory Appendix 401-B	Recommendation: Retesting for a Modified Qualified Repair System	215
Article 402	Nonmetallic Composite Repair Systems: Low-Risk Applications	216
402-1	Description	216
402-2	Limitations	217
402-3	Design	217
402-4	Fabrication (Installation)	219
402-5	Examination	220
402-6	System Pressure Testing	220
402-7	References	222
Mandatory Appendix 402-I	Repair Data Sheet	224
Mandatory Appendix 402-II	Qualification Data for Repair System	226
Mandatory Appendix 402-III	Validation for Repair of Leaking Component	227
Mandatory Appendix 402-IV	Installer Qualification	228
402-IV-1	Introduction	228
402-IV-2	Training	228
402-IV-3	Training Records	228
402-IV-4	Qualification Period	228
Mandatory Appendix 402-V	Installation	229
402-V-1	Introduction	229

402-V-2	Surface Preparation	229
402-V-3	Laminate Lay-Up	229
402-V-4	Cure	229
402-V-5	Documentation	229
Nonmandatory Appendix 402-A	Glossary of Terms and Acronyms	231
402-A-1	Glossary of Terms	231
402-A-2	Glossary of Acronyms	232
Article 403	Nonmetallic Internal Lining for Pipe: Sprayed Form for Buried Pipe	233
403-1	Description	233
403-2	Cautions and Limitations	233
403-3	Design	234
403-4	Fabrication (Installation)	236
403-5	Examination	237
403-6	Testing	238
403-7	References	238
Mandatory Appendix 403-I	Design Considerations for Buried Pipe	241
403-I-1	Wall Thickness of Cipp	241
403-I-2	Design Equations	241
403-I-3	Applied Loads Design	242
Mandatory Appendix 403-II	Inspection/Examination and Corrective Action Requirements for CIPP	243
403-II-1	General	243
403-II-2	Polymer Mixture	243
403-II-3	Polymer Thickness Sampling	243
403-II-4	Polymer Hardness	243
403-II-5	Polymer Coverage	243
403-II-6	Surface Defect Corrective Actions	243
403-II-7	Corrective Action for Areas of Insufficient Curing	244
Mandatory Appendix 403-III	Glossary of Terms and Acronyms	245
403-III-1	Glossary of Terms	245
403-III-2	Glossary of Acronyms	245
Article 404	Nonmetallic Internal Lining for Pipe: High-Risk Buried Pipe	246
Article 405	Qualification of Nonmetallic Composite Repair Systems	247
405-1	Description	247
405-2	Limitations	247
405-3	Design	247
405-4	Fabrication (Installation)	251
405-5	Examination	251
405-6	System Pressure Testing	251
405-7	References	251
Mandatory Appendix 405-I	Qualification Data Sheet	253
405-I-1	Repair System Details	253
405-I-2	Test Data	253
Mandatory Appendix 405-II	Basic Qualification Testing	255
405-II-1	Introduction	255

405-II-2	Data for Repair Laminate	255
405-II-3	Data for Repair/substrate Interface	255
Mandatory Appendix 405-III	Short-Term Pipe Spool Survival Test	257
405-III-1	Introduction	257
405-III-2	Method	257
405-III-3	Report	258
Mandatory Appendix 405-IV	Measurement of γ for Leaking Defect Calculation	259
405-IV-4	Report	260
Mandatory Appendix 405-V	Measurement of Performance Test Data	261
405-V-1	Introduction	261
405-V-2	Methods	261
405-V-3	Report	262
Mandatory Appendix 405-VI	Measurement of Impact Performance	263
405-VI-1	Introduction	263
405-VI-2	Methods	263
405-VI-3	Report	263
Mandatory Appendix 405-VII	Validation for Repair Technique of Leaking Component	264
405-VII-1	Introduction	264
405-VII-2	Method	264
405-VII-3	Report	264
Nonmandatory Appendix 405-A	Glossary of Terms and Acronyms	265
405-A-1	Glossary of Terms	265
405-A-2	Glossary of Acronyms	266
Nonmandatory Appendix 405-B	Retesting Requirements for a Modified Qualified Repair System	267
405-B-1	General	267
405-B-2	Modified Repair System	267
405-B-3	Engineering Judgment	267
Part 5	Examination and Testing	270
Article 501	Pressure and Tightness Testing of Piping and Equipment	270
501-1	Description	270
501-2	Limitations	270
501-3	Design	270
501-4	Fabrication	271
501-5	Examination	271
501-6	Testing	273
501-7	References	278
Mandatory Appendix 501-I	Pressure/Leak Testing	279
Mandatory Appendix 501-II	Stored Energy Calculations for Pneumatic Pressure Test	281
501-II-1	General	281
Mandatory Appendix 501-III	Safe Distance Calculations for Pneumatic Pressure Test	282
501-III-1	Blast Wave Distance	282
501-III-2	Fragment Throw Distance	282
Mandatory Appendix 501-IV	Risk Evaluation Considerations for Pneumatic Pressure Test	284
501-IV-1	Introduction	284
501-IV-2	Pneumatic Test Risk Considerations	284

501-IV-3	Piping System Volume Considerations	284
Article 502	Nondestructive Examination in Lieu of Pressure Testing for Repairs and Alterations	286
502-1	Description	286
502-2	Limitations	287
502-3	Design	287
502-4	Fabrication (Repair or Alteration)	287
502-5	Examination — Nondestructive Examination (NDE)	287
502-6	Testing	288
502-7	References	288
Mandatory Appendix 502-1	Comparison of Selected NDE Methods	289
Article 503	Test Devices for Localized Pressure or Tightness Testing of Welded Repairs	292
503-1	Description	292
503-2	Limitations	292
503-3	Design	293
503-4	Fabrication	295
503-5	Examination	297
503-6	Testing	297
503-7	References	298
 Figures		
201-3.5-1	Flush Insert in Pipe or Tube	6
201-3.8-1	Flush Insert Plate (With or Without Nozzle/Manway) With Its Butt Weld Intersecting Existing Butt Weld in Shells or Heads	6
201-3.8-2	Intersecting “Doghouse” Type Insert Plate Butt Weld (With or Without Nozzle/Manway) With Shell Butt Weld in Vessel Shells and Heads	7
202-3-1	Weld Buildup Profile	12
204-1-1	Example of a Welded Leak Box Repair of a Tee	20
205-1-1	Membrane Weld Ring Gaskets	24
205-1-2	Weld Ring Gaskets	24
205-1-3	Hollow-Lip Weld Ring Gaskets	25
205-4.3-1	Centering Pin Arrangement	26
205-4.3-2	Clamped Lip Seal	27
205-4.3-3	Assembled Lip Seal	27
206-1.1.1-1	Type A Sleeve	31
206-1.1.2-1	Type B Sleeve	32
206-2.7-1	Welded Split Sleeve for Use Over a Girth Weld	33
206-3.5-1	Type B Sleeve Fillet Weld Size for Sleeve Thickness Less Than or Equal to 1.4 Times the Carrier Pipe Thickness	34
206-3.5-2	Type B Sleeve Fillet Weld Size for Sleeve Thickness Greater Than 1.4 Times the Carrier Pipe Thickness	34
207-1-1	Typical Shell Repair Near Discontinuity	38
208-3.1-1	Typical Residual Stresses in a Weld	44
208-3.1-2	Effect of Weld Area on Transverse Shrinkage	44
208-4.2-1	Typical Back Stepping Weld Sequence	46

208-4.2-2	Difference Between Oscillated Stringer Beads (Left) and Wide Weave Beads (Right)	46
208-4.4-1	Effect of Weld Bead Cross Section on Cracking	47
210-4.2.1.2-1	Heat-Affected Zone Hardness Indent Locations	56
210-4.2.1.4-1	Mandrel Location Relative to the Weld Toe When Doing Face Bend Test for a Typical In-Service Fillet Weld	57
210-4.2.1.4-2	Examples of In-Service Welding Procedure Qualification Face Bend Test Samples	57
210-4.2.2-1	Test Sample Locations for In-Service Fillet Welding Procedure Qualification Assuming Equal Spacing Around the Circumference to Obtain All the Required Test Specimens	59
210-4.2.2-2	Test Sample Locations for In-Service Attachment Welding Procedure Qualification Assuming Equal Spacing Around the Circumference to Obtain All the Required Test Specimens	60
210-4.2.2-3	Test Sample Locations for In-Service Weld Metal Buildup Welding Procedure Qualification	61
210-I-1	Procedure and Welder Qualification Test Assembly for an In-Service Fillet Weld	62
210-I-2	Procedure and Welder Qualification Test Assembly for an In-Service Attachment Weld	63
211-4.4.1-1	Weld Seam With Back Cladding	66
212-1-1	Typical Shell Repair Near Discontinuity	71
213-3.1-1	Typical Plug Arrangement	78
214-II-1	Typical Hot Box Design	87
215-3.1-1	Standard Steps in Repair Welding	93
215-3.3-1	Examples of Damage Common to Cr–Mo Pressure Vessels	95
215-3.4-1	Flowchart for the Selection of Repair Welding Methods	96
216-1.2-1	Typical Hot Tapping Setup	100
302-3.6.3-1	Nitrogen Freeze Plug Assembly	118
303-3.3.3-1	Example of Tapered Stud	123
303-I-1	Inch Thread Series (U.S. Customary Units)	126
303-I-2	Inch Thread Series (SI Units)	127
303-I-3	Metric Thread Series (SI Units)	128
304-3.1-1	Excavation and Weld Repair of Surface Flaw	134
304-3.1-2	Excavation and Weld Repair of Embedded Flaw	134
304-3.1-3	Grinding of Weld Flaw	135
304-I-7-1	Boat Sample	139
305-4.5.2-1	Flange Dimensions	142
306-1-1	Example of a Mechanical Clamp	143
306-1-2	Square Mechanical Clamp Over Drain Branch, With Sealant Injection Nozzle	144
308-1.3-1	Anchors	151
308-1.5-1	Anchor and Concrete Failure	151
308-1.7-1	Column Base Anchors in Concrete	152
308-4.1-1	Weld Repair of Existing Rod	153
308-4.3.1-1	Wedge Anchor	155
308-4.3.2-1	Sleeve Anchor	155

308-4.5.1.1-1	Relocation of One or Two Anchors Within an Arc ($r = \frac{1}{2}d$)	155
308-4.5.1.1-2	Relocation of One or Two Anchors Within an Arc ($r = d$)	156
308-4.6.1-1	Relocation of One or Two Anchors Within a Design Plate Assembly . . .	156
308-4.6.2-1	Relocation of More Than Two Anchors Within a Design Plate Assembly	156
308-4.6.3-1	Using an Enlarged Plate	157
312-4.2-1	Typical Friction Fit Tapered Tube Plug	168
312-4.2-2	Typical Mechanical Fit Tube Plugs	169
312-4.2-3	Typical Installation of Mechanical Fit Tube Plugs	169
312-4.2-4	Sample Chart: Number of Tube Failures by Month	170
313-4.1-1	Crimp Block on Pipe	180
313-4.1-2	Crimp With Injection Arrangement	181
313-4.1-3	Crimp Clamp in Position (Right) and Sealant Injection Box (Left)	181
401-5.1-1	Schematic of a Repair System and Location of Defects	196
403-1.1-1	Structural Liner in Raw Water System	234
405-II-2-1	Test Specimen Geometry	256
405-III-2-1	Defect Dimensions	257
501-3.3-1	Test Type Selection	272
501-IV-3-1	A Schematic Diagram of a Pipeline Burst, Showing the Flow of Gas Within the Pipes	285
503-1.1.2-1	Hydrotest Device Types for Piping or Nozzles	293
503-1.1.3-1	Hydrotest Device Types for Nozzles or Branch Connections	294
503-4-1	Hydrotest Device Seal Location	296
503-4.1-1	Type I Hydrotest Device With Lanyard	297
503-4.1-2	Type I Hydrotest Device Without Lanyard	297
503-4.1-3	Type I Typical Installations	298
503-4.2-1	Location of Split Ring Flange	299
503-4.4-1	Type IV Device	299
 Tables		
208-3.3-1	Comparison of Specification and Actual Weld Metal Properties	45
209-4.1-1	Summary of Postweld Heat Treatment Requirements and Potential Alternatives	50
210-4.2.1-1	Type and Number of Test Specimens Required for an In-Service Welding Procedure Qualification	55
215-1.2-1	Cr–Mo Steels Applicable to This Article	92
215-3.2-1	Typical In-Service Degradation	94
215-3.2-2	Typical Considerations for Weld Repair of In-Service Degradation	94
215-3.5-1	Repair Methods Applicable to Cr–Mo Vessels	96
215-4.1-1	Repair Approach Sequence	97
215-4.4-1	Typical Preheat and Interpass Temperatures	97
215-4.5-1	De-Embrittlement Heat Treatment	98
308-4.3-1	Minimum Edge Distance for Punched, Reamed, or Drilled Holes	154
308-4.3-2	Expansion Anchor — Illustrative Example of Typical Minimum Limits for Reference	154
312-I-1.3-1	Inspection Effectiveness Table	175
401-3.2-1	Repair System Required Material and Performance Properties	186

401-3.4.2-1	Service Temperature Limits for Repair Systems	189
401-3.4.4-1	Allowable (Long-Term) Strains for Repair Laminates (No Allowance for Temperature Effects)	190
401-3.4.5-1	Service Factors for Repair Laminates	191
401-4.6-1	Hold Points During Installation	195
401-5.2-1	Defect Type and Allowable Limits for the Composite Wrap	197
402-3.2-1	Repair System Required Material and Performance Properties	218
402-4.4-1	Hold Points During Installation	220
402-5.2-1	Defect Type and Allowable Limits for the Composite Repair	221
405-3.3-1	Repair System Required Material and Performance Properties	249
405-IV-3-1	Student's t_v Value for Double-Sided 0.025 Level of Significance	260
405-B-1-1	Recommended Testing for Requalification of a Modified Qualified Repair System	268
501-III-1-1	Alternative Values for R_{scaled}	282
501-III-2-1	Minimum Distances for Fragment Throw Considerations	283
502-I-1	Comparison of Selected NDE Methods	290
503-3-1	Device Type Selection Guidance	295
 Forms		
	Component Repair Data Sheet	202
	Repair Data Sheet	225
	Test Data	254
	Test Record	280

FOREWORD

ASME formed an Ad Hoc Task Group on Post-Construction in 1993 in response to an increased need for recognized and generally accepted engineering standards for the inspection and maintenance of pressure equipment after it has been placed in service. At the recommendation of this Task Group, the Board on Pressure Technology Codes and Standards (BPTCS) formed the Post-Construction Committee (PCC) in 1995. The scope of this committee was to develop and maintain standards addressing common issues and technologies related to post-construction activities and to work with other consensus committees in the development of separate, product-specific codes and standards addressing issues encountered after initial construction for equipment and piping covered by Pressure Technology Codes and Standards. The BPTCS covers non-nuclear boilers, pressure vessels (including heat exchangers), piping and piping components, pipelines, and storage tanks.

The requirements and recommendations established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or repair method, or as limiting in any way the freedom to choose any method of design or any form of repair that conforms to these requirements and recommendations.

The Committee meets regularly to consider revisions, to develop new requirements and recommendations as dictated by technological development, Cases of the PCC Standards, and requests for interpretations. Only the Committee has the authority to provide official interpretations of these Standards. Requests for revisions, new rules, Cases of the PCC Standards, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Correspondence With the PCC Committee). Proposed revisions to the Standard resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Standards approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://go.asme.org/BPVCPublicReview> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published in the next scheduled edition of the Standard.

The PCC selects standards to be developed based on identified needs and the availability of volunteers. The PCC formed the Subcommittee on Inspection Planning and the Subcommittee on Flaw Evaluations in 1995. In 1998, a Task Group under the PCC began preparing Guidelines for Pressure Boundary Bolted Flange Joint Assembly. In 1999, the PCC formed the Subcommittee on Repair and Testing. In 2002, the Subcommittee on Flaw Evaluation was dissolved and replaced by the Joint ASME/API Committee on Fitness for Service. Other topics are under consideration and may be developed into future guideline documents.

The subcommittees were charged with preparing standards dealing with several aspects of the in-service inspection and maintenance of pressure equipment and piping. The Inspection Planning Standard provides guidance on the preparation of a risk-based inspection plan. Defects that are identified may then be evaluated, when appropriate, using the procedures provided in the Fitness for Service. Finally, if it is determined that repairs are to be made, guidance on repair procedures is provided in the Repair of Pressure Equipment and Piping Standard.

None of these documents are codes. They provide recognized and generally accepted good practices that may be used in conjunction with Post-Construction Codes, such as API 510, API 570, and NB-23, and with jurisdictional requirements.

This Standard uses the words *shall*, *should*, and *may* as follows:

(a) *Shall* is used to denote a requirement.

(b) *Should* is used to denote a recommendation.

(c) *May* is used to denote permission, neither a requirement nor a recommendation.

The first edition of ASME PCC-1, *Guidelines for Pressure Boundary Bolted Flange Joint Assembly*, was approved for publication in 2000. ASME PCC-1-2000 was approved by the American National Standards Institute (ANSI) as an American National Standard on November 15, 2000.

The first edition of ASME PCC-3, *Inspection Planning Using Risk-Based Methods*, was approved for publication in 2007. It was approved by ANSI as an American National Standard on October 4, 2007.

The first edition of ASME PCC-2, *Repair of Pressure Equipment and Piping*, was approved for publication in 2004. Subsequent editions were published in 2008, 2011, 2015, and 2018.

Starting with the 2018 edition, new editions are expected to be published on a 4-year cycle. ASME PCC-2-2022 was approved by ANSI as an American National Standard on April 4, 2022.

ASME PRESSURE TECHNOLOGY POST-CONSTRUCTION COMMITTEE

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

C. D. Rodery, *Chair*
B. D. Ray, *Vice Chair*
S. J. Rossi, *Secretary*

STANDARDS COMMITTEE PERSONNEL

M. A. Boring, DNV GL
W. Brown, Integrity Engineering Solutions
S. Hamilton, Hex Technology
B. F. Hantz, Valero Energy Corp.
D. M. King, Furmanite America, Inc.
D. E. Lay, D&S Lay, Inc.
D. T. Peters, Structural Integrity Associates
B. D. Ray, Marathon Petroleum Corp.
J. T. Reynolds, Intertek/Moody
S. C. Roberts, Shell Global Solutions US, Inc.
C. D. Rodery, C&S Technology, LLC

S. J. Rossi, The American Society of Mechanical Engineers
I. Roux, Roux Engineering
C. W. Rowley, The Wesley Corp.
J. Taagepera, Chevron Technical Center
G. M. Tanner, M&M Engineering Associates
K. Oyamada, *Delegate*, High Pressure Gas Safety Institute of Japan
T. Tahara, *Delegate*, T&T Technology
C. D. Cowfer, *Contributing Member*, Consultant
N. Y. Faransso, *Contributing Member*, Faransso NDT Services
K. Mokhtarian, *Contributing Member*, K. Mokhtarian Consulting, LLC
J. R. Sims, *Contributing Member*, Becht Engineering Co., Inc.

REPAIR AND TESTING SUBCOMMITTEE

J. Taagepera, *Chair*, Chevron Technical Center
S. C. Roberts, *Vice Chair*, Shell Global Solutions US, Inc.
S. J. Rossi, *Secretary*, The American Society of Mechanical Engineers
L. P. Antalffy, Fluor
M. A. Boring, DNV GL
S. J. Findlan, Stone and Webster, Inc.
D. Peguero, NRI
B. D. Ray, Marathon Petroleum Corp.
J. T. Reynolds, Intertek/Moody
C. D. Rodery, C&S Technology, LLC

C. W. Rowley, The Wesley Corp.
A. Thistlethwaite, Team Industrial Services, Inc.
E. Uptis, Uptis and Associates, Inc.
K. Wachholder, Sargent and Lundy
N. Y. Faransso, *Contributing Member*, Faransso NDT Services
B. F. Hantz, *Contributing Member*, Valero Energy Corp.
D. M. King, *Contributing Member*, Furmanite America, Inc.
K. Mokhtarian, *Contributing Member*, K. Mokhtarian Consulting, LLC
W. Newell, Jr., *Contributing Member*, Euroweld, Ltd.
T. Tahara, *Contributing Member*, T&T Technology

SUBGROUP ON EXAMINATION AND TESTING

C. Dinic, Technical Standards and Safety Authority
M. Edel, BakerRisk
F. Fiallos, The Dow Chemical Co.
J. T. Reynolds, Intertek/Moody

S. C. Roberts, Shell Global Solutions US, Inc.
N. Y. Faransso, *Contributing Member*, Faransso NDT Services
K. Mokhtarian, *Contributing Member*, K. Mokhtarian Consulting, LLC

SUBGROUP ON MECHANICAL REPAIR

A. Thistlethwaite, *Chair*, Team Industrial Services, Inc.
B. R. Levesque, *Vice Chair*, ExxonMobil Research and Engineering
H. J. Dammeyer, Consultant
M. Faulkner, ExxonMobil Chemical Co.

D. Krokosz, Stats Group International, Inc.
C. D. Rodery, C&S Technology, LLC
K. Schupp, Methanex Corp.
D. M. King, *Contributing Member*, Furmanite America, Inc.

SUBGROUP ON NONMETALLIC REPAIR

K. Wachholder, *Chair*, Sargent and Lundy
D. Peguero, *Vice Chair*, NRI
M. C. Williamson, *Secretary*, Team Industrial
C. Alexander, ADV Integrity, Inc.
K. A. Farrag, Gas Technology Institute
S. R. Frost, Walker Technical Resources, Ltd.
P. S. Hill, Furmanite
M. Kieba, U.S. Department of Transportation
O. Oharriz, Belzona
H. Rojas, Chevron Energy Technology Co.
C. W. Rowley, The Wesley Corp.

O. Scholer, HJ3 Composite Technologies
C. Sheets, Stress Engineering Services, Inc.
G. Urukalo, ICR Integrity, Ltd.
C. Whalen, Milliken Infrastructure Solutions, LLC
J. M. Wilson, T. D. Williamson, Inc.
F. Worth, Air Logistics Corp.
D. Zamani, Consultant
M. Green, *Alternate*, Clockspring/NRI
R. E. Rhea, *Alternate*, Air Logistics Corp.
U. Weinheimer, *Alternate*, TEAM, Inc.
Z. Zhou, *Alternate*, U.S. Department of Transportation

SUBGROUP ON WELDED REPAIR

M. A. Boring, *Chair*, DNV GL
B. R. Levesque, *Vice Chair*, ExxonMobil Research and Engineering
L. P. Antalffy, Fluor
B. Calvin, Nooter Construction Co.
P. N. Chaku, Lummus Technology, Inc.
S. J. Findlan, Stone and Webster, Inc.
D. Fitch, Ambitech Engineer Corp.
B. F. Hantz, Valero Energy Corp.

M. Kowalczyk, Consultant
J. Penso, Shell Projects and Technology
B. D. Ray, Marathon Petroleum Corp.
I. Roux, Roux Engineering
A. Seijas, Phillips 66 Co.
J. Taagepera, Chevron Technical Center
J. Tatman, EPRI
E. Upitis, Upitis and Associates, Inc.

CORRESPONDENCE WITH THE PCC COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions or a case, and attending Committee meetings. Correspondence should be addressed to:

Secretary, PCC Standards Committee
The American Society of Mechanical Engineers
Two Park Avenue
New York, NY 10016-5990
<http://go.asme.org/Inquiry>

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

Proposing a Case. Cases may be issued to provide alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the Standard and the paragraph, figure, or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

Interpretations. Upon request, the PCC Standards Committee will render an interpretation of any requirement of the Standard. Interpretations can only be rendered in response to a written request sent to the Secretary of the PCC Standards Committee.

Requests for interpretation should preferably be submitted through the online Interpretation Submittal Form. The form is accessible at <http://go.asme.org/InterpretationRequest>. Upon submittal of the form, the Inquirer will receive an automatic e-mail confirming receipt.

If the Inquirer is unable to use the online form, he/she may mail the request to the Secretary of the PCC Standards Committee at the above address. The request for an interpretation should be clear and unambiguous. It is further recommended that the Inquirer submit his/her request in the following format:

Subject:	Cite the applicable paragraph number(s) and the topic of the inquiry in one or two words.
Edition:	Cite the applicable edition of the Standard for which the interpretation is being requested.
Question:	Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. Please provide a condensed and precise question, composed in such a way that a "yes" or "no" reply is acceptable.
Proposed Reply(ies):	Provide a proposed reply(ies) in the form of "Yes" or "No," with explanation as needed. If entering replies to more than one question, please number the questions and replies.
Background Information:	Provide the Committee with any background information that will assist the Committee in understanding the inquiry. The Inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in the format described above may be rewritten in the appropriate format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

Moreover, ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the inquiry information submitted, it is the opinion of the Committee that the Inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME Committee or Subcommittee. ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

Attending Committee Meetings. The PCC Standards Committee regularly holds meetings and/or telephone conferences that are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the PCC Standards Committee.

ASME PCC-2-2022 SUMMARY OF CHANGES

Following approval by the ASME PCC Committee and ASME, and after public review, ASME PCC-2-2022 was approved by the American National Standards Institute on April 4, 2022.

References to ASME PCC-1 have been updated throughout ASME PCC-2-2022. ASME PCC-2-2022 also includes the following changes identified by a margin note, **(22)**.

<i>Page</i>	<i>Location</i>	<i>Change</i>
1	101-3.2	Revised in its entirety
16	202-7	API address updated
30	206-2.6	Revised
30	206-2.7	Revised
31	206-2.8	Revised
31	206-2.10	Last two sentences added
33	206-3.7	First sentence revised
33	206-3.8	Revised in its entirety
35	206-5.3	Revised
35	206-5.5	Revised
35	206-6	First paragraph revised
36	206-7	(1) API address updated (2) Last ASME reference added
37	207-3.1	(1) Subparagraph (c) revised (2) Subparagraph (h) added
41	207-4	Subparagraph (f)(3) added, and subsequent subparagraphs redesignated
42	207-7	API address updated
47	208-7	(1) ANSI/NB-23-2007 publisher corrected (2) API address updated
51	209-7	(1) ANSI/NB-23-2007 designation and publisher corrected (2) API address updated (3) WRC publisher added
58	210-7	(1) AGA and API addresses updated (2) AWS and NBBI publishers added
64	211-1.5	Revised in its entirety
68	211-7	(1) ANSI/NB-23-2007 publisher corrected (2) API address updated
74	212-7	API address updated
77	213-7	PFI address updated
82	214-4.3	Revised in its entirety
84	214-7	API address and WRC website updated
88	215-1.1	Last sentence and Table 215-1.1-1 deleted

<i>Page</i>	<i>Location</i>	<i>Change</i>
90	215-7	API and WRC addresses updated
104	216-3.12	Equation in subpara. (b)(5) corrected by errata
108	216-7.1	(1) Titles of ASME BPVC Sections and publisher of ANSI/NB-23 corrected (2) API address updated
108	216-7.2	Last four ASME references and ANSI Z49.1 publisher corrected
111	Article 217	Added
136	304-7	API address updated
142	305-7.1	API address updated
146	306-7	API address updated
157	308-7	AISC address updated
172	312-7	(1) API address updated (2) HEI address corrected
175	Table 312-I-1.3-1	Fourth and fifth column heads revised
182	313-7	API address updated
183	Article 401	Revised in its entirety
204	Mandatory Appendix 401-II	Deleted
205	Mandatory Appendix 401-III	Deleted
206	Mandatory Appendix 401-IV	Deleted
207	Mandatory Appendix 401-V	Deleted
208	Mandatory Appendix 401-VI	Deleted
215	Nonmandatory Appendix 401-B	Deleted
216	Article 402	Revised in its entirety
226	Mandatory Appendix 402-II	Deleted
227	Mandatory Appendix 402-III	Deleted
238	403-7.1	(1) API address updated (2) ISO address corrected
239	403-7.2	SSPC-SP 8 reference designation corrected
245	403-III-1	Definition of <i>curing</i> replaced with definition of <i>cure or curing</i>
246	Article 404	Added
247	Article 405	Added
270	501-3.1	Revised in its entirety
275	501-6.2	Subparagraph (m) revised
278	501-7	(1) API RP 579-1 reference designation, ISO address, ASNT Recommended Practice No. SNT-TC-1A designation and title, and ASNT address corrected (2) API address and WRC website updated
282	501-III-1	First paragraph and subparas. (a) and (b) revised
288	502-7	(1) NBBI and ASNT addresses corrected (2) API address updated
292	503-1.1.1	(1) First paragraph revised (2) Subparagraph (b) added, and subsequent subparagraphs redesignated
292	503-1.1.2	Title and first paragraph revised
293	Figure 503-1.1.2-1	Title revised

<i>Page</i>	<i>Location</i>	<i>Change</i>
292	503-1.1.3	Added
292	503-1.2	Definition of <i>local hydrostatic test</i> revised
292	503-2.2	Subparagraph (d) revised
293	503-3	Subparagraph (a) designator and subpara. (b) added
294	Figure 503-1.1.3-1	Added
295	503-3.3	Subparagraph (b) revised
295	503-3.4	Subparagraph (c) revised
295	503-4	Subparagraphs (a) through (c) revised
296	503-4.1	Subparagraphs (a), (c), and (d) revised
296	503-4.2	(1) Subparagraphs (a) through (c) revised (2) Former subparas. (d) and (e) transposed
296	503-4.5	Added
297	503-5.2	Subparagraphs (a) and (b) revised
297	503-5.3	Revised
298	503-7	WRC address updated

INTENTIONALLY LEFT BLANK

PART 1

SCOPE, ORGANIZATION, AND INTENT

Article 101

Introduction

101-1 SCOPE

This Standard provides methods for repair of equipment, piping, pipelines, and associated ancillary equipment within the scope of ASME Pressure Technology Codes and Standards¹ after they have been placed in service. These repair methods include relevant design, fabrication, examination, and testing practices and may be temporary or permanent, depending on the circumstances.

The methods provided in this Standard address the repair of components when repair is deemed necessary based on appropriate inspection and flaw assessment. These inspection and flaw evaluation methods are not covered in this Standard, but are covered in other post-construction codes and standards.

This Standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this Standard to establish appropriate safety and health practices, and determine the applicability of regulatory limitations prior to use.

Only technical procedures and information are provided; administrative or policy requirements are outside of the scope of this Standard.

101-2 ORGANIZATION

This Standard is divided into five Parts.

(a) **Part 1** covers the scope, organization, and intent and is applicable to all articles in this Standard.

(b) **Part 2** covers repair methods and techniques that include the use of welding, brazing, soldering, or other methods involving metal deposit.

(c) **Part 3** covers mechanical repairs, with or without sealant, such as bolted clamps or fixtures and includes all repair methods not covered in **Part 2** or **Part 4**.

(d) **Part 4** covers repairs using nonmetallic means, such as nonmetallic liners and wraps, and bonding (e.g., joining by epoxy), including bonding of metallic components.

¹ Equipment and piping within the scope of ASME Pressure Technology Codes and Standards includes piping (including pipelines) and piping components (such as valves), boilers, pressure vessels (including heat exchangers), and storage tanks.

(e) **Part 5** covers examination and testing methods and techniques.

101-3 INTENT

101-3.1 General

This Standard provides technical information, procedures, and recommendations for repair methods that were determined by consensus to be recognized and generally accepted good engineering practice. Where equipment repair is subject to jurisdictional regulation, jurisdictional approvals may be required.

101-3.2 Acronyms and Definitions

(22)

The words *shall*, *should*, and *may* are defined in the Foreword of this Standard. When used in the repair articles of this Standard, they have the following intent:

shall: indicates an action that is an essential element of the repair method that cannot be eliminated.

should: indicates an action that when performed, is generally considered to be good practice; however, there are some circumstances when the action is not appropriate or required, so the word *should* is used to provide flexibility for the article to cover a broad range of circumstances. It is not mandatory unless so specified by others in the application of these articles.

may: indicates an action that is permitted, but not required.

101-3.2.1 Acronyms

API	American Petroleum Institute
ASM (ASM International)	American Society of Metals
ASME	The American Society of Mechanical Engineers
ASNT	American Society for Nondestructive Testing
AWS	American Welding Society
AWWA	American Water Works Association
BPVC	Boiler and Pressure Vessel Code