

ASME PCC-3–2022
(Revision of ASME PCC-3–2017)

Inspection Planning Using Risk-Based Methods

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME PCC-3-2022
(Revision of ASME PCC-3-2017)

Inspection Planning Using Risk-Based Methods

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: November 15, 2022

This Standard will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee web page and under <http://go.asme.org/InterpsDatabase>. Periodically certain actions of the ASME PCC Committee may be published as Cases. Cases are published on the ASME website under the PCC Committee Page at <http://go.asme.org/PCCcommittee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The PCC Committee Page can be found at <http://go.asme.org/PCCcommittee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility only for those interpretations of this document issued in accordance with the established ASME procedures and policies, which preclude the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

CONTENTS

Foreword		v
Committee Roster		vi
Correspondence With the Post Construction Committee		vii
Summary of Changes		ix
1	Scope, Introduction, and Purpose	1
2	Basic Concepts	1
3	Introduction to Risk-Based Inspection	4
4	Planning the Risk Analysis	9
5	Data and Information Collection	14
6	Damage Mechanisms and Failure Modes	16
7	Determining Probability of Failure	18
8	Determining Consequence of Failure	21
9	Risk Determination, Analysis, and Management	28
10	Risk Management With Inspection Activities	32
11	Other Risk Mitigation Activities	35
12	Reanalysis	36
13	Roles, Responsibilities, Training, and Qualifications	37
14	Documentation and Record Keeping	39
15	Definitions and Acronyms	40
16	References	41
Nonmandatory Appendices		
A	Damage Mechanism Definitions	47
B	Damage Mechanism and Defects Screening Table	60
C	Table of Examination/Monitoring Methods	67
D	Quantitative Methods Including Expert Opinion Elicitation	71
E	Examples of Risk-Based Inspection Program Audit Questions	79
F	Suggested Practice for Evaluation of Pressure Vessels for Continued Cyclic Service	80
Figures		
2.1-1	Risk Plot	2
2.2-1	Management of Risk Using RBI	3
3.3.1-1	Continuum of RBI Approaches	5
3.3.1-1	Risk-Based Inspection Planning Process	7
4.4.1-1	Relationship Among Component, Equipment, System, Process Unit, and Facility	11
8.5-1	Determination of Consequence of Failure	27
9.2.1-1	Example of Calculating the Probability of a Specific Consequence	30
9.5.1-1	Example Risk Matrix Using Probability and Consequence Categories	31

D-4.3-1	Process of Performing a Monte Carlo Simulation	73
D-5.1-1	Probability of Failure Rate vs. Time	74

Tables

2.3-1	Factors Contributing to Loss of Containment	4
8.3.5-1	Three-Level Safety, Health, and Environmental Consequence Categories	23
8.3.5-2	Six-Level Safety, Health, and Environmental Consequence Categories	23
8.3.7-1	Six-Level Table	24
16-1	Reference Documents	42
16-2	Procurement Information	45
A-1	Damage Mechanism Definitions	48
B-1	Damage Mechanism and Defects Screening Table	61
C-1	Examination/Monitoring Methods	68

Currently in preview, click buy full version

FOREWORD

ASME formed an Ad Hoc Task Group on Post Construction in 1993 in response to an identified need for recognized and generally accepted engineering standards for the inspection and maintenance of pressure equipment after it has been placed in service. At the recommendation of this Task Group, the Board on Pressure Technology Codes and Standards (BPTCS) formed the Post Construction Committee (PCC) in 1995. The scope of this Committee was to develop and maintain standards addressing common issues and technologies related to post-construction activities, and to work with other consensus committees in the development of separate, product-specific codes and standards addressing issues encountered after initial construction for equipment and piping covered by Pressure Technology Codes and Standards. The BPTCS covers non-nuclear boilers, pressure vessels (including heat exchangers), piping, and piping components, pipelines, and storage tanks.

The PCC selects standards to be developed based on identified needs and the availability of volunteers. The PCC formed the Subcommittee on Inspection Planning and the Subcommittee on Flaw Evaluations in 1995. In 1998, a Task Group under the PCC began preparation of Guidelines for Pressure Boundary Bolted Flange Joint Assembly, and in 1999 the Subcommittee on Repair and Testing was formed. Other topics are under consideration and may possibly be developed into future guideline documents. The subcommittees were charged with preparing standards dealing with several aspects of the in-service inspection and maintenance of pressure equipment and piping.

This Standard provides guidance on the preparation and implementation of a risk-based inspection plan. Flaws that are identified during inspection plan implementation are then evaluated, when appropriate, using the procedures provided in API 579-1/ASME FFS-1, Fitness for Service. If it is determined that repairs are required, guidance on repair procedures is provided in ASME PCC-2, Repair of Pressure Equipment and Piping.

This Standard is based on API 580, Risk-Based Inspection. By agreement with the American Petroleum Institute (API), this Standard is closely aligned with the risk-based inspection (RBI) process in API 580, which is oriented toward the hydrocarbon and chemical process industries. In the standard's development process that led to the publication of this Standard, numerous changes, additions, and improvements to the text of API 580 were made, many of which are intended to generalize the RBI process to enhance applicability to a broader spectrum of industries.

This Standard provides recognized and generally accepted good engineering practices (RAGAGEP) that may be used in conjunction with other post construction codes (e.g., API 510, API 570, and NB-23).

This Standard uses the words "shall," "should," and "may" as follows:

- (a) "Shall" is used to denote a requirement.
- (b) "Should" is used to denote a recommendation.
- (c) "May" is used to denote a permission, neither a requirement nor a recommendation.

ASME PCC-3-2007 was approved by the American National Standards Institute (ANSI) on October 4, 2007. ASME PCC-3-2017 was approved by ANSI on May 11, 2017.

ASME PCC-3-2022 was approved by ANSI on June 21, 2022.

ASME PRESSURE TECHNOLOGY POST CONSTRUCTION COMMITTEE

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

C. D. Rodery, *Chair*
B. D. Ray, *Vice Chair*
S. J. Rossi, *Secretary*

STANDARDS COMMITTEE PERSONNEL

M. A. Boring , Kiefner and Associates, Inc.	S. J. Rossi , The American Society of Mechanical Engineers
W. Brown , Integrity Engineering Solutions	I. Roux , Roux Engineering
S. Hamilton , Hex Technology	C. W. Rowley , The Wesley Group
B. Hantz , Valero Energy Corp.	J. Taagepera , Chevron Technical Center
D. King , Furmanite America, Inc.	G. M. Tanner , M&M Engineering Associates
D. E. Lay , D&S Lay, Inc.	K. Oyamada , High Pressure Gas Safety Institute of Japan
D. T. Peters , Structural Integrity Associates	T. Tahara , <i>Delegate</i> , T&I Technology
B. D. Ray , Marathon Petroleum Corp.	C. D. Cowie , <i>Contributing Member</i> , Consultant
J. T. Reynolds , Intertek/Moody	N. Faransso , <i>Contributing Member</i> , Faransso NDT Services
S. C. Roberts , Shell Global Solutions US, Inc.	K. Mokhtarian , <i>Contributing Member</i> , K. Mokhtarian Consulting, LLC
C. D. Rodery , C&S Technology, LLC	J. R. Sims , <i>Contributing Member</i> , Becht Engineering Co., Inc.

INSPECTION PLANNING SUBCOMMITTEE

B. D. Ray , <i>Chair</i> , Marathon Petroleum Corp.	D. T. Peters , Structural Integrity Associates
I. Roux , <i>Vice Chair</i> , Roux Engineering	J. T. Reynolds , Intertek/Moody
D. Weiner , <i>Secretary</i> , The American Society of Mechanical Engineers	J. R. Sims , Becht Engineering Co., Inc.
L. P. Antalfy , Consultant	G. M. Tanner , M&M Engineering Associates
M. Edel , BakerRisk	K. Oyamada , <i>Delegate</i> , High Pressure Gas Safety Institute of Japan
M. Kowalczyk , Consultant	

CORRESPONDENCE WITH THE POST CONSTRUCTION COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions or a case, and attending Committee meetings. Correspondence should be addressed to:

Secretary, PCC Standards Committee
The American Society of Mechanical Engineers
Two Park Avenue
New York, NY 10016-5990
<http://go.asme.org/Inquiry>

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

Proposing a Case. Cases may be issued to provide alternative rules, when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the Standard and the paragraph, figure, or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

Interpretations. Upon request, the PCC Standards Committee will render an interpretation of any requirement of the Standard. Interpretations can only be rendered in response to a written request sent to the Secretary of the PCC Standards Committee.

Requests for interpretation should preferably be submitted through the online Interpretation Submittal Form. The form is accessible at <http://go.asme.org/InterpretationRequest>. Upon submittal of the form, the Inquirer will receive an automatic e-mail confirming receipt.

If the Inquirer is unable to use the online form, he/she may mail the request to the Secretary of the PCC Standards Committee at the above address. The request for an interpretation should be clear and unambiguous. It is further recommended that the Inquirer submit his/her request in the following format:

Subject: Cite the applicable paragraph number(s) and the topic of the inquiry in one or two words.
Edition: Cite the applicable edition of the Standard for which the interpretation is being requested.
Question: Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. Please provide a condensed and precise question, composed in such a way that a “yes” or “no” reply is acceptable.
Proposed Reply(ies): Provide a proposed reply(ies) in the form of “Yes” or “No,” with explanation as needed. If entering replies to more than one question, please number the questions and replies.
Background Information: Provide the Committee with any background information that will assist the Committee in understanding the inquiry. The Inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in the format described above may be rewritten in the appropriate format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

Moreover, ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the inquiry information submitted, it is the opinion of the Committee that the Inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME Committee or Subcommittee. ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

Attending Committee Meetings. The PCC Standards Committee regularly holds meetings and/or telephone conferences that are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the PCC Standards Committee.

ASME PCC-3-2022 SUMMARY OF CHANGES

Following approval by the ASME PCC Committee and ASME, and after public review, ASME PCC-3-2022 was approved by the American National Standards Institute on June 21, 2022.

In ASME PCC-3-2022, figure and table designators have been updated throughout to follow ASME style. In addition, this edition includes the following changes identified by a margin note, **(22)**.

<i>Page</i>	<i>Location</i>	<i>Change</i>
13	4.4.2.2	Restructured and revised
18	7.2.1	In subpara. (b), cross-reference to API publication updated
30	Figure 9.2.1-1	Revised in its entirety
33	10.4.3	Subparagraph title revised
34	10.4.3.1	Title and first sentence revised
40	15.1	Definition of <i>NDE personnel</i> added
41	15.2	Definition of <i>NACE</i> updated
42	Table 16-1	Updated
45	Table 16-2	Updated
61	Table B-1	Column heads reformatted
68	Table C-1	Revised in its entirety
77	D-7.4.8	Text editorially reformatted
77	D-7.5.2	Text editorially reformatted
80	F-1	First paragraph and subpara. (e), cross-reference to API publication updated
81	F-3	(1) In subpara. (a), first sentence revised (2) In subpara. (b), first, second, and fourth sentences revised (3) Former subparas. (c) through (f) revised in their entirety and redesignated as (c) through (e)

INTENTIONALLY LEFT BLANK

INSPECTION PLANNING USING RISK-BASED METHODS

1 SCOPE, INTRODUCTION, AND PURPOSE

1.1 Scope

The risk analysis principles, guidance, and implementation strategies presented in this Standard are broadly applicable; however, this Standard has been specifically developed for applications involving fixed pressure-containing equipment and components. This Standard is not intended to be used for nuclear power plant components; see ASME BPVC, Section XI. It provides guidance to owners, operators, and designers of pressure-containing equipment for developing and implementing an inspection program. These guidelines include means for assessing an inspection program and its plan. The approach emphasizes safe and reliable operation through cost-effective inspection. A spectrum of complementary risk analysis approaches (qualitative through fully quantitative) should be considered as part of the inspection planning process.

1.2 Introduction

This Standard provides information on using risk analysis to develop and plan an effective inspection strategy. Inspection planning is a systematic process that begins with identification of facilities or equipment and culminates in an inspection plan. Both the probability¹ of failure and the consequence of failure should be evaluated by considering all credible damage mechanisms that could be expected to affect the facilities or equipment. In addition, failure scenarios based on each credible damage mechanism should be developed and considered.

The output of the inspection planning process conducted according to these guidelines should be an inspection plan for each equipment item analyzed that includes

- (a) inspection methods that should be used
- (b) extent of inspection (percent of total area to be examined or specific locations)
- (c) inspection interval (timing)
- (d) other risk mitigation activities
- (e) the residual level of risk after inspection and other mitigation actions have been implemented

¹“Likelihood” is sometimes used as a synonym for “probability”; however, “probability” is used throughout this Standard for consistency.

1.3 Purpose

This Standard presents the concepts and principles used to develop and implement a risk-based inspection (RBI) program. Items covered are

(a) an introduction to the concepts and principles of RBI

- 1 Scope, Introduction, and Purpose
- 2 Basic Concepts
- 3 Introduction to Risk-Based Inspection

(b) description of the steps in applying these principles within the framework of the RBI process

- 4 Planning the Risk Analysis
- 5 Data and Information Collection
- 6 Damage Mechanisms and Failure Modes
- 7 Determining Probability of Failure
- 8 Determining Consequence of Failure
- 9 Risk Determination, Analysis, and Management
- 10 Risk Management With Inspection Activities
- 11 Other Risk Mitigation Activities
- 12 Reanalysis
- 13 Roles, Responsibilities, Training, and Qualifications
- 14 Documentation and Record Keeping

1.4 Relationship to Regulatory and Jurisdictional Requirements

This Standard does not replace or supersede laws, regulations, or jurisdictional requirements.

2 BASIC CONCEPTS

2.1 Risk

Everyone lives with risk and, knowingly or unknowingly, people are constantly making decisions based on risk. Simple decisions such as whether to drive to work or walk across a busy street involve risk. Bigger decisions such as buying a house, investing money, and getting married all imply an acceptance of risk. Life is not risk free and even the most cautious, risk-averse individuals inherently take risks.