

ASME SBS-2023

# Structures for Bulk Solids

---

AN AMERICAN NATIONAL STANDARD



The American Society of  
Mechanical Engineers

**ASME SBS-2023**

# **Structures for Bulk Solids**

---

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: June 30, 2023

The next edition of this Standard is scheduled for publication in 2025.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

“ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2023 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved

# CONTENTS

|   |           |
|---|-----------|
| Foreword .....  | vi        |
| Committee Roster .....  | iii       |
| Correspondence With the SBS Committee .....                             | ix        |
| <b>Section 1      General Requirements .....</b>                        | <b>1</b>  |
| 1-1      Scope .....  | 1         |
| 1-2      Responsibilities .....   | 2         |
| 1-3      Fabrication Methods .....                                      | 2         |
| 1-4      Alternative Stress Design Basis .....                          | 2         |
| 1-5      Items Not Described .....                                      | 2         |
| <b>Section 2      References .....</b>                                  | <b>3</b>  |
| <b>Section 3      Definitions .....</b>                                 | <b>4</b>  |
| 3-1      General .....  | 4         |
| 3-2      Definitions for Section 5 .....                                | 4         |
| 3-3      Definitions for Section 6 .....                                | 4         |
| 3-4      Nomenclature .....   | 5         |
| <b>Section 4      Materials .....</b>                                   | <b>6</b>  |
| 4-1      General .....  | 6         |
| 4-2      Plates and Sheets .....  | 6         |
| 4-3      Structural Shapes .....  | 6         |
| 4-4      Castings and Forgings .....                                    | 6         |
| 4-5      Fasteners and Anchor Rods .....                                | 7         |
| 4-6      Welding Material .....   | 7         |
| 4-7      Gaskets and Sealants .....                                     | 7         |
| 4-8      Cladding .....   | 7         |
| <b>Section 5      Loadings Imposed by Bulk Solids .....</b>             | <b>12</b> |
| 5-1      Introduction .....   | 12        |
| 5-2      Calculating Loadings Imposed by Bulk Solids .....              | 12        |
| <b>Section 6      Design .....</b>                                      | <b>26</b> |
| 6-1      Scope .....  | 26        |
| 6-2      Information to Be Furnished by the Purchaser .....             | 26        |
| 6-3      Welded Joints .....  | 26        |
| 6-4      Design Considerations .....                                    | 27        |
| 6-5      Special Considerations .....                                   | 29        |
| 6-6      Shell Design of Welded and Smooth-Wall Bolted Containers ..... | 30        |
| 6-7      Openings in Cylindrical and Conical Shells .....               | 35        |
| 6-8      Roof Design .....  | 35        |
| 6-9      Anchorage Design .....   | 42        |
| 6-10      Containers With Suspended Conical Hoppers .....               | 44        |

|                                    |  |           |
|------------------------------------|--|-----------|
| 6-11                               | Column-Supported Elevated Containers . . . . .                                     | 50        |
| 6-12                               | Smooth-Wall Bolted Containers . . . . .  | 53        |
| 6-13                               | Corrugated-Wall Bolted Container . . . . .   | 58        |
| <b>Section 7</b>                   | <b>Fabrication</b> . . . . .   | <b>61</b> |
| 7-1                                | General Fabrication and Erection . . . . .   | 61        |
| 7-2                                | Fabrication and Erection of Welded Containers . . . . .                            | 63        |
| 7-3                                | Erection of Bolted Containers . . . . .  | 89        |
| <b>Section 8</b>                   | <b>Examination and Testing</b> . . . . .   | <b>90</b> |
| 8-1                                | General . . . . .  | 90        |
| 8-2                                | Shop Inspection . . . . .  | 90        |
| 8-3                                | Dimensional Tolerances . . . . .   | 90        |
| 8-4                                | Radiography . . . . .  | 91        |
| 8-5                                | Ultrasonic Examination of Welded Joints . . . . .                                  | 92        |
| 8-6                                | Magnetic Particle Examination . . . . .  | 92        |
| 8-7                                | Liquid Penetrant Examination . . . . .   | 92        |
| 8-8                                | Visual Examination . . . . .   | 93        |
| 8-9                                | Coating Inspection . . . . .   | 93        |
| 8-10                               | Container Load Testing . . . . .   | 94        |
| 8-11                               | Inspection Prior to Shipment . . . . .   | 94        |
| 8-12                               | Inspection and Testing of Bolted Containers . . . . .                              | 94        |
| <b>Section 9</b>                   | <b>Overpressure Protection Venting</b> . . . . .                                   | <b>96</b> |
| 9-1                                | Scope . . . . .  | 96        |
| 9-2                                | General Requirements for Overpressure Protection Systems . . . . .                 | 96        |
| 9-3                                | Design Basis for Explosion (Deflagration) Protection . . . . .                     | 96        |
| 9-4                                | Selection and Location of Overpressure Protection Devices . . . . .                | 96        |
| 9-5                                | Sizing and Setting of Overpressure Protection Devices . . . . .                    | 96        |
| <br><b>Mandatory Appendix</b>      |  |           |
| I                                  | Foundation Design Recommendations . . . . .  | 97        |
| <br><b>Nonmandatory Appendices</b> |  |           |
| A                                  | Coatings and Linings . . . . .   | 99        |
| B                                  | ASME SBS Data Sheet for Bulk Solids Storage Containers . . . . .                   | 105       |
| C                                  | Flow Patterns . . . . .  | 112       |
| D                                  | Bulk Solids Properties . . . . .   | 117       |
| <br><b>Figures</b>                 |  |           |
| 5-1.1-1                            | Container Geometry Definitions . . . . .   | 13        |
| 5-2.6.1.1-1                        | Symmetrical Pressures in the Cylinder Segment . . . . .                            | 16        |
| 5-2.6.1.2-1                        | Pressures in a Squat or Intermediate Slenderness Container . . . . .               | 18        |
| 5-2.6.1.3-1                        | Pressures in a Retaining Container . . . . .                                       | 18        |
| 5-2.6.2-1                          | Boundary Between Steep and Shallow Hoppers . . . . .                               | 19        |
| 5-2.6.2-2                          | Distributions of Filling Pressures in Steep and Shallow Hoppers . . . . .          | 20        |
| 5-2.6.2.2.3-1                      | Pressures on the Bottom of a Squat or Intermediate Slenderness Container . . . . . | 21        |
| 5-2.6.2.3-1                        | Discharge Pressures in a Steep Hopper . . . . .                                    | 22        |

|                   |   |     |
|-------------------|---|-----|
| 5-2.6.2.3-2       | Conical Boundary Between Mass Flow and Funnel Flow for Pressure Calculations . . . . .                      | 23  |
| 5-2.6.2.3-3       | Plane Flow Boundary Between Mass and Funnel Flow for Pressure Calculations . . . . .                        | 24  |
| 5-2.6.3.2-1       | Pressure for Container Storing Fluidized Solids . . . . .   | 25  |
| 6-3.3.1-1         | Typical Bottom Joints . . . . .   | 27  |
| 6-3.3.1-2         | Typical Horizontal and Vertical Shell Joints . . . . .  | 28  |
| 6-8.2.3-1         | Permissible Roof-to-Shell Connection Details . . . . .  | 37  |
| 6-8.4.6-1         | Maximum Spacing of Rafters in Spherical/Umbrella Dome Roofs . . . . .                                       | 38  |
| 6-8.5.8-1         | Dome Roof Rafter Buckling Modes . . . . .   | 41  |
| 6-10.5.1-1        | Hopper Apex Half Angle . . . . .  | 43  |
| 6-10.5.3-1        | Effective Area of Compression Ring at Cone-Cylinder Junction . . . . .                                      | 47  |
| 6-10.5.3-2        | Typical Cone-Cylinder Compression Rings . . . . .   | 48  |
| 6-10.5.3-3        | Placement Limit for Added Material Relative to Springline . . . . .   | 49  |
| 6-11.1-1          | Typical Ring Girder/Column Attachment Details . . . . .   | 50  |
| 6-11.2.1-1        | Ring Girder on Equally Spaced Supports Under Uniform Vertical Load . . . . .                                | 51  |
| 6-11.2.2-1        | Angle Between Support and Point Under Consideration . . . . .   | 52  |
| 6-11.4-1          | Horizontal Force Orientation . . . . .  | 55  |
| 6-12.3.7.1-1      | Examples of Joint Configurations and Calculated Efficiency . . . . .  | 57  |
| 7-1.3.5-1         | Radial Tilt . . . . .   | 63  |
| 7-2.2.1.3-1       | Butt Welding Plates of Unequal Thickness . . . . .  | 66  |
| 7-2.2.2.1-1       | Head- or Cone-to-Shell Attachment Types . . . . .   | 67  |
| 7-2.2.2.2-1       | Weld Joints in Shells, Heads, and Roofs . . . . .   | 70  |
| 7-2.2.5.1-1       | Weld Joint Categories . . . . .   | 72  |
| 7-2.2.7.1-1       | Weld-Spacing Requirements . . . . .   | 74  |
| 7-2.3.2.3-1       | Acceptable Types of Welded Nozzles and Other Connections to Heads, Shells, etc. . . . .                     | 76  |
| 7-2.3.2.4-1       | Some Acceptable Types of Small Fittings . . . . .   | 81  |
| C-1.1-1           | Mass Flow Pattern . . . . .   | 112 |
| C-1.2-1           | Funnel Flow Pattern . . . . .   | 114 |
| C-2-1             | Mass Flow Design Diagram . . . . .  | 115 |
| <br><b>Tables</b> |   |     |
| 4-2-1             | Materials . . . . .   | 8   |
| 4-5-1             | Fastener Materials . . . . .  | 10  |
| 4-7-1             | Physical Requirements for Gasket Material . . . . .   | 11  |
| 5-2.1-1           | Slenderness Category . . . . .  | 13  |
| 5-2.4-1           | Values of Bulk Solid Properties to Be Used for Load Case for Design Class 2 Containers . . . . .            | 15  |
| 6-3.2-1           | Minimum Fillet Weld Sizes . . . . .   | 26  |
| 6-3.3.6-1         | Minimum Top Angle Sizes . . . . .   | 29  |
| 6-5.3-1           | Annular Bearing Plate Thickness . . . . .   | 30  |
| 6-6.1.1-1         | Minimum Shell Plate Thickness for Welded Containers . . . . .   | 30  |
| 6-11.3-1          | Coefficients for Thrusts and Moments From Equally Spaced, Equal Radial Loads, $P$ . . . . .                 | 54  |
| 6-11.4-1          | Coefficients for Maximum Reactions in the Ring Girder From Horizontal Forces . . . . .                      | 55  |
| 6-12.3.7.1-1      | Nominal Tensile Strength and Shear Strength for Bolts $\geq 0.25$ in. and $< 0.5$ in. in Diameter . . . . . | 56  |
| 6-12.3.7.1-2      | Nominal Tensile and Shear Strength for Bolts $\geq 0.5$ in. in Diameter . . . . .                           | 57  |
| 7-1.2.2-1         | Elastic Forming Limits . . . . .  | 62  |
| 7-1.3.3-1         | Roundness Tolerance . . . . .   | 62  |

|                 |   |     |
|-----------------|---|-----|
| 7-2.1.4.1-1     | Joint Alignment Tolerances for Butt Weld Joints . . . . .                     | 64  |
| 7-2.1.8.4-1     | Weld Reinforcement . . . . .  | 65  |
| 7-2.2.1.6-1     | Minimum Fillet Weld Size . . . . .  | 66  |
| 7-2.2.5.1-1     | Weld Joint Categories . . . . .   | 72  |
| 7-2.2.6-1       | Maximum Allowable Joint Efficiencies for Arc- and Gas-Welded Joints . . . . . | 73  |
| 7-2.6.1.1-1     | PWHT Requirements for Carbon Steels . . . . .                                 | 84  |
| 7-2.6.1.1-2     | Alternative PWHT Requirements for Carbon Steels . . . . .                     | 84  |
| D-1-1           | Bulk Solids Properties . . . . .  | 117 |
| D-1-2           | Wall Surface Definition . . . . .   | 118 |
| <br><b>Form</b> |   |     |
| B-1-1           | ASME SBS Data Sheet for Bulk Solids Storage Containers . . . . .              | 106 |

# FOREWORD

ASME was approached about developing a standard appropriate for structures for storage of bulk solids that operate at atmospheric pressure or very low internal gas pressure, where the primary loading of the structure was from storage of bulk solids versus gas or liquid pressure.

There was no comprehensive American standard for such metallic structures, and other standards for vessels or tanks for gas or liquid storage and containment did not have appropriate consideration of the loads and behavior of bulk solids. In some cases, these standards would not produce economical structures. Engineers designing bulk solids structures had to reference standards or references covering only certain aspects of the structures or loading, adapt portions of other codes and standards, or use various references, internal standards, or other sources.

ASME responded to this need for a recognized, more comprehensive standard by organizing a committee of knowledgeable parties. This included bulk solid structures users, manufacturers, fabricators, independent engineers, academics practicing in the field, and other appropriate interested parties, which became the Structures for Bulk Solids Committee.

A number of experts and knowledgeable interested parties have participated on the committee over the development period, making important contributions leading to the inaugural Structures for Bulk Solids Standard. Some committee members have been active for the duration of the committee's operation; others participated and made significant contributions during their tenure with the committee. The efforts of all the contributing members and ASME Committee Secretaries and staff are appreciated and were important to bringing this standard to publication.

While this Standard does include valuable information and requirements for designers, users, and fabricators of containers for storage of bulk solids that are within the scope of the Standard, it will not address every aspect of such structures and is not a replacement for education, experience, and the use of engineering judgment. The phrase "engineering judgment" refers to technical judgments made by designers experienced in the application of this Standard and referenced standards and knowledgeable about engineering principles involved in the design and function of such structures.

Reference and use of the Standard by appropriately trained engineers is part of the complete engineering design process and is not a substitute for such a process.

The Committee thanks ASME and the Board on Structure Technology Codes and Standards for the longstanding support of the Committee during the development process.

This Standard was approved by the American National Standards Institute on May 30, 2023.

# ASME SBS COMMITTEE

## Structures for Bulk Solids

(The following is the roster of the Committee at the time of approval of this Standard.)

### STANDARDS COMMITTEE OFFICERS

**T. Gettings**, *Chair*  
**N. J. Acosta**, *Vice Chair*  
**P. D. Stumpf**, *Secretary*

### STANDARDS COMMITTEE PERSONNEL

**N. J. Acosta**, HMT Inspection  
**G. A. Chubb**, Chubb Engineering, LLC  
**D. Craig**, Jenike and Johanson, Inc.  
**T. Gettings**, GSI Group  
**A. Mokhtarzadeh**, Consultant  
**C. Pitchford**, Eastman Chemical Co.  
**J. M. Rotter**, University of Edinburgh  
**B. Shelley**, Consultant

**D. Stottmann**, CST Storage  
**P. D. Stumpf**, The American Society of Mechanical Engineers  
**S. A. Thompson**, University of Georgia  
**M. E. Vuich**, Flsmidth  
**K. Sheddric**, *Alternate*, Chubb Engineering, LLC  
**Y. Morozov**, *Contributing Member*, Okz Holding Baltija  
**J. Rehrig**, *Contributing Member*, Consultant

## CORRESPONDENCE WITH THE SBS COMMITTEE

**General.** ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at <https://go.asme.org/SBScommittee>.

**Revisions and Errata.** The committee processes revisions to this Standard on a continuous basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive e-mail notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

### Cases

(a) The most common applications for cases are

(1) to permit early implementation of a revision based on an urgent need

(2) to provide alternative requirements

(3) to allow users to gain experience with alternative or potential additional requirements prior to incorporation directly into the Standard

(4) to permit the use of a new material or process

(b) Users are cautioned that not all jurisdictions or owners automatically accept cases. Cases are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Standard.

(c) A proposed case shall be written as a question and reply in the same format as existing cases. The proposal shall also include the following information:

(1) a statement of need and background information

(2) the urgency of the case (e.g., the case concerns a project that is underway or imminent)

(3) the Standard and the paragraph, figure, or table number(s)

(4) the edition(s) of the Standard to which the proposed case applies

(d) A case is effective for use when the public review process has been completed and it is approved by the cognizant supervisory board. Approved cases are posted on the committee web page.

**Interpretations.** Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the online Interpretation Submittal Form at <https://go.asme.org/InterpretationRequest>. Upon submitting the form, the inquirer will receive an automatic e-mail confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at <https://go.asme.org/Interpretations>.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Interpretations are published in the ASME Interpretations Database at <https://go.asme.org/Interpretations> as they are issued.

**Committee Meetings.** The SBS Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at <https://go.asme.org/SBScommittee>.

# Section 1

## General Requirements

### 1-1 SCOPE

This Standard covers the requirements for vertical stationary containers used for the storage and processing of bulk solid materials at internal gage pressures not exceeding 15 psig (100 kPa) and external pressures, including wind pressure, not exceeding 1 psig (6.9 kPa) at temperatures up to 212°F (100°C).

#### 1-1.1 General Requirements

This Standard contains requirements, prohibitions, and guidance for bulk solids containers, including materials of construction, solids-loading characteristics, design, fabrication, examination, testing, and overpressure protection. This Standard does not address all aspects of these elements. Those aspects that are not specifically addressed should not be considered prohibited, provided that activities not addressed are performed following recognized good engineering practices. Engineering practices shall be consistent with the philosophy of this Standard, and such judgments shall never be used to overrule the requirements or prohibitions of this Standard. Engineering requirements of this Standard, while considered necessary and adequate for safe design, generally take a simplified approach to the subject. A designer capable of applying a more rigorous analysis shall have the latitude to do so; however, the approach shall be documented in the engineering design and its validity accepted by the owner. The approach used shall provide details of design, construction, examination, inspection, and testing for the design conditions of [Section 7](#), with calculations consistent with the design criteria of this Standard.

#### 1-1.2 Jurisdictional Requirements

Laws or regulations issued by a municipality, state, provincial, federal, or other enforcement or regulatory body having jurisdiction at an installation may establish requirements for bulk solids containers within its jurisdiction. Such laws or regulations may require the use of this Standard for bulk solids containers or components outside its scope. These laws or regulations should be reviewed to determine size or service limitations of the coverage, which may be different than those given here.

### 1-1.3 Classes Not in Scope

The following classes of bulk solids containers are not included in the scope of this Standard:

(a) containers within the scope of the ASME Boiler and Pressure Vessel Code (BPVC).

(b) containers of noncircular cross section.

(c) containers with eccentric or side discharges or multiple discharge hoppers

(d) containers made from concrete, composite, thermoplastic, or nonmetallic materials. Acceptable metallic materials properties are given in [Section 5](#). For materials not listed in [Section 5](#), the mechanical properties from ASME BPVC, Section II, Part D shall be used.

(e) bulk solids containers used in transportation.

(f) containers that are integral parts of rotating or reciprocating mechanical devices where the primary design considerations and/or stresses are derived from the functional requirements of the device.

(g) containers whose primary function is the transport of material from one location to another within a system of which it is an integral part (e.g., piping, pneumatic, or other conveying systems).

(h) piping components such as the following:

(1) pipe, flanges, bolting, gaskets, valves, expansion joints, and fittings

(2) the pressure-containing parts of components such as strainers and devices that serve such purposes as mixing, separating, snubbing, distributing, and metering or controlling flow, provided that the pressure-containing parts of such components are generally recognized as piping components or accessories

(i) containers with an internal operating pressure exceeding 15 psig or subjected to an external pressure, including wind pressure, exceeding 1 psig (6.9 kPa).

(j) containers intended for human occupancy.

(k) containers where the principal cylindrical axis is not vertical.

(l) containers that contain substances declared lethal or highly toxic by the owner.

#### 1-1.4 Bolted Containers Not Within Scope

Bolted metal containers storing agricultural products that satisfy all of the following criteria are not covered by this Standard: