

STP-PT-032

BUCKLING OF CYLINDRICAL, THIN WALL, TRAILER TRUCK TANKS AND ASME SECTION XII



ASME STANDARDS
TECHNOLOGY, LLC

INTENTIONALLY LEFT BLANK

STP-PT-032

BUCKLING OF CYLINDRICAL, THIN WALL, TRAILER TRUCK TANKS AND ASME SECTION XII

Prepared by:

Guido G. Karchner, P.E.

Consulting engineer

Little Egg Harbor, NJ, USA

and

Monte Ward, P.E.

RTL, Inc.

Gaviota, CA, USA

ASME STANDARDS
TECHNOLOGY, LLC

Date of Issuance: September 1, 2009

This report was prepared as an account of work sponsored by ASME Pressure Technologies Codes and Standards and the ASME Standards Technology, LLC (ASME ST-LLC).

Neither ASME, ASME ST-LLC, the authors, nor others involved in the preparation or review of this report, nor any of their respective employees, members or persons acting on their behalf, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply its endorsement, recommendation or favoring by ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof. The views and opinions of the authors, contributors and reviewers of the report expressed herein do not necessarily reflect those of ASME ST-LLC or others involved in the preparation or review of this report or any agency thereof.

ASME ST-LLC does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a publication against liability for infringement of any applicable Letters Patent, nor assumes any such liability. Users of a publication are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this publication.

ASME is the registered trademark of the American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

ASME Standards Technology, LLC
Three Park Avenue, New York, NY 10016-5990

ISBN No. 978-0-7918-3270-7

Copyright © 2009 by
ASME Standards Technology, LLC
All Rights Reserved

TABLE OF CONTENTS

Foreword	v
Abstract	vi
1 INTRODUCTION	1
2 TEST PROGRAM	2
3 TEST PROCEDURE AND RESULTS	5
4 ANALYSIS OF TEST RESULTS	7
5 COMPARISON OF TANK TEST RESULTS AND CALCULATIONS	9
6 COMPARISON OF TANK TEST RESULTS AND CODE COMPRESSIVE STRESS CRITERIA	11
6.1 Method (5).....	11
6.2 Method (6).....	11
7 RECOMMENDATIONS FOR FUTURE WORK	14
8 CONCLUSIONS	15
References	16
Acknowledgments	17
Nomenclature	18

LIST OF TABLES

Table 1 - Strain Gage Details	4
Table 2 - Strain Gage Data and Tank Deflection Summary	5
Table 3 - Tank Beam Bending Stress Comparison.....	7
Table 4 - Calculated Loadings, Moments and Stresses at Test Intervals	8
Table 5 - Measured and Calculated Tank Center Deflections	9
Table 6 - Strain Gage vs. Calculated Stress Comparison	9
Table 7 - Summary of Allowable Buckling Stresses Using the Proposed Section XII Methods for Comparison with Tank Test Results.....	13
Table 8 - Comparison of Test and Allowable Compressive Bending Stresses	13

LIST OF FIGURES

Figure 1 - Overall View of Empty Test Tank Prior to Testing.....	2
Figure 2 - Test Tank Analytical Dimensions and Details	3
Figure 3 - Level Line and Deflection Reference Point.....	3
Figure 4 - Strain Gages Bonded to the Top and Bottom of the Tank on Either Side of the Center Circumferential Weld Seam	4
Figure 5 - Center Section Buckling of Tank	5

Figure 6 - Plot of all Strain Gage Data.....6
Figure 7 - Banding at Center Tank Weld.....10
Figure 8 - Bending Stress Distribution in a Typical Transport Tank and Critical Locations14

Currently in preview, click buy full

FOREWORD

This Standards Technology Publication is the result of a development project sponsored by ASME Pressure Technology Codes and Standards. The testing and analyses summarized in this report were performed to support the development of buckling design criteria and shell stiffening details for both hazmat and non-hazmat transport tanks.

Established in 1880, the American Society of Mechanical Engineers (ASME) is a professional not-for-profit organization with more than 127,000 members promoting the art, science and practice of mechanical and multidisciplinary engineering and allied sciences. ASME develops codes and standards that enhance public safety, and provides lifelong learning and technical exchange opportunities benefiting the engineering and technology community. Visit www.asme.org for more information.

The ASME Standards Technology, LLC (ASME ST-LLC) is a not-for-profit Limited Liability Company, with ASME as the sole member, formed in 2004 to carry out work related to newly commercialized technology. The ASME ST-LLC mission includes meeting the needs of industry and government by providing new standards-related products and services, which advance the application of emerging and newly commercialized science and technology and providing the research and technology development needed to establish and maintain the technical relevance of codes and standards. Visit www.stllc.asme.org for more information.

ABSTRACT

Buckling of cylindrical pressure vessels under axial compression and bending is normally evaluated using the axial compression stress evaluation design methods in ASME Section VIII, Division 1. In 1998 the ASME Boiler and Pressure Vessel Code Committee approved Code Case 2286, which introduced more comprehensive methods for determining allowable compressive stresses for cylinders, cones, spheres and formed heads due to external pressure, axial compression and bending. Section XII confirmed a need to develop similar such rules specific to the design of cylindrical, thin wall, trailer truck tanks. As first steps in the development of such rules, a full-scale tank buckling test was carried out, and the results of that were used to develop recommended design rules for consideration by Section XII. The results of this testing are summarized in this report. In addition, Section XII design rule proposals have been outlined and are also summarized in this report. These proposals are based on the test results, past experience with transport tanks and the design methods of Code Case 2286-2, and are presented for consideration by Standards Committee XII.

1 INTRODUCTION

New hazmat (hazardous material) and non-hazmat transport tanks will be constructed to the rules of the ASME Code Section XII [1]. Long, thin wall, trailer truck tanks are used extensively for over-the-road transport. These tanks typically operate with relatively low internal pressures from 25 to 45 psi (172 - 310 kPa) and are constructed with relatively stiff circumferential reinforcing rings at 60 in. (1500 mm) longitudinal spacing. These internal pressures cause positive circumferential stress in the tank wall. However, the longitudinal stresses addressed in this report are predominately bending and are not due to the internal pressures. Section XII confirmed a need to develop design rules similar to those in Code Case 2286-2 specific to the design for longitudinal bending in cylindrical, thin wall, trailer truck tanks. As first steps in the development of such rules, a full-scale tank buckling test was carried out, and the results of that were used to develop recommended design rules for consideration by Section XII. The results of that full-scale testing are summarized in this report. In addition, Section XII design rule proposals have been outlined and are also summarized in this report. These proposals are based on the test results, past experience with transport tanks and the design methods of Code Case 2286-2, and are presented for consideration by Standards Committee XII.