

# TEMPER BEAD QUALIFICATION HARDNESS ACCEPTANCE CRITERIA



Currently in preview, click to buy full version

STP-PT-058

# TEMPER BEAD QUALIFICATION HARDNESS ACCEPTANCE CRITERIA

*Prepared by:*

David Johnson, Adrienne Barnes and Sayee Raghunathan  
TWI Ltd

Steve Jones  
Rolls-Royce plc

ASME STANDARDS  
TECHNOLOGY, LLC

Date of Issuance: June 28, 2013

This document was prepared as an account of work supported by ASME Pressure Technology Codes and Standards (PTCS) through the ASME Standards Technology, LLC (ASME ST-LLC).

Neither ASME, ASME ST-LLC, the authors, nor others involved in the preparation or review of this report, nor any of their respective employees, members or persons acting on their behalf, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply its endorsement, recommendation or favoring by ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof. The views and opinions of the authors, contributors and reviewers of the report expressed herein do not necessarily reflect those of ASME ST-LLC or others involved in the preparation or review of this report or any agency thereof.

ASME ST-LLC does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a publication against liability for infringement of any applicable Letters Patent, nor assumes any such liability. Users of a publication are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this publication.

ASME is the registered trademark of the American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

ASME Standards Technology, LLC  
Two Park Avenue, New York, NY 10016-5990

ISBN No. 978-0-7918-6908-6

Copyright © 2013 by  
ASME Standards Technology, LLC  
All Rights Reserved

## TABLE OF CONTENTS

Foreword .....	vi
Executive Summary .....	vii
PART I .....	1
1 INTRODUCTION .....	2
2 OVERVIEW OF CONTROLLED DEPOSITION REPAIR STRATEGIES .....	4
3 REPAIR USING NEAR-MATCHING WELD METAL .....	5
4 REPAIR USING NI-BASE WELD METAL .....	10
5 HAZ HARDNESS .....	11
6 RESIDUAL STRESSES .....	18
7 REPAIR OF SERVICE AND AGED MATERIAL .....	19
8 CODES AND STANDARDS .....	20
8.1 Fabrication Specifications, Codes and Standards .....	20
8.1.1 American Codes and Standards .....	20
8.1.2 European Codes and Standards .....	21
9 VARIABLES AFFECTING TEMPER BEAD .....	22
10 SUMMARY AND CONCLUSIONS .....	23
References – Part I .....	24
PART II .....	29
1 INTRODUCTION .....	30
2 EXPERIMENTAL DETAILS .....	31
2.1 Parent Steels .....	31
2.2 Welding Consumables .....	31
2.3 Welding Details .....	31
2.4 Metallographic Preparation and Examination .....	33
2.5 Hardness Testing .....	33
2.6 Charpy Impact Testing .....	34
3 RESULTS .....	36
3.1 Parent Steels .....	36
3.2 Welding .....	38
3.3 Weld Metal Chemical Composition .....	38
3.4 Metallographic Observations .....	39
3.5 Hardness Data .....	49
3.6 Charpy Impact Data .....	54
3.7 Investigation of the relationship between HAZ hardness and HAZ Charpy Toughness .....	58
4 DISCUSSION .....	62
5 CONCLUSIONS .....	64

6 RECOMMENDATIONS .....	65
References – Part II.....	66
Appendix A – “Poor” and “Optimum” welding procedures.....	67
Appendix B – Hardness Test Records .....	73
Appendix C – Charpy Test Data .....	89
Acknowledgments.....	97
Abbreviations and Acronyms .....	98

## LIST OF TABLES

Table 1—HAZ Hardness Values Reported in the Literature for Controlled Deposition Repairs – C-Mn steel.....	12
Table 2—HAZ Hardness Values Reported in the Literature for Controlled Deposition Repairs in C-Mn-Ni-Cr-Mo and C-Mn-Ni-Cr-Mo Steels .....	13
Table 3—HAZ Hardness Values Reported in the Literature for Controlled Deposition Repairs – 0.5%Cr-0.5%Mo-0.25%V Steel.....	14
Table 4—HAZ Hardness Values Reported in the Literature for Controlled Deposition Repairs – 1.25%Cr-0.5%Mo Steel.....	14
Table 5—HAZ Hardness Values Reported in the Literature for Controlled Deposition Repairs – 2.25%Cr-1%Mo Steel .....	16
Table 6—HAZ Hardness Values Reported in the Literature for Controlled Deposition Repairs – 9%Cr-1%Mo Steel.....	17
Table 7—Initial Welded Panels for Procedure Development.....	32
Table 8—Chemical Composition of Parent Steels (determined by TWI) .....	37
Table 9—Welded Panels for Subsequent Study.....	38
Table 10—Chemical Composition of Weld Metals.....	38
Table 11—Hardness Data for Weldments in P4 Parent Steels .....	50
Table 12—Hardness Data for Weldments in P5A Parent Steels .....	52
Table 13—Parent Steel Charpy Toughness Data.....	56
Table 14—HAZ Charpy Toughness Data Compared with the HAZ Charpy Toughness Data for P5 (Lower CE) Parent Steel Supplied by Rolls-Royce.....	57
Table 15—HAZ Charpy Toughness and Hardness Data – 1-Layer .....	60
Table 16—HAZ Charpy Toughness and Hardness Data – 4-Layer .....	61

## LIST OF FIGURES

Figure 1—Schematic Diagram Illustrating the Relationship between the Fe-C Phase Diagram and the Different Regions of the HAZ [1].....	2
Figure 2—Schematic Representation of Two-Layer Refinement Parameters.....	5
Figure 3—Illustration of the Use of Shims, Tack Welded from the Inside of the Repair Cavity, to Avoid a Large Untempered HAZ at the Surface.....	6

Figure 4—Illustration of the Early Stages of a Small Patch Repair – the Weld Beads Stop and Start on the Initial Peripheral Bead.....	7
Figure 5—Weld Metal and Parent Steel Hardness for Grade 91 Steel, as a Function of Larsen-Miller Parameter [24] .....	8
Figure 6—Schematic Representation of the Bead Arrangement for the Cascade Weld .....	32
Figure 7—Diagram Showing the Intended Positions of Hardness Indentations in the 1-Layer and 4-Layer Sections.....	34
Figure 8—Completed Panels Showing the Cascade Weld and the Additional Weld Pad Added within the 4-Layer Region to Allow Charpy Specimens to be Machined with the Notch Lying in the HAZ.....	35
Figure 9—Photomicrographs of Weld Transverse Sections from Weld TW1 Reflecting the "Optimum" Procedure in P5 Steel.....	39
Figure 10—Photomicrographs of Weld Transverse Sections from Weld TW6 Reflecting the "Poor" Procedure in a P4 Steel.....	40
Figure 11—Photomicrographs Showing a Coarse-Grain Region in the 4-Layer Region of TW 3.....	41
Figure 12—Photomicrographs Showing a Fine-Grain Region in the 4-Layer Region of TW 3.....	42
Figure 13—Photomicrographs Showing a Fusion Boundary Region in 1-Layer Region of TW 6.....	44
Figure 14—Grain Size Measurements for Weldments in the Lower IIW CE P4 Steel.....	45
Figure 15—Grain Size Measurements for Weldments in the Higher IIW CE P4 Steel.....	46
Figure 16—Grain Size Measurements for Weldments in the Lower IIW CE P5 Steel.....	47
Figure 17—Grain Size Measurements for Weldments in the Higher IIW CE P5 Steel.....	48
Figure 18—Parent Steel Charpy Toughness P.....	54
Figure 19—Parent Steel Charpy Toughness P5.....	55
Figure 20—Mean Vickers Hardness vs. Absorbed Energy at -12 °C – 1-Layer.....	58
Figure 21—Maximum Vickers Hardness vs. Absorbed Energy at -12 °C – 1-Layer.....	58
Figure 22—Mean Vickers Hardness vs. Absorbed Energy at -12 °C – 4-Layer.....	59
Figure 23—Maximum Vickers Hardness vs. Absorbed Energy at -12 °C – 4-Layer.....	59
Figure 24—Hardness versus Charpy 30 5J Temperature for Course-Grained HAZ Regions, for 5KJ/mm Submerged Arc Welds.....	63

## FOREWORD

### *Part I – Review of Controlled Deposition Repair Literature*

Where repairs to steel fabrications are required, but where a subsequent Post-Weld Heat Treatment (PWHT), although desirable, is impractical, as a result of constraints of cost, time or feasibility, it may be appropriate to carry out a controlled deposition repair, which generates a fine-grained Heat-Affected Zone (HAZ), by judicious choice of welding parameters and welding procedure. For some applications, the resulting maximum HAZ hardness is of interest and potential concern. Published literature on controlled deposition repair welding in C-Mn and low alloy steels by different welding processes has been reviewed, and the resulting maximum HAZ hardness values have been tabulated.

### *Part II – Experimental Program*

Repair welding without a subsequent PWHT is allowed in various ASME fabrication codes but is not currently allowed for P4 and P5A steels. The present project was undertaken to determine reasonable upper limits for the HAZ hardness produced during controlled deposition Shielded Metal Arc Welding (SMAW) repairs in these two steels, and also to investigate whether there is any correlation between HAZ hardness and HAZ impact toughness. The project was supported by ASME Pressure Technology Codes and Standards (PTCS) and was carried out by TWI Ltd in collaboration with Rolls-Royce plc, who supplied the parent steels and welding consumables and performed all of the welding on the project.

### *About ASME*

Established in 1880, the American Society of Mechanical Engineers (ASME) is a professional not-for-profit organization with more than 135,000 members and volunteers promoting the art, science and practice of mechanical and multidisciplinary engineering and allied sciences. ASME develops codes and standards that enhance public safety, and provides lifelong learning and technical exchange opportunities benefiting the engineering and technology community. Visit [www.asme.org](http://www.asme.org) for more information.

The ASME Standards Technology, LLC (ASME ST-LLC) is a not-for-profit Limited Liability Company, with ASME as the sole member, formed in 2004 to carry out work related to newly commercialized technology. The ASME ST-LLC mission includes meeting the needs of industry and government by providing new standards-related products and services, which advance the application of emerging and newly commercialized science and technology and providing the research and technology development needed to establish and maintain the technical relevance of codes and standards. Visit [www.stllc.asme.org](http://www.stllc.asme.org) for more information.