



ELEVATED TEMPERATURE MATERIAL PROPERTY COMPILATION FOR DESIGN-BY-ANALYSIS



STP-PT-096

**ELEVATED TEMPERATURE
MATERIAL PROPERTY
COMPILATION FOR DESIGN-BY-
ANALYSIS**

Prepared by:

David A. Osage, President and CEO
Luca Balesberger, Materials & Corrosion Engineer I
Isaac O'Brien, Materials & Corrosion Engineer I
Raj K. Patadia, Welding Engineer I
Paul Kowalski, Materials & Corrosion Staff Engineer II
Kevin Orosz, Researcher I
Nate Sutton, Materials & Corrosion Staff Engineer II
The Equity Engineering Group, INC.

**ASME STANDARDS
TECHNOLOGY, LLC**

Date of Issuance: August 8, 2022

This publication was prepared by ASME Standards Technology, LLC (“ASME ST-LLC”) and sponsored by The American Society of Mechanical Engineers (“ASME”).

Neither ASME, ASME ST-LLC, the author(s), nor others involved in the preparation or review of this publication, nor any of their respective employees, members, or persons acting on their behalf, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by ASME ST-LLC or others involved in the preparation or review of this publication or any agency thereof. The views and opinions of the authors, contributors and reviewers of the publication expressed herein do not necessarily reflect those of ASME ST-LLC or others involved in the preparation or review of this publication, or any agency thereof.

ASME ST-LLC does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a publication against liability for infringement of any applicable Letters Patent, nor assumes any such liability. Users of a publication are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this publication.

ASME is the registered trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

ASME Standards Technology, LLC
Two Park Avenue, New York, NY 10016-5990

ISBN No. 9780791875360
Copyright © 2022
ASME Standards Technology, LLC
All Rights Reserved

TABLE OF CONTENTS

FOREWARD xxviii

ABBREVIATIONS AND ACRONYMSxxix

1 INTRODUCTION.....1

2 EXECUTIVE SUMMARY2

3 ANALYSIS5

 3.1 Compilation and Digitization of Material Properties.....5

 3.2 Physical Properties.....5

 3.3 Yield and Tensile Strength.....5

 3.4 Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....5

 3.5 Continuous Cycling Fatigue and Hold Time Fatigue Curves6

4 GRADE 91, 9CR-1MO-V8

 4.1 Physical Properties.....8

 4.2 Yield and Tensile Strength.....8

 4.3 Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....8

 4.4 Continuous Cycling Fatigue and Hold Time Fatigue Curves9

5 CARBON STEEL (SA-516/SA-299) AND SIMILAR.....37

 5.1 Physical Properties.....37

 5.2 Yield and Tensile Strength.....37

 5.3 Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....37

 5.4 Continuous Cycling Fatigue and Hold Time Fatigue Curves38

6 CARBON STEEL (SA-508) AND SIMILAR67

 6.1 Physical Properties.....67

 6.2 Yield and Tensile Strength.....67

 6.3 Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....67

 6.4 Continuous Cycling Fatigue and Hold Time Fatigue Curves68

7 CARBON STEEL (SA-533) AND SIMILAR86

 7.1 Physical Properties.....86

 7.2 Yield and Tensile Strength.....86

 7.3 Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....86

 7.4 Continuous Cycling Fatigue and Hold Time Fatigue Curves87

8 C-1/2MO105

 8.1 Physical Properties.....105

 8.2 Yield and Tensile Strength.....105

 8.3 Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....105

 8.4 Continuous Cycling Fatigue and Hold Time Fatigue Curves106

9 GRADE 11, 1.25CR-0.5MO-SI129

 9.1 Physical Properties.....129

 9.2 Yield and Tensile Strength.....129

 9.3 Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....129

 9.4 Continuous Cycling Fatigue Curves130

10 GRADE 22 (2.25CR-1MO).....150

10.1	Physical Properties	150
10.2	Yield and Tensile Strength.....	150
10.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	150
10.4	Continuous Cycling Fatigue Curves.....	151
11	GRADE 22V (2.25CR-1MO-V)	174
11.1	Physical Properties	174
11.2	Yield and Tensile Strength.....	174
11.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	174
11.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	175
12	5CR-0.5MO (GRADE 5).....	200
12.1	Physical Properties	200
12.2	Yield and Tensile Strength.....	200
12.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	200
12.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	201
13	5CR-0.5MO-SI (GRADE 5A).....	224
13.1	Physical Properties	224
13.2	Yield and Tensile Strength.....	224
13.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	224
13.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	225
14	GRADE 9, 9CR-1MO	247
14.1	Physical Properties	247
14.2	Yield and Tensile Strength.....	247
14.3	Creep Data (Creep Rupture, Minimum Creep rate, and Ductility)	247
14.4	Continuous Cycling Fatigue and Hold Time Curves	248
15	GRADE 92 (9CR-2W)	271
15.1	Physical Properties	271
15.2	Yield and Tensile Strength.....	271
15.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	271
15.4	Continuous Cycling and Hold Time Fatigue Data	272
16	TYPE 304H (AND 304) STAINLESS STEEL.....	293
16.1	Physical Properties	293
16.2	Yield and Tensile strength.....	293
16.3	Creep data (Creep Rupture, Minimum Creep Rate, and Ductility).....	293
16.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	294
17	TYPE 316H (AND 316) STAINLESS STEEL.....	317
17.1	Physical Properties	317
17.2	Yield and Tensile Strength.....	317
17.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	317
17.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	318
18	TYPE 347H (AND 347) STAINLESS STEEL.....	342
18.1	Physical Properties	342
18.2	Yield and Tensile Strength.....	342
18.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	342

18.4	Continuous Cycling Fatigue Curves.....	343
19	ALLOY 617, 52NI-22CR-13CO-9MO	364
19.1	Physical Properties	364
19.2	Yield and Tensile Strength.....	364
19.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	364
19.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	365
20	INCONEL 740H.....	390
20.1	Physical Properties	390
20.2	Yield and Tensile Strength.....	390
20.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	390
20.4	Continuous Cycling Fatigue Curves.....	391
21	ALLOY 800H, 33NI-42FE-21CR.....	406
21.1	Physical Properties	406
21.2	Yield and Tensile Strength.....	406
21.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	406
21.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	407
22	GRADE 12, 1CR-0.5MO	436
22.1	Physical Properties	436
22.2	Yield and Tensile Strength.....	436
22.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	436
22.4	Hold Time Fatigue Curves	437
23	GRADE 23	458
23.1	Physical Properties	458
23.2	Yield and Tensile Strength.....	458
23.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	458
23.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	459
24	GRADE 21 (3CR)	476
24.1	Physical Properties	476
24.2	Yield and Tensile Strength.....	476
24.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	476
24.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	477
25	TYPE 410 (13CR) (2C)	495
25.1	Physical Properties	495
25.2	Yield and Tensile Strength.....	495
25.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	495
25.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	496
26	21CR-10NI-TI	524
26.1	Physical Properties	524
26.2	Yield and Tensile Strength.....	524
26.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility)	524
26.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	525
27	ALLOY 601	549
27.1	Physical Properties	549

27.2	Yield and Tensile Strength.....	549
27.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	549
27.4	Continuous Cycling Fatigue Curves.....	550
28	ALLOY 709	565
28.1	Physical Properties	565
28.2	Yield and Tensile Strength.....	565
28.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	565
28.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	566
29	B7 BOLTING, 1CR-0.3MO.....	582
29.1	Physical Properties	582
29.2	Yield and Tensile Strength.....	582
29.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	582
29.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	583
30	B16 BOLTING, 1CR-0.5MO-V.....	602
30.1	Physical Properties	602
30.2	Yield and Tensile Strength.....	602
30.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	602
30.4	Hold Time Fatigue Curves	603
31	B8 BOLTING, 18CR-8NI.....	621
31.1	Physical Properties	621
31.2	Yield and Tensile Strength.....	621
31.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	621
31.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	622
32	GRADE 660, 25NI-15CR-1MO-2TI-MN-AL-V.....	639
32.1	Physical Properties	639
32.2	Yield and Tensile Strength.....	639
32.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	639
32.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	640
33	INCONEL 718 BOLTING.....	666
33.1	Physical Properties	666
33.2	Yield and Tensile Strength.....	666
33.3	Creep Data (Creep Rupture, Minimum Creep Rate, and Ductility).....	666
33.4	Continuous Cycling Fatigue and Hold Time Fatigue Curves	667
	REFERENCES	687

LIST OF TABLES

Table 2-1:	Clarification and Example Specification/Grade Combinations, Strength Ranges, and UNS Numbers Included in Data Collection Efforts.....	3
Table 4-1 :	Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 91.....	11
Table 4-2 :	Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 91.....	12

Table 5-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, CS (516/299).....	39
Table 5-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, CS (516/299).....	40
Table 6-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, CS (SA-508).....	69
Table 6-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, CS (SA-508)	70
Table 7-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, SA-533	88
Table 7-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, SA-533.....	89
Table 8-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, C-1/2Mo.....	108
Table 8-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, C-1/2Mo.....	109
Table 9-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 11.....	131
Table 9-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 11.....	132
Table 10-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 22.....	152
Table 10-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 22.....	153
Table 11-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 22V.....	176
Table 11-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 22V.....	177
Table 12-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 5.....	202
Table 12-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 5.....	203
Table 13-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, 5Cr-0.5Mo-Si.....	226
Table 13-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, 5Cr-0.5Mo-Si.....	227
Table 14-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 9.....	249
Table 14-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 9.....	250
Table 15-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 92.....	273
Table 15-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 92.....	274
Table 16-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, 304H	295
Table 16-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, 304H	296
Table 17-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, 316H	319

Table 17-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, 316H	320
Table 18-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, 347H	344
Table 18-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, 347H	345
Table 19-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Alloy 617	367
Table 19-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Alloy 617	368
Table 20-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, 740H	392
Table 20-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, 740H	393
Table 21-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Alloy 800H	409
Table 21-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Alloy 800H	410
Table 22-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 12.....	438
Table 22-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 12.....	439
Table 23-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 23.....	460
Table 23-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 23.....	461
Table 24-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Gr. 21	478
Table 24-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Gr. 21	479
Table 25-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Type 410/12Cr.....	498
Table 25-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Type 410/12Cr.....	499
Table 26-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, 321H	526
Table 26-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, 321H	527
Table 27-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Alloy 601	551
Table 27-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Alloy 601	552
Table 28-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Alloy 709	567
Table 29-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, B7 Bolting.....	584
Table 29-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, B7 Bolting.....	585
Table 30-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, B16 Bolting.....	604

Table 30-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, B16 Bolting.....	605
Table 31-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, B8 Bolting.....	623
Table 31-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, B8 Bolting.....	624
Table 32-1: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Rupture) Criteria, Grade 660.....	642
Table 32-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Grade 660.....	643
Table 33-1: Model Parameters, Larson-Miller Property Results, and Allowable Stresses (Rupture) Criteria, Inconel 718	658
Table 33-2: Model Parameters, Larson-Miller Property Results, and Allowable Stress (Strain Rate) Criteria, Inconel 718	669

LIST OF FIGURES

Figure 4-1: Grade 91 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....	13
Figure 4-2: Grade 91 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves	14
Figure 4-3: Grade 91 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves...	15
Figure 4-4: Grade 91 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Basis, By Data Source).....	16
Figure 4-5: Grade 91 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Basis, By Data Source).....	17
Figure 4-6: Grade 91 Yield Strength Ratios vs. Temperature, All Combined Data, With Polynomial Regression.....	18
Figure 4-7: Grade 91 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....	19
Figure 4-8: Grade 91 Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....	20
Figure 4-9: Grade 91 Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures	21
Figure 4-10: Grade 91 Creep Strain Rate (MCR) Isotherm Curves, Temperatures with High Concentration of Data Points	22
Figure 4-11: Grade 91 Creep Strain Rate (MCR) Isotherm Curves for Additional and Intermediate Temperatures.....	23
Figure 4-12: Grade 91 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms	24
Figure 4-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 91).....	25
Figure 4-14: Comparison of Current Grade 91 Allowable Stresses (Except Forgings) Vs. ASME II-D Appendix 1 Criteria Applied to Data	26
Figure 4-15: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Grade 91), 1 of 2	27
Figure 4-16: Short-Term Strain Vs. Time Data, Up to 2,500 Hour Test Durations (Grade 91), 2 of 2	28
Figure 4-17: Medium-Term Strain Vs. Time Data, 2,500 to 5,000 Hour Test Durations (Grade 91)..	29
Figure 4-18: Long-Term Strain Vs. Time Data, Up to 10,000 Hour Test Durations (Grade 91)	30
Figure 4-19: Long-Term Strain Vs. Time Data, In Excess of 10,000 Hour Test Durations (Grade 91)	31

Figure 4-20: Grade 91 Continuous Cycling Fatigue (Grade 91), Including Room Temperature and Elevated Temperature Data.....32

Figure 4-21: Grade 91 Hold Time Data (Creep Fatigue) For Grade 91, Temperatures of 932°F, 1000°F, 1076°F, & 1100°F.....33

Figure 4-22: Grade 91 Hold Time Data (Creep Fatigue) for Grade 91, Temperature of 1022°F34

Figure 4-23: Grade 91 Hold Time Data (Creep Fatigue) For Grade 91, Temperature of 1112°F35

Figure 4-24: Grade 91 Hold Time Data (Creep Fatigue) For Grade 91, Temperature of 1157°F36

Figure 5-1: CS (516/299) Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature41

Figure 5-2: CS (516/299) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves42

Figure 5-3: CS (516/299) Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves 43

Figure 5-4: CS (516/299) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....44

Figure 5-5: CS (516/299) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)45

Figure 5-6: CS (516/299) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....46

Figure 5-7: CS (516/299) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression47

Figure 5-8: CS (516/299) Creep Rupture Isotherm Curves, Temperatures with High Concentration of Data Points48

Figure 5-9: CS (516/299) Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures.....49

Figure 5-10: CS (516/299) Creep Strain Rate (MCR) Isotherm Curves, 1 of 350

Figure 5-11: CS (516/299) Creep Strain Rate (MCR) Isotherm Curves, 2 of 351

Figure 5-12: CS (516/299) Creep Strain Rate (MCR) Isotherm Curves, 3 of 352

Figure 5-13: CS (516/299) Creep Ductility (% Elongation) Vs. Rupture Time Isotherms.....53

Figure 5-14: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (CS (516/299))54

Figure 5-15: Comparison of Current CS (516/299) Allowable Stresses (Except Forgings) Vs. ASME II-D Appendix 1 Criteria Applied to Data55

Figure 5-16: Strain Vs. Time Data, up to 2,500 Hour Test Durations – CS (516/299), 1 of 756

Figure 5-17: Strain Vs. Time Data, up to 2,500 Hour Test Durations – CS (516/299), 2 of 757

Figure 5-18: Strain Vs. Time Data, up to 2,500 Hour Test Durations – CS (516/299), 3 of 758

Figure 5-19: Strain Vs. Time Data, up to 2,500 Hour Test Durations – CS (516/299), 4 of 759

Figure 5-20: Strain Vs. Time Data, up to 2,500 Hour Test Durations – CS (516/299), 5 of 760

Figure 5-21: Strain Vs. Time Data, up to 2,500 Hour Test Durations – CS (516/299), 6 of 761

Figure 5-22: Strain Vs. Time Data, up to 2,500 Hour Test Durations – CS (516/299), 7 of 762

Figure 5-23: CS (516/299) Continuous Cycling Fatigue, Elevated Temperature Data63

Figure 5-24: CS (516/299) Hold Time Data (Creep Fatigue).....64

Figure 5-25: CS (516/299) Stress-Controlled Fatigue Data at Elevated Temperatures.....65

Figure 6-1: CS (SA-508 & SA-533) Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature71

Figure 6-2: CS (SA-508) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves72

Figure 6-3: CS (SA-508) Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves73

Figure 6-4: CS (SA-508) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....74

Figure 6-5: CS (SA-508) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)75

Figure 6-6: CS (SA-508) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....76

Figure 6-7: CS (SA-508) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression77

Figure 6-8: CS (SA-508) Creep Rupture Isotherm Curves, Temperatures with High Concentration of Data Points78

Figure 6-9: CS (SA-508) Creep Strain Rate (MCR) Isotherm Curves79

Figure 6-10: CS (SA-508) Creep Ductility (% Elongation) Vs. Rupture Time Isotherms80

Figure 6-11: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (CS (SA-508))81

Figure 6-12: Comparison of Current CS (SA-508) Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data82

Figure 6-13: Strain Vs. Time Data – CS (SA-508), 1 of 283

Figure 6-14: Strain Vs. Time Data – CS (SA-508), 2 of 284

Figure 6-15: CS (SA-508) Continuous Cycling Fatigue, Elevated Temperature Data85

Figure 7-1: SA-533 (Q&T Mn-0.5Mo) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves90

Figure 7-2: SA-533 (Q&T Mn-0.5Mo) Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves91

Figure 7-3: SA-533 (Q&T Mn-0.5Mo) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)92

Figure 7-4: SA-533 (Q&T Mn-0.5Mo) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)93

Figure 7-5: SA-533 (Q&T Mn-0.5Mo) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression94

Figure 7-6: SA-533 (Q&T Mn-0.5Mo) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression95

Figure 7-7: SA-533 (Q&T Mn-0.5Mo) Creep Rupture Isotherm Curves96

Figure 7-8: SA-533 (Q&T Mn-0.5Mo) Creep Strain Rate (MCR) Isotherm Curves97

Figure 7-9: SA-533 (Q&T Mn-0.5Mo) Creep Ductility (% Elongation) Vs. Rupture Time Isotherms98

Figure 7-10: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (SA-533, Q&T Mn-0.5Mo)99

Figure 7-11: Comparison of Current SA-533 (Q&T Mn-0.5Mo) Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data100

Figure 7-12: Strain Vs. Time Data – SA-533 (Q&T Mn-0.5Mo and Similar), 1 of 2101

Figure 7-13: Strain Vs. Time Data – SA-533 (Q&T Mn-0.5Mo and Similar), 2 of 2102

Figure 7-14: SA-533 (Q&T Mn-0.5Mo and Similar) Continuous Cycling Fatigue, Elevated Temperature Data103

Figure 7-15: SA-533 (Q&T Mn-0.5Mo and Similar) Hold Time Fatigue, Elevated Temperature Data104

Figure 8-1: C-1/2Mo Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature110

Figure 8-2: C-1/2Mo Yield Strength Vs. Temperature, By Data Source, Including Trend Curves111

Figure 8-3: C-1/2Mo Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves112

Figure 8-4: C-1/2Mo Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)113

Figure 8-5: C-1/2Mo Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)114

Figure 8-6: C-1/2Mo Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression115

Figure 8-7: C-1/2Mo Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression116

Figure 8-8: C-1/2Mo Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points117

Figure 8-9: C-1/2Mo Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures 118

Figure 8-10: C-1/2Mo Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points 119

Figure 8-11: C-1/2Mo Creep Strain Rate (MCR) Isotherm Curves for Additional and Intermediate Temperatures..... 120

Figure 8-12: C-1/2Mo Creep Ductility (% Elongation) Vs. Rupture Time Isotherms 121

Figure 8-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (C-1/2Mo) 122

Figure 8-14: Comparison of Current C-1/2Mo Allowable Stresses (SA-204 Grade B) Vs. ASME II-D Appendix 1 Criteria Applied to Data 123

Figure 8-15: Short-Term Strain Vs. Time Data, up to 1,000 Hour Test Durations (C-1/2Mo) 124

Figure 8-16: Long-Term Strain Vs. Time Data, in Excess of 1,000 Hour Test Durations (C-1/2Mo) 125

Figure 8-17: C-1/2Mo Continuous Cycling Fatigue (C-1/2Mo), Including Room Temperature and Elevated Temperature Data..... 126

Figure 8-18: C-1/2Mo Hold Time Data (Creep Fatigue) for C-1/2Mo, Temperatures of 650°F, 850°F, 1000°F, 1022°F 127

Figure 8-19: C-1/2Mo Hold Time Data (Creep Fatigue) for C-1/2Mo, Temperatures of 932°F and 950°F 128

Figure 9-1: Grade 11 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature..... 133

Figure 9-2: Grade 11 (All Heat Treatments) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves..... 134

Figure 9-3: Grade 11 (All Heat Treatments) Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves 135

Figure 9-4: Grade 11 (All Heat Treatments) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis) 136

Figure 9-5: Grade 11 (All Heat Treatments) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis) 137

Figure 9-6: Grade 11 (All Heat Treatments) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 138

Figure 9-7: Grade 11 (All Heat Treatments) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 139

Figure 9-8: Grade 11 Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points..... 140

Figure 9-9: Grade 11 Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures 141

Figure 9-10: Grade 11 Creep Strain Rate (MCR) Isotherm Curves..... 142

Figure 9-11: Grade 11 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms 143

Figure 9-12: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 11) 144

Figure 9-13: Comparison of Current Grade 11 Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data 145

Figure 9-14: Creep Strain Vs. Time Data, up to 3,000 Hour Test Durations (Grade 11) 146

Figure 9-15: Creep Strain Vs. Time Data, In Excess of 3,000 Hours (Grade 11) 147

Figure 9-16: Grade 11 Continuous Cycling Fatigue, Including Room Temperature and Elevated Temperature Data..... 148

Figure 9-17: Grade 11 Continuous Cycling Fatigue, Including Room Temperature and Elevated Temperature Data..... 149

Figure 10-1: Grade 22 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature..... 154

Figure 10-2: Grade 22 (All Heat Treatments) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves 155

Figure 10-3: Grade 22 (All Heat Treatments) Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves 156

Figure 10-4: Grade 22 (All Heat Treatments) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis) 157

Figure 10-5: Grade 22 (All Heat Treatments) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis) 158

Figure 10-6: Grade 22 (All Heat Treatments) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 159

Figure 10-7: Grade 22 (All Heat Treatments) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 160

Figure 10-8: Grade 22 Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points 161

Figure 10-9: Grade 22 Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures 162

Figure 10-10: Grade 22 Creep Strain Rate (MCR) Isotherm Curves for Most Common Temperatures 163

Figure 10-11: Grade 22 Creep Strain Rate (MCR) Isotherm Curves for Additional/Intermediate Temperatures 164

Figure 10-12: Grade 22 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms 165

Figure 10-13: Calculated Allowable Stresses Based On Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 22) 166

Figure 10-14: Comparison of Current Grade 22 Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data 167

Figure 10-15: Creep Strain Vs. Time Data, (Grade 22) 1 of 3 168

Figure 10-16: Creep Strain Vs. Time Data, (Grade 22) 2 of 3 169

Figure 10-17: Creep Strain Vs. Time Data, (Grade 22) 3 of 3 170

Figure 10-18: Grade 22 Continuous Cycling Fatigue, Including Room Temperature and Elevated Temperature Data 171

Figure 10-19: Grade 22 Hold Time Fatigue Data at Selected Elevated Temperatures, 1 of 2 172

Figure 10-20: Grade 22 Hold Time Fatigue Data at Selected Elevated Temperatures, 2 of 2 173

Figure 11-1: Grade 22V Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature 178

Figure 11-2: Grade 22V Yield Strength Vs. Temperature, By Data Source, Including Trend Curves 179

Figure 11-3: Grade 22V Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves 180

Figure 11-4: Grade 22V Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source) 181

Figure 11-5: Grade 22V Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source) 182

Figure 11-6: Grade 22V Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 183

Figure 11-7: Grade 22V Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 184

Figure 11-8: Grade 22V Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points 185

Figure 11-9: Grade 22V Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures 186

Figure 11-10: Grade 22V Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points 187

Figure 11-11: Grade 22V Creep Ductility (% Elongation) Vs. Rupture Time Isotherms 188

Figure 11-12: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 22V) 189

Figure 11-13: Comparison of Current Grade 22V Allowable Stresses (All Product Forms) Vs. ASME II-D Appendix 1 Criteria Applied to Data 190

Figure 11-14: Short-Term Strain Vs. Time Data, up to 1,000 Hour Test Durations (Grade 22V), 1 of 2 191

Figure 11-15: Short-Term Strain Vs. Time Data, up to 1,000 Hour Test Durations (Grade 22V), 2 of 2 192

Figure 11-16: Medium-Term Strain Vs. Time Data, 1,000 to 2,500 Hour Test Durations (Grade 22V), 1 of 2 193

Figure 11-17: Medium-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Grade 22V), 2 of 2 194

Figure 11-18: Long-Term Strain Vs. Time Data, up to 5,000 Hour Test Durations (Grade 22V) 195

Figure 11-19: Long-Term Strain Vs. Time Data, up to 5,000 Hour Test Durations (Grade 22V) 196

Figure 11-20: Long-Term Strain Vs. Time Data, in Excess of 10,000 Hour Test Durations (Grade 22V) 197

Figure 11-21: Grade 22V Continuous Cycling Fatigue (Grade 22V), Including Elevated Temperature Data 198

Figure 11-22: Grade 22V Hold Time Data (Creep Fatigue) for Grade 22V, Temperature of 850°F 199

Figure 12-1: Grade 5 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature 204

Figure 12-2: Grade 5 (Annealed) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves 205

Figure 12-3: Grade 5 (Annealed) Strength Vs. Temperature, By Data Source, Including Trend Curves 206

Figure 12-4: Grade 5 (N&T) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves 207

Figure 12-5: Grade 5 (N&T) Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves 208

Figure 12-6: Grade 5 (Annealed) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source) 209

Figure 12-7: Grade 5 (Annealed) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source) 210

Figure 12-8: Grade 5 (N&T) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source) 211

Figure 12-9: Grade 5 (N&T) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source) 212

Figure 12-10: Grade 5 (Annealed) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 213

Figure 12-11: Grade 5 (Annealed) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 214

Figure 12-12: Grade 5 (N&T) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 215

Figure 12-13: Grade 5 (N&T) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression 216

Figure 12-14: Grade 5 Creep Rupture Isotherm Curves 217

Figure 12-15: Grade 5 Creep Strain Rate (MCR) Isotherm Curves 218

Figure 12-16: Grade 5 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms 219

Figure 12-17: Calculated Allowable Stresses Based on Rupture Time and ASME II-D Appendix 1 Criteria (Grade 5) 220

Figure 12-18: Calculated Allowable Stresses Based on Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 5) 221

Figure 12-19: Comparison of Current Grade 5 Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data 222

Figure 12-20: Selected Strain Vs. Time Data (Grade 5 at 1300°F), All Tests Terminated Prior to Rupture223

Figure 13-1: 5Cr-0.5Mo-Si Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature228

Figure 13-2: 5Cr-0.5Mo-Si (Annealed) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves.....229

Figure 13-3: 5Cr-0.5Mo-Si (Annealed) Strength Vs. Temperature, By Data Source, Including Trend Curves230

Figure 13-4: 5Cr-0.5Mo-Si (N&T) Yield Strength Vs. Temperature, By Data Source, Including Trend Curves231

Figure 13-5: 5Cr-0.5Mo-Si (N&T) Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves232

Figure 13-6: 5Cr-0.5Mo-Si (Annealed) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....233

Figure 13-7: 5Cr-0.5Mo-Si (Annealed) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....234

Figure 13-8: 5Cr-0.5Mo-Si (N&T) Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....235

Figure 13-9: 5Cr-0.5Mo-Si (N&T) Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....236

Figure 13-10: 5Cr-0.5Mo-Si (Annealed) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression237

Figure 13-11: 5Cr-0.5Mo-Si (Annealed) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression238

Figure 13-12: 5Cr-0.5Mo-Si (N&T) Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression239

Figure 13-13: 5Cr-0.5Mo-Si (N&T) Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression240

Figure 13-14: 5Cr-0.5Mo-Si Creep Rupture Isotherm Curves241

Figure 13-15: 5Cr-0.5Mo-Si Creep Strain Rate (MCR) Isotherm Curves.....242

Figure 13-16: 5Cr-0.5Mo-Si Creep Ductility (% Elongation) Vs. Rupture Time Isotherms.....243

Figure 13-17: Calculated Allowable Stresses Based on Rupture Time and ASME II-D Appendix 1 Criteria (5Cr-0.5Mo-Si)244

Figure 13-18: Calculated Allowable Stresses Based on Creep Strain Rate and ASME II-D Appendix 1 Criteria (5Cr-0.5Mo-Si)245

Figure 13-19: Comparison of Current 5Cr-0.5Mo-Si Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data.....246

Figure 14-1: Grade 9 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....251

Figure 14-2: Grade 9 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves ...252

Figure 14-3: Grade 9 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves.253

Figure 14-4: Grade 9 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....254

Figure 14-5: Grade 9 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....255

Figure 14-6: Grade 9 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....256

Figure 14-7: Grade 9 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....257

Figure 14-8: Grade 9 Creep Rupture Isotherm Curves, Most Common Test Temperatures258

Figure 14-9: Grade 9 Creep Rupture Isotherm Curves, Additional Test Temperatures259

Figure 14-10: Grade 9 Creep Strain Rate (MCR) Isotherm Curves, First Lot of Temperatures.....260

Figure 14-11: Grade 9 Creep Strain Rate (MCR) Isotherm Curves, Second Lot of Temperatures261

Figure 14-12: Grade 9 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms262

Figure 14-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 9)263

Figure 14-14: Comparison of Current Grade 9 Allowable Stresses (Annealed) Vs. ASME II-D Appendix 1 Criteria Applied to Data264

Figure 14-15: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Grade 9).....265

Figure 14-16: Medium-Term Strain Vs. Time Data, 2,500 to 5,000 Hour Test Durations (Grade 9) 266

Figure 14-17: Long-Term Strain Vs. Time Data, 5,000 to 10,000 Hour Test Durations (Grade 9) ...267

Figure 14-18: Long-Term Strain Vs. Time Data, In Excess of 10,000 Hour Test Durations (Grade 9)268

Figure 14-19: Grade 9 Continuous Cycling Fatigue Data, Including Elevated Temperature Data269

Figure 14-20: Grade 9 Hold Time Data (Creep Fatigue) for Grade 9, Temperatures of 1000°F & 1099°F270

Figure 15-1: Grade 92 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....275

Figure 15-2: Grade 92 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves..276

Figure 15-3: Grade 92 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves277

Figure 15-4: Grade 92 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....278

Figure 15-5: Grade 92 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....279

Figure 15-6: Grade 92 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....280

Figure 15-7: Grade 92 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....281

Figure 15-8: Grade 92 Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....282

Figure 15-9: Grade 92 Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures283

Figure 15-10: Grade 92 Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points284

Figure 15-11: Grade 92 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms285

Figure 15-12: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 92)286

Figure 15-13: Comparison of Current Grade 92 Allowable Stresses (Except Forgings) Vs. ASME II-D Appendix 1 Criteria Applied to Data287

Figure 15-14: Short-Term Strain Vs. Time Data, Up to 250 Hour Test Durations (Grade 92)288

Figure 15-15: Medium-Term Strain Vs. Time Data, 250 to 5,000 Hour Test Durations (Grade 92) .289

Figure 15-16: Long-Term Strain Vs. Time Data, in Excess of 5,000 Hour Test Durations (Grade 92)290

Figure 15-17: Grade 92 Continuous Cycling High Temperature Fatigue Data for Grade 92.....291

Figure 15-18: Grade 92 Hold Time Data (Creep Fatigue) for Grade 92, Temperature of 600°F292

Figure 16-1: 304H Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....297

Figure 16-2: 304H Yield Strength Vs. Temperature, By Data Source, Including Trend Curves298

Figure 16-3: 304H Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves299

Figure 16-4: 304H Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....300

Figure 16-5: 304H Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....301

Figure 16-6: 304H Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....302

Figure 16-7: 304H Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....303

Figure 16-8: 304H Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....304

Figure 16-9: 304H Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures 305

Figure 16-10: 304H Creep Strain Rate (MCR) Isotherm Curves, Temperatures with High Concentration of Data Points.....306

Figure 16-11: 304H Creep Ductility (% Elongation) Vs. Rupture Time Isotherms307

Figure 16-12: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (304H)308

Figure 16-13: Comparison of Current 304H Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data; Note That These Curves Reflect Properties Regressed to Non-H Grades of 304 (I.E., Less Than 0.04 WT% Carbon)309

Figure 16-14: Strain Vs. Time Data at Multiple Temperatures From NRIM 4B (304H)310

Figure 16-15: Strain Vs. Time Data at 1099°F From NSMH (304H)311

Figure 16-16: Continuous Cycling Fatigue (304H), Including Room Temperature and Elevated Temperature Data.....312

Figure 16-17: Hold Time Data (Creep Fatigue) for 304H, Temperature of 1022°F.....313

Figure 16-18: Hold Time Data (Creep Fatigue) for 304H, Temperature of 1100°F - 1112°F.....314

Figure 16-19: Hold Time Data (Creep Fatigue) for 304H, Temperature of 1200-1202°F315

Figure 17-1: 316H Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....321

Figure 17-2: 316H Yield Strength Vs. Temperature, By Data Source, Including Trend Curves322

Figure 17-3: 316H Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves323

Figure 17-4: 316H Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....324

Figure 17-5: 316H Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....325

Figure 17-6: 316H Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....326

Figure 17-7: 316H Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....327

Figure 17-8: 316H Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....328

Figure 17-9: 316H Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures 329

Figure 17-10: 316H Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points330

Figure 17-11: 316H Creep Strain Rate (MCR) Isotherm Curves for Additional and Intermediate Temperatures.....331

Figure 17-12: 316H Creep Ductility (% Elongation) Vs. Rupture Time Isotherms332

Figure 17-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (316H)333

Figure 17-14: Comparison of Current 316H Allowable Stresses (Except Forgings) Vs. ASME II-D Appendix 1 Criteria Applied to Data; Note That These Curves Reflect Properties Regressed to Non-H-Grades of 316 (I.E., Less Than 0.04 WT% Carbon)334

Figure 17-15: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (316H).....335

Figure 17-16: Medium-Term Strain Vs. Time Data, 2,500 to 19,000 Hour Test Durations (316H)..336

Figure 17-17: Long-Term Strain Vs. Time Data, 19,000+ Hour Test Durations (316H).....337

Figure 17-18: Continuous Cycling Fatigue (316H), Including Room Temperature and Elevated Temperature Data.....338

Figure 17-19: Hold Time Data (Creep Fatigue) for 316H, Temperature of 1050°F.....339

Figure 17-20: Hold Time Data (Creep Fatigue) for 316H, Temperature of 1100°F339

Figure 17-21: Hold Time Data (Creep Fatigue) for 316H, Temperature of 1112°F340

Figure 17-22: Hold Time Data (Creep Fatigue) for 316H, Temperature of 1200°F341

Figure 18-1: 347H Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) with Temperature346

Figure 18-2: 347H Yield Strength Vs. Temperature, By Data Source, Including Trend Curves347

Figure 18-3: 347H Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves348

Figure 18-4: 347H Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....349

Figure 18-5: 347H Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....350

Figure 18-6: 347H Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....351

Figure 18-7: 347H Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....352

Figure 18-8: 347H Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....353

Figure 18-9: 347H Creep Rupture Isotherm Curves, Additional and Intermediate Temperatures354

Figure 18-10: 347H Creep Strain Rate (MCR) Isotherm Curves355

Figure 18-11: 347H Creep Ductility (% Elongation) Vs. Rupture Time Isotherms, Most Common Test Temperatures.....356

Figure 18-12: 347H Creep Ductility (% Elongation) Vs. Rupture Time Isotherms, Additional and Intermediate Test Temperature357

Figure 18-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (347H).....358

Figure 18-14: Comparison of Current 347H Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data; Note That These Curves Reflect Properties Regressed to Non-H Grades of 347 (I.E, Less Than 0.04 WT% Carbon)359

Figure 18-15: Creep Strain Vs. Time Data, up to 2,000 Hour Test Durations (347H).....360

Figure 18-16: Creep Strain Vs. Data, in Excess of 2,000 Hour Test Durations (374H).....361

Figure 18-17: 347H Continuous Cycling Fatigue Strain Range Vs. Cycles to Failure362

Figure 19-1: Alloy 617 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....369

Figure 19-2: Alloy 617 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves 370

Figure 19-3: Alloy 617 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves371

Figure 19-4: Alloy 617 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....372

Figure 19-5: Alloy 617 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....373

Figure 19-6: Alloy 617 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....374

Figure 19-7: Alloy 617 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....375

Figure 19-8: Alloy 617 Creep Rupture Isotherm Curves, Most Common Temperatures.....376

Figure 19-9: Alloy 617 Creep Rupture Isotherm Curves, Intermediate Temperatures.....377

Figure 19-10: Alloy 617 Creep Strain Rate (MCR) Isotherm Curves, Most Common Temperatures378

Figure 19-11: Alloy 617 Creep Strain Rate (MCR) Isotherm Curves, Intermediate Temperatures ...379

Figure 19-12: Alloy 617 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms380

Figure 19-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Alloy 617).....381

Figure 19-14: Comparison of Current Alloy 617 Allowable Stresses (Annealed) Vs. ASME II-D Appendix 1 Criteria Applied to Data382

Figure 19-15: Short-Term Strain Vs. Time Data, up to 1,000 Hour Test Durations (Alloy 617).....383

Figure 19-16: Short-Term Strain Vs. Time Data, In Excess of 1,000 Hour Test Durations (Alloy 617)384

Figure 19-17: Alloy 617 Continuous Cycling Fatigue, Including Room Temperature and Elevated Temperature Data.....385

Figure 19-18: Alloy 617 Hold Time Data (Creep Fatigue) for Alloy 617, Temperatures of 1472°F, 1652°F, 1750-60°F, & 1832°F386

Figure 19-19: Alloy 617 Hold Time Data (Creep Fatigue) for Alloy 617, Temperature of 1292°F ..387

Figure 19-20: Alloy 617 Hold Time Data (Creep Fatigue) for Alloy 617, Temperature of 1562°F ..388

Figure 19-21: Alloy 617 Hold Time Data (Creep Fatigue) For Alloy 617, Temperature of 1742°F..389

Figure 20-1: 740 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....394

Figure 20-2: 740H Yield Strength Vs. Temperature, By Data Source, Including Trend Curves395

Figure 20-3: 740H Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves396

Figure 20-4: 740H Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....397

Figure 20-5: 740H Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....398

Figure 20-6: 740H Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....399

Figure 20-7: 740H Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....400

Figure 20-8: 740H Creep Rupture Isotherm Curves401

Figure 20-9: 740H Creep Strain Rate (MCR) Isotherm Curves402

Figure 20-10: 740H Creep Ductility (% Elongation) Vs. Rupture Time Isotherms403

Figure 20-11: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (740H)404

Figure 20-12: Comparison of Current 740H Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data405

Figure 21-1: Alloy 800H Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature411

Figure 21-2: Alloy 800H Yield Strength Vs. Temperature, By Data Source, Including Trend Curves412

Figure 21-3: Alloy 800H Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves413

Figure 21-4: Alloy 800H Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....414

Figure 21-5: Alloy 800H Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)415

Figure 21-6: Alloy 800H Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....416

Figure 21-7: Alloy 800H Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression417

Figure 21-8: Alloy 800H Creep Rupture Isotherm Curves, First Lot of Temperatures.....418

Figure 21-9: Alloy 800H Creep Rupture Isotherm Curves, Second Lot of Temperatures419

Figure 21-10: Alloy 800H Creep Strain Rate (MCR) Isotherm Curves, First Lot of Temperatures ..420

Figure 21-11: Alloy 800H Creep Strain Rate (MCR) Isotherm Curves, Second Lot of Temperatures421

Figure 21-12: Alloy 800H Creep Ductility (% Elongation) Vs. Rupture Time Isotherms422

Figure 21-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Alloy 800H)423

Figure 21-14: Comparison of Current Alloy 800H Allowable Stresses (Annealed) Vs. ASME II-D Appendix 1 Criteria Applied to Data424

Figure 21-15: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Alloy 800H), 1 of 2425

Figure 21-16: Short-Term Strain Vs. Time Data, up to 2,500 Hour test Durations (Alloy 800H), 2 of 2426

Figure 21-17: Medium-Term Strain Vs. Time Data, 2,500 to 5,000 Hour Test Durations (Alloy 800H) 427

Figure 21-18: Long-Term Strain Vs. Time Data, 5,000 to 10,000 Hour Test Durations (Alloy 800H) 428

Figure 21-19: Long-Term Strain Vs. Time Data, 10,000 to 100,000 Hour Test Durations (Alloy 800H)429

Figure 21-20: Long-Term Strain Vs. Time Data, 10,000 to 100,000 Hour Test Durations (Alloy 800H)430

Figure 21-21: Alloy 800H Continuous Cycling Fatigue Including Room Temperature and Elevated Temperature Data.....431

Figure 21-22: Alloy 800H Hold Time Data (Creep Fatigue) for Alloy 800H, Temperatures of 1000°F, 1292°F, 1400°F, and 1472°F432

Figure 21-23: Alloy 800H Hold Time Data (Creep Fatigue) for Alloy 800H, Temperature of 1112°F 433

Figure 21-24: Alloy 800H Hold Time Data (Creep Fatigue) For Alloy 800H, Temperature of 1200°F434

Figure 21-25: Alloy 800H Hold Time Data (Creep Fatigue) for Alloy 800H, Temperature of 1526°F435

Figure 22-1: Grade 12 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....440

Figure 22-2: Grade 12 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves..441

Figure 22-3: Grade 12 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves 442

Figure 22-4: Grade 12 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....443

Figure 22-5: Grade 12 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....444

Figure 22-6: Grade 12 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....445

Figure 22-7: Grade 12 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....446

Figure 22-8: Grade 12 Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....447

Figure 22-9: Grade 12 Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures448

Figure 22-10: Grade 12 Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points449

Figure 22-11: Grade 12 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms450

Figure 22-12: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 12)451

Figure 22-13: Comparison of Current Grade 12 Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data452

Figure 22-14: Short-Term Strain Vs. Time data, up to 1,000 Hour Test Durations (Grade 12).....453

Figure 22-15: Medium-Term Strain Vs. Time Data, 1,000 to 25,000 Hour Test Durations (Grade 12) 454

Figure 22-16: Long-Term Strain Vs. Time Data, in Excess of 25,000 Hour Test Durations (Grade 12)455

Figure 22-17: Continuous Cycling Fatigue Strain Range Data (Creep Fatigue) for Grade 12, Temperature of 70°F, 392°F, 572°F, and 752°F456

Figure 23-1: Grade 23 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....462

Figure 23-2: Grade 23 Yield Strength Vs. Temperature, By Data Source.....463

Figure 23-3: Grade 23 Tensile Strength Vs. Temperature, By Data Source.....464

Figure 23-4: Grade 23 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....465

Figure 23-5: Grade 23 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....466

Figure 23-6: Grade 23 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....467

Figure 23-7: Grade 23 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....468

Figure 23-8: Grade 23 Creep Rupture Isotherm Curves469

Figure 23-9: Grade 23 Creep Strain Rate (MCR) Isotherm Curves.....470

Figure 23-10: Grade 23 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms471

Figure 23-11: Calculated Allowable Stresses Based on Rupture Time and ASME II-D Appendix 1 Criteria (Grade 23).....472

Figure 23-12: Calculated Allowable Stresses Based on Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 23).....473

Figure 23-13: Comparison of ASME II-D Appendix 1 Criteria Applied to Grade 23 Data.....474

Figure 24-1: 3Cr Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....480

Figure 24-2: 3Cr Yield Strength Vs. Temperature, By Data Source, Including Trend Curves481

Figure 24-3: 3Cr Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves482

Figure 24-4: 3Cr Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....483

Figure 24-5: 3Cr Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....484

Figure 24-6: 3Cr Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....485

Figure 24-7: 3Cr Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....486

Figure 24-8: 3Cr Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....487

Figure 24-9: 3Cr Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures ...488

Figure 24-10: 3Cr Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points.....489

Figure 24-11: 3Cr Creep Strain Rate (MCR) Isotherm Curves for Additional and Intermediate Temperatures.....490

Figure 24-12: 3Cr Creep Ductility (% Elongation) Vs. Rupture Time Isotherms491

Figure 24-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (3Cr).....492

Figure 24-14: Comparison of Current 316H Allowable Stresses (Except Forgings) Vs. ASME II-D Appendix 1 Criteria Applied to Data493

Figure 24-15: Short-Term Strain Vs. Time Data, (3Cr).....494

Figure 25-1: Type 410/12Cr Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature500

Figure 25-2: Type 410/12Cr Yield Strength Vs. Temperature, By Data Source, Including Trend Curves501

Figure 25-3: Type 410/12Cr Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves502

Figure 25-4: Type 410/12Cr Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)503

Figure 25-5: Type 410/12Cr Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)504

Figure 25-6: Type 410/12Cr Yield Strength Ratios Vs. Temperature, All Combined data, With Polynomial Regression505

Figure 25-7: Type 410/12Cr Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression506

Figure 25-8: Type 410/12Cr Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....507

Figure 25-9: Type 410/12Cr Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures.....508

Figure 25-10: Type 410/12Cr Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points509

Figure 25-11: Type 410/12Cr Creep Strain Rate (MCR) Isotherm Curves for Additional and Intermediate Temperatures510

Figure 25-12: Type 410/12Cr Creep Ductility (% Elongation) Vs. Rupture Time Isotherms.....511

Figure 25-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Type 410/12Cr).....512

Figure 25-14: Comparison of Current Type 410 Allowable Stresses (Plate & Forgings) Vs. ASME II-D Appendix 1 Criteria Applied to Data513

Figure 25-15: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Type 410/12Cr), 1 of 2514

Figure 25-16: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Type 410/12Cr), 2 of 2515

Figure 25-17: Medium-Term Strain Vs. Time Data, 2,500 to 5,000 Hour Test Durations (Type 410/12Cr).....516

Figure 25-18: Long-Term Strain Vs. Time Data, up to 10,000 Hour Test Durations (Type 410/12Cr)517

Figure 25-19: Long-Term Strain Vs. Time Data, 10,000 to 100,000 Hour Test Durations (Type 410/12Cr).....518

Figure 25-20: Long-Term Strain Vs. Time Data, in Excess of 100,000 Hour Test Durations (Type 410/12Cr).....519

Figure 25-21: Type 410/12Cr Continuous Cycling Fatigue (Type 410/12Cr), Including Room Temperature and Elevated Temperature Data.....520

Figure 25-22: Type 410/12Cr Continuous Cycling Fatigue Stress Amplitude Vs. Cycles to Failure Data521

Figure 25-23: Type 410/12Cr Hold Time Data (Creep Fatigue) for Type 410/12Cr, Temperature of 950°F.....522

Figure 25-24: Type 410/12Cr Hold Time Data (Creep Fatigue) for Type 410/12Cr, Temperature of 1202°F.....523

Figure 26-1: 321H Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....528

Figure 26-2: 321H Yield Strength Vs. Temperature, By Data Source, Including Trend Curves529

Figure 26-3: 321H Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves530

Figure 26-4: 321H Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....531

Figure 26-5: 321H Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....532

Figure 26-6: 321H Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....533

Figure 26-7: 321H Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....534

Figure 26-8: 321H Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....535

Figure 26-9: 321H Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures 536

Figure 26-10: 321H Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points537

Figure 26-11: 321H Creep Strain Rate (MCR) Isotherm Curves for Additional and Intermediate Temperatures.....538

Figure 26-12: 321H Creep Ductility (% Elongation) Vs. Rupture Time Isotherms539

Figure 26-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (321H)540

Figure 26-14: Comparison of Current 321H Allowable Stresses (Except Forgings) Vs. ASME II-D Appendix 1 Criteria Applied to Data541

Figure 26-15: Short-Term Strain Vs. Time Data, up to 1,000 Hours (321H).....542

Figure 26-16: Short-Term Strain Vs. Time Data, 1,000 to 5,000 Hours (321H).....543

Figure 26-17: Short-Term Strain Vs. Time Data, 5,000 to 20,000 Hours (321H).....544

Figure 26-18: Short-Term Strain Vs. Time Data, in Excess of 20,000 Hours (321H)545

Figure 26-19: Continuous Cycling Fatigue (321H), Including Room Temperature and Elevated Temperature Data.....546

Figure 26-20: Hold Time Data (Creep Fatigue) for 321H, Temperatures of 1112°F.547

Figure 27-1: Alloy 601 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....553

Figure 27-2: Alloy 601 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves 554

Figure 27-3: Alloy 601 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves555

Figure 27-4: Alloy 601 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....556

Figure 27-5: Alloy 601 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....557

Figure 27-6: Alloy 601 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....558

Figure 27-7: Alloy 601 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....559

Figure 27-8: Alloy 601 Creep Rupture Isotherm Curves560

Figure 27-9: Alloy 601 Creep Strain Rate (MCR) Isotherm Curves561

Figure 27-10: Alloy 601 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms562

Figure 27-11: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Alloy 601).....563

Figure 27-12: Comparison of Current Alloy 601 Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data.....564

Figure 28-1: Alloy 709 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....568

Figure 28-2: Alloy 709 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves 569

Figure 28-3: Alloy 709 Tensile Strength Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....570

Figure 28-4: Alloy 709 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....571

Figure 28-5: Alloy 709 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....572

Figure 28-6: Alloy 709 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....573

Figure 28-7: Alloy 709 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....574

Figure 28-8: Alloy 709 Creep Rupture Isotherm Curves.....575

Figure 28-9: Calculated Allowable Stresses Based on Rupture ASME II-D Appendix 1 Criteria (Alloy 709).....576

Figure 28-10: Presentation of Alloy 709 Data with ASME II-D Appendix 1 Criteria Applied577

Figure 28-11: All Strain Vs. Time Data, Alloy 709.....578

Figure 28-12: Alloy 709 Continuous Cycling Fatigue (Alloy 709) Elevated Temperature Data579

Figure 28-13: Alloy 709 Hold Time Data (Creep Fatigue) for Alloy 709 at 1022°F, 1202°F, and 1382°F580

Figure 29-1: B7 Bolting Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature586

Figure 29-2: B7 Bolting Yield Strength Vs. Temperature, By Data Source, Including Trend Curves.....587

Figure 29-3: B7 Bolting Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves588

Figure 29-4: B7 Bolting Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....589

Figure 29-5: B7 Bolting Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....590

Figure 29-6: B7 Bolting Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....591

Figure 29-7: B7 Bolting Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression592

Figure 29-8: B7 Bolting Creep Rupture Isotherm Curves, All Temperatures593

Figure 29-9: B7 Bolting Creep Strain Rate (MCR) Isotherm Curves, All Temperatures.....594

Figure 29-10: B7 Bolting Creep Ductility (% Elongation) Vs. Rupture Time Isotherms595

Figure 29-11: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (B7 Bolting)596

Figure 29-12: Comparison of Current B7 Bolting Allowable Stresses ($2.5'' < T < 4''$) Vs. ASME II-D Appendix 1 Criteria Applied to Data597

Figure 29-13: B7 Bolting Continuous Cycling Fatigue (B7 Bolting), Including Room Temperature Data598

Figure 29-14: B7 Bolting Continuous Cycling Fatigue (B7 Bolting), Including Room Temperature Data599

Figure 29-15: B7 Bolting Hold Time Fatigue (B7 Bolting), Including Room Temperature Data (86°F)600

Figure 29-16: B7 Bolting Hold Time Fatigue (B7 Bolting), Including Elevated Temperature Data (390°F).....601

Figure 30-1: B16 Bolting Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature606

Figure 30-2: B16 Bolting Yield Strength Vs. Temperature, By Data Source, Including Trend Curves607

Figure 30-3: B16 Bolting Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves608

Figure 30-4: B16 Bolting Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....609

Figure 30-5: B16 Bolting Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)610

Figure 30-6: B16 Bolting Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....611

Figure 30-7: B16 Bolting Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression612

Figure 30-8: B16 Bolting Creep Rupture Isotherm Curves, All Temperatures613

Figure 30-9: B16 Bolting Creep Strain Rate (MCR) Isotherm Curves, All Temperatures.....614

Figure 30-10: B16 Bolting Creep Ductility (% Elongation) Vs. Rupture Time Isotherms.....615

Figure 30-11: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (B16 Bolting)616

Figure 30-12: Comparison of Current B16 Bolting Allowable Stresses (2.5” < T < 4”) Vs. ASME II-D Appendix 1 Criteria Applied to Data617

Figure 30-13: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (B16 Bolting) ...618

Figure 30-14: Long-Term Strain Vs. Time Data, in Excess of 2,500 Hour Test Durations (B16 Bolting)619

Figure 30-15: B16 Bolting Hold Time Data (Creep Fatigue) for B16 Bolting, Temperature of 1022°F620

Figure 31-1: B8 Bolting Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature625

Figure 31-2: B8 Bolting Yield Strength Vs. Temperature, By Data Source, Including Trend Curves626

Figure 31-3: B8 Bolting Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves627

Figure 31-4: B8 Bolting Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....628

Figure 31-5: B8 Bolting Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....629

Figure 31-6: B8 Bolting Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....630

Figure 31-7: B8 Bolting Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression631

Figure 31-8: B8 Bolting Creep Rupture Isotherm Curves, All Temperatures632

Figure 31-9: B8 Bolting Creep Strain Rate (MCR) Isotherm Curves, All Temperatures.....633

Figure 31-10: B8 Bolting Creep Ductility (% Elongation) Vs. Rupture Time Isotherms634

Figure 31-11: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (B8 Bolting)635

Figure 31-12: Comparison of Current B8 Bolting Allowable Stresses (.75” < T < 1”) Vs. ASME II-D Appendix 1 Criteria Applied to Data636

Figure 31-13: B8 Bolting Continuous Cycling Fatigue (B8 Bolting) Including Elevated Temperature Data.....637

Figure 31-14: B8 Bolting Hold Time Fatigue (B8 Bolting) Including Elevated Temperature Data (752°F, 1100°F).....638

Figure 32-1: Grade 660 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature.....644

Figure 32-2: Grade 660 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves645

Figure 32-3: Grade 660 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves646

Figure 32-4: Grade 660 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....647

Figure 32-5: Grade 660 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....648

Figure 32-6: Grade 660 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....649

Figure 32-7: Grade 660 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....650

Figure 32-8: Grade 660 Creep Rupture Isotherm Curves, Temperatures With High Concentration of Data Points.....651

Figure 32-9: Grade 660 Creep Rupture Isotherm Curves for Additional and Intermediate Temperatures652

Figure 32-10: Grade 660 Creep Strain Rate (MCR) Isotherm Curves, Temperatures With High Concentration of Data Points653

Figure 32-11: Grade 660 Creep Strain Rate (MCR) Isotherm Curves for Additional and Intermediate Temperatures.....654

Figure 32-12: Grade 660 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms655

Figure 32-13: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Grade 660)656

Figure 32-14: Comparison of Current Grade 660 Allowable Stresses (Bar) Vs. ASME II-D Appendix 1 Criteria Applied to Data.....657

Figure 32-15: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Grade 660), 1 of 2658

Figure 32-16: Short-Term Strain Vs. Time Data, up to 2,500 Hour Test Durations (Grade 660), 2 of 2659

Figure 32-17: Medium-Term Strain Vs. Time Data, 2,500 to 5,000 Hour Test Durations (Grade 660)660

Figure 32-18: Long-Term Strain Vs. Time Data, 5,000 to 10,000 Hour Test Durations (Grade 660).....661

Figure 32-19: Long-Term Strain Vs. Time Data, 10,000 to 50,000 Hour Test Durations (Grade 660)662

Figure 32-20: Long-Term Strain Vs. Time Data, In Excess of 50,000 Hour Test Durations (Grade 660)663

Figure 32-21: Grade 660 Continuous Cycling Fatigue (Grade 660), Including Room Temperature and Elevated Temperature Data.....664

Figure 32-22: Grade 660 Hold Time Data (Creep Fatigue) for Grade 660, Temperature of 1200°F.....665

Figure 33-1: Inconel 718 Modulus (E_y), Thermal Conductivity (k), Thermal Diffusivity (TD), & Thermal Expansion (α) With Temperature670

Figure 33-2: Inconel 718 Yield Strength Vs. Temperature, By Data Source, Including Trend Curves.....671

Figure 33-3: Inconel 718 Tensile Strength Vs. Temperature, By Data Source, Including Trend Curves672

Figure 33-4: Inconel 718 Yield Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source).....673

Figure 33-5: Inconel 718 Tensile Strength Ratios Vs. Temperature (Calculated on a Heat-By-Heat Basis, By Data Source)674

Figure 33-6: Inconel 718 Yield Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression.....675

Figure 33-7: Inconel 718 Tensile Strength Ratios Vs. Temperature, All Combined Data, With Polynomial Regression676

Figure 33-8: Inconel 718 Creep Rupture Isotherm Curves.....677

Figure 33-9: Inconel 718 Creep Strain Rate (MCR) Isotherm Curves678

Figure 33-10: Inconel 718 Creep Ductility (% Elongation) Vs. Rupture Time Isotherms679

Figure 33-11: Calculated Allowable Stresses Based on Rupture and Creep Strain Rate and ASME II-D Appendix 1 Criteria (Inconel 718).....680

Figure 33-12: Comparison of Current Inconel 718 Allowable Stresses Vs. ASME II-D Appendix 1 Criteria Applied to Data.....681

Figure 33-13: Creep Strain Data for Inconel 718.....682

Figure 33-14: Inconel 718 Continuous Cycling Fatigue Cycles to Failure Vs. Stress.....683

Figure 33-15: Inconel 718 Continuous Cycling Fatigue Cycles to Failure Vs. Calculated Elastic Strain684
Figure 33-16: Inconel 718 Hold Time Fatigue, Temperature of 1112°F685

FOREWORD

The goal of this publication is to organize and compile high-temperature material property data for select alloys, to be used in the ASME Boiler and Pressure Vessel Code. The authors acknowledge, with deep appreciation, the activities of ASME staff and volunteers who have provided valuable technical input, advice, and assistance with review of, commenting on, and editing of, this document.

Established in 1880, the ASME is a professional not-for-profit organization with more than 135,000 members and volunteers promoting the art, science and practice of mechanical and multidisciplinary engineering and allied sciences. ASME develops codes and standards that enhance public safety and provides lifelong learning and technical exchange opportunities benefiting the engineering and technology community. Visit <https://www.asme.org/> for more information.

ASME ST-LLC is a not-for-profit Limited Liability Company, with ASME as the sole member, formed in 2004 to carry out work related to new and developing technology. ASME ST-LLC's mission includes meeting the needs of industry and government by providing new standards-related products and services, which advance the application of emerging and newly commercialized science and technology and providing the research and technology development needed to establish and maintain the technical relevance of codes and standards. Visit <http://asmestllc.org/> for more information.

ABBREVIATIONS AND ACRONYMS

API	– American Petroleum Institute
ASME	– American Society of Mechanical Engineers
ASTM	– American Society for Testing and Materials
BPVC	– Boiler and Pressure Vessel Code
DBA	– Design-By-Analysis
ECCC	– European Collaborative Creep Committee
EPRI	– Electric Power Research Institute
ISO	– International Standards Organization
LM	– Larson-Miller
LMP	– Larson-Miller Parameter
MPC	– Materials Properties Council
NASA	– National Aeronautics and Space Administration
NIMS	– National Institute of Material Science (Japanese)
NRIM	– National Research Institute (Japanese)
NSMH	– Nuclear Systems Materials Handbook
N&T	– Normalized and Tempered
PRG	– Peer Review Group
Q&T	– Quenched and Tempered
STP	– Standards Technology Publication
WRC	– Welding Research Council

1 INTRODUCTION

E²G | The Equity Engineering Group, Inc. was contracted by ASME Standards Technology, LLC (ASME ST-LLC) to compile high-temperature material property data for select alloys, to be used in the ASME Boiler and Pressure Vessel Code (BPVC). It is expected that the properties compiled in this project will be used to support continued and expanded use of elevated temperature design-by-analysis (DBA), to support initiatives such as advanced ultra-supercritical fossil power generation and Gen IV high-temperature nuclear reactor, among other applications. The data collected as part of this project will be utilized in Sections I, III, and VIII of the BPVC. During the course of this project, periodic milestones were shared with ASME for distribution and review by the project's Peer Review Group (PRG).

In 2012, ASME developed a materials properties database in support of the BPVC's development and maintenance. E²G was contracted to update and modify this material property database for various materials. The goal of this project was to collect, interpret, qualify, analyze, and prepare elevated temperature material properties for various materials relevant to the BPVC. This unified effort is intended to ensure a baseline consistency between different parts of the BPVC and to leverage funds and resources to the maximum extent through avoidance of duplicate efforts.