

ASME Y14.34-2013
(Revision of ASME Y14.34-2008)

Associated Lists

**Engineering Drawing and Related
Documentation Practices**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ADOPTION NOTICE

ASME Y14.34, Associated Lists, was adopted on 1 August 2008 for use by the Department of Defense, (DoD). Proposed changes by DoD activities must be submitted to the DoD Adopting Activity: Commander, U.S. Army ARDEC, ATTN: RDAR-QES-E, Picatinny Arsenal, NJ 07806-5000. Copies of this document may be purchased from The American Society of Mechanical Engineers (ASME), 22 Law Drive, P.O. Box 2900, Fairfield, NJ 07007 2900; <http://www.asme.org>.

Custodians:

Army — AR
Navy — SA
Air Force — 16

Adopting Activity:

Army — AR
(Project DRPR-2014-001)

Review Activities:

Army — AV, CR, PT, TE, TM
Navy — AS, CG, CH, EC, MC, SA
Air Force — 04, 11, 13, 16, 99
DLA — DH
OSD — SE
NSA — NS
Other — MP, DC2

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at <https://assist.dla.mil>.

ASMC N/A

AREA DRPR

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

ASME Y14.34-2013
(Revision of ASME Y14.34-2008)

Associated Lists

**Engineering Drawing and Related
Documentation Practices**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: May 16, 2014

This Standard will be revised when the Society approves the issuance of a new edition.

Periodically certain actions of the ASME Y14 Committee may be published as Cases. Cases are published on the ASME Web site under the Y14 Committee Page at go.asme.org/Y14committee as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Page to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Y14 Committee Page can be found at go.asme.org/Y14committee. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2014 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	iv
Committee Roster	v
Correspondence With the Y14 Committee	vi
1 General	1
2 References	2
3 Definitions	3
4 Common Requirements for Associated Lists	5
5 Parts List Preparation	6
6 Application List Preparation	7
7 Data List Preparation	7
8 Index List Preparation	8
9 Wire List Preparation	8
Figures	
3-1 Application List — Manually Generated Format	9
3-2 Application List — Digitally Generated Format	10
3-3 Data List — Manually Generated Format	11
3-4 Separate Data List — Digitally Generated Format	12
3-5 Index List — Manually Generated Format	13
3-6 Separate Index List — Digitally Generated Format	14
3-7 Separate Parts List — Manually Generated Format	15
3-8 Separate Parts List — Digitally Generated Format	16
3-9 Wire List — Manually Generated Format	17
3-10 Wire List — Digitally Generated Format	18
4-1 Separate List Heading	19
5-1 Integral Parts List — Graphical Sheet of Drawing	20
5-2 Integral Parts List — Separate Sheet of Drawing	21
5-3 Parts List Column Entries	22
6-1 Application List Column Entries	24
7-1 Data List Column Entries	24
8-1 Index List Column Entries	25
9-1 Wire List Column Entries	26

FOREWORD

This Standard establishes the requirements for associated lists and ties them together with the engineering drawing and related documentation practices in the Y14 series. It is not the intent of this Standard to be a stand-alone document. An accurate perception of associated lists practices is derived by treating ASME Y14.34, ASME Y14.100, ASME Y14.24, and ASME Y14.35 as a composite set.

This Standard is a revision of ASME Y14.34-2008, Associated Lists. Changes contained in this revision are intended to improve standardization and harmonize practices and methodology between industry and government.

The successful revision of this Standard is attributed to the subcommittee members and their respective companies, and the department and agencies of the U.S. government.

Suggestions for improvement of this Standard are welcome. They should be sent to The American Society of Mechanical Engineers, Secretary, Y14 Standard Committee, Two Park Avenue, New York, NY 10016-5990.

The following is a summary of the significant changes incorporated in this revision:

- Reformatted the Standard to add 1.2 ASME Y14 Series Conventions in its entirety, to renumber the figure numbers, and to renumber accordingly due to the reformatting.
- Section 2 — Renamed and updated.
- Section 3 Definitions.

(a) added definition for *Deletion List*

(b) added definition for *Field of Drawing*

(c) added definition for *Product Data Management (PDM) System*

(d) added definition for *Salvage List*

(e) updated definitions duplicated from other standards as applicable

- Paras. 4.1.1 and 4.1.2 — revised to include stipulations regarding the use of PDM systems.
- Para. 4.7 — revised to clarify list identifiers and to associate specific prefixes to respective lists.
- Para. 5.3.2(b)(5) — added NOTE that adds the requirement for entering a dash or the abbreviation REF in QTY REQD column when listing reference drawings or documents in a parts list.
- Para. 5.3.3 — added to address the use of deletion lists and salvage lists for modification and kit drawings.
- Addressed DoD comments deferred from the last revision.
- Clarified Design Activity Identification (DAI) requirements/examples in Figs. 4-1, 5-3, 7-1, and 8-1.

This revision was approved as an American National Standard on November 8, 2013.

ASME Y14 COMMITTEE

Engineering Drawing and Related Documentation Practices

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

F. Bakos, Jr., *Chair*
W. A. Kaba, *Vice Chair*
F. Constantino, *Secretary*

STANDARDS COMMITTEE PERSONNEL

A. R. Anderson, Dimensional Dynamics, LLC
F. Bakos, Jr., Consultant
J. V. Burleigh, Unaffiliated
F. Constantino, The American Society of Mechanical Engineers
D. E. Day, TEC-EASE, Inc.
K. Dobert, Siemens PLM Software
B. A. Harding, Purdue University
D. H. Honsinger, Consultant
W. A. Kaba, Spirit AeroSystems, Inc.
A. Krulikowski, Effective Training, Inc.

E. F. McCarthy, Raytheon Missile Systems
P. J. McCuiston, Ohio University
J. D. Meadows, James D. Meadows & Associates, Inc.
M. E. Meloro, Northrop Grumman Corp.
J. I. Miles, Lockheed Martin Aeronautics Co.
H. W. Oakes, USAF (Peerless Technologies)
N. H. Smith, Spirit AeroSystems, Inc.
M. J. Stahl, Caterpillar, Inc.
K. E. Wiegand, Sandia National Laboratories
B. A. Wilson, The Boeing Co.

SUBCOMMITTEE 34 — ASSOCIATED LISTS

R. D. Green, *Chair*, The Boeing Co.
L. G. Davis, Unaffiliated
B. Germany, Raytheon Co.
C. N. Markt, Lockheed Martin Aeronautics Co.
G. M. Nelson, Unaffiliated

H. W. Oakes, USAF (Peerless Technologies)
D. A. Reis, Lockheed Martin Space System Co.
J. R. Sena, Lockheed Martin Space System Co.
R. H. Settle, Naval Surface Warfare Center, Dahlgren Division
M. W. Woodworth, Unaffiliated

CORRESPONDENCE WITH THE Y14 COMMITTEE

General. ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by requesting interpretations, proposing revisions, and attending Committee meetings. Correspondence should be addressed to:

Secretary, Y14 Standards Committee
The American Society of Mechanical Engineers
Two Park Avenue
New York, NY 10016-5990
<http://go.asme.org/Inquiry>

Proposing Revisions. Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

Proposing a Case. Cases may be issued for the purpose of providing alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee web page.

Requests for Cases shall provide a Statement of Need and Background Information. The request should identify the Standard and the paragraph, figure, or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

Attending Committee Meetings. The Y14 Standards Committee regularly holds meetings and/or telephone conferences that are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the Y14 Standards Committee. Future Committee meeting dates and locations can be found on the Committee Page at go.asme.org/Y14committee.

ASSOCIATED LISTS

1 GENERAL

1.1 SCOPE

This Standard establishes the minimum requirements for the preparation and revision of application lists, data lists, index lists, parts lists, and wire lists. In addition, this Standard presents certain options that may be incorporated into application lists, data lists, index lists, parts lists, and wire lists at the discretion of the design activity. It is essential that this Standard be used in close conjunction with ASME Y14.24, ASME Y14.35, ASME Y14.41, and ASME Y14.100.

1.2 ASME Y14 Series Conventions

The conventions in paras. 1.2.1 through 1.2.10 are used in this and other ASME Y14 standards.

1.2.1 Mandatory, Recommended, Guidance, and Optional Words

- (a) The words “shall” and “will” establish a mandatory requirement.
- (b) The word “should” establishes a recommended practice.
- (c) The word “may” establishes an optional practice.
- (d) The words “typical,” “example,” “for reference,” or the Latin abbreviation “e.g.” indicate suggestions given for guidance only.
- (e) The word “or” used in conjunction with a mandatory requirement or a recommended practice indicates that there are two or more options for complying with the standard requirement or practice.

1.2.2 Cross-Reference of Standards. Cross-reference of standards in text with or without a date following the standard designator shall be interpreted as follows:

- (a) Reference to other ASME Y14 standards in the text without a date following the standard designator indicates that the issue of the standard identified in the References section (section 2) shall be used to meet the requirement.
- (b) Reference to other ASME Y14 standards in the text with a date following the standard designator indicates that only that issue of the standard shall be used to meet the requirement.

1.2.3 Invocation of Referenced Standards. The following examples define the invocation of a standard when specified in the References section (section 2) and referenced in the text of this Standard:

- (a) When a referenced standard is cited in the text with no limitations to a specific subject or paragraph(s) of the standard, the entire standard is invoked. For example, “Dimensioning and tolerancing shall be in accordance with ASME Y14.5” is invoking the complete standard because the subject of the standard is dimensioning and tolerancing and no specific subject or paragraph(s) within the standard are invoked.
- (b) When a referenced standard is cited in the text with limitations to a specific subject or paragraph(s) of the standard, only the paragraph(s) on that subject is invoked. For example, “Assign part or identifying numbers in accordance with ASME Y14.100” is invoking only the paragraph(s) on part or identifying numbers because the subject of the standard is engineering drawing practices and part or identifying numbers is a specific subject within the standard.
- (c) When a referenced standard is cited in the text without an invoking statement such as “in accordance with,” the standard is for guidance only. For example, “For gaging principles see ASME Y14.43” is only for guidance and no portion of the standard is invoked.

1.2.4 Parentheses Following a Definition. When a definition is followed by a standard referenced in parentheses, the standard referenced in parentheses is the source for the definition.

1.2.5 Notes. Notes depicted in this Standard in ALL UPPERCASE letters are intended to reflect actual drawing entries. Notes depicted in initial uppercase or lowercase letters are to be considered supporting data to the contents of this Standard and are not intended for literal entry on drawings. A statement requiring the addition of a note