

**ASME Y14.8-2022**  
[Revision of ASME Y14.8-2009 (R2014)]

# Castings, Forgings, and Molded Parts

---

**Engineering Product Definition and  
Related Documentation Practices**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**ASME Y14.8-2022**  
[Revision of ASME Y14.8-2009 (R2014)]

# **Castings, Forgings, and Molded Parts**

---

**Engineering Product Definition and  
Related Documentation Practices**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: May 20, 2022

This Standard will be revised when the Society approves the issuance of a new edition.

Periodically certain actions of the ASME Y14 Committee may be published as Cases. Cases are published on the ASME website under the Y14 Committee Page at <http://go.asme.org/Y14committee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Y14 Committee Page can be found at <http://go.asme.org/Y14committee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures agreed to as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" a system, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All Rights Reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....	v	
Committee Roster .....	vii	
Correspondence With the Y14 Committee .....	viii	
<b>Section 1</b>	<b>Scope</b> .....	1
1.1	General .....	1
1.2	Dimensioning and Tolerancing .....	1
1.3	ASME Y14 Series Conventions .....	1
<b>Section 2</b>	<b>References</b> .....	3
<b>Section 3</b>	<b>Definitions</b> .....	4
3.1	Definitions .....	4
<b>Section 4</b>	<b>Drawing Presentation Methods</b> .....	7
4.1	General .....	7
4.2	Separate Requirements Drawing Method .....	7
4.3	Combined Requirements Drawing Method .....	7
<b>Section 5</b>	<b>Drawing Practices</b> .....	10
5.1	General .....	10
5.2	As-Cast, As-Forged, and As-Molded Surfaces .....	10
5.3	Corner and Fillet Radii .....	10
5.4	Draft .....	10
5.5	Flash Extension .....	10
5.6	Ejector Pin Depressions and Intrusions .....	10
5.7	Mold Line Dimensions and Tolerances .....	11
5.8	Full Feature Modifiers .....	11
5.9	Die Closure .....	11
5.10	Surface Irregularities Caused by Manufacturing Processes .....	11
5.11	Orientation of Forging Plane .....	11
5.12	Marking .....	11
5.13	Match .....	11
5.14	Parting Lines .....	11
5.15	Sharp Corners .....	12
5.16	Grain Direction .....	12
5.17	Product Definition Data Requirements .....	12
5.18	Wall Thickness as a Refinement of Profile of a Surface .....	12
<b>Section 6</b>	<b>Datum Referencing</b> .....	30
6.1	General .....	30
6.2	Datum Targets .....	30
6.3	Machined Datum Features .....	30
6.4	Equalizing Datums .....	30

6.5	Datum Targets and Profile Tolerancing . . . . .	31
<b>Section 7</b>	<b>Drawing Notes and Items . . . . .</b>	<b>44</b>
7.1	General . . . . .	44
7.2	Drawing Items . . . . .	44
7.3	Sample General Notes . . . . .	44
7.4	Sample Local Notes . . . . .	45
<b>Nonmandatory Appendices</b>		
A	Glossary of Casting, Forging, and Molded-Part Terms . . . . .	46
B	Sample Drawings . . . . .	48
C	Form and Proportion of Symbols . . . . .	51
D	Former Practices . . . . .	52
<b>Figures</b>		
3-1	Fillet and Corner Radius . . . . .	6
3-2	Fillet and Corner Radii . . . . .	6
4-1	Separate Drawing Method — Casting, Forging, and Molding Requirements . . . . .	8
4-2	Combined Drawing Method . . . . .	9
5-1	Draft Angle . . . . .	13
5-2	Datum Plane and Forging Plane . . . . .	13
5-3	Drafted Surfaces Controlled With Profile of a Surface . . . . .	14
5-4	Draft Adds Material . . . . .	14
5-5	Draft Reduces Material . . . . .	15
5-6	“DFT INCL” Example . . . . .	16
5-7	Size at Specific Locations for a Drafted Feature . . . . .	16
5-8	“+DFT” Example . . . . .	17
5-9	“-DFT” Example . . . . .	18
5-10	Match Draft . . . . .	18
5-11	Flash Extension . . . . .	19
5-12	Boss Circular Mold Line and Mold Line Center Point . . . . .	19
5-13	Hole Circular Mold Line and Mold Line Center Point . . . . .	20
5-14	Use of Full Feature Modifier . . . . .	21
5-15	Die Closure . . . . .	24
5-16	Mismatch . . . . .	25
5-17	Parting Line Locations . . . . .	26
5-18	Parting Line Symbol Application . . . . .	26
5-19	All Around This Side of Parting Line Symbol Application . . . . .	27
5-20	All Around This Side of Parting Line . . . . .	27
5-21	All Over This Side of Parting Line Symbol Application . . . . .	28
5-22	All Over This Side of Parting Line . . . . .	28
5-23	Grain Direction Specified . . . . .	28
5-24	Profile Refined by Wall Thickness . . . . .	29
6-1	Datum Targets Establishing a Datum Reference Frame . . . . .	32
6-2	Datum Targets Within the Same Die Segment . . . . .	33
6-3	Equalizing Datums . . . . .	34

6-4	Optimum Location of Equalizing Datum Targets .....	35
6-5	Datum Targets Located Opposite Machined Surfaces .....	35
6-6	Datum Targets Offset From the Datum Plane .....	36
6-7	Effect of Draft and Parting Line on Datums .....	37
6-8	Placement of Local Dimensions Affected by Draft .....	38
6-9	Machined Datum Features Located From Cast, Forged, or Molded Datum Features . . . .	39
6-10	Machine Centers Establishing a Datum Axis .....	39
6-11	Movable Datum Target Simulators Establishing a Datum Center Plane .....	40
6-12	Movable Datum Target Simulators Establishing Two Datum Center Planes .....	41
6-13	Equalized Datums Established by Fixed Datum Target Simulators .....	42
6-14	Datum Targets and Profile Tolerancing .....	43
B-1	Sample Molded-Part Drawing .....	49
B-2	Sample Die-Cast Part Drawing .....	50
C-1	Form and Proportion of Symbols .....	51
D-1	Movable Target Symbol .....	52
D-2	End-Item Method .....	53

## FOREWORD

This is a revision of ASME Y14.8-2009 (R2014), Castings, Forgings, and Molded Parts. Based on guidance from the ASME Y14 Committee, the material formerly in [Section 1](#) has been reorganized into [Sections 1](#) through [3](#), and the subsequent Sections have been renumbered. The scope of the Standard has expanded to include full feature concepts as a result of draft. Changes to both the text and figures have been made to better illustrate drafting practices pertaining to drawings of cast, forged, and molded parts.

Figures for plus draft, minus draft, and draft included have been improved. A new symbol for full feature has been created, and figures have been added to show application of the full feature symbol. Customized datum references are shown to demonstrate control of specific degrees of freedom due to process variations, such as mismatch and die closure. The effect of applying profile of a surface with datum references to surfaces containing datum targets is continued for the increased use of form tolerancing in model-based computer-aided design (CAD) systems. Text and figures have been revised to reflect these changes.

The successful revision of this Standard is attributed to the commitment of the committee members and the support of their sponsoring companies. Their time commitment and their contributed expertise are gratefully acknowledged. Don E. Day, former chair of the ASME Y14.8 Subcommittee, is acknowledged for his tireless leadership, commitment, and knowledge, which have made this revision possible.

This Standard was approved by the American National Standards Institute as an American National Standard on March 17, 2022.

# ASME Y14 COMMITTEE

## Engineering Product Definition and Related Documentation Practices

(The following is the roster of the Committee at the time of approval of this Standard.)

### STANDARDS COMMITTEE OFFICERS

**J. B. Hoskins**, *Chair*  
**J. D. Meadows**, *Vice Chair*  
**F. Constantino**, *Secretary*

### STANDARDS COMMITTEE PERSONNEL

<b>A. R. Anderson</b> , Dimensional Dynamics, LLC	<b>W. A. Kaba</b> , Spirit AeroSystems, Inc.
<b>T. Bowers</b> , Lockheed Martin	<b>A. Krulikowski</b> , Krulikowski Consulting, LLC
<b>J. Burleigh</b> , Unaffiliated	<b>S. Lege</b> , U.S. Army
<b>F. Constantino</b> , The American Society of Mechanical Engineers	<b>E. F. McCarthy</b> , E. F. McCarthy Consulting, Inc.
<b>W. Cockrell</b> , Raytheon Technologies	<b>P. J. McCuiston</b> , Multimac DMS
<b>D. O. Coon</b> , Applied Geometrics, Inc.	<b>J. D. Meadows</b> , James D. Meadows and Associates, Inc.
<b>R. Courson</b> , SAE International	<b>M. E. Melero</b> , Northrop Grumman Corp.
<b>K. Dobert</b> , Siemens PLM Software	<b>J. Micholajewicz</b> , Stryker Corp.
<b>P. Drake</b> , MechSigma Consulting, Inc.	<b>J. A. Miles</b> , Technical Consultants, Inc.
<b>B. Fischer</b> , TDP360, LLC	<b>H. W. Nokes</b> , U.S. Air Force (University of Dayton Research Institute)
<b>S. Hauger</b> , Deere and Co.	<b>K. E. Wiegandt</b> , Consultant
<b>J. B. Hoskins</b> , Boeing Co.	<b>M. A. Wilson</b> , Consultant
<b>J. Houck</b> , Woodward, Inc.	<b>E. Zwettler</b> , Sigmetrix
<b>R. Jensen</b> , Hexagon Manufacturing Intelligence	<b>J. Scheibel</b> , <i>Alternate</i> , Boeing Co.

### SUBCOMMITTEE 8 — CASTINGS, FORGINGS, AND MOLDED PARTS

<b>J. Houck</b> , <i>Chair</i> , Woodward, Inc.	<b>M. Long</b> , Tec-Ease, Inc.
<b>B. Lumb</b> , <i>Vice Chair</i> , Werfen	<b>E. F. McCarthy</b> , E. F. McCarthy Consulting, Inc.
<b>N. W. Cutler</b> , Dimensional Management, Inc.	<b>P. J. McCuiston</b> , Multimac DMS
<b>E. R. Evans, Jr.</b> , Pennsylvania State University, Erie — The Behrend College	<b>S. D. Pruss</b> , General Motors, Retired
<b>R. J. Hoyt</b> , Consultant	<b>T. Raffelson</b> , Pace Industries
<b>D. E. Jakstis</b> , Spirit AeroSystems, Inc.	<b>J. A. Rivers</b> , Rivers Precision, LLC
<b>K. Kiehl</b> , AGCO Corp.	<b>P. Van de Bogert</b> , Sub-Zero Group, Inc.
	<b>D. Watts</b> , Validate-3D

## CORRESPONDENCE WITH THE Y14 COMMITTEE

**General.** ASME Standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this Standard may interact with the Committee by proposing revisions or a case and attending Committee meetings. Correspondence should be addressed to:

Secretary, Y14 Standards Committee  
The American Society of Mechanical Engineers  
Two Park Avenue  
New York, NY 10016-5990  
<http://go.asme.org/Inquiry>

**Proposing Revisions.** Revisions are made periodically to the Standard to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Standard. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent documentation.

**Proposing a Case.** Cases may be issued to provide alternative rules when justified, to permit early implementation of an approved revision when the need is urgent, or to provide rules not covered by existing provisions. Cases are effective immediately upon ASME approval and shall be posted on the ASME Committee web page.

Requests for Cases shall provide a Statement of Need and Background information. The request should identify the Standard and the paragraph, figure, or table number(s), and be written as a Question and Reply in the same format as existing Cases. Requests for Cases should also indicate the applicable edition(s) of the Standard to which the proposed Case applies.

**Attending Committee Meetings.** The Y14 Standards Committee regularly holds meetings and/or telephone conferences that are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the Y14 Standards Committee. Future Committee meeting dates and locations can be found on the Committee Page at <http://go.asme.org/Y14committee>.

# Section 1

## Scope

This Standard covers definitions of terms and features unique to casting, forging, and molded-part technologies with recommendations for their uniform specification on engineering drawings and related documents. Castings, forgings, and molded parts are delineated as “part” or “parts” throughout the Standard.

### 1.1 GENERAL

Unless otherwise specified, any reference to features, parts, or processes shall be interpreted as applying to castings, forgings, and molded parts. Sections 2 through 5 establish related references, definitions, drawing presentation methods, and drafted feature considerations. Datum referencing is presented in Section 6, and Section 7 provides drawing notes and drawing items. Additional information unique to castings, forgings, and moldings is located in Nonmandatory Appendices A through C. The information in Nonmandatory Appendix D is provided to assist in the interpretation of existing drawings on which practices in previous editions of ASME Y14.8 may appear.

### 1.2 DIMENSIONING AND TOLERANCING

The methods of dimensioning and tolerancing shall be in accordance with ASME Y14.5 and this Standard.

### 1.3 ASME Y14 SERIES CONVENTIONS

The conventions in paras. 1.3.1 through 1.3.12 are used in this and other ASME Y14 standards.

#### 1.3.1 Mandatory, Recommended, Guidance, and Optional Words

- (a) The word “shall” establishes a requirement.
- (b) The word “will” establishes a declaration of purpose on the part of the design activity.
- (c) The word “should” establishes a recommended practice.
- (d) The word “may” establishes an allowed practice.
- (e) The words “typical,” “example,” “for reference,” and the Latin abbreviation “e.g.” indicate suggestions given for guidance only.

(f) The word “or” used in conjunction with a requirement or a recommended practice indicates that there are two or more options for complying with the stated requirement or practice.

(g) The phrase “unless otherwise specified” or the abbreviation “UOS” shall be used to indicate a default requirement. The phrase is used when the default is a generally applied requirement and an exception may be provided by another document or requirement.

#### 1.3.2 Cross-Reference of Standards

Cross-reference of standards in text with or without a date following the standard designator shall be interpreted as follows:

(a) Reference to other ASME Y14 standards in the text without a date following the standard designator indicates the edition of the standard identified in the References section (Section 2) shall be used to meet the requirement.

(b) Reference to other ASME Y14 standards in the text with a date following the standard designator indicates that only that edition of the standard shall be used to meet the requirement.

#### 1.3.3 Invocation of Referenced Standards

The following examples define the invocation of a standard when specified in Section 2 and referenced in the text of this Standard:

(a) When a referenced standard is cited in the text with no limitations to a specific subject or paragraphs of the standard, the entire standard is invoked. For example, “Dimensioning and tolerancing shall be in accordance with ASME Y14.5” is invoking the complete standard because the subject of the standard is dimensioning and tolerancing and no specific subject or paragraphs within the standard are invoked.

(b) When a referenced standard is cited in the text with limitations to a specific subject or paragraphs of the standard, only the paragraphs on that subject are invoked. For example, “Assign part or identifying numbers in accordance with ASME Y14.100” is invoking only the paragraphs on part or identifying numbers because the subject of the standard is engineering drawing practices and part or identifying numbers is a specific subject within the standard.