

Australian/New Zealand Standard™

LP Gas fuel systems for vehicle engines



AS/NZS 1425:2013

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee ME-046, Gas Fuel Systems for Vehicle Engines. It was approved on behalf of the Council of Standards Australia on 10 September 2013 and on behalf of the Council of Standards New Zealand on 26 August 2013. This Standard was published on 4 October 2013.

The following are represented on Committee ME-046:

Australian Automobile Association
Australian Industrial Truck Association
Automotive Alternative Fuels Registration Board
Department for Transport, Energy and Infrastructure, SA
Department of Natural Resources and Mines, QLD
Department of the Premier and Cabinet, SA
EnergySafety WA
Federal Chamber of Automotive Industries
Gas Association of New Zealand
Gas Energy Australia
International Association for Natural Gas Vehicles
Motor Traders' Association of New South Wales
New Zealand Transport Agency
NSW Fair Trading
Roads and Maritime Services NSW
TAFE NSW
Victoria Police
Victorian Automobile Chamber of Commerce

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand website at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR2 AS/NZS 1425.

Australian/New Zealand Standard™

LP Gas fuel systems for vehicle engines

Originated in Australia as AS 1425—1973.
Originated in New Zealand in part as part of NZS 5422.1:1980.
Previous edition AS/NZS 1425:2007.
Eighth edition 2013.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME-046, Gas Fuel Systems for Vehicle Engines, to supersede AS/NZS 1425:2007.

The objective of this Standard is to provide designers, manufacturers, installers and regulatory authorities with technical requirements for LP Gas fuel systems for vehicle engines so as to provide functional, safe installations.

The first edition of this Standard, published in Australia in 1973, was derived in the main from NFPA 58. A revision in 1979 introduced compartments and sub-compartments to control random leakage, required external filling points, and upgraded the strength of mountings, amongst other things. The first amendment in October 1980 introduced automatic fill limiters, and the second in 1981 virtually eliminated the hydrostatic relief valve.

The 1982 edition was generally a consolidation, in which editorial presentation was improved and a number of adjustments of detail occurred, the most significant of which was that attempts to make the excess-flow valve more sensitive were abandoned in the face of experience with inadvertent shut-off of fuel to the engine. Amendment 1 of May 1984 corrected and clarified minor detail. Amendment 2 of December 1985, besides further polishing detail, upgraded a number of requirements related to the security of a container and its fittings in a collision.

Amendment 3 of July 1987 permitted safety valves to discharge into a sub-compartment or compartment. This represented a major reversal of the previous policy of insistence on piping such discharges to exit vertically outside the vehicle.

The 1989 edition of the Standard incorporated changes to the requirements for fixed liquid level gauges, sizing of ventilation ducts and their construction materials, heat shielding and the referencing of AS 3509—1988, *LP gas fuel vessels for automotive use*.

The 1999 edition was a Joint Standards Australia/Standards New Zealand edition and the layout and content of sections were restructured to facilitate easy referencing with the grouping of all material on a subject in the one location.

The 2003 edition introduced clauses related to the installation of fuel injection systems, the decommissioning of redundant LP Gas fuel systems, medium pressure hose up to 450 kPa and an Appendix relating to exhaust emission testing. It also incorporated descriptive procedures for providing assurance of compliance with exhaust emission standards. Requirements were incorporated for certified kits to meet exhaust emission standards. Appendix D was introduced to outline requirements for testing vehicles, manufactured to comply with ADR 79/00, ADR 79/01, ADR 80/00 and ADR 80/01.

The 2007 edition of the Standard incorporated changes to requirements for valve materials and testing procedures and simplified emission testing requirements.

The 2013 edition (this edition) introduces clauses related to the protection against container 'hot bursting' in a vehicle fire situation. The committee commissioned an extensive testing program which identified containers in certain vehicle installations that required protection against possible 'hot bursting'. However, the committee also identified that the testing program would need to be ongoing to further test container 'hot bursting' when fitted to vehicles with plastic floor pans, utility tray tops and underslung vehicle installations. Any identified opportunities for further improvement of the Standard would become subject to further amendments.

Also included is an appendix which details real fire test procedures for testing container 'hot bursting' in specific vehicle installations where the Standard does not address that specific type of installation.

Further minor changes were also made in Appendix D to exhaust emission standards which now include vehicles manufactured to comply with ADR 80/02 and ADR 80/03. Also included are interim arrangements for vehicles manufactured to comply with ADR 79/03. These exhaust emission limits will be further reviewed and be subject to future amendments as required.

Also reviewed for the 2013 edition were the requirements for heavy truck exhaust emissions standards when LP Gas is introduced into the engine combustion cycle. The Committee's position is, that unless a relevant and accepted in-service test procedure is developed and produces repeatable results, the relevant ADR legislative requirements will apply. The committee is also of the view that an in-service exhaust emission test may be incorporated into future amendments when available and supported by regulators in Australia.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE AND APPLICATION.....	7
1.2 REFERENCED DOCUMENTS.....	7
1.3 NEW DESIGNS AND INNOVATIONS	7
1.4 DEFINITIONS.....	7
1.5 VEHICLE MODIFICATIONS.....	12
1.6 MINOR ALTERATIONS	12
1.7 ENGINE MANAGEMENT SYSTEM.....	12
1.8 PERFORMANCE REQUIREMENTS	13
1.9 LP GAS EQUIPMENT AND COMPONENTS	13
1.10 CERTIFIED KIT	13
1.11 PREVIOUSLY USED EQUIPMENT	13
1.12 LP GAS WITHDRAWAL FROM AUTOMOTIVE SYSTEMS	14
1.13 DECOMMISSIONING OF LP GAS FUEL SYSTEM.....	14
1.14 WORKING AREA AND SAFE PRACTICES.....	14
1.15 REGULATORY AGENCIES	14
SECTION 2 COMPONENTS	
2.1 GENERAL SUITABILITY	15
2.2 SUITABILITY FOR INSTALLATION.....	16
2.3 MODIFICATION	16
2.4 METALS	16
2.5 NON-METALS.....	16
SECTION 3 CONTAINER SUB-ASSEMBLY	
3.1 APPLICATION	17
3.2 CONTAINER	17
3.3 COMPONENTS FOR FIXED CONTAINERS	17
3.4 COMPONENTS FOR REMOVABLE CONTAINERS	18
3.5 COMPONENT SUITABILITY	18
3.6 FILLING CONNECTION	18
3.7 FILLER NON-RETURN VALVE SYSTEM.....	19
3.8 AUTOMATIC FILL LIMITER (AFL).....	20
3.9 FIXED LIQUID LEVEL GAUGE	21
3.10 CONTENTS GAUGE.....	21
3.11 EXCESS-FLOW VALVE.....	21
3.12 SERVICE VALVE	21
3.13 AUTOMATIC FUEL SHUT-OFF DEVICE AT CONTAINER.....	22
3.14 FUEL FILTER.....	23
3.15 SAFETY VALVE	23
3.16 LOCATION OF CONTAINER COMPONENTS	24
3.17 COMPARTMENTS AND SUB-COMPARTMENTS	24
3.18 MOUNTING OF FUEL CONTAINER.....	26
3.19 CONTAINER LOCATION, GROUND CLEARANCES.....	29
3.20 PROTECTION.....	31
3.21 HEAT SHIELDING.....	32
3.22 ELECTRICAL CONNECTIONS IN THE SUB-COMPARTMENT.....	33

SECTION 4 FUEL LINES

4.1	APPLICATION	34
4.2	RIGID PIPING	34
4.3	FLEXIBLE PIPING (HOSE AND HOSE ASSEMBLY)	34
4.4	JOINTS AND CONNECTIONS	35
4.5	INSTALLATION AND PROTECTION	35
4.6	PIPING OR FITTINGS IN ENCLOSED SPACES	36
4.7	MULTIPLE CONTAINER INSTALLATIONS	36
4.8	HYDROSTATIC-RELIEF VALVE	37
4.9	TRAILERS AND SEMITRAILERS	37
4.10	PREVIOUSLY USED EQUIPMENT	37
4.11	LP GAS FUEL PIPING FOR PRESSURE NOT EXCEEDING 7 kPa	37
4.12	LP GAS FUEL PIPING FOR PRESSURE NOT EXCEEDING 450 kPa	37

SECTION 5 FUEL CONTROL EQUIPMENT

5.1	APPLICATION	38
5.2	FUEL PUMPS	38
5.3	FUEL FILTER	38
5.4	AUTOMATIC FUEL SHUT-OFF DEVICE IN ENGINE BAY	38
5.5	VAPORIZER	39
5.6	REGULATOR	39
5.7	INSTALLATION OF VAPORIZER AND REGULATOR	39
5.8	LP GAS FUEL INJECTOR OR OTHER GAS METEERING DEVICE	40
5.9	GAS-AIR MIXER	40
5.10	FUEL SELECTOR	40
5.11	PETROL SYSTEM MODIFICATIONS	41
5.12	ELECTRICAL WIRING	41
5.13	ENGINE MANAGEMENT SYSTEM	41

SECTION 6 INSPECTION TESTING AND COMMISSIONING

6.1	APPLICATION	42
6.2	USED EQUIPMENT	42
6.3	MODIFICATIONS AND REPAIRS	42
6.4	PRECAUTIONS	42
6.5	INSPECTION	43
6.6	LEAK DETECTION	43
6.7	CONTAINER SUB-ASSEMBLY LEAK TEST	43
6.8	INSTALLATION TEST	44
6.9	PERIODIC INSPECTION	45
6.10	EXCESS-FLOW VALVE TEST	48
6.11	NON-RETURN VALVE TEST	48
6.12	AUTOMATIC FILL LIMITER TEST	48
6.13	TESTING OF AUTOMATIC FUEL SHUT-OFF DEVICE	48

SECTION 7 CERTIFICATION, COMPLIANCE PLATE, MARKINGS AND LABELS

7.1	APPLICATION	49
7.2	CERTIFICATION	49
7.3	COMPLIANCE PLATE	49
7.4	LABELS AND MARKINGS	50
7.5	OPERATING INSTRUCTIONS	51

APPENDICES

A	LIST OF REFERENCED DOCUMENTS.....	52
B	REGULATING AGENCY INFORMATION	54
C	LEAK DETECTION METHODS	57
D	PROCEDURES FOR DEMONSTRATING COMPLIANCE WITH EXHAUST EMISSION PROVISIONS (AUSTRALIA ONLY)	59
E	METHOD OF TEST TO DETERMINE THE RESISTANCE TO HOT BURSTING OF THE FUEL CONTAINER INSTALLATION.....	70

Currently in preview, click buy full version.

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
LP Gas fuel systems for vehicle engines

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE AND APPLICATION**1.1.1 Scope**

This Standard specifies requirements for liquefied petroleum gas (LP Gas) fuel systems for engines mounted on motor vehicles, either for the propulsion of the vehicles or for driving some auxiliary function, for example a mixer or a pump. It provides requirements for the design and construction of component parts and for their installation in vehicles, and for tests, commissioning and periodic inspection.

This Standard does not apply to LP Gas usage such as the gas supply system for appliances in caravans, mobile homes, forklifts, floor sweepers, polishers, telehandlers, elevating work platforms and industrial engines (refer to AS 4983), or for the propulsion of marine craft (refer to AS 4732).

This Standard does not address the requirements that may apply to structural modifications carried out on the vehicle. Prior to the commencement of such work, guidance should be sought from a local Transport Authority, vehicle manufacturer or a professional engineer experienced in automotive disciplines.

1.1.2 Application

This Standard shall be read as defining the minimum requirements of acceptability.

The relevant authority having jurisdiction may determine the extent of application of this Standard.

1.2 REFERENCED DOCUMENTS

A list of the Standards referred to in this Standard is given in Appendix A.

1.3 NEW DESIGN AND INNOVATIONS

Any alternative materials, equipment, designs, method of assembly or procedures, which do not comply with the specific requirements of this Standard, or are not mentioned in it, but which give equivalent results to those specified, may be acceptable. Under such conditions the regulatory authority can give advice on the procedure for approval.

1.4 DEFINITIONS

For the purpose of this Standard, the following definitions apply.

1.4.1 Approved, approval

Approved by or approval of the regulatory authority.

1.4.2 Authority

The authority having regulatory powers to control the design, manufacture and installation of equipment described in this Standard in the country, State or Territory in which the vehicle is registered.