

AS/NZS 1604.3:2021

**STANDARDS
NEW ZEALAND**
PAEREWĀ AOTEAROA



STANDARDS
Australia



Australian/New Zealand Standard™

Preservative-treated wood-based products

Part 3: Test methods

currently in preview, click buy full version



AS/NZS 1604.3:2021

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee TM-012, Timber Grading and Preservation. It was approved on behalf of the Council of Standards Australia on 24 March 2021 and by the New Zealand Standards Approval Board on 03 March 2021.

This Standard was published on 16 April 2021.

The following are represented on Committee TM-012:

Australian and New Zealand Timber Preservative Manufacturers Association
Australian Forest Products Association
Australian Timber Flooring Association
Australian Timber Importers Federation
Building Research Association of New Zealand
Engineered Wood Products Association of Australasia
Forest and Wood Products Australia
Forestry Corporation of NSW
Glued Laminated Timber Association of Australia
Ministry of Business, Innovation and Employment (NZ)
National Centre for Timber Durability and Design Life
NATSPEC
New Zealand Timber Industry Federation
New Zealand Timber Preservation Council
New Zealand Wood Processors Association
Responsible Care New Zealand
Scion
Tasmanian Timber Promotion Board
Timber Preservers Association of Australia

This Standard was issued in draft form for comment as D.R AS/NZS 1604.3:2018.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76113 270 4

Australian/New Zealand Standard™

Preservative-treated wood-based products

Part 3: Test methods

Originates as AS/NZS 1605.1:2006, AS/NZS 1605.2:2006, AS/NZS 1605.3:2006 and AS/NZS 1605.4:2006.
Revised, amalgamated and redesignated as AS/NZS 1604.3:2021.

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TM-012, Timber Grading and Preservation, to supersede AS/NZS 1605.1:2018, *Methods for sampling and analysing timber preservatives and preservative-treated timber, Part 1: General requirements, sampling, and determination of sapwood and heartwood presence*, AS/NZS 1605.2:2018, *Methods for sampling and analysing timber preservatives and preservative-treated timber, Part 2: Determination of preservative penetration by spot tests*, AS/NZS 1605.3:2018, *Methods for sampling and analysing timber preservatives and preservative-treated timber, Part 3: Analysis methods for determination of preservative retention* and AS/NZS 1605.4:2018, *Methods for sampling and analysing timber preservatives and preservative-treated timber, Part 4: Analysis methods for determination of preservative solution concentration*.

The objective of this Standard is to provide prescriptive methods for testing and analysing preservatives and preservative-treated wood-based products for use by manufacturers (treater) and associated parties.

This Standard is part of a series on preservative-treated wood-based products as follows:

AS/NZS 1604.1, *Preservative-treated wood-based products, Part 1: Products and treatment*

AS/NZS 1604.2, *Preservative-treated wood-based products, Part 2: Verification requirements*

AS/NZS 1604.3, *Preservative-treated wood-based products, Part 3: Test methods*

The revision of the series includes:

- (a) An improved performance-oriented approach.
- (b) Improved clarity and uniformity around the requirements for preservative penetration.
- (c) Better definition of the framework for treating, specifying and using conforming products.
- (d) A new system for verifying the key characteristics of conforming products.
- (e) Revised presentation and information content to ensure efficient application of each Part.
- (f) Some modifications and additions to the treatment specifications and test methods.
- (g) A reorganization of the test methods including removal of those no longer in common use.

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is for information and guidance only.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope	1
1.2 Application	1
1.3 Normative references	1
1.4 Terms and definitions	2
1.5 Report of test results	3
1.5.1 Analysis of preservative-treated wood-based products	3
1.5.2 Analysis of preservatives	4
1.6 Other methods of analysis	5
1.7 Sampling preservative liquid — Requirements	5
1.8 Sampling preservative-treated wood-based products	5
1.9 Presence of sapwood and heartwood in some softwoods	5
1.9.1 Principle	5
1.9.2 Reagents	5
1.9.3 Procedure	6
1.10 Presence of sapwood and heartwood in some hardwoods	6
1.10.1 Principle	6
1.10.2 Reagent — 0.1 % methyl orange	6
1.10.3 Procedure	6
Section 2 Solution analysis	7
2.1 Scope and general requirements	7
2.1.1 Scope of section	7
2.1.2 Preparation of preservative liquids and solutions for analysis	7
2.1.3 Related methods of analysis	7
2.2 Determination of copper, chromium and arsenic in CCA preservative solutions	8
2.2.1 Principle	8
2.2.2 Reagents	8
2.2.3 Procedure	8
2.2.4 Calculations of the percentage of metals	10
2.3 Determination of boron in preservative solution	10
2.3.1 Principle	10
2.3.2 Reagents	10
2.3.3 Procedure	11
2.3.4 Calculations	12
2.4 Determination of quaternary ammonium compounds in solutions	12
2.4.1 General	12
2.4.2 Reagents	12
2.4.3 Standardization of sodium tetraphenylboron solution	13
2.4.4 Analysis procedure	13
2.4.5 Calculations	13
2.5 Determination of copper in copper-based preservative solutions	14
2.5.1 Principle	14
2.5.2 Reagents	14
2.5.3 Procedure	14
2.5.4 Calculation	15
2.6 Determination of bifenthrin in water-based solutions by gas chromatography (GC)	15
2.6.1 Principle	15
2.6.2 Reagents	15
2.6.3 Procedures	16
2.6.4 Calculations	17
2.7 Determination of propiconazole, tebuconazole and permethrin in preservative solutions	17
2.7.1 Principle	17

2.7.2	Reagents	17
2.7.3	Procedures	17
2.7.4	Calculation	18
2.7.5	Suitability and specificity	18
2.8	Determination of imidacloprid in preservative solutions	18
2.8.1	Principle	18
2.8.2	Reagents	18
2.8.3	Procedures	19
2.8.4	Calculations	20
2.9	Determination of triadimefon and cyproconazole in aqueous solutions	20
2.9.1	Principle	20
2.9.2	Reagents	20
2.9.3	Procedures	21
2.9.4	Calculations	22
2.10	Determination of copper in copper naphthenate solution	23
2.10.1	Principle	23
2.10.2	Reagents	23
2.10.3	Procedure	24
2.10.4	Calculation	24
2.11	Determination of water content in high-temperature creosote	25
2.11.1	Principle	25
2.11.2	Apparatus	25
2.11.3	Reagent — Dry carrier liquid	25
2.11.4	Procedure	25
2.11.5	Calculation	25
2.11.6	Report	26
2.12	Determination of matter insoluble in toluene for high-temperature creosote	26
2.12.1	Principle	26
2.12.2	Reagents	26
2.12.3	Apparatus	26
2.12.4	Procedure	26
2.12.5	Calculations	27
2.12.6	Report	27
2.13	Determination of relative density of high-temperature creosote by hydrometer	27
2.13.1	General	27
2.13.2	Apparatus	28
2.13.3	Procedure	28
2.13.4	Calculation	28
2.13.5	Report	28
2.14	Determination of relative density of high-temperature creosote by density pycnometer	29
2.14.1	Apparatus	29
2.14.2	Calibration of pycnometers	29
2.14.3	Procedure	30
2.14.4	Calculation	30
2.14.5	Report	31
2.15	Test of distillation for high-temperature creosote	31
2.15.1	Principle	31
2.15.2	Apparatus	31
2.15.3	Preparation of laboratory sample	34
2.15.4	Dehydration of sample	34
2.15.5	Apparatus assembly	34
2.15.6	Procedure	36
2.15.7	Calculations	38
2.15.8	Report	38
2.16	Determination of coke residue in high-temperature creosote	38
2.16.1	Principle	38
2.16.2	Apparatus	39

2.16.3	Procedure	39
2.16.4	Calculation	39
2.16.5	Report	39
2.17	Determination of phenols (tar acids) in high-temperature creosote	39
2.17.1	Principle	39
2.17.2	Apparatus	39
2.17.3	Reagents	40
2.17.4	Procedure	40
2.17.5	Report	40
2.18	Determination of closed flashpoint of high-temperature creosote (closed cup)	41
2.18.1	Principle	41
2.18.2	Apparatus	41
2.18.3	Procedure	41
2.18.4	Report	42
2.19	Determination of limpid point of high-temperature creosote	42
2.19.1	Principle	42
2.19.2	Apparatus	42
2.19.3	Preparation of samples	42
2.19.4	Procedure	42
2.19.5	Report	43
Section 3	Penetration spot tests	44
3.1	Scope and general requirements of section	44
3.1.1	Scope of section	44
3.1.2	Preparation of test pieces from test specimens	44
3.1.3	Assessment of penetration	44
3.2	Determination of copper penetration in wood-based products treated with copper-based preservatives	44
3.2.1	Method 1 — Rubeanic acid	44
3.2.2	Method 2 — Chromazurol S	45
3.2.3	Method 3 — PAN indicator	45
3.3	Determination of boron penetration in wood-based products treated with boron-based preservatives	46
3.3.1	Method 1 — Turmeric acid	46
3.3.2	Method 2 — Pyrocatechol violet	46
3.4	Determination of zinc penetration in wood-based products treated with zinc-containing preservatives	47
3.4.1	General	47
3.4.2	Method 1 — Dithizone	47
3.4.3	Method 2 — PAN indicator	48
3.5	Determination of cobalt penetration in wood-based products treated with cobalt-containing preservatives	49
3.5.1	General	49
3.5.2	Principle	49
3.5.3	Reagent — PAN indicator	49
Section 4	Retention tests	50
	Scope and general requirements of section	50
4.1.1	Scope of section	50
4.1.2	Preparation of test pieces from test specimen	50
4.1.3	Related methods of analysis	50
4.2	Determination of copper, chromium and arsenic in preservative-treated wood-based products	50
4.2.1	Principle	50
4.2.2	Reagents	50
4.2.3	Procedure	51
4.2.4	Calculation of the percentages of metals in treated wood-based products	52
4.2.5	Composition of copper chromium arsenic (CCA)	52
4.3	Determination of boron in preservative-treated wood-based products	52

4.3.1	Principle	52
4.3.2	Reagents	52
4.3.3	Procedure for analysis of treated wood-based product	53
4.3.4	Calculation	54
4.4	Determination of copper in preservative-treated wood-based products treated with copper preservatives	54
4.4.1	Principle	54
4.4.2	Reagents	54
4.4.3	Procedure	55
4.4.4	Calculation	56
4.5	Determination of tebuconazole and/or propiconazole in preservative-treated wood-based products by gas chromatography (GC)	56
4.5.1	Principle	56
4.5.2	Reagents	56
4.5.3	Sampling	56
4.5.4	Procedure	57
4.5.5	Standard solutions	58
4.5.6	Standardization	58
4.5.7	Calculations	59
4.6	Determination of bifenthrin in preservative-treated wood-based product	60
4.6.1	Principle	60
4.6.2	Reagents	60
4.6.3	Sampling	60
4.6.4	Procedure	61
4.6.5	Data handling and calculations	62
4.7	Determination of permethrin in preservative-treated wood-based product extracts	63
4.7.1	General	63
4.7.2	Principle	63
4.7.3	Reagents	63
4.7.4	Apparatus	64
4.7.5	Sampling	64
4.7.6	Procedure	65
4.7.7	Data handling and calculations	66
4.8	Determination of imidacloprid in preservative-treated wood-based product extracts	67
4.8.1	Principle	67
4.8.2	Reagents	67
4.8.3	Sampling and moisture content	67
4.8.4	Procedure	68
4.8.5	Calculations	69
4.9	Determination of quaternary ammonium compound in wood-based products	70
4.9.1	Principle	70
4.9.2	Reagents	70
4.9.3	Sampling	71
4.9.4	Procedure	71
4.9.5	Calculation of quaternary ammonium compound retention	71
4.10	Determination of bifenthrin in glueline-treated wood-based products	72
4.10.1	Principle	72
4.10.2	Reagents	72
4.10.3	Sampling	72
4.10.4	Procedure	72
4.10.5	Preparation of standards	74
4.10.6	Data handling and calculations	74
4.11	Determination of imidacloprid in glueline-treated wood-based products — ELISA analysis	75
4.11.1	Principle	75
4.11.2	Reagents and apparatus	75
4.11.3	Sampling and moisture content	75
4.11.4	Procedure	76

4.11.5	Calculations	77
4.12	Determination of triadimefon and cyproconazole in glueline-treated and surface-treated wood-based products	78
4.12.1	Principle	78
4.12.2	Reagents	78
4.12.3	Sampling and moisture content	78
4.12.4	Procedure	78
4.12.5	Standard solutions	79
4.12.6	Quantitation	79
4.12.7	Chromatography	79
4.12.8	Calculations	80
4.13	Determination of thiocloprid in glueline-treated wood-based products	81
4.13.1	Principle	81
4.13.2	Reagents and apparatus	81
4.13.3	Sampling and moisture content	82
4.13.4	Procedure	82
4.13.5	Calculations	83
4.14	Determination of creosote or pigment-emulsified creosote in preservative-treated wood-based products	84
4.14.1	Principle	84
4.14.2	Reagent — Toluene	84
4.14.3	Procedure	84
4.14.4	Calculations	86
4.14.5	Correction	86
4.15	Determination of deltamethrin in preservative-treated wood-based products	87
4.15.1	Principle	87
4.15.2	Reagents	87
4.15.3	Apparatus	87
4.15.4	Sampling	88
4.15.5	Procedure	88
4.15.6	Extraction	88
4.15.7	Data handling and calculation	89
4.15.8	GC configuration	89
4.16	Determination of didecyl dimethylammonium chloride in wood-based products	90
4.16.1	Principle	90
4.16.2	Apparatus	90
4.16.3	Reagents	91
4.16.4	Sampling	91
4.16.5	Calibration	91
4.16.6	Sample analysis	92
4.16.7	Calculation of DDAC concentration	92
4.17	Determination of copper in copper naphthenate preservative-treated wood-based products	92
4.17.1	Principle	92
4.17.2	Reagents	92
4.17.3	Procedure	92
4.17.4	Calculation	93
Appendix A (informative) Test methods no longer in common use		95
Bibliography		96

NOTES

Currently in preview, click buy full version

Australian/New Zealand Standard

Preservative-treated wood-based products

Part 3: Test methods

Section 1 Scope and general

1.1 Scope

This Standard specifies general requirements for testing and analysing preservatives and preservative-treated wood-based products. The types of test methods included are —

- (a) solution analysis ([Section 2](#));
- (b) penetration spot tests ([Section 3](#)); and
- (c) retention tests ([Section 4](#)).

NOTE 1 Methods for determining the presence of sapwood and heartwood in wood-based products are included in [Section 1](#) to facilitate the correct application and interpretation of the test methods.

NOTE 2 The test methods presented are those considered to be in current use at the time of publication of this Standard and are listed in approximate order of common usage in each case.

NOTE 3 Test methods included in previous versions of this Standard, but now not considered to be in common use, are not included but may, if necessary, be obtained from the previous standards. These methods are listed, for information purposes, in [Appendix A](#).

1.2 Application

This Standard is intended for use in conjunction with AS/NZS 1604.1 and AS/NZS 1604.2, NZS 3640 or the relevant standard to which the wood-based product is claimed to have been treated. AS/NZS 1604.1 specifies that preservative-treated wood-based products be verified in accordance with AS/NZS 1604.2 using the test methods in this Standard.

NOTE Test results should be achieved within the level of accuracy appropriate to the test procedure.

1.3 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document:

NOTE Documents referenced for informative purposes are listed in the Bibliography.

AS 2026, *Laboratory glassware—Density hydrometers*

AS 3529, *Solvents—Toluene*

AS/NZS 1604.1, *Preservative-treated wood-based products, Part 1: Products and treatments*

AS/NZS 1604.2, *Preservative-treated wood-based products, Part 2: Verification requirements*

AS/NZS 4491, *Timber—Glossary of terms in timber-related Standards*

NZS 3640, *Chemical preservation of round and sawn timber*

ISO 2719, *Determination of flash point — Pensky-Martens closed cup method*

ISO 5272, *Toluene for industrial use — Specifications*